

DB2 LUW v9.7

SQL Cookbook

Graeme Birchall

16-Aug-2011

Preface

Important!

If you didn't get this document directly from my personal website, you may have got an older edition. The book is changed very frequently, so if you want the latest, go to the source. Also, the latest edition is usually the best book to have, as the examples are often much better. This is true even if you are using an older version of DB2.

This Cookbook is written for DB2 for LUW (i.e. Linux, Unix, Windows). It is not suitable for DB2 for z/OS unless you are running DB2 8 in new-function-mode, or (even better) DB2 9.

Acknowledgements

I did not come up with all of the ideas presented in this book. Many of the best examples were provided by readers, friends, and/or coworkers too numerous to list. Thanks also to the many people at IBM for their (strictly unofficial) assistance.

Disclaimer & Copyright

DISCLAIMER: This document is a best effort on my part. However, I screw up all the time, so it would be extremely unwise to trust the contents in its entirety. I certainly don't. And if you do something silly based on what I say, life is tough.

COPYRIGHT: You can make as many copies of this book as you wish. And I encourage you to give it to others. But you cannot charge for it (other than to recover reproduction costs), nor claim the material as your own, nor replace my name with another. You are also encouraged to use the related class notes for teaching. In this case, you can charge for your time and materials - and your expertise. But you cannot charge any licensing fee, nor claim an exclusive right of use. In other words, you can pretty well do anything you want. And if you find the above too restrictive, just let me know.

TRADEMARKS: Lots of words in this document, like "DB2", are registered trademarks of the IBM Corporation. Lots of other words, like "Windows", are registered trademarks of the Microsoft Corporation. Acrobat is a registered trademark of the Adobe Corporation.

Tools Used

This book was written on a Dell PC that came with oodles of RAM. All testing was done in DB2 V9.7 Express-C for Windows. Word for Windows was used to write the document. Adobe Acrobat was used to make the PDF file.

Book Binding

This book looks best when printed on a doubled sided laser printer and then suitably bound. To this end, I did some experiments a few years ago to figure out how to bind books cheaply using commonly available materials. I came up with what I consider to be a very satisfactory solution that is fully documented on page 461.

Author / Book

Author: Graeme Birchall ©
Email: Graeme_Birchall@verizon.net
Web: http://mysite.verizon.net/Graeme_Birchall/
Title: DB2 9.7 SQL Cookbook ©
Date: 16-Aug-2011

Author Notes

Book History

This book originally began a series of notes for my own use. After a while, friends began to ask for copies, and enemies started to steal it, so I decided to tidy everything up and give it away. Over the years, new chapters have been added as DB2 has evolved, and as I have found new ways to solve problems. Hopefully, this process will continue for the foreseeable future.

Why Free

This book is free because I want people to use it. The more people that use it, and the more that it helps them, the more inclined I am to keep it up to date. For these reasons, if you find this book to be useful, please share it with others.

This book is free, rather than formally published, because I want to deliver the best product that I can. If I had a publisher, I would have the services of an editor and a graphic designer, but I would not be able to get to market so quickly, and when a product changes as quickly as DB2 does, timeliness is important. Also, giving it away means that I am under no pressure to make the book marketable. I simply include whatever I think might be useful.

Other Free Documents

The following documents are also available for free from my web site:

- SAMPLE SQL: The complete text of the SQL statements in this Cookbook is available in an HTML file. Only the first and last few lines of the file have HTML tags, the rest is raw text, so it can easily be cut and paste into other files.
- CLASS OVERHEADS: Selected SQL examples from this book have been rewritten as class overheads. This enables one to use this material to teach DB2 SQL to others. Use this cookbook as the student notes.
- OLDER EDITIONS: This book is rewritten, and usually much improved, with each new version of DB2. Some of the older editions are available from my website. The others can be emailed upon request. However, the latest edition is the best, so you should probably use it, regardless of the version of DB2 that you have.

Answering Questions

As a rule, I do not answer technical questions because I need to have a life. But I'm interested in hearing about interesting SQL problems, and also about any bugs in this book. However you may not get a prompt response, or any response. And if you are obviously an idiot, don't be surprised if I point out (for free, remember) that you are an idiot.

Software Whines

This book is written using Microsoft Word for Windows. I've been using this software for many years, and it has generally been a bunch of bug-ridden junk. I do confess that it has been mildly more reliable in recent years. However, I could have written more than twice as much that was twice as good in half the time - if it weren't for all of the bugs in Word.

Graeme

Book Editions

Upload Dates

- 1996-05-08: First edition of the DB2 V2.1.1 SQL Cookbook was posted to my web site. This version was in Postscript Print File format.
- 1998-02-26: The DB2 V2.1.1 SQL Cookbook was converted to an Adobe Acrobat file and posted to my web site. Some minor cosmetic changes were made.
- 1998-08-19: First edition of DB2 UDB V5 SQL Cookbook posted. Every SQL statement was checked for V5, and there were new chapters on OUTER JOIN and GROUP BY.
- 1998-08-26: About 20 minor cosmetic defects were corrected in the V5 Cookbook.
- 1998-09-03: Another 30 or so minor defects were corrected in the V5 Cookbook.
- 1998-10-24: The Cookbook was updated for DB2 UDB V5.2.
- 1998-10-25: About twenty minor typos and sundry cosmetic defects were fixed.
- 1998-12-03: This book was based on the second edition of the V5.2 upgrade.
- 1999-01-25: A chapter on Summary Tables (new in the Dec/98 fixpack) was added and all the SQL was checked for changes.
- 1999-01-28: Some more SQL was added to the new chapter on Summary Tables.
- 1999-02-15: The section of stopping recursive SQL statements was completely rewritten, and a new section was added on denormalizing hierarchical data structures.
- 1999-02-16: Minor editorial changes were made.
- 1999-03-16: Some bright spark at IBM pointed out that my new and improved section on stopping recursive SQL was all wrong. Damn. I undid everything.
- 1999-05-12: Minor editorial changes were made, and one new example (on getting multiple counts from one value) was added.
- 1999-09-16: DB2 V6.1 edition. All SQL was rechecked, and there were some minor additions - especially to summary tables, plus a chapter on "DB2 Dislikes".
- 1999-09-23: Some minor layout changes were made.
- 1999-10-06: Some bugs fixed, plus new section on index usage in summary tables.
- 2000-04-12: Some typos fixed, and a couple of new SQL tricks were added.
- 2000-09-19: DB2 V7.1 edition. All SQL was rechecked. The new areas covered are: OLAP functions (whole chapter), ISO functions, and identity columns.
- 2000-09-25: Some minor layout changes were made.
- 2000-10-26: More minor layout changes.
- 2001-01-03: Minor layout changes (to match class notes).
- 2001-02-06: Minor changes, mostly involving the RAND function.
- 2001-04-11: Document new features in latest fixpack. Also add a new chapter on Identity Columns and completely rewrite sub-query chapter.
- 2001-10-24: DB2 V7.2 fixpack 4 edition. Tested all SQL and added more examples, plus a new section on the aggregation function.
- 2002-03-11: Minor changes, mostly to section on precedence rules.
- 2002-08-20: DB2 V8.1 (beta) edition. A few new functions are added. New section on temporary tables. Identity Column and Join chapters rewritten. Whine chapter removed.
- 2003-01-02: DB2 V8.1 (post-Beta) edition. SQL rechecked. More examples added.
- 2003-07-11: New sections added on DML, temporary tables, compound SQL, and user defined functions. Halting recursion section changed to use user-defined function.
- 2003-09-04: New sections on complex joins and history tables.
- 2003-10-02: Minor changes. Some more user-defined functions.
- 2003-11-20: Added "quick find" chapter.

- 2003-12-31: Tidied up the SQL in the Recursion chapter, and added a section on the merge statement. Completely rewrote the chapter on materialized query tables.
- 2004-02-04: Added select-from-DML section, and tidied up some code. Also managed to waste three whole days due to bugs in Microsoft Word.
- 2004-07-23: Rewrote chapter of identity column and sequences. Made DML separate chapter. Added chapters on protecting data and XML functions. Other minor changes.
- 2004-11-03: Upgraded to V8.2. Retested all SQL. Documented new SQL features. Some major hacking done on the GROUP BY chapter.
- 2005-04-15: Added short section on cursors, and a chapter on using SQL to make SQL.
- 2005-06-01: Added a chapter on triggers.
- 2005-11-11: Updated MQT table chapter and added bibliography. Other minor changes.
- 2005-12-01: Applied fixpack 10. Changed my website name.
- 2005-12-16: Added notes on isolation levels, data-type functions, transforming data.
- 2006-01-26: Fixed dumb bugs generated by WORD. What stupid software. Also wrote an awesome new section on joining meta-data to real data.
- 2006-02-17: Touched up the section on joining meta-data to real data. Other minor fixes.
- 2006-02-27: Added precedence rules for SQL statement processing, and a description of a simplified nested table expression.
- 2006-03-23: Added better solution to avoid fetching the same row twice.
- 2006-04-26: Added trigger that can convert HEX value to number.
- 2006-09-08: Upgraded to V9.1. Retested SQL. Removed the XML chapter as it is now obsolete. I'm still cogitating about XQuery. Looks hard. Added some awesome java code.
- 2006-09-13: Fixed some minor problems in the initial V9.1 book.
- 2006-10-17: Fixed a few cosmetic problems that were bugging me.
- 2006-11-06: Found out that IBM had removed the "UDB" from the DB2 product name, so I did the same. It is now just plain "DB2 V9".
- 2006-11-29: I goofed. Turns out DB2 is now called "DB2 9". I relabeled accordingly.
- 2006-12-15: Improved code to update or delete first "n" rows.
- 2007-02-22: Get unique timestamp values during multi-row insert. Other minor changes.
- 2007-11-20: Finished the DB2 V9.5 edition. Lots of changes!
- 2008-09-20: Fixed some minor problems.
- 2008-11-28: Fixed some minor problems.
- 2009-01-18: Fixed some minor problems, plus lots of bugs in Microsoft WORD!
- 2009-03-12: Converted to a new version of Adobe Acrobat, plus minor fixes.
- 2010-10-12: Finished initial V9.7 edition. Only minor changes. More to come.
- 2010-11-05: First batch of cute/deranged V9.7 SQL examples added.
- 2010-11-14: Fixed some minor typos.
- 2011-01-11: Added LIKE_COLUMN function. Removed bibliography.
- 2011-01-14: Added HASH function. Other minor edits.
- 2011-08-16: Fixed some minor problems.

Table of Contents

PREFACE	3
AUTHOR NOTES	4
BOOK EDITIONS	5
TABLE OF CONTENTS	7
QUICK FIND	17
Index of Concepts.....	17
INTRODUCTION TO SQL.....	21
Syntax Diagram Conventions.....	21
SQL Components	22
DB2 Objects.....	22
DB2 Data Types	24
DECFLOAT Arithmetic.....	25
Date/Time Arithmetic	27
DB2 Special Registers.....	29
Distinct Types	31
Fullselect, Subselect, & Common Table Expression.....	32
SELECT Statement.....	33
FETCH FIRST Clause	35
Correlation Name.....	36
Renaming Fields	36
Working with Nulls	37
Quotes and Double-quotes	38
SQL Predicates	38
Basic Predicate.....	39
Quantified Predicate	39
BETWEEN Predicate	40
EXISTS Predicate	40
IN Predicate	41
LIKE Predicate	41
LIKE_COLUMN Function	43
NULL Predicate	44
Special Character Usage	44
Precedence Rules.....	44
Processing Sequence	45
CAST Expression.....	46
VALUES Statement	47
CASE Expression	50
CASE Syntax Styles	50
Sample SQL	51
Miscellaneous SQL Statements	54
Cursor.....	54
Select Into.....	56
Prepare.....	56
Describe	56
Execute.....	57
Execute Immediate	57
Set Variable	57
Set DB2 Control Structures.....	58

Unit-of-Work Processing.....	58
Commit.....	58
Savepoint	59
Release Savepoint	60
Rollback	60
DATA MANIPULATION LANGUAGE.....	61
Insert	61
Update.....	65
Delete	68
Select DML Changes	70
Merge	73
COMPOUND SQL.....	79
Introduction	79
Statement Delimiter	79
SQL Statement Usage	80
DECLARE Variables.....	80
FOR Statement	81
GET DIAGNOSTICS Statement	81
IF Statement.....	82
ITERATE Statement.....	82
LEAVE Statement	83
SIGNAL Statement.....	83
WHILE Statement.....	84
Other Usage	84
Trigger.....	85
Scalar Function	86
Table Function.....	87
COLUMN FUNCTIONS	89
Introduction	89
Column Functions, Definitions.....	89
ARRAY_AGG.....	89
AVG.....	89
CORRELATION	91
COUNT	91
COUNT_BIG	92
COVARIANCE.....	92
GROUPING.....	93
MAX	93
MIN	94
Regression Functions.....	95
STDDEV.....	95
SUM	96
VAR or VARIANCE.....	96
OLAP FUNCTIONS	97
Introduction.....	97
The Bad Old Days	97
Concepts	98
PARTITION Expression.....	100
Window Definition.....	101
ROWS vs. RANGE	103
ORDER BY Expression	104
Table Designator	105
Nulls Processing.....	105
OLAP Functions.....	106
RANK and DENSE_RANK	106
ROW_NUMBER	111
FIRST_VALUE and LAST_VALUE	117

LAG and LEAD	119
Aggregation	120

SCALAR FUNCTIONS **127**

Introduction.....	127
Sample Data.....	127
Scalar Functions, Definitions 127	
ABS or ABSVAL	127
ACOS	128
ASCII	128
ASIN	128
ATAN	128
ATAN2	128
ATANH	128
BIGINT.....	128
BIT Functions.....	129
BLOB	132
CARDINALITY	132
CEIL or CEILING	132
CHAR	133
CHARACTER_LENGTH.....	135
CHR.....	136
CLOB.....	136
COALESCE	136
COLLATION_KEY_BIT	137
COMPARE_DECFLOAT.....	138
CONCAT	138
COS	139
COSH	139
COT	139
DATAPARTITIONNUM	139
DATE	140
DAY	140
DAYNAME	141
DAYOFWEEK	141
DAYOFWEEK_ISO	141
DAYOFYEAR	142
DAYS	142
DBCLOB	142
DBPARTITIONNUM	143
DECFLOAT	143
DEC or DECIMAL	143
DECODE	144
DECRYPT_BIN and DECRYPT_CHAR	144
DEGREES	145
DEREF	145
DIFFERENCE	145
DIGITS	145
DOUBLE or DOUBLE_PRECISION	146
ENCRYPT	146
EVENT_MON_STATE	147
EXP	147
FLOAT	147
FLOOR	147
GENERATE_UNIQUE	147
GETHINT	149
GRAPHIC	150
GREATEST	150
HASHEDVALUE	150
HEX	150
HOUR	151
IDENTITY_VAL_LOCAL	151
INSERT	151
INT or INTEGER	152
JULIAN_DAY	152
LCASE or LOWER	154
LEAST	154
LEFT	154
LENGTH	155
LN or LOG	155
LOCATE	155
LOG or LN	156
LOG10	156
LONG_VARCHAR	156

LONG_VARGRAPHIC.....	156
LOWER.....	156
LTRIM	156
MAX	156
MAX_CARDINALITY	157
MICROSECOND	157
MIDNIGHT_SECONDS	157
MIN	158
MINUTE	158
MOD	158
MONTH	158
MONTHNAME	158
MULTIPLY_ALT	159
NORMALIZE_DECFLOAT	159
NULLIF	160
NVL	160
OCTET_LENGTH	160
OVERLAY	160
PARTITION	161
POSITION	161
POSSTR	162
POWER	162
QUANTIZE	163
QUARTER	163
RADIANS	163
RAISE_ERROR	163
RAND	164
REAL	167
REPEAT	168
REPLACE	168
RID	168
RID_BIT	169
RIGHT	170
ROUND	170
RTRIM	171
SECLABEL Functions	171
SECOND	171
SIGN	171
SIN	171
SINH	171
SMALLINT	172
SNAPSHOT Functions	172
SOUNDEX	172
SPACE	173
SQRT	173
STRIP	173
SUBSTR	174
TABLE	175
TABLE_NAME	175
TABLE_SCHEMA	175
TAN	176
TANH	176
TIME	176
TIMESTAMP	176
TIMESTAMP_FORMAT	177
TIMESTAMP_ISO	177
TIMESTAMPDIFF	177
TO_CHAR	178
TO_DATE	178
TOTALORDER	178
TRANSLATE	179
TRIM	180
TRUNC or TRUNCATE	180
TYPE_ID	180
TYPE_NAME	180
TYPE_SCHEMA	180
UCASE or UPPER	180
VALUE	181
VARCHAR	181
VARCHAR_BIT_FORMAT	181
VARCHAR_FORMAT	181
VARCHAR_FORMAT_BIT	181
VARGRAPHIC	181
WEEK	182
WEEK_ISO	182
YEAR	182

"+" PLUS.....	183
"-" MINUS.....	183
"**" MULTIPLY	183
"/" DIVIDE	184
" " CONCAT.....	184
USER DEFINED FUNCTIONS	185
Sourced Functions	185
Scalar Functions	187
Description.....	187
Examples.....	188
Table Functions	192
Description.....	192
Examples.....	193
Useful User-Defined Functions	194
Julian Date Functions	194
Get Prior Date.....	194
Generating Numbers.....	196
Check Data Value Type	197
Hash Function.....	199
ORDER BY, GROUP BY, AND HAVING	201
Order By	201
Notes	201
Sample Data.....	201
Order by Examples	202
Group By and Having	204
Rules and Restrictions	204
GROUP BY Flavors	205
GROUP BY Sample Data	206
Simple GROUP BY Statements	206
GROUPING SETS Statement.....	207
ROLLUP Statement	211
CUBE Statement.....	215
Complex Grouping Sets - Done Easy	218
Group By and Order By	220
Group By in Join	220
COUNT and No Rows.....	221
JOINS	223
Why Joins Matter	223
Sample Views.....	223
Join Syntax.....	223
Query Processing Sequence	225
ON vs. WHERE	225
Join Types	226
Inner Join	226
Left Outer Join	227
Right Outer Join	229
Full Outer Joins	230
Cartesian Product	234
Join Notes	236
Using the COALESCE Function.....	236
Listing non-matching rows only	236
Join in SELECT Phrase	238
Predicates and Joins, a Lesson	240
Joins - Things to Remember	241
Complex Joins	242
SUB-QUERY	245
Sample Tables.....	245
Sub-query Flavors	245
Sub-query Syntax	245

Correlated vs. Uncorrelated Sub-Queries.....	252
Multi-Field Sub-Queries.....	253
Nested Sub-Queries.....	253
Usage Examples	254
True if NONE Match	254
True if ANY Match	255
True if TEN Match	256
True if ALL match	257
UNION, INTERSECT, AND EXCEPT	259
Syntax Diagram.....	259
Sample Views.....	259
Usage Notes	260
Union & Union All	260
Intersect & Intersect All.....	260
Except, Except All, & Minus.....	260
Precedence Rules.....	261
Unions and Views.....	262
MATERIALIZED QUERY TABLES	263
Introduction	263
Usage Notes	263
Syntax Options.....	264
Select Statement.....	265
Optimizer Options.....	266
Refresh Deferred Tables	268
Refresh Immediate Tables.....	269
Usage Notes and Restrictions	271
Multi-table Materialized Query Tables	272
Indexes on Materialized Query Tables	274
Organizing by Dimensions.....	275
Using Staging Tables	275
IDENTITY COLUMNS AND SEQUENCES.....	277
Identity Columns.....	277
Rules and Restrictions.....	278
Altering Identity Column Options	281
Gaps in Identity Column Values	282
Find Gaps in Values	283
IDENTITY_VAL_LOCAL Function.....	284
Sequences.....	286
Getting the Sequence Value.....	287
Multi-table Usage	289
Counting Deletes.....	290
Identity Columns vs. Sequences - a Comparison	291
Roll Your Own	292
Support Multi-row Inserts.....	293
TEMPORARY TABLES.....	297
Introduction.....	297
Temporary Tables - in Statement	299
Common Table Expression	300
Full-Select	302
Declared Global Temporary Tables	306
RECURSIVE SQL.....	309
Use Recursion To.....	309
When (Not) to Use Recursion	309
How Recursion Works.....	309
List Dependents of AAA	310
Notes & Restrictions.....	311
Sample Table DDL & DML	311

Introductory Recursion	312
List all Children #1	312
List all Children #2	312
List Distinct Children	313
Show Item Level	313
Select Certain Levels	314
Select Explicit Level	315
Trace a Path - Use Multiple Recursions	315
Extraneous Warning Message	316
Logical Hierarchy Flavours.....	317
Divergent Hierarchy	317
Convergent Hierarchy	318
Recursive Hierarchy.....	318
Balanced & Unbalanced Hierarchies.....	319
Data & Pointer Hierarchies.....	319
Halting Recursive Processing	320
Sample Table DDL & DML.....	320
Stop After "n" Levels	321
Stop When Loop Found	322
Keeping the Hierarchy Clean	325
Clean Hierarchies and Efficient Joins	327
Introduction	327
Limited Update Solution.....	327
Full Update Solution.....	329
TRIGGERS.....	333
Trigger Syntax.....	333
Usage Notes	333
Trigger Usage	334
Trigger Examples.....	335
Sample Tables	335
Before Row Triggers - Set Values.....	335
Before Row Trigger - Signal Error	336
After Row Triggers - Record Data States	336
After Statement Triggers - Record Changes	337
Examples of Usage	338
PROTECTING YOUR DATA.....	341
Sample Application	341
Enforcement Tools.....	342
Distinct Data Types.....	343
Customer-Balance Table	343
US-Sales Table.....	344
Triggers	345
Conclusion	348
RETAINING A RECORD	351
Schema Design	351
Recording Changes	351
Multiple Versions of the World	354
USING SQL TO MAKE SQL	361
Export Command	361
SQL to Make SQL.....	362
RUNNING SQL WITHIN SQL.....	365
Introduction	365
Generate SQL within SQL.....	365
Make Query Column-Independent	366
Business Uses	367
Meta Data Dictionaries.....	368
DB2 SQL Functions	368

Function and Stored Procedure Used.....	368
Different Data Types.....	369
Usage Examples	370
Java Functions.....	372
Scalar Functions.....	372
Tabular Functions.....	373
Transpose Function.....	376
Update Real Data using Meta-Data	383
Usage Examples	384
FUN WITH SQL.....	389
Creating Sample Data.....	389
Data Generation	389
Make Reproducible Random Data.....	389
Make Random Data - Different Ranges.....	390
Make Random Data - Varying Distribution.....	390
Make Random Data - Different Flavours	391
Make Test Table & Data.....	391
Time-Series Processing	393
Find Overlapping Rows	394
Find Gaps in Time-Series.....	395
Show Each Day in Gap	396
Other Fun Things.....	396
Randomly Sample Data.....	396
Convert Character to Numeric	398
Convert Number to Character.....	400
Convert Timestamp to Numeric	403
Selective Column Output.....	404
Making Charts Using SQL	404
Multiple Counts in One Pass	405
Find Missing Rows in Series / Count all Values.....	406
Multiple Counts from the Same Row	408
Normalize Denormalized Data.....	409
Denormalize Normalized Data.....	410
Transpose Numeric Data.....	412
Reversing Field Contents	415
Fibonacci Series.....	416
Business Day Calculation.....	418
Query Runs for "n" Seconds.....	418
Sort Character Field Contents	419
Calculating the Median	421
Converting HEX Data to Number.....	424
QUIRKS IN SQL.....	427
Trouble with Timestamps	427
No Rows Match	428
Dumb Date Usage	429
RAND in Predicate	430
Date/Time Manipulation.....	432
Use of LIKE on VARCHAR	433
Comparing Weeks	434
DB2 Truncates, not Rounds	434
CASE Checks in Wrong Sequence	435
Division and Average.....	435
Date Output Order	435
Ambiguous Cursors	436
Multiple User Interactions	437
What Time is It	441
Floating Point Numbers	442
APPENDIX	447
DB2 Sample Tables	447
ACT	447
CATALOG	447
CL_SCHED	448
CUSTOMER.....	448
DATA_FILE_NAMES.....	448

DEPARTMENT	449
EMPLOYEE	450
EMPMDC	451
EMPPROJECT	451
EMP_PHOTO	453
EMP_RESUME	453
IN_TRAY	454
INVENTORY	454
ORG	454
PRODUCT	455
PRODUCTSUPPLIER	455
PROJECT	455
PROJECT	457
PURCHASEORDER	457
SALES	458
STAFF	459
SUPPLIERS	459
BOOK BINDING	461
INDEX	463

Quick Find

This brief chapter is for those who want to find how to do something, but are not sure what the task is called. Hopefully, this list will identify the concept.

Index of Concepts

Join Rows

To combine matching rows in multiple tables, use a join (see page 223).

EMP_NM	EMP_JB	SELECT	ANSWER
+-----+ +-----+	+-----+ +-----+	,	=====
ID NAME	ID JOB	, nm.name	ID NAME JOB
-- --	-- --	, jb.job	-- ----- --
10 Sanders	10 Sales	FROM emp_nm nm	10 Sanders Sales
20 Pernal	20 Clerk	, emp_jb jb	20 Pernal Clerk
50 Hanes	+-----+	WHERE nm.id = jb.id	
+-----+	+-----+	ORDER BY 1;	

Figure 1, Join example

Outer Join

To get all of the rows from one table, plus the matching rows from another table (if there are any), use an outer join (see page 226).

EMP_NM	EMP_JB	SELECT	ANSWER
+-----+ +-----+	+-----+ +-----+	,	=====
ID NAME	ID JOB	, nm.name	ID NAME JOB
-- --	-- --	, jb.job	-- ----- --
10 Sanders	10 Sales	FROM emp_nm nm	10 Sanders Sales
20 Pernal	20 Clerk	LEFT OUTER JOIN emp_jb jb	20 Pernal Clerk
50 Hanes	+-----+	ON nm.id = jb.id	50 Hanes -
+-----+	+-----+	ORDER BY nm.id;	

Figure 2, Left-outer-join example

To get rows from either side of the join, regardless of whether they match (the join) or not, use a full outer join (see page 230).

Null Values - Replace

Use the COALESCE function (see page 136) to replace a null value (e.g. generated in an outer join) with a non-null value.

Select Where No Match

To get the set of the matching rows from one table where something is true or false in another table (e.g. no corresponding row), use a sub-query (see page 245).

EMP_NM	EMP_JB	SELECT	ANSWER
+-----+ +-----+	+-----+ +-----+	*	=====
ID NAME	ID JOB	FROM emp_nm nm	ID NAME
-- --	-- --	WHERE NOT EXISTS	-- =====
10 Sanders	10 Sales	(SELECT * FROM emp_jb jb	50 Hanes
20 Pernal	20 Clerk	WHERE nm.id = jb.id)	
50 Hanes	+-----+	ORDER BY id;	

Figure 3, Sub-query example

Append Rows

To add (append) one set of rows to another set of rows, use a union (see page 259).

EMP_NM		EMP_JB		SELECT * FROM emp_nm WHERE name < 'S' UNION SELECT * FROM emp_jb ORDER BY 1,2;	ANSWER
ID	NAME	ID	JOB		=====
--	-----	--	-----		ID 2
10	Sanders	10	Sales		--
20	Pernal	20	Clerk		10 Sales
50	Hanes				20 Clerk
					20 Pernal
					50 Hanes

Figure 4, Union example

Assign Output Numbers

To assign line numbers to SQL output, use the ROW_NUMBER function (see page 111).

EMP_JB		SELECT id , job , ROW_NUMBER() OVER(ORDER BY job) AS R FROM emp_jb ORDER BY job;	ANSWER
ID	JOB		=====
--	-----		ID JOB R
10	Sales		--
20	Clerk		20 Clerk 1
			10 Sales 2

Figure 5, Assign row-numbers example

Assign Unique Key Numbers

To make each row inserted into a table automatically get a unique key value, use an identity column, or a sequence, when creating the table (see page 277).

If-Then-Else Logic

To include if-then-else logical constructs in SQL stmts, use the CASE phrase (see page 50).

EMP_JB		SELECT id , job , CASE WHEN job = 'Sales' THEN 'Fire' ELSE 'Demote' END AS STATUS FROM emp_jb;	ANSWER
ID	JOB		=====
--	-----		ID JOB STATUS
10	Sales		--
20	Clerk		10 Sales Fire
			20 Clerk Demote

Figure 6, Case stmt example

Get Dependents

To get all of the dependents of some object, regardless of the degree of separation from the parent to the child, use recursion (see page 309).

FAMILY		WITH temp (persn, lvl) AS (SELECT parnt, 1 FROM family WHERE parnt = 'Dad' UNION ALL SELECT child, Lvl + 1 FROM temp, family WHERE persn = parnt) SELECT * FROM temp;	ANSWER
PARNT	CHILD		=====
--	-----		PERSN LVL
GrDad	Dad		--
Dad	Dghtr		Dad 1
Dghtr	GrSon		Dghtr 2
Dghtr	GrDtr		GrSon 3
			GrDtr 3

Figure 7, Recursion example

Convert String to Rows

To convert a (potentially large) set of values in a string (character field) into separate rows (e.g. one row per word), use recursion (see page 409).

INPUT DATA =====	Recursive SQL =====>	ANSWER =====
"Some silly text"		TEXT LINE# ----- Some 1 silly 2 text 3

Figure 8, Convert string to rows

Be warned - in many cases, the code is not pretty.

Convert Rows to String

To convert a (potentially large) set of values that are in multiple rows into a single combined field, use recursion (see page 410).

INPUT DATA =====	Recursive SQL =====>	ANSWER =====
TEXT LINE# ----- Some 1 silly 2 text 3		"Some silly text"

Figure 9, Convert rows to string

Fetch First "n" Rows

To fetch the first "n" matching rows, use the FETCH FIRST notation (see page 35).

EMP_NM +-----+ ID NAME -- --- 10 Sanders 20 Pernal 50 Hanes +-----+	SELECT * FROM emp_nm ORDER BY id DESC FETCH FIRST 2 ROWS ONLY;	ANSWER =====
		ID NAME -- ----- 50 Hanes 20 Pernal

Figure 10, Fetch first "n" rows example

Another way to do the same thing is to assign row numbers to the output, and then fetch those rows where the row-number is less than "n" (see page 112).

Fetch Subsequent "n" Rows

To fetch the "n" through "n + m" rows, first use the ROW_NUMBER function to assign output numbers, then put the result in a nested-table-expression, and then fetch the rows with desired numbers (see page 112).

Fetch Uncommitted Data

To retrieve data that may have been changed by another user, but which they have yet to commit, use the WITH UR (Uncommitted Read) notation.

EMP_NM +-----+ ID NAME -- --- 10 Sanders 20 Pernal 50 Hanes +-----+	SELECT * FROM emp_nm WHERE name like 'S%' WITH UR;	ANSWER =====
		ID NAME -- ----- 10 Sanders

Figure 11, Fetch WITH UR example

Using this option can result in one fetching data that is subsequently rolled back, and so was never valid. Use with extreme care.

Summarize Column Contents

Use a column function (see page 89) to summarize the contents of a column.

EMP_NM	SELECT	ANSWER
+-----+ ID NAME +-----+ 10 Sanders 20 Pernal 50 Hanes +-----+	<pre> AVG(id) AS avg ,MAX(name) AS maxn ,COUNT(*) AS #rows FROM emp_nm;</pre>	<pre>=====</pre>
		AVG MAXN #ROWS

		26 Sanders 3

Figure 12, Column Functions example

Subtotals and Grand Totals

To obtain subtotals and grand-totals, use the ROLLUP or CUBE statements (see page 211).

SELECT	ANSWER
<pre>job ,dept , SUM(salary) AS sum_sal ,COUNT(*) AS #emps FROM staff WHERE dept < 30 AND salary < 90000 AND job < 'S' GROUP BY ROLLUP(job, dept) ORDER BY job ,dept;</pre>	<pre>=====</pre>
	JOB DEPT SUM_SAL #EMPS

	Clerk 15 84766.70 2
	Clerk 20 77757.35 2
	Clerk - 162524.05 4
	Mgr 10 243453.45 3
	Mgr 15 80659.80 1
	Mgr - 324113.25 4
	- - 486637.30 8

Figure 13, Subtotal and Grand-total example

Enforcing Data Integrity

When a table is created, various DB2 features can be used to ensure that the data entered in the table is always correct:

- Uniqueness (of values) can be enforced by creating unique indexes.
- Check constraints can be defined to limit the values that a column can have.
- Default values (for a column) can be defined - to be used when no value is provided.
- Identity columns (see page 277), can be defined to automatically generate unique numeric values (e.g. invoice numbers) for all of the rows in a table. Sequences can do the same thing over multiple tables.
- Referential integrity rules can be created to enforce key relationships between tables.
- Triggers can be defined to enforce more complex integrity rules, and also to do things (e.g. populate an audit trail) whenever data is changed.

See the DB2 manuals for documentation or page 341 for more information about the above.

Hide Complex SQL

One can create a view (see page 22) to hide complex SQL that is run repetitively. Be warned however that doing so can make it significantly harder to tune the SQL - because some of the logic will be in the user code, and some in the view definition.

Summary Table

Some queries that use a GROUP BY can be made to run much faster by defining a summary table (see page 263) that DB2 automatically maintains. Subsequently, when the user writes the original GROUP BY against the source-data table, the optimizer substitutes with a much simpler (and faster) query against the summary table.

Introduction to SQL

This chapter contains a basic introduction to DB2 SQL. It also has numerous examples illustrating how to use this language to answer particular business problems. However, it is not meant to be a definitive guide to the language. Please refer to the relevant IBM manuals for a more detailed description.

Syntax Diagram Conventions

This book uses railroad diagrams to describe the DB2 SQL statements. The following diagram shows the conventions used.




Figure 14, Syntax Diagram Conventions

Rules

- Upper Case text is a SQL keyword.
- Italic text is either a placeholder, or explained elsewhere.
- Backward arrows enable one to repeat parts of the text.
- A branch line going above the main line is the default.
- A branch line going below the main line is an optional item.

SQL Comments

A comment in a SQL statement starts with two dashes and goes to the end of the line:

```

SELECT      name      -- this is a comment.
FROM        staff      -- this is another comment.
ORDER BY id;

```

Figure 15, SQL Comment example

Some DB2 command processors (e.g. DB2BATCH on the PC, or SPUFI on the mainframe) can process intelligent comments. These begin the line with a "--#SET" phrase, and then identify the value to be set. In the following example, the statement delimiter is changed using an intelligent comment:

```

--#SET DELIMITER !
SELECT name FROM staff WHERE id = 10!
--#SET DELIMITER ;
SELECT name FROM staff WHERE id = 20;

```

Figure 16, Set Delimiter example

When using the DB2 Command Processor (batch) script, the default statement terminator can be set using the "-tdx" option, where "x" is the value have chosen.

NOTE: See the section titled Special Character Usage on page 44 for notes on how to refer to the statement delimiter in the SQL text.

Statement Delimiter

DB2 SQL does not come with a designated statement delimiter (terminator), though a semi-colon is often used. A semi-colon cannot be used when writing a compound SQL statement (see page 79) because that character is used to terminate the various sub-components of the statement.

SQL Components

DB2 Objects

DB2 is a relational database that supports a variety of object types. In this section we shall overview those items which one can obtain data from using SQL.

Table

A table is an organized set of columns and rows. The number, type, and relative position, of the various columns in the table is recorded in the DB2 catalogue. The number of rows in the table will fluctuate as data is inserted and deleted.

The CREATE TABLE statement is used to define a table. The following example will define the EMPLOYEE table, which is found in the DB2 sample database.

```
CREATE TABLE employee
(empno      CHARACTER (00006)      NOT NULL
,firstrnme  VARCHAR (00012)        NOT NULL
,midinit    CHARACTER (00001)        NOT NULL
,lastname   VARCHAR (00015)        NOT NULL
,workdept   CHARACTER (00003)
,phoneno   CHARACTER (00004)
,hiredate   DATE
,job        CHARACTER (00008)
,edlevel    SMALLINT            NOT NULL
,SEX        CHARACTER (00001)
,birthdate  DATE
,salary     DECIMAL (00009,02)
,bonus      DECIMAL (00009,02)
,comm       DECIMAL (00009,02)
)
DATA CAPTURE NONE;
```

Figure 17, DB2 sample table - EMPLOYEE

View

A view is another way to look at the data in one or more tables (or other views). For example, a user of the following view will only see those rows (and certain columns) in the EMPLOYEE table where the salary of a particular employee is greater than or equal to the average salary for their particular department.

```

CREATE VIEW employee_view AS
SELECT a.empno, a.firstnme, a.salary, a.workdept
FROM employee a
WHERE a.salary >=
(SELECT AVG(b.salary)
FROM employee b
WHERE a.workdept = b.workdept);

```

Figure 18, DB2 sample view - EMPLOYEE_VIEW

A view need not always refer to an actual table. It may instead contain a list of values:

```

CREATE VIEW silly (c1, c2, c3)
AS VALUES (11, 'AAA', SMALLINT(22))
,(12, 'BBB', SMALLINT(33))
,(13, 'CCC', NULL);

```

Figure 19, Define a view using a VALUES clause

Selecting from the above view works the same as selecting from a table:

<pre> SELECT c1, c2, c3 FROM silly ORDER BY c1 ASC; </pre>	ANSWER ===== C1 C2 C3 -- -- -- 11 AAA 22 12 BBB 33 13 CCC -
--	--

Figure 20, SELECT from a view that has its own data

We can go one step further and define a view that begins with a single value that is then manipulated using SQL to make many other values. For example, the following view, when selected from, will return 10,000 rows. Note however that these rows are not stored anywhere in the database - they are instead created on the fly when the view is queried.

```

CREATE VIEW test_data AS
WITH temp1 (num1) AS
VALUES (1)
UNION ALL
SELECT num1 + 1
FROM temp1
WHERE num1 < 10000
SELECT *
FROM temp1;

```

Figure 21, Define a view that creates data on the fly

Alias

An alias is an alternate name for a table or a view. Unlike a view, an alias can not contain any processing logic. No authorization is required to use an alias other than that needed to access to the underlying table or view.

```

CREATE ALIAS employee_all FOR employee;
COMMIT;

CREATE ALIAS employee_a12 FOR employee_all;
COMMIT;

CREATE ALIAS employee_a13 FOR employee_a12;
COMMIT;

```

Figure 22, Define three aliases, the latter on the earlier

Neither a view, nor an alias, can be linked in a recursive manner (e.g. V1 points to V2, which points back to V1). Also, both views and aliases still exist after a source object (e.g. a table) has been dropped. In such cases, a view, but not an alias, is marked invalid.

Nickname

A nickname is the name that one provides to DB2 for either a remote table, or a non-relational object that one wants to query as if it were a table.

```
CREATE NICKNAME emp FOR unixserver.production.employee;
```

Figure 23, Define a nickname

Tablesample

Use of the optional TABLESAMPLE reference enables one to randomly select (sample) some fraction of the rows in the underlying base table:

```
SELECT      *
FROM        staff TABLESAMPLE BERNOULLI(10);
```

Figure 24, TABLESAMPLE example

See page 396 for information on using the TABLESAMPLE feature.

DB2 Data Types

DB2 comes with the following standard data types:

- SMALLINT, INT, and BIGINT (i.e. integer numbers).
- FLOAT, REAL, and DOUBLE (i.e. floating point numbers).
- DECIMAL and NUMERIC (i.e. decimal numbers).
- DECFLOAT (i.e. decimal floating-point numbers).
- CHAR, VARCHAR, and LONG VARCHAR (i.e. character values).
- GRAPHIC, VARGRAPHIC, and LONG VARGRAPHIC (i.e. graphical values).
- BLOB, CLOB, and DBCLOB (i.e. binary and character long object values).
- DATE, TIME, and TIMESTAMP (i.e. date/time values – see page: 25).
- DATALINK (i.e. link to external object).
- XML (i.e. contains well formed XML data).

Below is a simple table definition that uses some of the above data types:

```
CREATE TABLE sales_record
(sales#          INTEGER           NOT NULL
             GENERATED ALWAYS AS IDENTITY
               (START    WITH 1
                ,INCREMENT BY 1
                ,NO MAXVALUE
                ,NO CYCLE)
,sale_ts         TIMESTAMP        NOT NULL
,num_items       SMALLINT        NOT NULL
,payment_type    CHAR(2)         NOT NULL
,sale_value      DECIMAL(12,2)   NOT NULL
,sales_tax       DECIMAL(12,2)   NOT NULL
,employee#       INTEGER         NOT NULL
,CONSTRAINT sales1  CHECK(payment_type IN ('CS','CR'))
,CONSTRAINT sales2  CHECK(sale_value > 0)
,CONSTRAINT sales3  CHECK(num_items > 0)
,CONSTRAINT sales4  FOREIGN KEY(employee#)
                      REFERENCES staff(id) ON DELETE RESTRICT
,PRIMARY KEY(sales#));
```

Figure 25, Sample table definition

In the above table, we have listed the relevant columns, and added various checks to ensure that the data is always correct. In particular, we have included the following:

- The sales# is automatically generated (see page 277 for details). It is also the primary key of the table, and so must always be unique.
- The payment-type must be one of two possible values.
- Both the sales-value and the num-items must be greater than zero.
- The employee# must already exist in the staff table. Furthermore, once a row has been inserted into this table, any attempt to delete the related row from the staff table will fail.

Default Lengths

The following table has two columns:

```
CREATE TABLE default_values
(c1      CHAR      NOT NULL
,d1      DECIMAL   NOT NULL);
```

Figure 26, Table with default column lengths

The length has not been provided for either of the above columns. In this case, DB2 defaults to CHAR(1) for the first column and DECIMAL(5,0) for the second column.

Data Type Usage

In general, use the standard DB2 data types as follows:

- Always store monetary data in a decimal field.
- Store non-fractional numbers in one of the integer field types.
- Use floating-point when absolute precision is not necessary.

A DB2 data type is not just a place to hold data. It also defines what rules are applied when the data is manipulated. For example, storing monetary data in a DB2 floating-point field is a no-no, in part because the data-type is not precise, but also because a floating-point number is not manipulated (e.g. during division) according to internationally accepted accounting rules.

DECFLOAT Arithmetic

DECFLOAT numbers have quite different processing characteristics from the other number types. For a start, they support more values:

- Zero.
- Negative and positive numbers (e.g. -1234.56).
- Negative and positive infinity.
- Negative and positive NaN (i.e. Not a Number).
- Negative and positive sNaN (i.e. signaling Not a Number).

NaN Usage

The value NaN represents the result of an arithmetic operation that does not return a number (e.g. the square root of a negative number), but is also not infinity. For example, the expression 0/0 returns NaN, while 1/0 returns infinity.

The value NaN propagates through any arithmetic expression. Thus the final result is always either positive or negative NaN, as the following query illustrates:

```
SELECT    DECFLOAT(+1.23)      +  NaN          AS "
          ,DECFLOAT(-1.23)     +  NaN          AS "
          ,DECFLOAT(-1.23)     + -NaN         AS "
          ,DECFLOAT(+infinity) +  NaN          AS "
          ,DECFLOAT(+sNaN)      +  NaN          AS "
          ,DECFLOAT(-sNaN)      +  NaN          AS "
          ,DECFLOAT(+NaN)       +  NaN          AS "
          ,DECFLOAT(-NaN)       +  NaN          AS "
FROM      sysibm.sysdummy1;
```

Figure 27, NaN arithmetic usage

NOTE: Any reference to a signaling NaN value in a statement (as above) will result in a warning message being generated.

Infinity Usage

The value infinity works similar to NaN. Its reference in an arithmetic expression almost always returns either positive or negative infinity (assuming NaN is not also present). The one exception is division by infinity, which returns a really small, but still finite, number:

```
SELECT    DECFLOAT(1) / +infinity      AS " 0E-6176"
          ,DECFLOAT(1) * +infinity      AS " Infinity"
          ,DECFLOAT(1) + +infinity      AS " Infinity"
          ,DECFLOAT(1) - +infinity      AS " -Infinity"
          ,DECFLOAT(1) / -infinity      AS " -0E-6176"
          ,DECFLOAT(1) * -infinity      AS " -Infinity"
          ,DECFLOAT(1) + -infinity      AS " -Infinity"
          ,DECFLOAT(1) - -infinity      AS " Infinity"
FROM      sysibm.sysdummy1;
```

Figure 28, Infinity arithmetic usage

The next query shows some situations where either infinity or NaN is returned:

```
SELECT    DECFLOAT(+1.23)      /  0          AS " Infinity"
          ,DECFLOAT(-1.23)     /  0          AS " -Infinity"
          ,DECFLOAT(+1.23)     +  infinity   AS " Infinity"
          ,DECFLOAT(0)          /  0          AS "      NaN"
          ,DECFLOAT(infinity)  +  -infinity  AS "      NaN"
          ,LOG(DECFLOAT(0))     AS "-Infinity"
          ,LOG(DECFLOAT(-123))  AS "      NaN"
          ,SQRT(DECFLOAT(-123)) AS "      NaN"
FROM      sysibm.sysdummy1;
```

Figure 29, DECFLOAT arithmetic results

DECFLOAT Value Order

The DECFLOAT values have the following order, from low to high:

-NaN -sNaN -infinity -1.2 -1.20 0 1.20 1.2 infinity sNaN NaN

Figure 30, DECFLOAT value order

Please note that the numbers 1.2 and 1.200 are "equal", but they will be stored as different values, and will have a different value order. The TOTALORDER function can be used to illustrate this. It returns one of three values:

- Zero if the two values have the same order.
- +1 if the first value has a higher order (even if it is equal).
- -1 if the first value has a lower order (even if it is equal).

```

WITH temp1 (d1, d2) AS
  (VALUES (DECFLOAT(+1.0), DECFLOAT(+1.00))
   , (DECFLOAT(-1.0), DECFLOAT(-1.00))
   , (DECFLOAT(+0.0), DECFLOAT(+0.00))
   , (DECFLOAT(-0.0), DECFLOAT(-0.00))
   , (DECFLOAT(+0), DECFLOAT(-0)))
  )
SELECT  TOTALORDER(d1,d2)
FROM    temp1;

```

ANSWER
=====

	1
	-1
	1
	1
	0

Figure 31, Equal values that may have different orders

The NORMALIZE_DECFLOAT scalar function can be used to strip trailing zeros from a DECFLOAT value:

```

WITH temp1 (d1) AS
  (VALUES (DECFLOAT(+0      ,16))
   , (DECFLOAT(+0.0     ,16))
   , (DECFLOAT(+0.00    ,16))
   , (DECFLOAT(+0.000   ,16)))
  )
SELECT  d1
       ,HEX(d1)                      AS hex_d1
       ,NORMALIZE_DECFLOAT(d1)        AS d2
       ,HEX(NORMALIZE_DECFLOAT(d1))  AS hex_d2
  FROM    temp1;

```

ANSWER
=====

D1	HEX_D1	D2	HEX_D2
0	0000000000003822	0	0000000000003822
0.0	0000000000003422	0	0000000000003822
0.00	0000000000003022	0	0000000000003822
0.000	0000000000002C22	0	0000000000003822

Figure 32, Remove trailing zeros

DECFLOAT Scalar Functions

The following scalar functions support the DECFLOAT data type:

- COMPARE_DECFLOAT: Compares order of two DECFLOAT values.
- DECFLOAT: Converts input value to DECFLOAT.
- NORMALIZE_DECFLOAT: Removes trailing blanks from DECFLOAT value.
- QUANTIZE: Converts number to DECFLOAT, using mask to define precision.
- TOTALORDER: Compares order of two DECFLOAT values.

Date/Time Arithmetic

Manipulating date/time values can sometimes give unexpected results. What follows is a brief introduction to the subject. The basic rules are:

- Multiplication and division is not allowed.
- Subtraction is allowed using date/time values, date/time durations, or labeled durations.
- Addition is allowed using date/time durations, or labeled durations.

The valid labeled durations are listed below:

LABLED DURATIONS		ITEM	WORKS WITH DATE/TIME		
SINGULAR	PLURAL	SIZE	DATE	TIME	TIMESTAMP
YEAR	YEARS	N	Y	-	Y
MONTH	MONTHS	N	Y	-	Y
DAY	DAYS	Y	Y	-	Y
HOUR	HOURS	Y	-	Y	Y
MINUTE	MINUTES	Y	-	Y	Y
SECOND	SECONDS	Y	-	Y	Y
MICROSECOND	MICROSECONDS	Y	-	Y	Y

Figure 33, Labeled Durations and Date/Time Types

Usage Notes

- It doesn't matter if one uses singular or plural. One can add "4 day" to a date.
- Some months and years are longer than others. So when one adds "2 months" to a date the result is determined, in part, by the date that you began with. More on this below.
- One cannot add "minutes" to a date, or "days" to a time, etc.
- One cannot combine labeled durations in parenthesis: "date - (1 day + 2 months)" will fail. One should instead say: "date - 1 day - 2 months".
- Adding too many hours, minutes or seconds to a time will cause it to wrap around. The overflow will be lost.
- Adding 24 hours to the time '00.00.00' will get '24.00.00'. Adding 24 hours to any other time will return the original value.
- When a decimal value is used (e.g. 4.5 days) the fractional part is discarded. So to add (to a timestamp value) 4.5 days, add 4 days and 12 hours.

Now for some examples:

```

ANSWER
=====
SELECT    sales_date
          ,sales_date - 10  DAY    AS d1
          ,sales_date + -1 MONTH AS d2
          ,sales_date + 99  YEARS AS d3
          ,sales_date + 55  DAYS
                      - 22  MONTHS AS d4
          ,sales_date + (4+6) DAYS   AS d5
                                <= 1995-12-31
                                <= 1995-12-21
                                <= 1995-11-30
                                <= 2094-12-31
                                <= 1994-04-24
                                <= 1996-01-10
FROM      sales
WHERE     sales_person = 'GOUNOT'
        AND sales_date   = '1995-12-31'

```

Figure 34, Example, Labeled Duration usage

Adding or subtracting months or years can give somewhat odd results when the month of the beginning date is longer than the month of the ending date. For example, adding 1 month to '2004-01-31' gives '2004-02-29', which is not the same as adding 31 days, and is not the same result that one will get in 2005. Likewise, adding 1 month, and then a second 1 month to '2004-01-31' gives '2004-03-29', which is not the same as adding 2 months. Below are some examples of this issue:

```

ANSWER
=====
SELECT    sales_date
          ,sales_date + 2 MONTH AS d1
          ,sales_date + 3 MONTHS AS d2
          ,sales_date + 2 MONTH
          + 1 MONTH AS d3
          ,sales_date + (2+1) MONTHS AS d4
FROM      sales
WHERE     sales_person = 'GOUNOT'
        AND sales_date = '1995-12-31';
          <= 1995-12-31
          <= 1996-02-29
          <= 1996-03-31
          <= 1996-03-29
          <= 1996-03-31

```

Figure 35, Adding Months - Varying Results

Date/Time Duration Usage

When one date/time value is subtracted from another date/time value the result is a date, time, or timestamp duration. This decimal value expresses the difference thus:

DURATION-TYPE	FORMAT	NUMBER-REPRESENTS	USE-WITH-D-TYPE
DATE	DECIMAL(8,0)	yyyyymmdd	TIMESTAMP, DATE
TIME	DECIMAL(6,0)	hhmmss	TIMESTAMP, TIME
TIMESTAMP	DECIMAL(20,6)	yyyyymmddhhmmss.zzzzzz	TIMESTAMP

Figure 36, Date/Time Durations

Below is an example of date duration generation:

```

SELECT    empno
          ,hiredate
          ,birthdate
          ,hiredate - birthdate
FROM      employee
WHERE     workdept = 'D11'
        AND lastname < 'L'
ORDER BY empno;
ANSWER
=====
EMPNO   HIREDATE   BIRTHDATE
000150  1972-02-12  1947-05-17  240826.
000200  1966-03-03  1941-05-29  240905.
000210  1979-04-11  1953-02-23  260116.

```

Figure 37, Date Duration Generation

A date/time duration can be added to or subtracted from a date/time value, but it does not make for very pretty code:

```

SELECT    hiredate
          ,hiredate - 12345678.
          ,hiredate - 1234 years
          - 56 months
          - 78 days
FROM      employee
WHERE     empno = '000150';
ANSWER
=====
<= 1972-02-12
<= 0733-03-26
<= 0733-03-26

```

Figure 38, Subtracting a Date Duration

Date/Time Subtraction

One date/time can be subtracted (only) from another valid date/time value. The result is a date/time duration value. Figure 37 above has an example.

DB2 Special Registers

A special register is a DB2 variable that contains information about the state of the system. The complete list follows:

SPECIAL REGISTER	UPDATE	DATA-TYPE
CURRENT CLIENT_ACCTNG	no	VARCHAR(255)
CURRENT CLIENT_APPLNAME	no	VARCHAR(255)
CURRENT CLIENT_USERID	no	VARCHAR(255)
CURRENT CLIENT_WRKSTNNNAME	no	VARCHAR(255)
CURRENT DATE	no	DATE
CURRENT DBPARTITIONNUM	no	INTEGER
CURRENT DECFLOAT ROUNDING MODE	no	VARCHAR(128)
CURRENT DEFAULT TRANSFORM GROUP	yes	VARCHAR(18)
CURRENT DEGREE	yes	CHAR(5)
CURRENT EXPLAIN MODE	yes	VARCHAR(254)
CURRENT EXPLAIN SNAPSHOT	yes	CHAR(8)
CURRENT FEDERATED ASYNCHRONY	yes	INTEGER
CURRENT IMPLICIT XMLPARSE OPTION	yes	VARCHAR(19)
CURRENT ISOLATION	yes	CHAR(2)
CURRENT LOCK TIMEOUT	yes	INTEGER
CURRENT MAINTAINED TABLE TYPES FOR OPTIMIZATION	yes	VARCHAR(254)
CURRENT MDC ROLLOUT MODE	yes	VARCHAR(9)
CURRENT OPTIMIZATION PROFILE	yes	VARCHAR(261)
CURRENT PACKAGE PATH	yes	VARCHAR(4096)
CURRENT PATH	yes	VARCHAR(2048)
CURRENT QUERY OPTIMIZATION	yes	INTEGER
CURRENT REFRESH AGE	yes	DECIMAL(20 , 6)
CURRENT SCHEMA	yes	VARCHAR(128)
CURRENT SERVER	no	VARCHAR(128)
CURRENT TIME	no	TIME
CURRENT TIMESTAMP	no	TIMESTAMP
CURRENT TIMEZONE	no	DECIMAL(6 , 0)
CURRENT USER	no	VARCHAR(128)
SESSION_USER	yes	VARCHAR(128)
SYSTEM_USER	no	VARCHAR(128)
USER	yes	VARCHAR(128)

*Figure 39, DB2 Special Registers***Usage Notes**

- Some special registers can be referenced using an underscore instead of a blank in the name - as in: CURRENT_DATE.
- Some special registers can be updated using the SET command (see list above).
- All special registers can be queried using the SET command. They can also be referenced in ordinary SQL statements.
- Those special registers that automatically change over time (e.g. current timestamp) are always the same for the duration of a given SQL statement. So if one inserts a thousand rows in a single insert, all will get the same current timestamp.
- One can reference the current timestamp in an insert or update, to record in the target table when the row was changed. To see the value assigned, query the DML statement. See page 70 for details.

Refer to the DB2 SQL Reference Volume 1 for a detailed description of each register.

Sample SQL

```
SET CURRENT ISOLATION = RR;
SET CURRENT SCHEMA    = 'ABC';

SELECT CURRENT TIME      AS cur_TIME
     , CURRENT ISOLATION AS cur_ISO
     , CURRENT SCHEMA   AS cur_ID
  FROM sysibm.sysdummy1;

ANSWER
=====
CUR_TIME CUR_ISO CUR_ID
----- -----
12:15:16 RR      ABC
```

Figure 40, Using Special Registers

Distinct Types

A distinct data type is a field type that is derived from one of the base DB2 field types. It is used when one wants to prevent users from combining two separate columns that should never be manipulated together (e.g. adding US dollars to Japanese Yen).

One creates a distinct (data) type using the following syntax:

```
CREATE DISTINCT TYPE type-name—source-type — WITH COMPARISONS →
```

Figure 41, Create Distinct Type Syntax

NOTE: The following source types do not support distinct types: LOB, LONG VARCHAR, LONG VARGRAPHIC, and DATALINK.

The creation of a distinct type, under the covers, results in the creation two implied functions that can be used to convert data to and from the source type and the distinct type. Support for the basic comparison operators (=, <>, <, <=, >, and >=) is also provided.

Below is a typical create and drop statement:

```
CREATE DISTINCT TYPE JAP_YEN AS DECIMAL(15,2) WITH COMPARISONS;
DROP   DISTINCT TYPE JAP_YEN;
```

Figure 42, Create and drop distinct type

NOTE: A distinct type cannot be dropped if it is currently being used in a table.

Usage Example

Imagine that we had the following customer table:

```
CREATE TABLE customer
  (id          INTEGER      NOT NULL
  ,fname       VARCHAR(00010) NOT NULL WITH DEFAULT ''
  ,lname       VARCHAR(00015) NOT NULL WITH DEFAULT ''
  ,date_of_birth DATE
  ,citizenship CHAR(03)
  ,usa_sales   DECIMAL(9,2)
  ,eur_sales   DECIMAL(9,2)
  ,sales_office# SMALLINT
  ,last_updated TIMESTAMP
  ,PRIMARY KEY(id));
```

Figure 43, Sample table, without distinct types

One problem with the above table is that the user can add the American and European sales values, which if they are expressed in dollars and euros respectively, is silly:

```
SELECT   id
        ,usa_sales + eur_sales AS tot_sales
  FROM     customer;
```

Figure 44, Silly query, but works

To prevent the above, we can create two distinct types:

```
CREATE DISTINCT TYPE USA_DOLLARS AS DECIMAL(9,2) WITH COMPARISONS;
CREATE DISTINCT TYPE EUR_DOLLARS AS DECIMAL(9,2) WITH COMPARISONS;
```

Figure 45, Create Distinct Type examples

Now we can define the customer table thus:

```

CREATE TABLE customer
(id          INTEGER          NOT NULL
,fname       VARCHAR(00010)    NOT NULL WITH DEFAULT ''
, lname      VARCHAR(00015)    NOT NULL WITH DEFAULT ''
,date_of_birth DATE
,citizenship CHAR(03)
,usa_sales   USA_DOLLARS
,eur_sales   EUR_DOLLARS
,sales_office# SMALLINT
, last_updated TIMESTAMP
,PRIMARY KEY(id));

```

Figure 46, Sample table, with distinct types

Now, when we attempt to run the following, it will fail:

```

SELECT  id
        ,usa_sales + eur_sales AS tot_sales
  FROM    customer;

```

Figure 47, Silly query, now fails

The creation of a distinct type, under the covers, results in the creation two implied functions that can be used to convert data to and from the source type and the distinct type. In the next example, the two monetary values are converted to their common decimal source type, and then added together:

```


SELECT  id
        ,DECIMAL(usa_sales) +
        DECIMAL(eur_sales) AS tot_sales
  FROM    customer;

```

Figure 48, Silly query, works again

Fullselect, Subselect, & Common Table Expression

It is not the purpose of this book to give you detailed description of SQL terminology, but there are a few words that you should know. For example, the following diagram illustrates the various components of a query:

*Figure 49, Query components*

Query Components

- **SUBSELECT:** A query that selects zero or more rows from one or more tables.

- FULLSELECT: One or more subselects or VALUES clauses, connected using a UNION, INTERSECT, or EXCEPT, all enclosed in parenthesis.
- COMMON TABLE EXPRESSION: A named fullselect that can be referenced one more times in another subselect. See page 300 for a more complete definition.

SELECT Statement

A SELECT statement is used to query the database. It has the following components, not all of which need be used in any particular query:

- SELECT clause. One of these is required, and it must return at least one item, be it a column, a literal, the result of a function, or something else. One must also access at least one table, be that a true table, a temporary table, a view, or an alias.
- WITH clause. This clause is optional. Use this phrase to include independent SELECT statements that are subsequently accessed in a final SELECT (see page 300).
- ORDER BY clause. Optionally, order the final output (see page 201).
- FETCH FIRST clause. Optionally, stop the query after "n" rows (see page 35). If an optimize-for value is also provided, both values are used independently by the optimizer.
- READ-ONLY clause. Optionally, state that the query is read-only. Some queries are inherently read-only, in which case this option has no effect.
- FOR UPDATE clause. Optionally, state that the query will be used to update certain columns that are returned during fetch processing.
- OPTIMIZE FOR n ROWS clause. Optionally, tell the optimizer to tune the query assuming that not all of the matching rows will be retrieved. If a first-fetch value is also provided, both values are used independently by the optimizer.

Refer to the IBM manuals for a complete description of all of the above. Some of the more interesting options are described below.




Figure 50, *SELECT Statement Syntax (general)*

SELECT Clause

Every query must have at least one SELECT statement, and it must return at least one item, and access at least one object.




Figure 51, SELECT Statement Syntax

SELECT Items

- Column: A column in one of the table being selected from.
 - Literal: A literal value (e.g. "ABC"). Use the AS expression to name the literal.
 - Special Register: A special register (e.g. CURRENT TIME).
 - Expression: An expression result (e.g. MAX(COL1*10)).
 - Full Select: An embedded SELECT statement that returns a single row.

FROM Objects

- Table: Either a permanent or temporary DB2 table.
 - View: A standard DB2 view.
 - Alias: A DB2 alias that points to a table, view, or another alias.
 - Full Select: An embedded SELECT statement that returns a set of rows.

Sample SQL

```

SELECT    deptno
        ,admrdept
        ,'ABC' AS abc
FROM      department
WHERE     deptname LIKE '%ING%'
ORDER BY 1;

```

Figure 52, Sample SELECT statement

To select all of the columns in a table (or tables) one can use the "*" notation:

```
SELECT      *  
FROM        department  
WHERE       deptname LIKE '%ING%'  
ORDER BY 1;
```

ANSWER (part of)
=====

DEPTNO etc...
---- - - - ->>>
B01 PLANNING
D11 MANUFACTURING

Figure 53. Use "" to select all columns in table*

To select both individual columns, and all of the columns (using the "*" notation), in a single SELECT statement, one can still use the "*", but it must fully-qualified using either the object name, or a correlation name:

```
SELECT      deptno
           ,department.*
FROM        department
WHERE       deptname LIKE '%ING%'
ORDER BY   1;
```

```
ANSWER (part of)
=====
DEPTNO DEPTNO etc...
-----
B01      B01      PLANNING
D11      D11      MANUFACTU
```

Figure 54, Select an individual column, and all columns

Use the following notation to select all the fields in a table twice:

```
SELECT      department.*  
           ,department.*  
FROM        department  
WHERE       deptname LIKE '%NING%'  
ORDER BY   1;
```

ANSWER (part of)
=====

DEPTNO etc...
----->>>

B01 PLANNING

Figure 55, Select all columns twice

FETCH FIRST Clause

The fetch first clause limits the cursor to retrieving "n" rows. If the clause is specified and no number is provided, the query will stop after the first fetch.




Figure 56, Fetch First clause Syntax

If this clause is used, and there is no ORDER BY, then the query will simply return a random set of matching rows, where the randomness is a function of the access path used and/or the physical location of the rows in the table:

```
SELECT    years
          ,name
          ,id
FROM      staff
FETCH FIRST 3 ROWS ONLY;
```

```
ANSWER
=====
YEARS      NAME        ID
-----
    7  Sanders      10
    8  Pernal       20
    5  Marenghi    30
```

Figure 57, *FETCH FIRST* without *ORDER BY*, gets random rows

WARNING: Using the `FETCH FIRST` clause to get the first "n" rows can sometimes return an answer that is not what the user really intended. See below for details.

If an ORDER BY is provided, then the FETCH FIRST clause can be used to stop the query after a certain number of what are, perhaps, the most desirable rows have been returned. However, the phrase should only be used in this manner when the related ORDER BY uniquely identifies each row returned.

To illustrate what can go wrong, imagine that we wanted to query the STAFF table in order to get the names of those three employees that have worked for the firm the longest - in order to give them a little reward (or possibly to fire them). The following query could be run:

```
SELECT    years
          ,name
          ,id
FROM      staff
WHERE     years IS NOT NULL
ORDER BY  years DESC
FETCH FIRST 3 ROWS ONLY;
```

ANSWER
=====

YEARS	NAME	ID
13	Graham	310
12	Jones	260
10	Hanes	50

Figure 58. *FETCH FIRST* with *ORDER BY*, gets wrong answer

The above query answers the question correctly, but the question was wrong, and so the answer is wrong. The problem is that there are two employees that have worked for the firm for ten years, but only one of them shows, and the one that does show was picked at random by the query processor. This is almost certainly not what the business user intended.

The next query is similar to the previous, but now the ORDER BY clause uniquely identifies each row returned (presumably as per the end-user's instructions):

<pre>SELECT years ,name ,id FROM staff WHERE years IS NOT NULL ORDER BY years DESC ,id DESC FETCH FIRST 3 ROWS ONLY;</pre>	ANSWER $\begin{array}{l} \text{YEARS NAME ID} \\ \hline 13 \text{ Graham } 310 \\ 12 \text{ Jones } 260 \\ 10 \text{ Quill } 290 \end{array}$
---	---

Figure 59, *FETCH FIRST with ORDER BY, gets right answer*

WARNING: Getting the first "n" rows from a query is actually quite a complicated problem. Refer to page 114 for a more complete discussion.

Correlation Name

The correlation name is defined in the FROM clause and relates to the preceding object name. In some cases, it is used to provide a short form of the related object name. In other situations, it is required in order to uniquely identify logical tables when a single physical table is referred to twice in the same query. Some sample SQL follows:

<pre>SELECT a.empno ,a.lastname FROM employee a ,(SELECT MAX(empno)AS empno FROM employee) AS b WHERE a.empno = b.empno;</pre>	ANSWER $\begin{array}{l} \text{EMPNO LASTNAME} \\ \hline 000340 GOUNOT \end{array}$
--	---

Figure 60, *Correlation Name usage example*

<pre>SELECT a.empno ,a.lastname ,b.deptno AS dept FROM employee a ,department b WHERE a.workdept = b.deptno AND a.job <> 'SALESREP' AND b.deptname = 'OPERATIONS' AND a.sex IN ('M','F') AND b.location IS NULL ORDER BY 1;</pre>	ANSWER $\begin{array}{l} \text{EMPNO LASTNAME DEPT} \\ \hline 000090 HENDERSON E11 \\ 000280 SCHNEIDER E11 \\ 000290 PARKER E11 \\ 000300 SMITH E11 \\ 000310 SETRIGHT E11 \end{array}$
--	---

Figure 61, *Correlation name usage example*

Renaming Fields

The AS phrase can be used in a SELECT list to give a field a different name. If the new name is an invalid field name (e.g. contains embedded blanks), then place the name in quotes:

<pre>SELECT empno AS e_num ,midinit AS "m int" ,phoneno AS "... " FROM employee WHERE empno < '000030' ORDER BY 1;</pre>	ANSWER $\begin{array}{l} \text{E_NUM M INT ...} \\ \hline 000010 I 3978 \\ 000020 L 3476 \end{array}$
---	---

Figure 62, *Renaming fields using AS*

The new field name must not be qualified (e.g. A.C1), but need not be unique. Subsequent usage of the new name is limited as follows:

- It can be used in an order by clause.
- It cannot be used in other part of the select (where-clause, group-by, or having).
- It cannot be used in an update clause.
- It is known outside of the fullselect of nested table expressions, common table expressions, and in a view definition.

```
CREATE view emp2 AS
SELECT empno      AS e_num
      ,midinit    AS "m int"
      ,phoneno   AS "..."
  FROM employee;

SELECT *
  FROM emp2
 WHERE "..." = '3978';

ANSWER
=====
E_NUM   M INT  ...
----- -----
000010  I      3978
```

Figure 63, View field names defined using AS

Working with Nulls

In SQL something can be true, false, or null. This three-way logic has to always be considered when accessing data. To illustrate, if we first select all the rows in the STAFF table where the SALARY is < \$10,000, then all the rows where the SALARY is \geq \$10,000, we have not necessarily found all the rows in the table because we have yet to select those rows where the SALARY is null.

The presence of null values in a table can also impact the various column functions. For example, the AVG function ignores null values when calculating the average of a set of rows. This means that a user-calculated average may give a different result from a DB2 calculated equivalent:

```
SELECT  AVG(comm)          AS a1
      ,SUM(comm) / COUNT(*) AS a2
  FROM staff
 WHERE id < 100;

ANSWER
=====
A1      A2
----- -----
796.025 530.68
```

Figure 64, AVG of data containing null values

Null values can also pop in columns that are defined as NOT NULL. This happens when a field is processed using a column function and there are no rows that match the search criteria:

```
SELECT  COUNT(*)      AS num
      ,MAX(lastname) AS max
  FROM employee
 WHERE firstname = 'FRED';

ANSWER
=====
NUM   MAX
---  ---
0     -
```

Figure 65, Getting a NULL value from a field defined NOT NULL

Why Nulls Exist

Null values can represent two kinds of data. In first case, the value is unknown (e.g. we do not know the name of the person's spouse). Alternatively, the value is not relevant to the situation (e.g. the person does not have a spouse).

Many people prefer not to have to bother with nulls, so they use instead a special value when necessary (e.g. an unknown employee name is blank). This trick works OK with character

data, but it can lead to problems when used on numeric values (e.g. an unknown salary is set to zero).

Locating Null Values

One can not use an equal predicate to locate those values that are null because a null value does not actually equal anything, not even null, it is simply null. The IS NULL or IS NOT NULL phrases are used instead. The following example gets the average commission of only those rows that are not null. Note that the second result differs from the first due to rounding loss.

<pre>SELECT AVG(comm) AS a1 ,SUM(comm) / COUNT(*) AS a2 FROM staff WHERE id < 100 AND comm IS NOT NULL;</pre>	ANSWER <hr/> <table border="0"> <thead> <tr> <th>A1</th> <th>A2</th> </tr> </thead> <tbody> <tr> <td>-----</td> <td>-----</td> </tr> <tr> <td>796.025</td> <td>796.02</td> </tr> </tbody> </table>	A1	A2	-----	-----	796.025	796.02
A1	A2						
-----	-----						
796.025	796.02						

Figure 66, AVG of those rows that are not null

Quotes and Double-quotes

To write a string, put it in quotes. If the string contains quotes, each quote is represented by a pair of quotes:

<pre>SELECT 'JOHN' AS J1 , 'JOHN''S' AS J2 , '''JOHN''S''' AS J3 , '"JOHN'"S"' AS J4 FROM staff WHERE id = 10;</pre>	ANSWER <hr/> <table border="0"> <thead> <tr> <th>J1</th> <th>J2</th> <th>J3</th> <th>J4</th> </tr> </thead> <tbody> <tr> <td>-----</td> <td>-----</td> <td>-----</td> <td>-----</td> </tr> <tr> <td>JOHN</td> <td>JOHN'S</td> <td>'JOHN'S'</td> <td>"JOHN"S"</td> </tr> </tbody> </table>	J1	J2	J3	J4	-----	-----	-----	-----	JOHN	JOHN'S	'JOHN'S'	"JOHN"S"
J1	J2	J3	J4										
-----	-----	-----	-----										
JOHN	JOHN'S	'JOHN'S'	"JOHN"S"										

Figure 67, Quote usage

Double quotes can be used to give a name to a output field that would otherwise not be valid. To put a double quote in the name, use a pair of quotes:

<pre>SELECT id AS "USER ID" ,dept AS "D#" ,years AS "#Y" , 'ABC' AS "'TXT'" , '' AS """quote"" fld" FROM staff s WHERE id < 40 ORDER BY "USER ID";</pre>	ANSWER <hr/> <table border="0"> <thead> <tr> <th>USER ID</th> <th>D#</th> <th>#Y</th> <th>'TXT'</th> <th>"quote"</th> <th>fld</th> </tr> </thead> <tbody> <tr> <td>10</td> <td>20</td> <td>7</td> <td>ABC</td> <td>"</td> <td></td> </tr> <tr> <td>20</td> <td>20</td> <td>8</td> <td>ABC</td> <td>"</td> <td></td> </tr> <tr> <td>30</td> <td>38</td> <td>5</td> <td>ABC</td> <td>"</td> <td></td> </tr> </tbody> </table>	USER ID	D#	#Y	'TXT'	"quote"	fld	10	20	7	ABC	"		20	20	8	ABC	"		30	38	5	ABC	"	
USER ID	D#	#Y	'TXT'	"quote"	fld																				
10	20	7	ABC	"																					
20	20	8	ABC	"																					
30	38	5	ABC	"																					

Figure 68, Double-quote usage

SQL Predicates

A predicate is used in either the WHERE or HAVING clauses of a SQL statement. It specifies a condition that true, false, or unknown about a row or a group.

Predicate Precedence

As a rule, a query will return the same result regardless of the sequence in which the various predicates are specified. However, note the following:

- Predicates separated by an OR may need parenthesis - see page 45.
- Checks specified in a CASE statement are done in the order written - see page 52.

Basic Predicate

A basic predicate compares two values. If either value is null, the result is unknown. Otherwise the result is either true or false.




Figure 69, Basic Predicate syntax, 1 of 2

```

SELECT      id, job, dept
FROM        staff
WHERE       job = 'Mgr'
           AND NOT job <> 'Mgr'
           AND NOT job = 'Sales'
           AND id <> 100
           AND id >= 0
           AND id <= 150
           AND NOT dept = 50
ORDER BY   id;
  
```

ANSWER		
=====		
ID	JOB	DEPT
---	---	---
10	Mgr	20
30	Mgr	38
50	Mgr	15
140	Mgr	51

Figure 70, Basic Predicate examples

A variation of this predicate type can be used to compare sets of columns/values. Everything on both sides must equal in order for the expressions to match:




Figure 71, Basic Predicate syntax, 2 of 2

```

SELECT      id, dept, job
FROM        staff
WHERE       (id,dept) = (30,28)
           OR (id,years) = (90, 7)
           OR (dept,job) = (38,'Mgr')
ORDER BY   1;
  
```

ANSWER		
=====		
ID	DEPT	JOB
--	--	--
30	38	Mgr

Figure 72, Basic Predicate example, multi-value check

Below is the same query written the old fashioned way:

```

SELECT      id, dept, job
FROM        staff
WHERE       (id = 30 AND dept = 28)
           OR (id = 90 AND years = 7)
           OR (dept = 38 AND job = 'Mgr')
ORDER BY   1;
  
```

ANSWER		
=====		
ID	DEPT	JOB
--	--	--
30	38	Mgr

Figure 73, Same query as prior, using individual predicates

Quantified Predicate

A quantified predicate compares one or more values with a collection of values.




Figure 74, Quantified Predicate syntax

```

SELECT    id, job
FROM      staff
WHERE     job   = ANY (SELECT job FROM staff)
        AND id  <= ALL (SELECT id   FROM staff)
ORDER BY id;

```

ANSWER
=====

ID	JOB
---	---
	10 Mgr

Figure 75, Quantified Predicate example, two single-value sub-queries

```

SELECT    id, dept, job
FROM      staff
WHERE     (id,dept) = ANY
          (SELECT dept, id
           FROM   staff)
ORDER BY 1;

```

Figure 76, Quantified Predicate example, multi-value sub-query

See the sub-query chapter on page 245 for more data on this predicate type.

BETWEEN Predicate

The BETWEEN predicate compares a value within a range of values.



Figure 77, BETWEEN Predicate syntax

The between check always assumes that the first value in the expression is the low value and the second value is the high value. For example, BETWEEN 10 AND 12 may find data, but BETWEEN 12 AND 10 never will.

```
SELECT id, job
FROM staff
WHERE id BETWEEN 10 AND 30
    AND id NOT BETWEEN 30 AND 10
    AND NOT id NOT BETWEEN 10 AND 30
ORDER BY id;
```

ANSWER	
ID	JOB
10	Mgr
20	Sales
30	Mgr

Figure 78, BETWEEN Predicate examples

EXISTS Predicate

An EXISTS predicate tests for the existence of matching rows.



Figure 79. EXISTS Predicate syntax

```
SELECT id, job
FROM staff a
WHERE EXISTS
  (SELECT *
   FROM staff b
   WHERE b.id = a.id
     AND b.id < 50)
  ORDER BY id;
```

ANSWER
=====

ID	JOB
10	Mgr
20	Sales
30	Mgr
40	Sales

Figure 80, EXISTS Predicate example

NOTE: See the sub-query chapter on page 245 for more data on this predicate type.

IN Predicate

The IN predicate compares one or more values with a list of values.




Figure 81, IN Predicate syntax

The list of values being compared in the IN statement can either be a set of in-line expressions (e.g. ID in (10,20,30)), or a set rows returned from a sub-query. Either way, DB2 simply goes through the list until it finds a match.

```
SELECT id, job
FROM staff a
WHERE id IN (10,20,30)
  AND id IN (SELECT id
              FROM staff)
  AND id NOT IN 99
  ORDER BY id;
```

ANSWER
=====

ID	JOB
10	Mgr
20	Sales
30	Mgr

Figure 82, IN Predicate examples, single values

The IN statement can also be used to compare multiple fields against a set of rows returned from a sub-query. A match exists when all fields equal. This type of statement is especially useful when doing a search against a table with a multi-columns key.

WARNING: Be careful when using the NOT IN expression against a sub-query result. If any one row in the sub-query returns null, the result will be no match. See page 245 for more details.

```
SELECT empno, lastname
FROM employee
WHERE (empno, 'AD3113') IN
      (SELECT empno, projno
       FROM emp_act
       WHERE emptime > 0.5)
  ORDER BY 1;
```

ANSWER
=====

EMPNO	LASTNAME
000260	JOHNSON
000270	PEREZ

Figure 83, IN Predicate example, multi-value

NOTE: See the sub-query chapter on page 245 for more data on this statement type.

LIKE Predicate

The LIKE predicate does partial checks on character strings.



Figure 84, LIKE Predicate syntax

The percent and underscore characters have special meanings. The first means skip a string of any length (including zero) and the second means skip one byte. For example:

- LIKE 'AB_D%' Finds 'ABCD' and 'ABCDE', but not 'ABD', nor 'ABCCD'.
- LIKE '_X' Finds 'XX' and 'DX', but not 'X', nor 'ABX', nor 'AXB'.
- LIKE '%X' Finds 'AX', 'X', and 'AAX', but not 'XA'.

<pre> SELECT id, name FROM staff WHERE name LIKE 'S%n' OR name LIKE '_a_a%' OR name LIKE '%r_%a' ORDER BY id; </pre>	ANSWER ===== ID NAME --- ----- 130 Yamaguchi 200 Scoutten
--	---

Figure 85, LIKE Predicate examples

The ESCAPE Phrase

The escape character in a LIKE statement enables one to check for percent signs and/or underscores in the search string. When used, it precedes the '%' or '_' in the search string indicating that it is the actual value and not the special character which is to be checked for.

When processing the LIKE pattern, DB2 works thus: Any pair of escape characters is treated as the literal value (e.g. "++" means the string "+"). Any single occurrence of an escape character followed by either a "%" or a "_" means the literal "%" or "_" (e.g. "+%" means the string "%"). Any other "%" or "_" is used as in a normal LIKE pattern.

LIKE STATEMENT TEXT	WHAT VALUES MATCH
=====	=====
LIKE 'AB%	Finds AB, any string
LIKE 'AB%' ESCAPE '+'	Finds AB, any string
LIKE 'AB+%' ESCAPE '+'	Finds AB%
LIKE 'AB++'	Finds AB+
LIKE 'AB+%' ESCAPE '+'	Finds AB%, any string
LIKE 'AB++%' ESCAPE '+'	Finds AB+, any string
LIKE 'AB+++%' ESCAPE '+'	Finds AB+%
LIKE 'AB++%%' ESCAPE '+'	Finds AB+%, any string
LIKE 'AB+%%%' ESCAPE '+'	Finds AB%%%, any string
LIKE 'AB++++'	Finds AB++
LIKE 'AB++++%' ESCAPE '+'	Finds AB++%
LIKE 'AB++++%' ESCAPE '+'	Finds AB++, any string
LIKE 'AB+%%+' ESCAPE '+'	Finds AB%+, any string

Figure 86, LIKE and ESCAPE examples

Now for sample SQL:

<pre> SELECT id FROM staff WHERE id = 10 AND 'ABC' LIKE 'AB%' AND 'A%C' LIKE 'A/%C' ESCAPE '/'; AND 'A_C' LIKE 'A_C' ESCAPE '\' AND 'A_\$' LIKE 'A\$_\$\$' ESCAPE '\$'; </pre>	ANSWER ===== ID --- 10
---	---

Figure 87, LIKE and ESCAPE examples

LIKE_COLUMN Function

The LIKE predicate cannot be used to compare one column against another. One may need to do this when joining structured to unstructured data. For example, imagine that one had a list of SQL statements (in a table) and a list of view names in a second table. One might want to scan the SQL text (using a LIKE predicate) to find those statements that referenced the views. The LOCATE function can be used to do a simple equality check. The LIKE predicate allows a more sophisticated search.

The following code creates a scalar function and dependent procedure that can compare one column against another (by converting both column values into input variables). The function is just a stub. It passes the two input values down to the procedure where they are compared using a LIKE predicate. If there is a match, the function returns one, else zero.

```
--#SET DELIMITER !
CREATE PROCEDURE LIKE_COLUMN (IN instr1 VARCHAR(4000)
                               ,IN instr2 VARCHAR(4000)
                               ,OUT outval SMALLINT)           IMPORTANT
                                         =====
                                         This example
                                         uses an "!" as the stmt
                                         delimiter.

LANGUAGE SQL
CONTAINS SQL
DETERMINISTIC
NO EXTERNAL ACTION
BEGIN
  SET outval = CASE
    WHEN instr1 LIKE instr2
    THEN 1
    ELSE 0
  END;
  RETURN;
END!

CREATE FUNCTION LIKE_COLUMN (instr1 VARCHAR(4000)
                             ,instr2 VARCHAR(4000))
RETURNS SMALLINT
LANGUAGE SQL
CONTAINS SQL
DETERMINISTIC
NO EXTERNAL ACTION
BEGIN ATOMIC
  DECLARE outval SMALLINT;
  CALL LIKE_COLUMN(instr1,instr2,outval);
  RETURN outval;
END!
```

Figure 88, Create LIKE_COLUMN function

Below is an example of the above function being used to compare to the contents of one column against another:

```
WITH temp1 (jtest) AS
  (VALUES ('_gr%')
         ,('S_le%')
        )
SELECT   s.id
        ,s.name
        ,s.job
        ,t.jtest
FROM     staff s
        ,temp1 t
WHERE    LIKE_COLUMN(s.job,t.jtest) = 1
        AND s.id < 70
ORDER BY s.id;
```

ANSWER			
ID	NAME	JOB	JTEST
10	Sanders	Mgr	_gr%
20	Pernal	Sales	S_le%
30	Marenghi	Mgr	_gr%
40	O'Brien	Sales	S_le%
50	Hanes	Mgr	_gr%
60	Quigley	Sales	S_le%

Figure 89, Use LIKE_COLUMN function

NULL Predicate

The NULL predicate checks for null values. The result of this predicate cannot be unknown. If the value of the expression is null, the result is true. If the value of the expression is not null, the result is false.



Figure 90, NULL Predicate syntax

<pre> SELECT id, comm FROM staff WHERE id < 100 AND id IS NOT NULL AND comm IS NULL AND NOT comm IS NOT NULL ORDER BY id; </pre>	ANSWER ===== <table border="0"> <thead> <tr> <th>ID</th> <th>COMM</th> </tr> </thead> <tbody> <tr> <td>10</td> <td>-</td> </tr> <tr> <td>30</td> <td>-</td> </tr> <tr> <td>50</td> <td>-</td> </tr> </tbody> </table>	ID	COMM	10	-	30	-	50	-
ID	COMM								
10	-								
30	-								
50	-								

Figure 91, NULL predicate examples

NOTE: Use the COALESCE function to convert null values into something else.

Special Character Usage

To refer to a special character in a predicate, or anywhere else in a SQL statement, use the "X" notation to substitute with the ASCII hex value. For example, the following query will list all names in the STAFF table that have an "a" followed by a semi-colon:

```

SELECT      id
           ,name
FROM        staff
WHERE       name LIKE '%a' || X'3B' || '%'
ORDER BY   id;
  
```

Figure 92, Refer to semi-colon in SQL text

Precedence Rules

Expressions within parentheses are done first, then prefix operators (e.g. -1), then multiplication and division, then addition and subtraction. When two operations of equal precedence are together (e.g. 1 * 5 / 4) they are done from left to right.

Example: 555 + -22 / (12 - 3) * 66	ANSWER ===== 423
---	--

^ ^ ^ ^ ^
5th 2nd 3rd 1st 4th

Figure 93, Precedence rules example

Be aware that the result that you get depends very much on whether you are doing integer or decimal arithmetic. Below is the above done using integer numbers:

<pre> SELECT (12 - 3) AS int1 , -22 / (12 - 3) AS int2 , -22 / (12 - 3) * 66 AS int3 , 555 + -22 / (12 - 3) * 66 AS int4 FROM sysibm.sysdummy1; </pre>	ANSWER ===== INT1 INT2 INT3 INT4 ----- 9 -2 -132 423
---	--

Figure 94, Precedence rules, integer example

NOTE: DB2 truncates, not rounds, when doing integer arithmetic.

Here is the same done using decimal numbers:

```

SELECT      (12.0 - 3)      AS dec1
           , -22 / (12.0 - 3)   AS dec2
           , -22 / (12.0 - 3) * 66 AS dec3
           , 555 + -22 / (12.0 - 3) * 66 AS dec4
FROM        sysibm.sysdummy1;

```

ANSWER
=====

DEC1	DEC2	DEC3	DEC4
9.0	-2.4	-161.3	393.6

*Figure 95, Precedence rules, decimal example***AND/OR Precedence**

AND operations are done before OR operations. This means that one side of an OR is fully processed before the other side is begun. To illustrate:

```

SELECT      *          ANSWER>>    COL1  COL2    TABLE1
FROM        table1
WHERE       col1 = 'C'
           AND col1 >= 'A'
           OR  col2 >= 'AA'
ORDER BY   col1;

SELECT      *          ANSWER>>    COL1  COL2
FROM        table1
WHERE       (col1 = 'C'
           AND col1 >= 'A')
           OR  col2 >= 'AA'
ORDER BY   col1;

SELECT      *          ANSWER>>    COL1  COL2
FROM        table1
WHERE       col1 = 'C'
           AND (col1 >= 'A'
           OR  col2 >= 'AA')
ORDER BY   col1;

```

Figure 96, Use of OR and parenthesis

WARNING: The omission of necessary parenthesis surrounding OR operators is a very common mistake. The result is usually the wrong answer. One symptom of this problem is that many more rows are returned (or updated) than anticipated.

Processing Sequence

The various parts of a SQL statement are always executed in a specific sequence in order to avoid semantic ambiguity:

```

FROM      clause
JOIN ON   clause
WHERE     clause
GROUP BY and aggregate
HAVING    clause
SELECT    list
ORDER BY  clause
FETCH FIRST

```

Figure 97, Query Processing Sequence

Observe that ON predicates (e.g. in an outer join) are always processed before any WHERE predicates (in the same join) are applied. Ignoring this processing sequence can cause what looks like an outer join to run as an inner join (see figure 633). Likewise, a function that is referenced in the SELECT section of a query (e.g. row-number) is applied after the set of matching rows has been identified, but before the data has been ordered.

CAST Expression

The CAST expression is used to convert one data type to another. It is similar to the various field-type functions (e.g. CHAR, SMALLINT) except that it can also handle null values and host-variable parameter markers.




Figure 98, CAST expression syntax

Input vs. Output Rules

- EXPRESSION: If the input is neither null, nor a parameter marker, the input data-type is converted to the output data-type. Truncation and/or padding with blanks occur as required. An error is generated if the conversion is illegal.
 - NULL: If the input is null, the output is a null value of the specified type.
 - PARAMETER MAKER: This option is only used in programs and need not concern us here. See the DB2 SQL Reference for details.

Examples

Use the CAST expression to convert the SALARY field from decimal to integer:

```
SELECT    id
          ,salary
          ,CAST(salary AS INTEGER) AS sal2
FROM      staff
WHERE     id < 30
ORDER BY id;
```

Figure 99, Use CAST expression to convert Decimal to Integer

Use the CAST expression to truncate the JOB field. A warning message will be generated for the second line of output because non-blank truncation is being done.

```
SELECT    id
          ,job
          ,CAST(job AS CHAR(3)) AS job2
FROM      staff
WHERE     id < 30
ORDER BY  id;
```

Figure 100, Use CAST expression to truncate Char field

Use the CAST expression to make a derived field called JUNK of type SMALLINT where all of the values are null.

```
SELECT      id
           ,CAST(NULL AS SMALLINT) AS junk
  FROM    staff
 WHERE   id < 30
 ORDER BY id;
```

Figure 101. Use CAST expression to define SMALLINT field with null values

The CAST expression can also be used in a join, where the field types being matched differ:

```

SELECT      stf.id
           ,emp.empno
  FROM      staff      stf
LEFT OUTER JOIN
           employee emp
  ON      stf.id   =  CAST(emp.empno AS INTEGER)
  AND     emp.job   =  'MANAGER'
 WHERE    stf.id   <  60
ORDER BY stf.id;

```

Figure 102, CAST expression in join

Of course, the same join can be written using the raw function:

```

SELECT      stf.id
           ,emp.empno
  FROM      staff      stf
LEFT OUTER JOIN
           employee emp
  ON      stf.id      =  INTEGER(emp.empno)
  AND     emp.job      =  'MANAGER'
 WHERE     stf.id      <   60
ORDER BY stf.id;

```

Figure 103, Function usage in join

VALUES Statement

The **VALUES** clause is used to define a set of rows and columns with explicit values. The clause is commonly used in temporary tables, but can also be used in view definitions. Once defined in a table or view, the output of the **VALUES** clause can be grouped by, joined to, and otherwise used as if it is an ordinary table - except that it can not be updated.




Figure 104. VALUES expression syntax

Each column defined is separated from the next using a comma. Multiple rows (which may also contain multiple columns) are separated from each other using parenthesis and a comma. When multiple rows are specified, all must share a common data type. Some examples follow:

VALUES	6	<= 1 row, 1 column
VALUES	(6)	<= 1 row, 1 column
VALUES	6, 7, 8	<= 1 row, 3 columns
VALUES	(6), (7), (8)	<= 3 rows, 1 column
VALUES	(6,66), (7,77), (8,NULL)	<= 3 rows, 2 columns

Figure 105, VALUES usage examples

Sample SQL

The VALUES clause can be used by itself as a very primitive substitute for the SELECT statement. One key difference is that output columns cannot be named. But they can be ordered, and fetched, and even named externally, as the next example illustrates:

PLAIN VALUES	VALUES + WITH	VALUES + SELECT	ANSWER
<hr/>	<hr/>	<hr/>	<hr/>
VALUES (1,2), (2,3), (3,4) ORDER BY 2 DESC;	WITH temp (c1,c2) AS (VALUES (1,2), (2,3), (3,4)) SELECT * FROM temp ORDER BY 2 DESC;	SELECT * FROM (VALUES (1,2), (2,3), (3,4)) temp (c1,c2) ORDER BY 2 DESC;	1 2 -- -- 3 4 2 3 1 2

Figure 106, Logically equivalent VALUES statements

The VALUES clause can encapsulate several independent queries:

VALUES ((SELECT COUNT(*) FROM employee), (SELECT AVG(salary) FROM staff), (SELECT MAX(deptno) FROM department)) FOR FETCH ONLY WITH UR;	ANSWER
<hr/>	<hr/>
	1 2 3 --- --- 42 67932.78 J22

Figure 107, VALUES running selects

The next statement defines a temporary table containing two columns and three rows. The first column defaults to type integer and the second to type varchar.

WITH templ (col1, col2) AS (VALUES (0, 'AA'), (1, 'BB'), (2, NULL))) SELECT * FROM templ;	ANSWER
<hr/>	<hr/>
	COL1 COL2 --- --- 0 AA 1 BB 2 -

Figure 108, Use VALUES to define a temporary table (1 of 4)

If we wish to explicitly control the output field types we can define them using the appropriate function. This trick does not work if even a single value in the target column is null.

WITH templ (col1, col2) AS (VALUES (DECIMAL(0,3,1), 'AA'), (DECIMAL(1,3,1), 'BB'), (DECIMAL(2,3,1), NULL))) SELECT * FROM templ;	ANSWER
<hr/>	<hr/>
	COL1 COL2 --- --- 0.0 AA 1.0 BB 2.0 -

Figure 109, Use VALUES to define a temporary table (2 of 4)

If any one of the values in the column that we wish to explicitly define has a null value, we have to use the CAST expression to set the output field type:

WITH templ (col1, col2) AS (VALUES (0, CAST('AA' AS CHAR(1))), (1, CAST('BB' AS CHAR(1))), (2, CAST(NULL AS CHAR(1))))) SELECT * FROM templ;	ANSWER
<hr/>	<hr/>
	COL1 COL2 --- --- 0 A 1 B 2 -

Figure 110, Use VALUES to define a temporary table (3 of 4)

Alternatively, we can set the output type for all of the not-null rows in the column. DB2 will then use these rows as a guide for defining the whole column:

```

WITH temp1 (col1, col2) AS
  (VALUES
    (0, CHAR('AA',1))
   ,(1, CHAR('BB',1))
   ,(2, NULL)
  )
SELECT *
FROM  temp1;

```

	ANSWER
	=====
COL1	COL2
----	----
0	A
1	B
2	-

Figure 111, Use VALUES to define a temporary table (4 of 4)

More Sample SQL

Temporary tables, or (permanent) views, defined using the VALUES expression can be used much like a DB2 table. They can be joined, unioned, and selected from. They can not, however, be updated, or have indexes defined on them. Temporary tables can not be used in a sub-query.

```

WITH temp1 (col1, col2, col3) AS
  (VALUES
    (0, 'AA', 0.00)
   ,(1, 'BB', 1.11)
   ,(2, 'CC', 2.22)
  )
, temp2 (col1b, colx) AS
  (SELECT col1
   ,col1 + col3
   FROM  temp1
  )
SELECT *
FROM  temp2;

```

	ANSWER
	=====
COL1B	COLX
----	----
0	0.00
1	2.11
2	4.22

Figure 112, Derive one temporary table from another

```

CREATE VIEW silly (c1, c2, c3)
AS VALUES (11, 'AAA', SMALLINT(22))
          ,(12, 'BBB', SMALLINT(33))
          ,(13, 'CCC', NULL);
COMMIT;

```

Figure 113, Define a view using a VALUES clause

```

WITH temp1 (col1) AS
  (VALUES
    0
   UNION ALL
   SELECT col1 + 1
   FROM  temp1
   WHERE  col1 + 1 < 100
  )
SELECT *
FROM  temp1;

```

	ANSWER
	=====
COL1	---
----	----
0	0
1	1
2	2
3	3
	etc

Figure 114, Use VALUES defined data to seed a recursive SQL statement

All of the above examples have matched a VALUES statement up with a prior WITH expression, so as to name the generated columns. One doesn't have to use the latter, but if you don't, you get a table with unnamed columns, which is pretty useless:

```

SELECT  *
FROM    (VALUES (123,'ABC')
           ,(234,'DEF'))
           )AS ttt
ORDER BY 1 DESC;

```

	ANSWER
	=====

234	DEF
123	ABC

Figure 115, Generate table with unnamed columns

Combine Columns

The VALUES statement can be used inside a TABLE function to combine separate columns into one. In the following example, three columns in the STAFF table are combined into a single column – with one row per item:

```

SELECT  id                               ANSWER
       ,salary   AS sal
       ,comm     AS com
       ,combo
       ,typ
  FROM  staff
       ,TABLE(VALUES(salary,'SAL'))
              ,(comm, 'COM')
      )AS tab(combo,typ)
 WHERE  id < 40
 ORDER BY id
       ,typ;

```

ID	SAL	COM	COMBO	TYP
10	98357.50	-	-	COM
10	98357.50	-	98357.50	SAL
20	78171.25	612.45	612.45	COM
20	78171.25	612.45	78171.25	SAL
30	77506.75	-	-	COM
30	77506.75	-	77506.75	SAL

Figure 116, Combine columns example

The above query works as follows:

- The set of matching rows are obtained from the STAFF table.
- For each matching row, the TABLE function creates two rows, the first with the salary value, and the second with the commission.
- Each new row gets a second literal column – indicating the data source.
- Finally, the "AS" expression assigns a correlation name to the table output, and also defines two column names.

The TABLE function is resolved row-by-row, with the result being joined to the current row in the STAFF table. This explains why we do not get a Cartesian product, even though no join criteria are provided.

NOTE: The keyword LATERAL can be used instead of TABLE in the above query.

CASE Expression


CASE expressions enable one to do if-then-else type processing inside of SQL statements.

WARNING: The sequence of the CASE conditions can affect the answer. The first WHEN check that matches is the one used.

CASE Syntax Styles

There are two general flavors of the CASE expression. In the first kind, each WHEN statement does its own independent check. In the second kind, all of the WHEN conditions do similar "equal" checks against a common reference expression.

CASE Expression, 1st Type

*Figure 117, CASE expression syntax - 1st type*

```

SELECT    Lastname
        ,sex      AS sx
        ,CASE sex
                  WHEN 'F' THEN 'FEMALE'
                  WHEN 'M' THEN 'MALE'
                  ELSE NULL
        END AS sexx
FROM      employee
WHERE     lastname LIKE 'J%'
ORDER BY 1;

```

ANSWER		
LASTNAME	SX	SEXX
JEFFERSON	M	MALE
JOHN	F	FEMALE
JOHNSON	F	FEMALE
JONES	M	MALE

Figure 118, Use CASE (1st type) to expand a value

CASE Expression, Type 2




Figure 119, CASE expression syntax - 2nd type

```
SELECT    lastname
        ,sex     AS sx
        ,CASE
            WHEN sex = 'F' THEN 'FEMALE'
            WHEN sex = 'M' THEN 'MALE'
            ELSE NULL
        END AS sexx
FROM      employee
WHERE     lastname LIKE 'J%'
ORDER BY 1;
```

ANSWER		
=====	=====	=====
LASTNAME	SX	SEXX
-----	-	-
JEFFERSON	M	MALE
JOHN	F	FEMALE
JOHNSON	F	FEMALE
JONES	M	MALE

Figure 120, Use CASE (2nd type) to expand a value

Notes & Restrictions

- If more than one WHEN condition is true, the first one processed that matches is used.
 - If no WHEN matches, the value in the ELSE clause applies. If no WHEN matches and there is no ELSE clause, the result is NULL.
 - There must be at least one non-null result in a CASE statement. Failing that, one of the NULL results must be inside of a CAST expression.
 - All result values must be of the same type.
 - Functions that have an external action (e.g. RAND) can not be used in the expression part of a CASE statement.

Sample SQL

```

SELECT      lastname
           ,midinit AS mi
           ,sex       AS sx
           ,CASE
                     WHEN midinit > SEX
                     THEN midinit
                     ELSE sex
           END AS mx
FROM        employee
WHERE       lastname LIKE 'J%''
ORDER BY 1;

```

ANSWER
=====

LASTNAME	MI	SX	MX
JEFFERSON	J	M	M
JOHN	K	K	K
JOHNSON	P	F	P
JONES	T	M	T

Figure 121, Use CASE to display the higher of two values

```

SELECT COUNT(*) AS tot
      ,SUM(CASE sex WHEN 'F' THEN 1 ELSE 0 END) AS #f
      ,SUM(CASE sex WHEN 'M' THEN 1 ELSE 0 END) AS #m
  FROM employee
 WHERE lastname LIKE 'J%';

```

	ANSWER
TOT	#F #M

	4 2 2

Figure 122, Use CASE to get multiple counts in one pass

```

SELECT lastname
      ,LENGTH(RTRIM(lastname)) AS len
      ,SUBSTR(lastname,1
              CASE
                  WHEN LENGTH(RTRIM(lastname))
                      > 6 THEN 6
                  ELSE LENGTH(RTRIM(lastname))
              END ) AS lastnm
  FROM employee
 WHERE lastname LIKE 'J%'
 ORDER BY 1;

```

	ANSWER
LASTNAME	LEN LASTNM

JEFFERSON	9 JEFFER
JOHN	4 JOHN
JOHNSON	7 JOHNSO
JONES	5 JONES

Figure 123, Use CASE inside a function

The CASE expression can also be used in an UPDATE statement to do any one of several alternative updates to a particular field in a single pass of the data:

```

UPDATE staff
SET comm = CASE dept
            WHEN 15 THEN comm * 1.1
            WHEN 20 THEN comm * 1.2
            WHEN 38 THEN
                CASE
                    WHEN years < 5 THEN comm * 1.3
                    WHEN years >= 5 THEN comm * 1.4
                    ELSE NULL
                END
            ELSE comm
        END
WHERE comm IS NOT NULL
    AND dept < 50;

```

Figure 124, UPDATE statement with nested CASE expressions

In the next example a CASE expression is used to avoid a divide-by-zero error:

```

WITH templ (c1,c2) AS
  (VALUES (88,9),(44,3),(22,0),(0,1))
SELECT c1
      ,c2
      ,CASE c2
          WHEN 0 THEN NULL
          ELSE c1/c2
      END AS c3
  FROM templ;

```

	ANSWER
C1	C2 C3

88	9 9
44	3 14
22	0 -
0	1 0

Figure 125, Use CASE to avoid divide by zero

At least one of the results in a CASE expression must be a value (i.e. not null). This is so that DB2 will know what output type to make the result.

Problematic CASE Statements

The case WHEN checks are always processed in the order that they are found. The first one that matches is the one used. This means that the answer returned by the query can be affected by the sequence on the WHEN checks. To illustrate this, the next statement uses the SEX field (which is always either "F" or "M") to create a new field called SXZ. In this particular example, the SQL works as intended.

```

SELECT      lastname
           ,sex
           ,CASE
             WHEN sex >= 'M' THEN 'MAL'
             WHEN sex >= 'F' THEN 'FEM'
           END AS sxx
  FROM        employee
 WHERE       lastname LIKE 'J%'
 ORDER BY 1;

ANSWER
=====
LASTNAME   SX SXX
-----  -- --
JEFFERSON  M  MAL
JOHN       F  FEM
JOHNSON    F  FEM
JONES      M  MAL

```

Figure 126, Use CASE to derive a value (correct)

In the example below all of the values in SXX field are "FEM". This is not the same as what happened above, yet the only difference is in the order of the CASE checks.

```

SELECT      lastname
           ,sex
           ,CASE
             WHEN sex >= 'F' THEN 'FEM'
             WHEN sex >= 'M' THEN 'MAL'
           END AS sxx
  FROM        employee
 WHERE       lastname LIKE 'J%'
 ORDER BY 1;

ANSWER
=====
LASTNAME   SX SXX
-----  -- --
JEFFERSON  M  FEM
JOHN       F  FEM
JOHNSON    F  FEM
JONES      M  FEM

```

Figure 127, Use CASE to derive a value (incorrect)

In the prior statement the two WHEN checks overlap each other in terms of the values that they include. Because the first check includes all values that also match the second, the latter never gets invoked. Note that this problem can not occur when all of the WHEN expressions are equality checks.

CASE in Predicate

The result of a CASE expression can be referenced in a predicate:

```

SELECT      id
           ,dept
           ,salary
           ,comm
  FROM        staff
 WHERE      CASE
             WHEN comm      <    70  THEN 'A'
             WHEN name     LIKE 'W%' THEN 'B'
             WHEN salary    < 11000 THEN 'C'
             WHEN salary    < 18500
               AND dept     <> 33  THEN 'D'
             WHEN salary    < 19000 THEN 'E'
           END IN ('A','C','E')
 ORDER BY id;

ANSWER
=====
ID  DEPT  SALARY  COMM
---  ---  ---  ---
130  42  10505.90  75.60
270  66  18555.50  -
330  66  10988.00  55.50

```

Figure 128, Use CASE in a predicate

The above query is arguably more complex than it seems at first glance, because unlike in an ordinary query, the CASE checks are applied in the sequence they are defined. So a row will only match "B" if it has not already matched "A".

In order to rewrite the above query using standard AND/OR predicates, we have to reproduce the CASE processing sequence. To this end, the three predicates in the next example that look for matching rows also apply any predicates that preceded them in the CASE statement:

```

ANSWER
=====
ID  DEPT  SALARY   COMM
---  ---  -----
130  42  10505.90  75.60
270  66  18555.50  -
330  66  10988.00  55.50

SELECT      id
            ,name
            ,salary
            ,comm
      FROM    staff
     WHERE  (comm    < 70)
            OR  (salary < 11000 AND NOT name LIKE 'W%')
            OR  (salary < 19000 AND NOT (name LIKE 'W%'
                                         OR (salary < 18500 AND dept > 33)))
      ORDER BY id;

```

Figure 129, Same stmt as prior, without CASE predicate

Miscellaneous SQL Statements

This section will briefly discuss several miscellaneous SQL statements. See the DB2 manuals for more details.

Cursor

A cursor is used in an application program to retrieve and process individual rows from a result set. To use a cursor, one has to do the following:

- **DECLARE** the cursor. The declare statement has the SQL text that the cursor will run. If the cursor is declared "with hold", it will remain open after a commit, otherwise it will be closed at commit time.
NOTE: The declare cursor statement is not actually executed when the program is run. It simply defines the query that will be run.
- **OPEN** the cursor. This is when the contents of on any host variables referenced by the cursor (in the predicate part of the query) are transferred to DB2.
- **FETCH** rows from the cursor. One does as many fetches as is needed. If no row is found, the SQLCODE from the fetch will be 100.
- **CLOSE** the cursor.

Declare Cursor Syntax




Figure 130, *DECLARE CURSOR* statement syntax

Syntax Notes

- The cursor-name must be unique with the application program.
- The WITH HOLD phrase indicates that the cursor will remain open if the unit of work ends with a commit. The cursor will be closed if a rollback occurs.

- The WITH RETURN phrase is used when the cursor will generate the result set returned by a stored procedure. If the cursor is open when the stored procedure ends the result set will be return either to the calling procedure, or directly to the client application.
- The FOR phrase can either refer to a select statement, the text for which will follow, or to the name of a statement has been previously prepared.

Usage Notes

- Cursors that require a sort (e.g. to order the output) will obtain the set of matching rows at open time, and then store them in an internal temporary table. Subsequent fetches will be from the temporary table.
- Cursors that do not require a sort are resolved as each row is fetched from the data table.
- All references to the current date, time, and timestamp will return the same value (i.e. as of when the cursor was opened) for all fetches in a given cursor invocation.
- One does not have to close a cursor, but one cannot reopen it until it is closed. All open cursors are automatically closed when the thread terminates, or when a rollback occurs, or when a commit is done - except if the cursor is defined "with hold".
- One can both update and delete "where current of cursor". In both cases, the row most recently fetched is updated or deleted. An update can only be used when the cursor being referenced is declared "for update of".

Examples

```
DECLARE fred CURSOR FOR
  WITH RETURN TO CALLER
  SELECT id
    ,name
    ,salary
    ,comm
   FROM staff
  WHERE id      < :id-var
    AND salary    > 1000
 ORDER BY id ASC
  FETCH FIRST 10 ROWS ONLY
  OPTIMIZE FOR 10 ROWS
  FOR FETCH ONLY
  WITH UR
```

Figure 131, Sample cursor

```
DECLARE fred CURSOR WITH HOLD FOR
  SELECT name
    ,salary
   FROM staff
  WHERE id > :id-var
  FOR UPDDATE OF salary, comm
  OPEN fred
  DO UNTIL SQLCODE = 100
    FETCH fred
    INTO :name-var
      ,:salary-var
    IF salary < 1000 THEN DO
      UPDATE staff
      SET salary = :new-salary-var
      WHERE CURRENT OF fred
    END-IF
  END-DO
  CLOSE fred
```

Figure 132, Use cursor in program

Select Into

A SELECT-INTO statement is used in an application program to retrieve a single row. If more than one row matches, an error is returned. The statement text is the same as any ordinary query, except that there is an INTO section (listing the output variables) between the SELECT list and the FROM section.

Example

```
SELECT name
      ,salary
  INTO :name-var
      ,:salary-var
  FROM staff
 WHERE id = :id-var
```

Figure 133, Singleton select

Prepare

The PREPARE statement is used in an application program to dynamically prepare a SQL statement for subsequent execution.




Figure 134, PREPARE statement syntax

Syntax Notes

- The statement name names the statement. If the name is already in use, it is overridden.
- The OUTPUT descriptor will contain information about the output parameter markers. The DESCRIBE statement may be used instead of this clause.
- The INPUT descriptor will contain information about the input parameter markers.
- The FROM phrase points to the host-variable which contains the SQL statement text.

Prepared statement can be used by the following:

STATEMENT CAN BE USED BY	STATEMENT TYPE
=====	=====
DESCRIBE	Any statement
DECLARE CURSOR	Must be SELECT
EXECUTE	Must not be SELECT

Figure 135, What statements can use prepared statement

Describe

The DESCRIBE statement is typically used in an application program to get information about a prepared statement. It can also be used in the DB2 command processor (but not in DB2BATCH) to get a description of a table, or the output columns in a SQL statement:




Figure 136, DESCRIBE statement syntax

Below are some examples of using the statement:

```

DESCRIBE OUTPUT SELECT * FROM staff

SQLDA Information
sqldaid : SQLDA      sqldabc: 896  sqln: 20  sqld: 7
Column Information

sqltype          sqllen  sqlname.data           sqlname.length
-----  -----  -----  -----
500   SMALLINT       2  ID                      2
449   VARCHAR         9  NAME                     4
501   SMALLINT       2  DEPT                    4
453   CHARACTER       5  JOB                     3
501   SMALLINT       2  YEARS                   5
485   DECIMAL        7, 2  SALARY                  6
485   DECIMAL        7, 2  COMM                   4
    
```

Figure 137, DESCRIBE the output columns in a select statement

```

DESCRIBE TABLE staff

Column          Type          Type
name           schema        name
-----  -----  -----
ID             SYSIBM        SMALLINT
NAME           SYSIBM        VARCHAR
DEPT           SYSIBM        SMALLINT
JOB            SYSIBM        CHARACTER
YEARS          SYSIBM        SMALLINT
SALARY         SYSIBM        DECIMAL
COMM           SYSIBM        DECIMAL
    
```

Figure 138, DESCRIBE the columns in a table

Execute

The EXECUTE statement is used in an application program to execute a prepared statement. The statement can not be a select.

Execute Immediate

The EXECUTE IMMEDIATE statement is used in an application program to prepare and execute a statement. Only certain kinds of statement (e.g. insert, update, delete, commit) can be run this way. The statement can not be a select.

Set Variable

The SET statement is used in an application program to set one or more program variables to values that are returned by DB2.

Examples

```
SET :host-var = CURRENT TIMESTAMP
```

Figure 139, SET single host-variable

```
SET :host-v1 = CURRENT TIME
, :host-v2 = CURRENT DEGREE
, :host-v3 = NULL
```

Figure 140, SET multiple host-variables

The SET statement can also be used to get the result of a select, as long as the select only returns a single row:

```
SET      (:hv1
          ,:hv2
          ,:hv3) =
(SELECT   id
          ,name
          ,salary
     FROM    staff
    WHERE   id = :id-var)
```

Figure 141, SET using row-fullselect

Set DB2 Control Structures

In addition to setting a host-variable, one can also set various DB2 control structures:

```
SET CONNECTION
SET CURRENT DEFAULT TRANSFORM GROUP
SET CURRENT DEGREE
SET CURRENT EXPLAIN MODE
SET CURRENT EXPLAIN SNAPSHOT
SET CURRENT ISOLATION
SET CURRENT LOCK TIMEOUT
SET CURRENT MAINTAINED TABLE TYPES FOR OPTIMIZATION
SET CURRENT PACKAGE PATH
SET CURRENT PACKAGESET
SET CURRENT QUERY OPTIMIZATION
SET CURRENT REFRESH AGE
SET ENCRYPTION PASSWORD
SET EVENT MONITOR STATE
SET INTEGRITY
SET PASSTHRU
SET PATH
SET SCHEMA
SET SERVER OPTION
SET SESSION AUTHORIZATION
```

Figure 142, Other SET statements

Unit-of-Work Processing

No changes that you make are deemed to be permanent until they are committed. This section briefly lists the commands one can use to commit or rollback changes.

Commit

The COMMIT statement is used to commit whatever changes have been made. Locks that were taken as a result of those changes are freed. If no commit is specified, an implicit one is done when the thread terminates.

Savepoint

The SAVEPOINT statement is used in an application program to set a savepoint within a unit of work. Subsequently, the program can be rolled back to the savepoint, as opposed to rolling back to the start of the unit of work.




Figure 143, *SAVEPOINT statement syntax*

Notes

- If the savepoint name is the same as a savepoint that already exists within the same level, it overrides the prior savepoint - unless the latter was defined as being unique, in which case an error is returned.
- The RETAIN CURSORS phrase tells DB2 to, if possible, keep open any active cursors.
- The RETAIN LOCKS phrase tells DB2 to retain any locks that were obtained subsequent to the savepoint. In other words, the changes are rolled back, but the locks that came with those changes remain.

Savepoint Levels

Savepoints exist within a particular savepoint level, which can be nested within another level. A new level is created whenever one of the following occurs:

- A new unit of work starts.
- A procedure defined with NEW SAVEPOINT LEVEL is called.
- An atomic compound SQL statement starts.

A savepoint level ends when the process that caused its creation finishes. When a savepoint level ends, all of the savepoints created within it are released.

The following rules apply to savepoint usage:

- Savepoints can only be referenced from within the savepoint level in which they were created. Active savepoints in prior levels are not accessible.
- The uniqueness of savepoint names is only enforced within a given savepoint level. The same name can exist in multiple active savepoint levels.

Example

Savepoints are especially useful when one has multiple SQL statements that one wants to run or rollback as a whole, without affecting other statements in the same transaction. For example, imagine that one is transferring customer funds from one account to another. Two updates will be required - and if one should fail, both should fail:

```

INSERT INTO transaction_audit_table;

SAVEPOINT before_updates ON ROLLBACK RETAIN CURSORS;

UPDATE savings_account
SET balance = balance - 100
WHERE cust# = 1234;
IF SQLCODE <> 0 THEN
    ROLLBACK TO SAVEPOINT before_updates;
ELSE
    UPDATE checking_account
    SET balance = balance + 100
    WHERE cust# = 1234;
    IF SQLCODE <> 0 THEN
        ROLLBACK TO SAVEPOINT before_updates;
    END
END

COMMIT;

```

Figure 144, Example of savepoint usage

In the above example, if either of the update statements fail, the transaction is rolled back to the predefined savepoint. And regardless of what happens, there will still be a row inserted into the transaction-audit table.


Savepoints vs. Commits

Savepoints differ from commits in the following respects:

- One cannot rollback changes that have been committed.
- Only a commit guarantees that the changes are stored in the database. If the program subsequently fails, the data will still be there.
- Once a commit is done, other users can see the changed data. After a savepoint, the data is still not visible to other users.

Release Savepoint

The RELEASE SAVEPOINT statement will remove the named savepoint. Any savepoints nested within the named savepoint are also released. Once run, the application can no longer rollback to any of the released savepoints.

*Figure 145, RELEASE SAVEPOINT statement syntax*

Rollback

The ROLLBACK statement is used to rollback any database changes since the beginning of the unit of work, or since the named savepoint - if one is specified.

*Figure 146, ROLLBACK statement syntax*

Data Manipulation Language

The chapter has a very basic introduction to the DML (Data Manipulation Language) statements. See the DB2 manuals for more details.

Select DML Changes

A special kind of SELECT statement (see page 70) can encompass an INSERT, UPDATE, or DELETE statement to get the before or after image of whatever rows were changed (e.g. select the list of rows deleted). This kind of SELECT can be very useful when the DML statement is internally generating a value that one needs to know (e.g. an INSERT automatically creates a new invoice number using a sequence column).

Insert

The INSERT statement is used to insert rows into a table, view, or fullselect. To illustrate how it is used, this section will use a copy of the EMP_ACT sample table:

```
CREATE TABLE emp_act_copy
(empno          CHARACTER (00006)    NOT NULL
,projno         CHARACTER (00006)    NOT NULL
,actno          SMALLINT           NOT NULL
,emptime        DECIMAL   (05,02)
,emstdate       DATE
,emendate       DATE);
```

Figure 147, EMP_ACT_COPY sample table - DDL

Insert Syntax




Figure 148, INSERT statement syntax

Target Objects

One can insert into a table, view, nickname, or SQL expression. For views and SQL expressions, the following rules apply:

- The list of columns selected cannot include a column function (e.g. MIN).
- There must be no GROUP BY or HAVING acting on the select list.
- The list of columns selected must include all those needed to insert a new row.
- The list of columns selected cannot include one defined from a constant, expression, or a scalar function.

- Sub-queries, and other predicates, are fine, but are ignored (see figure 153).
- The query cannot be a join, nor (plain) union.
- A "union all" is permitted - as long as the underlying tables on either side of the union have check constraints such that a row being inserted is valid for one, and only one, of the tables in the union.

All bets are off if the insert is going to a table that has an INSTEAD OF trigger defined.

Usage Notes

- One has to provide a list of the columns (to be inserted) if the set of values provided does not equal the complete set of columns in the target table, or are not in the same order as the columns are defined in the target table.
- The columns in the INCLUDE list are not inserted. They are intended to be referenced in a SELECT statement that encompasses the INSERT (see page 70).
- The input data can either be explicitly defined using the VALUES statement, or retrieved from some other table using a fullselect.

Direct Insert

To insert a single row, where all of the columns are populated, one lists the input the values in the same order as the columns are defined in the table:

```
INSERT INTO emp_act_copy VALUES
('100000', 'ABC', 10, 1.4, '2003-10-22', '2003-11-24');
```

Figure 149, Single row insert

To insert multiple rows in one statement, separate the row values using a comma:

```
INSERT INTO emp_act_copy VALUES
('200000', 'ABC', 10, 1.4, '2003-10-22', '2003-11-24')
, ('200000', 'DEF', 10, 1.4, '2003-10-22', '2003-11-24')
, ('200000', 'IJK', 10, 1.4, '2003-10-22', '2003-11-24');
```

Figure 150, Multi row insert

NOTE: If multiple rows are inserted in one statement, and one of them violates a unique index check, all of the rows are rejected.

The NULL and DEFAULT keywords can be used to assign these values to columns. One can also refer to special registers, like the current date and current time:

```
INSERT INTO emp_act_copy VALUES
('400000', 'ABC', 10, NULL, DEFAULT, CURRENT DATE);
```

Figure 151, Using null and default values

To leave some columns out of the insert statement, one has to explicitly list the columns that are included. When this is done, one can refer to the columns used in any order:

```
INSERT INTO emp_act_copy (projno, emendate, actno, empno) VALUES
('ABC', DATE(CURRENT_TIMESTAMP), 123, '500000');
```

Figure 152, Explicitly listing columns being populated during insert

Insert into Full-Select

The next statement inserts a row into a fullselect that just happens to have a predicate which, if used in a subsequent query, would not find the row inserted. The predicate has no impact on the insert itself:

```

INSERT INTO
  (SELECT *
   FROM   emp_act_copy
   WHERE  empno < '1'
  )
VALUES ('510000' , 'ABC' ,10 ,1.4 , '2003-10-22' , '2003-11-24');

```

Figure 153, Insert into a fullselect

NOTE: One can insert rows into a view (with predicates in the definition) that are outside the bounds of the predicates. To prevent this, define the view WITH CHECK OPTION.

Insert from Select

One can insert a set of rows that is the result of a query using the following notation:

```

INSERT INTO emp_act_copy
SELECT LTRIM(CHAR(id + 600000))
      ,SUBSTR(UCASE(name),1,6)
      ,salary / 229
      ,123
      ,CURRENT DATE
      , '2003-11-11'
  FROM  staff
 WHERE id < 50;

```

Figure 154, Insert result of select statement

NOTE: In the above example, the fractional part of the SALARY value is eliminated when the data is inserted into the ACTNO field, which only supports integer values.

If only some columns are inserted using the query, they need to be explicitly listed:

```

INSERT INTO emp_act_copy (empno, actno, projno)
SELECT LTRIM(CHAR(id + 700000))
      ,MINUTE(CURRENT TIME)
      , 'DEF'
  FROM  staff
 WHERE id < 40;

```

Figure 155, Insert result of select - specified columns only

One reason why tables should always have unique indexes is to stop stupid SQL statements like the following, which will double the number of rows in the table:

```

INSERT INTO emp_act_copy
SELECT * FROM emp_act_copy;

```

Figure 156, Stupid - insert - doubles rows

The select statement using the insert can be as complex as one likes. In the next example, it contains the union of two queries:

```

INSERT INTO emp_act_copy (empno, actno, projno)
SELECT LTRIM(CHAR(id + 800000))
      ,77
      , 'XYZ'
  FROM  staff
 WHERE id < 40
UNION
SELECT LTRIM(CHAR(id + 900000))
      ,SALARY / 100
      , 'DEF'
  FROM  staff
 WHERE id < 50;

```

Figure 157, Inserting result of union

The select can also refer to a common table expression. In the following example, six values are first generated, each in a separate row. These rows are then selected during the insert:

```

INSERT INTO emp_act_copy (empno, actno, projno, emptime)
WITH temp1 (col1) AS
  (VALUES (1),(2),(3),(4),(5),(6))
SELECT LTRIM(CHAR(col1 + 910000))
      ,col1
      ,CHAR(col1)
      ,col1 / 2
  FROM temp1;

```

Figure 158, Insert from common table expression

The next example inserts multiple rows - all with an EMPNO beginning "92". Three rows are found in the STAFF table, and all three are inserted, even though the sub-query should get upset once the first row has been inserted. This doesn't happen because all of the matching rows in the STAFF table are retrieved and placed in a work-file before the first insert is done:

```

INSERT INTO emp_act_copy (empno, actno, projno)
SELECT LTRIM(CHAR(id + 920000))
      ,id
      ,'ABC'
  FROM staff
 WHERE id < 40
   AND NOT EXISTS
    (SELECT *
      FROM emp_act_copy
     WHERE empno LIKE '92%');

```

Figure 159, Insert with irrelevant sub-query

Insert into Multiple Tables

Below are two tables that hold data for US and international customers respectively:

<pre> CREATE TABLE us_customer (cust# INTEGER NOT NULL ,cname CHAR(10) NOT NULL ,country CHAR(03) NOT NULL ,CHECK (country = 'USA') ,PRIMARY KEY (cust#)); </pre>	<pre> CREATE TABLE intl_customer (cust# INTEGER NOT NULL ,cname CHAR(10) NOT NULL ,country CHAR(03) NOT NULL ,CHECK (country <> 'USA') ,PRIMARY KEY (cust#)); </pre>
--	---

Figure 160, Customer tables - for insert usage

One can use a single insert statement to insert into both of the above tables because they have mutually exclusive check constraints. This means that a new row will go to one table or the other, but not both, and not neither. To do so one must refer to the two tables using a "union all" phrase - either in a view, or a query, as is shown below:

```

INSERT INTO
  (SELECT    *
   FROM      us_customer
   UNION ALL
   SELECT    *
   FROM      intl_customer)
VALUES (111,'Fred','USA')
      ,(222,'Dave','USA')
      ,(333,'Juan','MEX');

```

Figure 161, Insert into multiple tables

The above statement will insert two rows into the table for US customers, and one row into the table for international customers.

Update

The UPDATE statement is used to change one or more columns/rows in a table, view, or full-select. Each column that is to be updated has to be specified. Here is an example:

```
UPDATE emp_act_copy
SET   emptime = NULL
      ,emendate = DEFAULT
      ,emstdate = CURRENT DATE + 2 DAYS
      ,actno   = ACTNO / 2
      ,projno  = 'ABC'
WHERE  empno   = '100000';
```

Figure 162, Single row update

Update Syntax




Figure 163, UPDATE statement syntax

Usage Notes

- One can update rows in a table, view, or fullselect. If the object is not a table, then it must be updateable (i.e. refer to a single table, not have any column functions, etc).
- The correlation name is optional, and is only needed if there is an expression or predicate that references another table.
- The columns in the INCLUDE list are not updated. They are intended to be referenced in a SELECT statement that encompasses the UPDATE (see page 70).
- The SET statement lists the columns to be updated, and the new values they will get.
- Predicates are optional. If none are provided, all rows in the table are updated.
- Usually, all matching rows are updated. To update some fraction of the matching rows, use a fullselect (see page: 66).

Update Examples

To update all rows in a table, leave off all predicates:

```
UPDATE emp_act_copy
SET   actno = actno / 2;
```

Figure 164, Mass update

In the next example, both target columns get the same values. This happens because the result for both columns is calculated before the first column is updated:

```
UPDATE emp_act_copy act1
SET   actno   = actno * 2
      ,emptime = actno * 2
WHERE  empno LIKE '910%';
```

Figure 165, Two columns get same value

One can also have an update refer to the output of a select statement - as long as the result of the select is a single row:

```
UPDATE emp_act_copy
SET actno = (SELECT MAX(salary) / 10
              FROM staff)
WHERE empno = '200000';
```

Figure 166, Update using select

The following notation lets one update multiple columns using a single select:

```
UPDATE emp_act_copy
SET (actno
      ,emstdate
      ,projno) = (SELECT MAX(salary) / 10
                    ,CURRENT_DATE + 2 DAYS
                    ,MIN(CHAR(id))
                 FROM staff
                WHERE id <> 33)
WHERE empno LIKE '600%';
```

Figure 167, Multi-row update using select

Multiple rows can be updated using multiple different values, as long as there is a one-to-one relationship between the result of the select, and each row to be updated.

```
UPDATE emp_act_copy ac1
SET (actno
      ,emptime) = (SELECT ac2.actno + 1
                    ,ac1.emptime / 2
                 FROM emp_act_copy ac2
                WHERE ac2.empno LIKE '60%'
                  AND SUBSTR(ac2.empno,3) = SUBSTR(ac1.empno,3))
WHERE EMPNO LIKE '700%';
```

Figure 168, Multi-row update using correlated select

Use Full-Select

An update statement can be run against a table, a view, or a fullselect. In the next example, the table is referred to directly:

```
UPDATE emp_act_copy
SET emptime = 10
WHERE empno = '000010'
  AND projno = 'MA2100';
```

Figure 169, Direct update of table

Below is a logically equivalent update that pushes the predicates up into a fullselect:

```
UPDATE
  (SELECT *
   FROM emp_act_copy
   WHERE empno = '000010'
     AND projno = 'MA2100'
  ) AS ea
SET emptime = 20;
```

Figure 170, Update of fullselect

Update First "n" Rows

An update normally changes all matching rows. To update only the first "n" matching rows do the following:

- In a fullselect, retrieve the first "n" rows that you want to update.
- Update all rows returned by the fullselect.

In the next example, the first five staff with the highest salary get a nice fat commission:

```
UPDATE
  (SELECT      *
   FROM        staff
   ORDER BY salary DESC
   FETCH FIRST 5 ROWS ONLY
 )AS xxx
 SET comm = 10000;
```

Figure 171, Update first "n" rows

WARNING: The above statement may update five random rows – if there is more than one row with the ordering value. To prevent this, ensure that the list of columns provided in the ORDER BY identify each matching row uniquely.

Use OLAP Function

Imagine that we want to set the employee-time for a particular row in the EMP_ACT table to the MAX time for that employee. Below is one way to do it:

```
UPDATE  emp_act_copy ea1
SET     emptime = (SELECT MAX(emptime)
                   FROM   emp_act_copy ea2
                   WHERE  ea1.empno = ea2.empno)
WHERE   empno    = '000010'
AND     projno   = 'MA2100';
```

Figure 172, Set employee-time in row to MAX - for given employee

The same result can be achieved by calling an OLAP function in a fullselect, and then updating the result. In next example, the MAX employee-time per employee is calculated (for each row), and placed in a new column. This column is then used to do the final update:

```
UPDATE
  (SELECT  ea1.*
           ,MAX(emptime) OVER(PARTITION BY empno) AS maxtime
   FROM    emp_act_copy ea1
  )AS ea2
SET     emptime = maxtime
WHERE   empno    = '000010'
AND     projno   = 'MA2100';
```

Figure 173, Use OLAP function to get max-time, then apply (correct)

The above statement has the advantage of only accessing the EMP_ACT table once. If there were many rows per employee, and no suitable index (i.e. on EMPNO and EMPTIME), it would be much faster than the prior update.

The next update is similar to the prior - but it does the wrong update! In this case, the scope of the OLAP function is constrained by the predicate on PROJNO, so it no longer gets the MAX time for the employee:

```
UPDATE  emp_act_copy
SET     emptime = MAX(emptime) OVER(PARTITION BY empno)
WHERE   empno    = '000010'
AND     projno   = 'MA2100';
```

Figure 174, Use OLAP function to get max-time, then apply (wrong)

Correlated and Uncorrelated Update

In the next example, regardless of the number of rows updated, the ACTNO will always come out as one. This is because the sub-query that calculates the row-number is correlated, which means that it is resolved again for each row to be updated in the "AC1" table. At most, one "AC2" row will match, so the row-number must always equal one:

```

UPDATE  emp_act_copy ac1
SET      (actno
          ,emptime) = (SELECT ROW_NUMBER() OVER()
                           ,ac1.emptime / 2
                      FROM emp_act_copy ac2
                     WHERE ac2.empno           LIKE '60%'
                           AND SUBSTR(ac2.empno, 3) = SUBSTR(ac1.empno, 3))
WHERE    EMPNO LIKE '800%';

```

Figure 175, Update with correlated query

In the next example, the ACTNO will be updated to be values 1, 2, 3, etc, in order that the rows are updated. In this example, the sub-query that calculates the row-number is uncorrelated, so all of the matching rows are first resolved, and then referred to in the next, correlated, step:

```

UPDATE emp_act_copy ac1
SET (actno
      ,emptime) = (SELECT c1
                     ,c2
                  FROM (SELECT ROW_NUMBER() OVER() AS c1
                           ,actno / 100 AS c2
                           ,empno
                          FROM emp_act_copy
                         WHERE empno LIKE '60%'
                    )AS ac2
                  WHERE SUBSTR(ac2.empno, 3) = SUBSTR(ac1.empno, 3))
WHERE empno LIKE '900%';

```

Figure 176, Update with uncorrelated query

Delete

The DELETE statement is used to remove rows from a table, view, or fullselect. The set of rows deleted depends on the scope of the predicates used. The following example would delete a single row from the EMP_ACT sample table:

```
DELETE FROM emp_act_copy  
WHERE empno = '000010'  
AND projno = 'MA2100'  
AND actno = 10;
```

Figure 177, Single-row delete

Delete Syntax




Figure 178, DELETE statement syntax

Usage Notes

- One can delete rows from a table, view, or fullselect. If the object is not a table, then it must be deletable (i.e. refer to a single table, not have any column functions, etc).
 - The correlation name is optional, and is only needed if there is a predicate that references another table.

- The columns in the INCLUDE list are not updated. They are intended to be referenced in a SELECT statement that encompasses the DELETE (see page 70).
- Predicates are optional. If none are provided, all rows are deleted.
- Usually, all matching rows are deleted. To delete some fraction of the matching rows, use a fullselect (see page: 69).

Basic Delete

This statement would delete all rows in the EMP_ACT table:

```
DELETE
  FROM    emp_act_copy;
```

Figure 179, Mass delete

This statement would delete all the matching rows in the EMP_ACT:

```
DELETE
  FROM    emp_act_copy
 WHERE   empno    LIKE '00%'
        AND    projno   >= 'MA';
```

Figure 180, Selective delete

Correlated Delete

The next example deletes all the rows in the STAFF table - except those that have the highest ID in their respective department:

```
DELETE
  FROM    staff s1
 WHERE   id NOT IN
        (SELECT MAX(id)
          FROM    staff s2
         WHERE   s1.dept = s2.dept);
```

Figure 181, Correlated delete (1 of 2)

Here is another way to write the same:

```
DELETE
  FROM    staff s1
 WHERE   EXISTS
        (SELECT *
          FROM    staff s2
         WHERE   s2.dept = s1.dept
                AND s2.id  > s1.id);
```

Figure 182, Correlated delete (2 of 2)

The next query is logically equivalent to the prior two, but it works quite differently. It uses a fullselect and an OLAP function to get, for each row, the ID, and also the highest ID value in the current department. All rows where these two values do not match are then deleted:

```
DELETE FROM
  (SELECT id
     ,MAX(id) OVER(PARTITION BY dept) AS max_id
   FROM    staff
  )AS ss
 WHERE id <> max_id;
```

Figure 183, Delete using fullselect and OLAP function

Delete First "n" Rows

A delete removes all encompassing rows. Sometimes this is not desirable - usually because an unknown, and possibly undesirably large, number rows is deleted. One can write a delete that stops after "n" rows using the following logic:

- In a fullselect, retrieve the first "n" rows that you want to delete.
- Delete all rows returned by the fullselect.

In the following example, those five employees with the highest salary are deleted:

```
DELETE
FROM      (SELECT      *
            FROM        staff
            ORDER BY    salary DESC
            FETCH FIRST 5 ROWS ONLY
          )AS xxx;
```

Figure 184, Delete first "n" rows

WARNING: The above statement may delete five random rows – if there is more than one row with the same salary. To prevent this, ensure that the list of columns provided in the ORDER BY identify each matching row uniquely.

Select DML Changes

One often needs to know what data a particular insert, update, or delete statement changed. For example, one may need to get the key (e.g. invoice number) that was generated on the fly (using an identity column - see page 277) during an insert, or get the set of rows that were removed by a delete. All of this can be done by coding a special kind of select.

Select DML Syntax




Figure 185, Select DML statement syntax

Table Types

- OLD: Returns the state of the data prior to the statement being run. This is allowed for an update and a delete.
- NEW: Returns the state of the data prior to the application of any AFTER triggers or referential constraints. Data in the table will not equal what is returned if it is subsequently changed by AFTER triggers or R.I. This is allowed for an insert and an update.
- FINAL: Returns the final state of the data. If there are AFTER triggers that alter the target table after running of the statement, an error is returned. Ditto for a view that is defined with an INSTEAD OF trigger. This is allowed for an insert and an update.

Usage Notes

- Only one of the above tables can be listed in the FROM statement.
- The table listed in the FROM statement cannot be given a correlation name.
- No other table can be listed (i.e. joined to) in the FROM statement. One can reference another table in the SELECT list (see example page 73), or by using a sub-query in the predicate section of the statement.

- The SELECT statement cannot be embedded in a nested-table expression.
- The SELECT statement cannot be embedded in an insert statement.
- To retrieve (generated) columns that are not in the target table, list them in an INCLUDE phrase in the DML statement. This technique can be used to, for example, assign row numbers to the set of rows entered during an insert.
- Predicates (on the select) are optional. They have no impact on the underlying DML.
- The INPUT SEQUENCE phrase can be used in the ORDER BY to retrieve the rows in the same sequence as they were inserted. It is not valid in an update or delete.
- The usual scalar functions, OLAP functions, and column functions, plus the GROUP BY phrase, can be applied to the output - as desired.

Insert Examples

The example below selects from the final result of the insert:

```

SELECT      empno          ANSWER
            ,projno AS prj
            ,actno AS act
FROM        FINAL TABLE
(INSERT INTO emp_act_copy
VALUES ('200000','ABC',10,1,'2003-10-22','2003-11-24')
      ,('200000','DEF',10,1,'2003-10-22','2003-11-24'))
ORDER BY 1,2,3;

```

Figure 186, Select rows inserted

One way to retrieve the new rows in the order that they were inserted is to include a column in the insert statement that is a sequence number:

```

SELECT      empno          ANSWER
            ,projno AS prj
            ,actno AS act
            ,row#   AS r#
FROM        FINAL TABLE
(INSERT INTO emp_act_copy (empno, projno, actno)
INCLUDE (row# SMALLINT)
VALUES ('300000','ZZZ',999,1)
      ,('300000','VVV',111,2))
ORDER BY row#;

```

Figure 187, Include column to get insert sequence

The next example uses the INPUT SEQUENCE phrase to select the new rows in the order that they were inserted. Row numbers are assigned to the output:

```

SELECT      empno          ANSWER
            ,projno AS prj
            ,actno AS act
            ,ROW_NUMBER() OVER() AS r#
FROM        FINAL TABLE
(INSERT INTO emp_act_copy (empno, projno, actno)
VALUES ('400000','ZZZ',999)
      ,('400000','VVV',111))
ORDER BY INPUT SEQUENCE;

```

Figure 188, Select rows in insert order

NOTE: The INPUT SEQUENCE phrase only works in an insert statement. It can be listed in the ORDER BY part of the statement, but not in the SELECT part. The only way to display the row number of each row inserted is to explicitly assign row numbers.

In the next example, the only way to know for sure what the insert has done is to select from the result. This is because the select statement (in the insert) has the following unknowns:

- We do not, or may not, know what ID values were selected, and thus inserted.
- The project-number is derived from the current-time special register.
- The action-number is generated using the RAND function.

Now for the insert:

```
SELECT      empno          ANSWER
           ,projno AS prj
           ,actno AS act
           ,ROW_NUMBER() OVER() AS r#
FROM        NEW TABLE
           (INSERT INTO emp_act_copy (empno, actno, projno)
            SELECT LTRIM(CHAR(id + 600000))
                   ,SECOND(CURRENT TIME)
                   ,CHAR(SMALLINT(RAND(1) * 1000))
           FROM staff
           WHERE id < 40)
ORDER BY INPUT SEQUENCE;
```

Figure 189, Select from an insert that has unknown values

Update Examples

The statement below updates the matching rows by a fixed amount. The select statement gets the old EMPTIME values:

```
SELECT      empno          ANSWER
           ,projno AS prj
           ,emptime AS etime
FROM        OLD TABLE
           (UPDATE emp_act_copy
            SET      emptime = emptime * 2
            WHERE    empno  = '200000')
ORDER BY projno;
```

Figure 190, Select values - from before update

The next statement updates the matching EMPTIME values by random amount. To find out exactly what the update did, we need to get both the old and new values. The new values are obtained by selecting from the NEW table, while the old values are obtained by including a column in the update which is set to them, and then subsequently selected:

```
SELECT      projno AS prj          ANSWER
           ,old_t   AS old_t
           ,emptime AS new_t
FROM        NEW TABLE
           (UPDATE emp_act_copy
            INCLUDE (old_t DECIMAL(5,2))
            SET      emptime = emptime * RAND(1) * 10
                   ,old_t   = emptime
            WHERE    empno  = '200000')
ORDER BY 1;
```

Figure 191, Select values - before and after update

Delete Examples

The following example lists the rows that were deleted:

```

SELECT projno AS prj
      ,actno AS act
  FROM OLD TABLE
  (DELETE
   FROM emp_act_copy
  WHERE empno = '300000')
 ORDER BY 1,2;

```

ANSWER
=====

PRJ ACT

VVV 111
ZZZ 999

Figure 192, List deleted rows

The next query deletes a set of rows, and assigns row-numbers (to the included field) as the rows are deleted. The subsequent query selects every second row:

```

SELECT empno
      ,projno
      ,actno AS act
      ,row# AS r#
  FROM OLD TABLE
  (DELETE
   FROM emp_act_copy
   INCLUDE (row# SMALLINT)
   SET row# = ROW_NUMBER() OVER()
  WHERE empno = '000260')
 WHERE row# = row# / 2 * 2
 ORDER BY 1,2,3;

```

ANSWER
=====

EMPNO	PROJNO	ACT	R#
000260	AD3113	70	2
000260	AD3113	80	4
000260	AD3113	180	6

Figure 193, Assign row numbers to deleted rows

NOTE: Predicates (in the select result phrase) have no impact on the range of rows changed by the underlying DML, which is determined by its own predicates.

One cannot join the table generated by a DML statement to another table, nor include it in a nested table expression, but one can join in the SELECT phrase. The following delete illustrates this concept by joining to the EMPLOYEE table:

```

SELECT empno
      ,(SELECT lastname
        FROM (SELECT empno AS e#
              ,lastname
              FROM employee
              )AS xxx
        WHERE empno = e#)
      ,projno AS projno
      ,actno AS act
  FROM OLD TABLE
  (DELETE
   FROM emp_act_copy
  WHERE empno < '0001')
 ORDER BY 1,2,3
 FETCH FIRST 5 ROWS ONLY;

```

ANSWER
=====

EMPNO	LASTNAME	PROJNO	ACT
000010	HAAS	AD3100	10
000010	HAAS	MA2100	10
000010	HAAS	MA2110	10
000020	THOMPSON	PL2100	30
000030	KWAN	IF1000	10

Figure 194, Join result to another table

Observe above that the EMPNO field in the EMPLOYEE table was be renamed (before doing the join) using a nested table expression. This was necessary because one cannot join on two fields that have the same name, without using correlation names. A correlation name cannot be used on the OLD TABLE, so we had to rename the field to get around this problem.

Merge

The MERGE statement is a combination insert and update, or delete, statement on steroids. It can be used to take the data from a source table, and combine it with the data in a target table.

The qualifying rows in the source and target tables are first matched by unique key value, and then evaluated:

- If the source row is already in the target, the latter can be either updated or deleted.
- If the source row is not in the target, it can be inserted.
- If desired, a SQL error can also be generated.

Below is the basic syntax diagram:




Figure 195, MERGE statement syntax

Usage Rules

The following rules apply to the merge statement:

- Correlation names are optional, but are required if the field names are not unique.
- If the target of the merge is a fullselect or a view, it must allow updates, inserts, and deletes - as if it were an ordinary table.
- At least one ON condition must be provided.
- The ON conditions must uniquely identify the matching rows in the target table.
- Each individual WHEN check can only invoke a single modification statement.
- When a MATCHED search condition is true, the matching target row can be updated, deleted, or an error can be flagged.
- When a NOT MATCHED search condition is true, the source row can be inserted into the target table, or an error can be flagged.
- When more than one MATCHED or NOT MATCHED search condition is true, the first one that matches (for each type) is applied. This prevents any target row from being updated or deleted more than once. Ditto for any source row being inserted.
- The ELSE IGNORE phrase specifies that no action be taken if no WHEN check evaluates to true.
- If an error is encountered, all changes are rolled back.

- Row-level triggers are activated for each row merged, depending on the type of modification that is made. So if the merge initiates an insert, all insert triggers are invoked. If the same input initiates an update, all update triggers are invoked.
- Statement-level triggers are activated, even if no rows are processed. So if a merge does either an insert, or an update, both types of statement triggers are invoked, even if all of the input is inserted.

Sample Tables

To illustrate the merge statement, the following test tables were created and populated:

<pre>CREATE TABLE old_staff AS (SELECT id, job, salary FROM staff) WITH NO DATA;</pre> <pre>CREATE TABLE new_staff AS (SELECT id, salary FROM staff) WITH NO DATA;</pre> <pre>INSERT INTO old_staff SELECT id, job, salary FROM staff WHERE id BETWEEN 20 and 40;</pre>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3">OLD_STAFF</th> <th colspan="2">NEW_STAFF</th> </tr> <tr> <th>ID</th> <th>JOB</th> <th>SALARY</th> <th>ID</th> <th>SALARY</th> </tr> </thead> <tbody> <tr> <td>20</td> <td>Sales</td> <td>78171.25</td> <td>30</td> <td>7750.67</td> </tr> <tr> <td>30</td> <td>Mgr</td> <td>77506.75</td> <td>40</td> <td>7800.60</td> </tr> <tr> <td>40</td> <td>Sales</td> <td>78006.00</td> <td>50</td> <td>8065.98</td> </tr> </tbody> </table> <pre>INSERT INTO new_staff SELECT id, salary / 10 FROM staff WHERE id BETWEEN 30 and 50;</pre>	OLD_STAFF			NEW_STAFF		ID	JOB	SALARY	ID	SALARY	20	Sales	78171.25	30	7750.67	30	Mgr	77506.75	40	7800.60	40	Sales	78006.00	50	8065.98
OLD_STAFF			NEW_STAFF																							
ID	JOB	SALARY	ID	SALARY																						
20	Sales	78171.25	30	7750.67																						
30	Mgr	77506.75	40	7800.60																						
40	Sales	78006.00	50	8065.98																						

Figure 196, Sample tables for merge

Update or Insert Merge

The next statement merges the new staff table into the old, using the following rules:

- The two tables are matched on common ID columns.
- If a row matches, the salary is updated with the new value.
- If there is no matching row, a new row is inserted.

Now for the code:

<pre>MERGE INTO old_staff oo USING new_staff nn ON oo.id = nn.id WHEN MATCHED THEN UPDATE SET oo.salary = nn.salary WHEN NOT MATCHED THEN INSERT VALUES (nn.id, '?', nn.salary);</pre>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3">OLD_STAFF</th> <th colspan="2">NEW_STAFF</th> </tr> <tr> <th>ID</th> <th>JOB</th> <th>SALARY</th> <th>ID</th> <th>SALARY</th> </tr> </thead> <tbody> <tr> <td>20</td> <td>Sales</td> <td>78171.25</td> <td>30</td> <td>7750.67</td> </tr> <tr> <td>30</td> <td>Mgr</td> <td>77506.75</td> <td>40</td> <td>7800.60</td> </tr> <tr> <td>40</td> <td>Sales</td> <td>78006.00</td> <td>50</td> <td>8065.98</td> </tr> </tbody> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3">AFTER-MERGE</th> </tr> <tr> <th>ID</th> <th>JOB</th> <th>SALARY</th> </tr> </thead> <tbody> <tr> <td>20</td> <td>Sales</td> <td>78171.25</td> </tr> <tr> <td>30</td> <td>Mgr</td> <td>7750.67</td> </tr> <tr> <td>40</td> <td>Sales</td> <td>7800.60</td> </tr> <tr> <td>50</td> <td>?</td> <td>8065.98</td> </tr> </tbody> </table>	OLD_STAFF			NEW_STAFF		ID	JOB	SALARY	ID	SALARY	20	Sales	78171.25	30	7750.67	30	Mgr	77506.75	40	7800.60	40	Sales	78006.00	50	8065.98	AFTER-MERGE			ID	JOB	SALARY	20	Sales	78171.25	30	Mgr	7750.67	40	Sales	7800.60	50	?	8065.98
OLD_STAFF			NEW_STAFF																																									
ID	JOB	SALARY	ID	SALARY																																								
20	Sales	78171.25	30	7750.67																																								
30	Mgr	77506.75	40	7800.60																																								
40	Sales	78006.00	50	8065.98																																								
AFTER-MERGE																																												
ID	JOB	SALARY																																										
20	Sales	78171.25																																										
30	Mgr	7750.67																																										
40	Sales	7800.60																																										
50	?	8065.98																																										

Figure 197, Merge - do update or insert

Delete-only Merge

The next statement deletes all matching rows:

```

MERGE INTO old_staff oo
USING new_staff nn
ON oo.id = nn.id
WHEN MATCHED THEN
    DELETE;

```

AFTER-MERGE		
ID	JOB	SALARY
20	Sales	78171.25

Figure 198, Merge - delete if match

Complex Merge

The next statement has the following options:

- The two tables are matched on common ID columns.
- If a row matches, and the old salary is < 18,000, it is updated.
- If a row matches, and the old salary is > 18,000, it is deleted.
- If no row matches, and the new ID is > 10, the new row is inserted.
- If no row matches, and (by implication) the new ID is <= 10, an error is flagged.

Now for the code:

```

MERGE INTO old_staff oo
USING new_staff nn
ON oo.id = nn.id
WHEN MATCHED
AND oo.salary < 78000 THEN
    UPDATE
    SET oo.salary = nn.salary
WHEN MATCHED
AND oo.salary > 78000 THEN
    DELETE
WHEN NOT MATCHED
AND nn.id > 10 THEN
    INSERT
    VALUES (nn.id, '?', nn.salary)
WHEN NOT MATCHED THEN
    SIGNAL SQLSTATE '70001'
    SET MESSAGE_TEXT = 'New ID <= 10';

```

OLD_STAFF			NEW_STAFF	
ID	JOB	SALARY	ID	SALARY
20	Sales	78171.25	30	7750.67
30	Mgr	77506.75	40	7800.60
40	Sales	78006.00	50	8065.98

AFTER-MERGE		
ID	JOB	SALARY
20	Sales	78171.25
30	Mgr	7750.67
50	?	8065.98

Figure 199, Merge with multiple options

The merge statement is like the case statement (see page 50) in that the sequence in which one writes the WHEN checks determines the processing logic. In the above example, if the last check was written before the prior, any non-match would generate an error.

Using a Fullselect

The following merge generates an input table (i.e. fullselect) that has a single row containing the MAX value of every field in the relevant table. This row is then inserted into the table:

```

MERGE INTO old_staff
USING
    (SELECT MAX(id) + 1 AS max_id
     ,MAX(job) AS max_job
     ,MAX(salary) AS max_sal
     FROM old_staff
    )AS mx
ON id = max_id
WHEN NOT MATCHED THEN
    INSERT
    VALUES (max_id, max_job, max_sal);

```

AFTER-MERGE		
ID	JOB	SALARY
20	Sales	78171.25
30	Mgr	77506.75
40	Sales	78006.00
41	Sales	78171.25

Figure 200, Merge MAX row into table

Here is the same thing written as a plain on insert:

```

INSERT INTO old_staff
SELECT MAX(id) + 1 AS max_id
      ,MAX(job)      AS max_job
      ,MAX(salary)   AS max_sal
FROM   old_staff;

```

Figure 201, Merge logic - done using insert

Use a fullselect on the target and/or source table to limit the set of rows that are processed during the merge:

```

MERGE INTO
  (SELECT *
   FROM   old_staff
   WHERE  id < 40
  )AS oo
USING
  (SELECT *
   FROM   new_staff
   WHERE  id < 50
  )AS nn
ON   oo.id = nn.id
WHEN MATCHED THEN
  DELETE
WHEN NOT MATCHED THEN
  INSERT
    VALUES (nn.id,'?',nn.salary);

```

Figure 202, Merge using two fullselects

Observe that the above merge did the following:

- The target row with an ID of 30 was deleted - because it matched.
- The target row with an ID of 40 was not deleted, because it was excluded in the fullselect that was done before the merge.
- The source row with an ID of 40 was inserted, because it was not found in the target full-select. This is why the base table now has two rows with an ID of 40.
- The source row with an ID of 50 was not inserted, because it was excluded in the fullselect that was done before the merge.

Listing Columns

The next example explicitly lists the target fields in the insert statement - so they correspond to those listed in the following values phrase:

```

MERGE INTO old_staff oo
USING new_staff nn
ON   oo.id = nn.id
WHEN MATCHED THEN
  UPDATE
    SET (salary,job) = (1234,'?')
WHEN NOT MATCHED THEN
  INSERT (id,salary,job)
    VALUES (id,5678.9,'?');

```

AFTER-MERGE		
ID	JOB	SALARY
20	Sales	78171.25
30	?	1234.00
40	?	1234.00
50	?	5678.90

Figure 203, Listing columns and values in insert

Compound SQL

A compound statement groups multiple independent SQL statements into a single executable. In addition, simple processing logic can be included to create what is, in effect, a very basic program. Such statements can be embedded in triggers, SQL functions, SQL methods, and dynamic SQL statements.

Introduction

A compound SQL statement begins with an (optional) name, followed by the variable declarations, followed by the procedural logic:




Figure 204, Compound SQL Statement syntax

Below is a compound statement that reads a set of rows from the STAFF table and, for each row fetched, updates the COMM field to equal the current fetch number.

```

BEGIN ATOMIC
    DECLARE cntr SMALLINT DEFAULT 1;
    FOR V1 AS
        SELECT id as idval
        FROM staff
        WHERE id < 80
        ORDER BY id
    DO
        UPDATE staff
        SET comm = cntr
        WHERE id = idval;
        SET cntr = cntr + 1;
    END FOR;
END
    
```

Figure 205, Sample Compound SQL statement

Statement Delimiter

DB2 SQL does not come with a designated statement delimiter (terminator), though a semi-colon is typically used. However, a semi-colon cannot be used in a compound SQL statement because that character is used to differentiate the sub-components of the statement.

In DB2BATCH, one can run the SET DELIMITER command (intelligent comment) to use something other than a semi-colon. The following script illustrates this usage:

```
--#SET DELIMITER !
SELECT NAME FROM STAFF WHERE id = 10!
--#SET DELIMITER ;
SELECT NAME FROM STAFF WHERE id = 20;
```

Figure 206, Set Delimiter example

In the DB2 command processor one can do the same thing using the terminator keyword:

```
--#SET TERMINATOR !
SELECT NAME FROM STAFF WHERE id = 10!
--#SET TERMINATOR ;
SELECT NAME FROM STAFF WHERE id = 20;
```

Figure 207, Set Terminator example

SQL Statement Usage

When used in dynamic SQL, the following control statements can be used:

- FOR statement
- GET DIAGNOSTICS statement
- IF statement
- ITERATE statement
- LEAVE statement
- SIGNAL statement
- WHILE statement

NOTE: There are many more PSM control statements than what is shown above. But only these ones can be used in Compound SQL statements.

The following SQL statements can be issued:

- fullselect
- UPDATE
- DELETE
- INSERT
- SET variable statement

DECLARE Variables

All variables have to be declared at the start of the compound statement. Each variable must be given a name and a type and, optionally, a default (start) value.

```


BEGIN ATOMIC
    DECLARE aaa, bbb, ccc SMALLINT DEFAULT 1;
    DECLARE ddd           CHAR(10) DEFAULT NULL;
    DECLARE eee           INTEGER;
    SET eee = aaa + 1;
    UPDATE staff
    SET      comm   = aaa
            ,salary = bbb
            ,years  = eee
    WHERE   id     = 10;
END

```

Figure 208, *DECLARE examples*

FOR Statement

The FOR statement executes a group of statements for each row fetched from a query.

Figure 209, *FOR statement syntax*

In the next example one row is fetched per year of service (for selected years) in the STAFF table. That row is then used to do two independent updates to the three matching rows:

BEFORE		
ID	SALARY	COMM
180	37009.75	236.50
230	83369.80	189.65
330	49988.00	55.50

```

BEGIN ATOMIC
    FOR V1 AS
        SELECT  years      AS yr_num
                ,max(id)   AS max_id
        FROM    staff
        WHERE   years < 4
        GROUP BY years
        ORDER BY years
    DO
        UPDATE staff
        SET    salary = salary / 10
        WHERE  id     = max_id;
        UPDATE staff
        SET    comm   = 0
        WHERE  years  = yr_num;
    END FOR;
END


```

AFTER		
ID	SALARY	COMM
180	37009.75	0.00
230	83369.98	0.00
330	4998.80	0.00

Figure 210, *FOR statement example*

GET DIAGNOSTICS Statement

The GET DIAGNOSTICS statement returns information about the most recently run SQL statement. One can either get the number of rows processed (i.e. inserted, updated, or deleted), or the return status (for an external procedure call).

Figure 211, *GET DIAGNOSTICS statement syntax*

In the example below, some number of rows are updated in the STAFF table. Then the count of rows updated is obtained, and used to update a row in the STAFF table:

```

BEGIN ATOMIC
  DECLARE numrows INT DEFAULT 0;
  UPDATE staff
    SET salary = 12345
   WHERE id < 100;
  GET DIAGNOSTICS numrows = ROW_COUNT;
  UPDATE staff
    SET salary = numrows
   WHERE id = 10;
END

```

Figure 212, GET DIAGNOSTICS statement example

IF Statement

The IF statement is used to do standard if-then-else branching logic. It always begins with an IF THEN statement and ends with an END IF statement.




Figure 213, IF statement syntax

The next example uses if-then-else logic to update one of three rows in the STAFF table, depending on the current timestamp value:

```

BEGIN ATOMIC
  DECLARE cur INT;
  SET cur = MICROSECOND(CURRENT_TIMESTAMP);
  IF cur > 600000 THEN
    UPDATE staff
      SET name = CHAR(cur)
     WHERE id = 10;
  ELSEIF cur > 300000 THEN
    UPDATE staff
      SET name = CHAR(cur)
     WHERE id = 20;
  ELSE
    UPDATE staff
      SET name = CHAR(cur)
     WHERE id = 30;
  END IF;
END

```

Figure 214, IF statement example

ITERATE Statement

The ITERATE statement causes the program to return to the beginning of the labeled loop.



Figure 215, ITERATE statement syntax

In next example, the second update statement will never get performed because the ITERATE will always return the program to the start of the loop:

```

BEGIN ATOMIC
    DECLARE cntr INT DEFAULT 0;
    whileloop:
    WHILE cntr < 60 DO
        SET cntr = cntr + 10;
        UPDATE staff
        SET salary = cntr
        WHERE id = cntr;
        ITERATE whileloop;
        UPDATE staff
        SET comm = cntr + 1
        WHERE id = cntr;
    END WHILE;
END

```

Figure 216, ITERATE statement example

LEAVE Statement

The LEAVE statement exits the labeled loop.



Figure 217, LEAVE statement syntax

In the next example, the WHILE loop would continue forever, if left to its own devices. But after some random number of iterations, the LEAVE statement will exit the loop:

```

BEGIN ATOMIC
    DECLARE cntr INT DEFAULT 1;
    whileloop:
    WHILE 1 <> 2 DO
        SET cntr = cntr + 1;
        IF RAND() > 0.99 THEN
            LEAVE whileloop;
        END IF;
    END WHILE;
    UPDATE staff
    SET salary = cntr
    WHERE id = 10;
END

```

Figure 218, LEAVE statement example

SIGNAL Statement

The SIGNAL statement is used to issue an error or warning message.




Figure 219, SIGNAL statement syntax

The next example loops a random number of times, and then generates an error message using the SIGNAL command, saying how many loops were done:

```


BEGIN ATOMIC
  DECLARE cntr INT DEFAULT 1;
  DECLARE emsg CHAR(20);
  whileloop:
    WHILE RAND() < .99 DO
      SET cntr = cntr + 1;
    END WHILE;
    SET emsg = '#loops: ' || CHAR(cntr);
    SIGNAL SQLSTATE '75001' SET MESSAGE_TEXT = emsg;
  END

```

Figure 220, SIGNAL statement example

WHILE Statement

The WHILE statement repeats one or more statements while some condition is true.

*Figure 221, WHILE statement syntax*

The next statement has two nested WHILE loops, and then updates the STAFF table:

```

BEGIN ATOMIC
  DECLARE c1, c2 INT DEFAULT 1;
  WHILE c1 < 10 DO
    WHILE c2 < 20 DO
      SET c2 = c2 + 1;
    END WHILE;
    SET c1 = c1 + 1;
  END WHILE;
  UPDATE staff
  SET salary = c1
    ,comm   = c2
  WHERE id    = 10;
END

```

Figure 222, WHILE statement example

Other Usage

The following DB2 objects also support the language elements described above:

- Triggers.
- Stored procedures.
- User-defined functions.
- Embedded compound SQL (in programs).

Some of the above support many more language elements. For example stored procedures that are written in SQL also allow the following: ASSOCIATE, CASE, GOTO, LOOP, REPEAT, RESIGNAL, and RETURN.

Test Query

To illustrate some of the above uses of compound SQL, we are going to get from the STAFF table a complete list of departments, and the number of rows in each department. Here is the basic query, with the related answer:

```

SELECT    dept
          ,count(*) as #rows
FROM      staff
GROUP BY dept
ORDER BY dept;

```

ANSWER	
=====	
DEPT	#ROWS
-----	-----
10	4
15	4
20	4
38	5
42	4
51	5
66	5
84	4

Figure 223, List departments in STAFF table

If all you want to get is this list, the above query is the way to go. But we will get the same answer using various other methods, just to show how it can be done using compound SQL statements.

Trigger

One cannot get an answer using a trigger. All one can do is alter what happens during an insert, update, or delete. With this in mind, the following example does the following:

- Sets the statement delimiter to an "!" . Because we are using compound SQL inside the trigger definition, we cannot use the usual semi-colon.
- Creates a new table (note: triggers are not allowed on temporary tables).
- Creates an INSERT trigger on the new table. This trigger gets the number of rows per department in the STAFF table - for each row (department) inserted.
- Inserts a list of departments into the new table.
- Selects from the new table.

Now for the code:

```
--#SET DELIMITER !
CREATE TABLE dpt
(dept      SMALLINT      NOT NULL
,#names   SMALLINT
,PRIMARY KEY(dept))!
COMMIT!

CREATE TRIGGER dpt1 AFTER INSERT ON dpt
REFERENCING NEW AS NNN
FOR EACH ROW
MODE DB2SQL
BEGIN ATOMIC
    DECLARE namecnt SMALLINT DEFAULT 0;
    FOR getnames AS
        SELECT COUNT(*) AS #n
        FROM staff
        WHERE dept = nnn.dept
    DO
        SET namecnt = #n;
    END FOR;
    UPDATE dpt
    SET #names = namecnt
    WHERE dept = nnn.dept;
END!
COMMIT!

INSERT INTO dpt (dept)
SELECT DISTINCT dept
FROM staff!
COMMIT!

SELECT *
FROM dpt
ORDER BY dept!
```

IMPORTANT
=====This example uses an "!" as the stmt delimiter.

ANSWER
=====

DEPT	#NAMES
10	4
15	4
20	4
38	5
42	4
51	5
66	5
84	4

Figure 224, Trigger with compound SQL

NOTE: The above code was designed to be run in DB2BATCH. The "set delimiter" notation will probably not work in other environments.

Scalar Function

One can do something very similar to the above that is almost as stupid using a user-defined scalar function, that calculates the number of rows in a given department. The basic logic will go as follows:

- Set the statement delimiter to an "!".
- Create the scalar function.
- Run a query that first gets a list of distinct departments, then calls the function.

Here is the code:

```
--#SET DELIMITER !
CREATE FUNCTION dpt1 (deptin SMALLINT)
RETURNS SMALLINT
BEGIN ATOMIC
    DECLARE num_names SMALLINT;
    FOR getnames AS
        SELECT COUNT(*) AS #n
        FROM staff
        WHERE dept = deptin
    DO
        SET num_names = #n;
    END FOR;
    RETURN num_names;
END!
COMMIT!

SELECT XXX.*,
       ,dpt1(dept) as #names
FROM (SELECT dept
      FROM staff
      GROUP BY dept
     )AS XXX
ORDER BY dept!
```

IMPORTANT
=====This example uses an "!" as the stmt delimiter.

ANSWER	
=====	
DEPT	#NAMES
----	-----
10	4
15	4
20	4
38	5
42	4
51	5
66	5
84	4

Figure 225, Scalar Function with compound SQL

Because the query used in the above function will only ever return one row, we can greatly simplify the function definition thus:

```
--#SET DELIMITER !
CREATE FUNCTION dpt1 (deptin SMALLINT)
RETURNS SMALLINT
BEGIN ATOMIC
    RETURN
        SELECT COUNT(*)
        FROM staff
        WHERE dept = deptin;
END!
COMMIT!

SELECT XXX.*,
       ,dpt1(dept) as #names
FROM (SELECT dept
      FROM staff
      GROUP BY dept
     )AS XXX
ORDER BY dept!
```

IMPORTANT
=====This example uses an "!" as the stmt delimiter.

Figure 226, Scalar Function with compound SQL

In the above example, the RETURN statement is directly finding the one matching row, and then returning it to the calling statement.

Table Function

Below is almost exactly the same logic, this time using a table function:

```
--#SET DELIMITER !
CREATE FUNCTION dpt2 ()
RETURNS TABLE (dept      SMALLINT
               ,#names   SMALLINT)
BEGIN ATOMIC
    RETURN
    SELECT    dept
              ,count(*)
    FROM      staff
    GROUP BY dept
    ORDER BY dept;
END!
COMMIT!

--#SET DELIMITER ;
SELECT    *
FROM      TABLE(dpt2()) T1
ORDER BY dept;
```

IMPORTANT
=====This example uses an "!" as the stmt delimiter.

ANSWER
=====DEPT #NAMES

DEPT	#NAMES
10	4
15	4
20	4
38	5
42	4
51	5
66	5
84	4

Figure 227, Table Function with compound SQL

Column Functions

Introduction

By themselves, column functions work on the complete set of matching rows. One can use a GROUP BY expression to limit them to a subset of matching rows. One can also use them in an OLAP function to treat individual rows differently.

WARNING: Be very careful when using either a column function, or the DISTINCT clause, in a join. If the join is incorrectly coded, and does some form of Cartesian Product, the column function may get rid of all the extra (wrong) rows so that it becomes very hard to confirm that the answer is incorrect. Likewise, be appropriately suspicious whenever you see that someone (else) has used a DISTINCT statement in a join. Sometimes, users add the DISTINCT clause to get rid of duplicate rows that they didn't anticipate and don't understand.

Column Functions, Definitions

ARRAY_AGG

Aggregate the set of elements in an array. If an ORDER BY is provided, it determines the order in which the elements are entered into the array.



Figure 228, ARRAY_AGG function syntax

AVG

Get the average (mean) value of a set of non-null rows. The columns(s) must be numeric. ALL is the default. If DISTINCT is used duplicate values are ignored. If no rows match, the null value is returned.




Figure 229, AVG function syntax

SELECT	AVG(dept)	AS a1	ANSWER
	, AVG(ALL dept)	AS a2	=====
	, AVG(DISTINCT dept)	AS a3	A1 A2 A3 A4 A5
	, AVG(dept/10)	AS a4	-- -- -- -- --
	, AVG(dept)/10	AS a5	41 41 40 3 4
FROM	staff		
HAVING	AVG(dept) > 40;		

Figure 230, AVG function examples

WARNING: Observe columns A4 and A5 above. Column A4 has the average of each value divided by 10. Column A5 has the average of all of the values divided by 10. In the former case, precision has been lost due to rounding of the original integer value and the result is arguably incorrect. This problem also occurs when using the SUM function.

Averaging Null and Not-Null Values

Some database designers have an intense and irrational dislike of using nullable fields. What they do instead is define all columns as not-null and then set the individual fields to zero (for numbers) or blank (for characters) when the value is unknown. This solution is reasonable in some situations, but it can cause the AVG function to give what is arguably the wrong answer.

One solution to this problem is some form of counseling or group therapy to overcome the phobia. Alternatively, one can use the CASE expression to put null values back into the answer-set being processed by the AVG function. The following SQL statement uses a modified version of the IBM sample STAFF table (all null COMM values were changed to zero) to illustrate the technique:

```

UPDATE staff
SET comm = 0
WHERE comm IS NULL;

SELECT AVG(salary) AS salary
      ,AVG(comm)   AS comm1
      ,AVG(CASE comm
              WHEN 0 THEN NULL
              ELSE comm
          END) AS comm2
  FROM staff;

ANSWER
=====
SALARY    COMM1    COMM2
-----  -----
67932.78  351.98  513.31

```

```

UPDATE staff
SET comm = NULL
WHERE comm = 0;

```

Figure 231, Convert zero to null before doing AVG

The COMM2 field above is the correct average. The COMM1 field is incorrect because it has factored in the zero rows with really represent null values. Note that, in this particular query, one cannot use a WHERE to exclude the "zero" COMM rows because it would affect the average salary value.

Dealing with Null Output

The AVG, MIN, MAX, and SUM functions almost always return a null value when there are no matching rows (see page 428 for exceptions). One can use the COALESCE function, or a CASE expression, to convert the null value into a suitable substitute. Both methodologies are illustrated below:

```

SELECT COUNT(*) AS c1
      ,AVG(salary) AS a1
      ,COALESCE(AVG(salary),0) AS a2
      ,CASE
          WHEN AVG(salary) IS NULL THEN 0
          ELSE AVG(salary)
      END AS a3
  FROM staff
 WHERE id < 10;

ANSWER
=====
C1  A1  A2  A3
--  --  --  --
0   -   0   0

```

Figure 232, Convert null output (from AVG) to zero

AVG Date/Time Values

The AVG function only accepts numeric input. However, one can, with a bit of trickery, also use the AVG function on a date field. First convert the date to the number of days since the start of the Current Era, then get the average, then convert the result back to a date. Please be aware that, in many cases, the average of a date does not really make good business sense. Having said that, the following SQL gets the average birth-date of all employees:

```

SELECT  AVG(DAYS(birthdate))
        ,DATE(AVG(DAYS(birthdate)))
  FROM    employee;

```

ANSWER
=====
1 2

721092 1975-04-14

Figure 233, AVG of date column

Time data can be manipulated in a similar manner using the MIDNIGHT_SECONDS function. If one is really desperate (or silly), the average of a character field can also be obtained using the ASCII and CHR functions.

Average of an Average

In some cases, getting the average of an average gives an overflow error. Inasmuch as you shouldn't do this anyway, it is no big deal:

```

SELECT  AVG(avg_sal) AS avg_avg
  FROM   (SELECT    dept
          ,AVG(salary) AS avg_sal
         FROM      staff
        GROUP BY dept
       )AS xxx;

```

ANSWER
=====
<Overflow error>

Figure 234, Select average of average

CORRELATION

I don't know a thing about statistics, so I haven't a clue what this function does. But I do know that the SQL Reference is wrong - because it says the value returned will be between 0 and 1. I found that it is between -1 and +1 (see below). The output type is float.




Figure 235, CORRELATION function syntax

```

WITH temp1(col1, col2, col3, col4) AS
  (VALUES  (0 , 0 , 0 , RAND(1))
  UNION ALL
  SELECT col1 + 1
        ,col2 - 1
        ,RAND()
        ,RAND()
  FROM   temp1
  WHERE  col1 <= 1000
)
SELECT DEC(CORRELATION(col1,col1),5,3) AS cor11
      ,DEC(CORRELATION(col1,col2),5,3) AS cor12
      ,DEC(CORRELATION(col2,col3),5,3) AS cor23
      ,DEC(CORRELATION(col3,col4),5,3) AS cor34
  FROM   temp1;

```

ANSWER
=====
COR11 COR12 COR23 COR34

1.000 -1.000 -0.017 -0.005

Figure 236, CORRELATION function examples

COUNT

Get the number of values in a set of rows. The result is an integer. The value returned depends upon the options used:

- COUNT(*) gets a count of matching rows.
- COUNT(expression) gets a count of rows with a non-null expression value.
- COUNT(ALL expression) is the same as the COUNT(expression) statement.

- COUNT(DISTINCT expression) gets a count of distinct non-null expression values.




Figure 237, COUNT function syntax

```

SELECT COUNT(*) AS c1
      ,COUNT(INT(comm/10)) AS c2
      ,COUNT(ALL INT(comm/10)) AS c3
      ,COUNT(DISTINCT INT(comm/10)) AS c4
      ,COUNT(DISTINCT INT(comm)) AS c5
      ,COUNT(DISTINCT INT(comm))/10 AS c6
  FROM staff;
  
```

	ANSWER
C1	C2 C3 C4 C5 C6
35	24 24 19 24 2

Figure 238, COUNT function examples

There are 35 rows in the STAFF table (see C1 above), but only 24 of them have non-null commission values (see C2 above).

If no rows match, the COUNT returns zero - except when the SQL statement also contains a GROUP BY. In this latter case, the result is no row.

```

SELECT      'NO GP-BY' AS c1
      ,COUNT(*) AS c2
  FROM staff
 WHERE id = -1
 UNION
SELECT      'GROUP-BY' AS c1
      ,COUNT(*) AS c2
  FROM staff
 WHERE id = -1
 GROUP BY dept;
  
```

	ANSWER
C1	C2
NO GP-BY	0

Figure 239, COUNT function with and without GROUP BY

COUNT_BIG

Get the number of rows or distinct values in a set of rows. Use this function if the result is too large for the COUNT function. The result is of type decimal 31. If the DISTINCT option is used both duplicate and null values are eliminated. If no rows match, the result is zero.




Figure 240, COUNT_BIG function syntax

```

SELECT COUNT_BIG(*) AS c1
      ,COUNT_BIG(dept) AS c2
      ,COUNT_BIG(DISTINCT dept) AS c3
      ,COUNT_BIG(DISTINCT dept/10) AS c4
      ,COUNT_BIG(DISTINCT dept)/10 AS c5
  FROM STAFF;
  
```

	ANSWER
C1	C2 C3 C4 C5
35.	35. 8. 7. 0.

Figure 241, COUNT_BIG function examples

COVARIANCE

Returns the covariance of a set of number pairs. The output type is float.




Figure 242, COVARIANCE function syntax

```
WITH temp1(c1, c2, c3, c4) AS
  (VALUES (0, 0, 0, RAND(1))
  UNION ALL
  SELECT c1 + 1
    ,c2 - 1
    ,RAND()
    ,RAND()
  FROM   temp1
  WHERE  c1 <= 1000
)
SELECT DEC(COVARIANCE(c1,c1),6,0) AS cov11
      ,DEC(COVARIANCE(c1,c2),6,0) AS cov12
      ,DEC(COVARIANCE(c2,c3),6,4) AS cov23
      ,DEC(COVARIANCE(c3,c4),6,4) AS cov34
  FROM   temp1;
```

ANSWER			
COV11	COV12	COV23	COV34
83666.	-83666.	-1.4689	-0.0004

Figure 243, COVARIANCE function examples

GROUPING

The GROUPING function is used in CUBE, ROLLUP, and GROUPING SETS statements to identify what rows come from which particular GROUPING SET. A value of 1 indicates that the corresponding data field is null because the row is from of a GROUPING SET that does not involve this row. Otherwise, the value is zero.



Figure 244, GROUPING function syntax

```
SELECT dept
      ,AVG(salary) AS salary
      ,GROUPING(dept) AS df
  FROM staff
 GROUP BY ROLLUP(dept)
 ORDER BY dept;
```

ANSWER		
DEPT	SALARY	DF
10	83365.86	0
15	60482.33	0
20	63571.52	0
38	60457.11	0
42	49592.26	0
51	83218.16	0
66	73015.24	0
84	66536.75	0
-	67932.78	1

Figure 245, GROUPING function example

NOTE: See the section titled "Group By and Having" for more information on this function.

MAX

Get the maximum value of a set of rows. The use of the DISTINCT option has no affect. If no rows match, the null value is returned.




Figure 246, MAX function syntax

```
SELECT  MAX(dept)
       ,MAX(ALL dept)
       ,MAX(DISTINCT dept)
       ,MAX(DISTINCT dept/10)
  FROM    staff;
```

ANSWER			
1	2	3	4
84	84	84	8

Figure 247, MAX function examples

MAX and MIN usage with Scalar Functions

Several DB2 scalar functions convert a value from one format to another, for example from numeric to character. The function output format will not always share the same ordering sequence as the input. This difference can affect MIN, MAX, and ORDER BY processing.

```
SELECT MAX(hiredate)
       ,CHAR(MAX(hiredate),USA)
       ,MAX(CHAR(hiredate,USA))
  FROM   employee;
```

ANSWER		
1	2	3
2006-12-15	12/15/2006	12/15/2006

Figure 248, MAX function with dates

In the above the SQL, the second field gets the MAX before doing the conversion to character whereas the third field works the other way round. In most cases, the later is wrong.

In the next example, the MAX function is used on a small integer value that has been converted to character. If the CHAR function is used for the conversion, the output is left justified, which results in an incorrect answer. The DIGITS output is correct (in this example).

```
SELECT MAX(id)      AS id
       ,MAX(CHAR(id)) AS chr
       ,MAX(DIGITS(id)) AS dig
  FROM   staff;
```

ANSWER		
ID	CHR	DIG
350	90	00350

Figure 249, MAX function with numbers, 1 of 2

The DIGITS function can also give the wrong answer - if the input data is part positive and part negative. This is because this function does not put a sign indicator in the output.

```
SELECT MAX(id - 250)      AS id
       ,MAX(CHAR(id - 250)) AS chr
       ,MAX(DIGITS(id - 250)) AS dig
  FROM   staff;
```

ANSWER		
ID	CHR	DIG
100	90	0000000240

Figure 250, MAX function with numbers, 2 of 2

WARNING: Be careful when using a column function on a field that has been converted from number to character, or from date/time to character. The result may not be what you intended.

MIN

Get the minimum value of a set of rows. The use of the DISTINCT option has no affect. If no rows match, the null value is returned.




Figure 251, MIN function syntax

```
SELECT  MIN(dept)
       ,MIN(ALL dept)
       ,MIN(DISTINCT dept)
       ,MIN(DISTINCT dept/10)
  FROM    staff;
```

ANSWER			
1	2	3	4
10	10	10	1

Figure 252, MIN function examples

Regression Functions

The various regression functions support the fitting of an ordinary-least-squares regression line of the form $y = a * x + b$ to a set of number pairs.




Figure 253, REGRESSION functions syntax

Functions

- REGR_AVGX returns a quantity that can be used to compute the validity of the regression model. The output is of type float.
 - REGR_AVGY (see REGR_AVGX).
 - REGR_COUNT returns the number of matching non-null pairs. The output is integer.
 - REGR_INTERCEPT returns the y-intercept of the regression line.
 - REGR_R2 returns the coefficient of determination for the regression.
 - REGR_SLOPE returns the slope of the line.
 - REGR_SXX (see REGR_AVGX).
 - REGR_SXY (see REGR_AVGX).
 - REGR_SYY (see REGR_AVGX).

See the IBM SQL Reference for more details on the above functions.

```

SELECT DEC(Regr_Slope(bonus,salary)      ,7,5) AS r_slope      0.00247
      ,DEC(Regr_Intercept(bonus,salary),7,3) AS r_icpt     644.862
      ,Int(Regr_Count(bonus,salary))          AS r_count      5
      ,Int(Regr_AvgX(bonus,salary))           AS r_avgx    70850
      ,Int(Regr_AvgY(bonus,salary))           AS r_avgy    820
      ,Dec(Regr_Sxx(bonus,salary)            ,10) AS r_sxx   8784575000
      ,Int(Regr_Sxy(bonus,salary))           AS r_sxy   21715000
      ,Int(Regr_Syy(bonus,salary))           AS r_syy   168000
FROM employee
WHERE workdept = 'A00';

```

Figure 254, REGRESSION functions examples

STDDEV

Get the standard deviation of a set of numeric values. If DISTINCT is used, duplicate values are ignored. If no rows match, the result is null. The output format is double.




Figure 255, STDDEV function syntax

```

ANSWER
=====
A1 S1          S2   S3   S4
--- -----
41 +2.3522355E+1 23.5 23.5 24.1

SELECT AVG(dept) AS a1
      ,STDDEV(dept) AS s1
      ,DEC(STDDEV(dept),3,1) AS s2
      ,DEC(STDDEV(ALL dept),3,1) AS s3
      ,DEC(STDDEV(DISTINCT dept),3,1) AS s4
  FROM staff;
  
```

Figure 256, STDDEV function examples

SUM

Get the sum of a set of numeric values. If DISTINCT is used, duplicate values are ignored. Null values are always ignored. If no rows match, the result is null.




Figure 257, SUM function syntax

```

ANSWER
=====
S1   S2   S3   S4   S5
--- -----
1459 1459 326 134 145

SELECT SUM(dept)           AS s1
      ,SUM(ALL dept)       AS s2
      ,SUM(DISTINCT dept) AS s3
      ,SUM(dept/10)         AS s4
      ,SUM(dept)/10         AS s5
  FROM staff;
  
```

Figure 258, SUM function examples

WARNING: The answers S4 and S5 above are different. This is because the division is done before the SUM in column S4, and after in column S5. In the former case, precision has been lost due to rounding of the original integer value and the result is arguably incorrect. When in doubt, use the S5 notation.

VAR or VARIANCE

Get the variance of a set of numeric values. If DISTINCT is used, duplicate values are ignored. If no rows match, the result is null. The output format is double.



Figure 259, VARIANCE function syntax

```

ANSWER
=====
V1   V2   V3   V4
--- -----
553 553 553 582

SELECT AVG(dept) AS a1
      ,VARIANCE(dept) AS s1
      ,DEC(VARIANCE(dept),4,1) AS s2
      ,DEC(VARIANCE(ALL dept),4,1) AS s3
      ,DEC(VARIANCE(DISTINCT dept),4,1) AS s4
  FROM staff;
  
```

Figure 260, VARIANCE function examples

OLAP Functions

Introduction

Online Analytical Processing (OLAP) functions enable one to sequence and rank query rows. They are especially useful when the calling program is very simple.

The Bad Old Days

To really appreciate the value of the OLAP functions, one should try to do some seemingly trivial task without them. To illustrate this point, consider the following query:

```
SELECT      s1.job, s1.id, s1.salary
FROM        staff s1
WHERE       s1.name LIKE '%s%'
    AND      s1.id      < 90
ORDER BY    s1.job
            ,s1.id;
```

ANSWER		
=====		
JOB	ID	SALARY
-----	---	-----
Clerk	80	43504.60
Mgr	10	98357.50
Mgr	50	80659.80

Figure 261, Select rows from STAFF table

Let us now add two fields to this query:

- A running sum of the salaries selected.
- A running count of the rows retrieved.

Adding these fields is easy - when using OLAP functions:

```
SELECT      s1.job, s1.id, s1.salary
            ,SUM(salary) OVER(ORDER BY job, id) AS sumsal
            ,ROW_NUMBER() OVER(ORDER BY job, id) AS r
FROM        staff s1
WHERE       s1.name LIKE '%s%'
    AND      s1.id      < 90
ORDER BY    s1.job
            ,s1.id;
```

ANSWER			
=====			
JOB	ID	SALARY	SUMSAL
-----	---	-----	-----
Clerk	80	43504.60	43504.60
Mgr	10	98357.50	141862.10
Mgr	50	80659.80	222521.90

Figure 262, Using OLAP functions to get additional fields

Write Query without OLAP Functions

If one does not have OLAP functions, one can still get the required answer, but the code is quite tricky. The problem is that this seemingly simple query contains two nasty tricks:

- Not all of the rows in the table are selected.
- The output is ordered on two fields, the first of which is not unique.

Below is the arguably the most elegant way to write the above query without using OLAP functions. There query has the following basic characteristics:

- Define a common-table-expression with the set of matching rows.
- Query from this common-table-expression.
- For each row fetched, do two nested select statements. The first gets a running sum of the salaries, and the second gets a running count of the rows retrieved.

Now for the code:

```

WITH temp1 AS
  (SELECT * 
   FROM staff s1
   WHERE s1.name LIKE '%s%' 
     AND s1.id < 90
  )
SELECT s1.job, s1.id, s1.salary
  ,(SELECT SUM(s2.salary)
    FROM temp1 s2
    WHERE (s2.job < s1.job)
      OR (s2.job = s1.job AND s2.id <= s1.id)) AS sumsal
  ,(SELECT COUNT(*)
    FROM temp1 s2
    WHERE (s2.job < s1.job)
      OR (s2.job = s1.job AND s2.id <= s1.id)) AS r
FROM temp1 s1
ORDER BY s1.job
  ,s1.id;

```

ANSWER				
JOB	ID	SALARY	SUMSAL	R
Clerk	80	43504.60	43504.60	1
Mgr	10	98357.50	141862.10	2
Mgr	50	80659.80	222521.90	3

Figure 263, Running counts without OLAP functions

Concepts

Below are some of the basic characteristics of OLAP functions:

- OLAP functions are column functions that work (only) on the set of rows that match the predicates of the query.
- Unlike ordinarily column functions, (e.g. SUM), OLAP functions do not require that the whole answer-set be summarized. In fact, OLAP functions never change the number of rows returned by the query.
- OLAP functions work on sets of values, but the result is always a single value.
- OLAP functions are used to return individual rows from a table (e.g. about each staff member), along with related summary data (e.g. average salary in department).
- OLAP functions are often applied on some set (i.e. of a moving window) of rows that is defined relative to the current row being processed. These matching rows are classified using an ORDER BY as being one of three types:
 - **Preceding** rows are those that have already been processed.
 - **Following** rows are those that have yet to be processed.
 - **Current** row is the one currently being processed.
- The ORDER BY used in an OLAP function is not related to the ORDER BY expression used to define the output order of the final answer set.
- OLAP functions can summarize the matching rows by a subset (i.e. partition). When this is done, it is similar to the use of a GROUP BY in an ordinary column function.

Below is a query that illustrates these concepts. It gets some individual rows from the STAFF table, while using an OLAP function to calculate a running average salary within the DEPT of the current row. The average is calculated using one preceding row (in ID order), the current row, and two following rows:




Figure 264, Sample OLAP query

Below is another query that calculates various running averages:

```

SELECT dept ,id
      ,salary
      ,DEC(AVG(salary)) OVER() ,8,2) AS avg1
      ,DEC(AVG(salary)) OVER(PARTITION BY dept) ,8,2) AS avg2
      ,DEC(AVG(salary)) OVER(PARTITION BY dept
                  ORDER BY id
                  ROWS UNBOUNDED PRECEDING) ,8,2) AS avg3
      ,DEC(AVG(salary)) OVER(PARTITION BY dept
                  ORDER BY id
                  ROWS BETWEEN 1 PRECEDING
                  AND 2 FOLLOWING) ,8,2) AS avg4
  FROM staff
 WHERE dept IN (15,20)
   AND id > 20
 ORDER BY dept ,id;

ANSWER
=====
DEPT ID SALARY AVG1 AVG2 AVG3 AVG4
-----
15 50 80659.80 53281.11 60482.33 80659.80 66556.94
15 70 76502.83 53281.11 60482.33 78581.31 60482.33
15 110 42508.20 53281.11 60482.33 66556.94 53756.51
15 170 42258.50 53281.11 60482.33 60482.33 42383.35
20 80 43504.60 53281.11 38878.67 43504.60 38878.67
20 190 34252.75 53281.11 38878.67 38878.67 38878.67

```

Figure 265, Sample OLAP query

- **AVG1:** An average of all matching rows
- **AVG2:** An average of all matching rows within a department.
- **AVG3:** An average of matching rows within a department, from the first matching row (ordered by ID), up to and including the current row.
- **AVG4:** An average of matching rows within a department, starting with one preceding row (i.e. the highest, ordered by ID), the current row, and the next two following rows.

PARTITION Expression

The PARTITION BY expression, which is optional, defines the set of rows that are used in each OLAP function calculation.




Figure 266, PARTITION BY syntax

Below is a query that uses different partitions to average sets of rows:

```

SELECT      id ,dept ,job ,years ,salary
            ,DEC(AVG(salary) OVER(PARTITION BY dept))      ,7,2) AS dpt_avg
            ,DEC(AVG(salary) OVER(PARTITION BY job))       ,7,2) AS job_avg
            ,DEC(AVG(salary) OVER(PARTITION BY years/2))   ,7,2) AS yr2_avg
            ,DEC(AVG(salary) OVER(PARTITION BY dept, job)) ,7,2) AS d_j_avg
FROM        staff
WHERE       dept IN (15,20)
          AND id      > 20
ORDER BY    id;
  
```

ID	DEPT	JOB	YEARS	SALARY	DPT_AVG	JOB_AVG	YR2_AVG	D_J_AVG
50	15	Mgr	10	80659.80	60482.33	80659.80	80659.80	80659.80
70	15	Sales	7	76502.83	60482.33	76502.83	76502.83	76502.83
80	20	Clerk	-	43504.60	38878.67	40631.01	43504.60	38878.67
110	15	Clerk	5	42508.20	60482.33	40631.01	42383.35	42383.35
170	15	Clerk	4	42258.50	60482.33	40631.01	42383.35	42383.35
190	20	Clerk	8	34252.75	38878.67	40631.01	34252.75	38878.67

Figure 267, PARTITION BY examples

PARTITION vs. GROUP BY

The PARTITION clause, when used by itself, returns a very similar result to a GROUP BY, except that like all OLAP functions, it does not remove the duplicate rows. To illustrate, below is a simple query that does a GROUP BY:

```

SELECT      dept
            ,SUM(years) AS sum
            ,AVG(years) AS avg
            ,COUNT(*) AS row
FROM        staff
WHERE       id BETWEEN 40 AND 120
          AND years IS NOT NULL
GROUP BY    dept;
  
```

DEPT	SUM	AVG	ROW
15	22	7	3
38	6	6	1
42	13	6	2

Figure 268, Sample query using GROUP BY

Below is a similar query that uses a PARTITION phrase. Observe that each value calculated is the same, but duplicate rows have not been removed:

```

SELECT      dept
            ,SUM(years) OVER(PARTITION BY dept) AS sum
            ,AVG(years) OVER(PARTITION BY dept) AS avg
            ,COUNT(*) OVER(PARTITION BY dept) AS row
FROM        staff
WHERE       id BETWEEN 40 AND 120
          AND years IS NOT NULL
ORDER BY    dept;
  
```

DEPT	SUM	AVG	ROW
15	22	7	3
15	22	7	3
15	22	7	3
38	6	6	1
42	13	6	2
42	13	6	2

Figure 269, Sample query using PARTITION

Below is a similar query that uses the PARTITION phrase, and then uses a DISTINCT clause to remove the duplicate rows:

```
SELECT      DISTINCT
            dept
            ,SUM(years) OVER(PARTITION BY dept) AS sum
            ,AVG(years) OVER(PARTITION BY dept) AS avg
            ,COUNT(*)    OVER(PARTITION BY dept) AS row
FROM        staff
WHERE       id BETWEEN 40 AND 120
            AND years IS NOT NULL
ORDER BY    dept;
```

ANSWER			
DEPT	SUM	AVG	ROW
15	22	7	3
38	6	6	1
42	13	6	2

Figure 270, Sample query using PARTITION and DISTINCT

NOTE: Even though the above statement gives the same answer as the prior GROUP BY example, it is not the same internally. Nor is it (probably) as efficient, and it is certainly not as easy to understand. Therefore, when in doubt, use the GROUP BY syntax.

Window Definition

An OLAP function works on a "window" of matching rows. This window can be defined as:

- All matching rows.
- All matching rows within a partition.
- Some moving subset of the matching rows (within a partition, if defined).

A moving window has to have an ORDER BY clause so that the set of matching rows can be determined. The syntax is goes as follows:




Figure 271, Moving window definition syntax

Window Size Partitions

- **UNBOUNDED PRECEDING:** All of the preceding rows.
- **Number PRECEDING:** The "n" preceding rows.
- **UNBOUNDED FOLLOWING:** All of the following rows.
- **Number FOLLOWING:** The "n" following rows.
- **CURRENT ROW:** Only the current row.

Defaults

- **No ORDER BY:** UNBOUNDED PRECEDING to UNBOUNDED FOLLOWING.
- **ORDER BY only:** UNBOUNDED PRECEDING to CURRENT ROW.
- **No BETWEEN:** CURRENT ROW to "n" preceding/following row or rank.
- **BETWEEN stmt:** From "n" to "n" preceding/following row or rank. The end-point must be greater than or equal to the starting point.

Sample Queries

Below is a query that illustrates some of the above concepts:

```

SELECT    id ,salary
        ,DEC(AVG(salary) OVER())
        ,DEC(AVG(salary) OVER(ORDER BY id))
        ,DEC(AVG(salary) OVER(ORDER BY id
                                ROWS BETWEEN UNBOUNDED PRECEDING
                                AND UNBOUNDED FOLLOWING))
        ,DEC(AVG(salary) OVER(ORDER BY id
                                ROWS BETWEEN UNBOUNDED PRECEDING
                                AND CURRENT ROW))
        ,DEC(AVG(salary) OVER(ORDER BY id
                                ROWS BETWEEN CURRENT ROW
                                AND UNBOUNDED FOLLOWING))
        ,DEC(AVG(salary) OVER(ORDER BY id
                                ROWS BETWEEN 2 PRECEDING
                                AND 1 FOLLOWING))
FROM      staff
WHERE     dept  IN  (15,20)
        AND id    >   20
ORDER BY id;
                                         ANSWER
=====
ID      SALARY  AVG_ALL  AVG_ODR  AVG_P_F  AVG_P_C  AVG_C_F  AVG_2_1
--- -----
50      80659.80 53281.11 80659.80 53281.11 80659.80 53281.11 78581.31
70      76502.83 53281.11 78581.31 53281.11 78581.31 47805.37 66889.07
80      43504.60 53281.11 66889.07 53281.11 66889.07 40631.01 60793.85
110     42508.20 53281.11 60793.85 53281.11 60793.85 39673.15 51193.53
170     42258.50 53281.11 57086.78 53281.11 57086.78 38255.62 40631.01
190     34252.75 53281.11 53281.11 53281.11 53281.11 34252.75 39673.15

```

Figure 272, Different window sizes

NOTE: When the BETWEEN syntax is used, the start of the range/rows must be less than or equal to the end of the range/rows.

When no BETWEEN is used, the set of rows to be evaluated goes from the current row up or down to the end value:

```

SELECT    id
          ,SUM(id) OVER(ORDER BY id)                               AS sum1
          ,SUM(id) OVER(ORDER BY id ROWS           1 PRECEDING)   AS sum2
          ,SUM(id) OVER(ORDER BY id ROWS UNBOUNDED PRECEDING)   AS sum3
          ,SUM(id) OVER(ORDER BY id ROWS CURRENT ROW)           AS sum4
          ,SUM(id) OVER(ORDER BY id ROWS           2 FOLLOWING)  AS sum5
          ,SUM(id) OVER(ORDER BY id ROWS UNBOUNDED FOLLOWING)  AS sum6
FROM      staff
WHERE     id < 40
ORDER BY id;

```

ANSWER

ID	SUM1	SUM2	SUM3	SUM4	SUM5	SUM6
10	10	10	10	10	60	60
20	30	30	30	20	50	50
30	60	50	60	30	30	30

Figure 273, Different window sizes

ROWS vs. RANGE

A moving window of rows to be evaluated (relative to the current row) can be defined using either the ROW or RANGE expressions. These differ as follows:

- **ROWS:** Refers to the "n" rows before and/or after (within the partition), as defined by the ORDER BY.
- **RANGE:** Refers to those rows before and/or after (within the partition) that are within an arithmetic range of the current row, as defined by the ORDER BY.

The next query compares the ROW and RANGE expressions:

```

SELECT    id
          ,SMALLINT(SUM(id)) OVER(ORDER BY id
          RANGE BETWEEN 10 PRECEDING AND 10 FOLLOWING)      AS rng1
          ,SMALLINT(SUM(id)) OVER(ORDER BY id
          ROWS BETWEEN 1 PRECEDING AND 1 FOLLOWING)         AS row1
          ,SMALLINT(SUM(id)) OVER(ORDER BY id
          RANGE BETWEEN 10 PRECEDING AND CURRENT ROW)        AS rng2
          ,SMALLINT(SUM(id)) OVER(ORDER BY id
          ROWS BETWEEN 3 PRECEDING AND 1 PRECEDING)         AS row2
          ,SMALLINT(SUM(id)) OVER(ORDER BY id DESC
          ROWS BETWEEN 3 PRECEDING AND 1 PRECEDING)         AS row3
          ,SMALLINT(SUM(id)) OVER(ORDER BY id
          RANGE BETWEEN UNBOUNDED PRECEDING
          AND 20 FOLLOWING))                                AS rng3
FROM      staff
WHERE     id < 60
ORDER BY id;

```

ANSWER

ID	RNG1	ROW1	RNG2	ROW2	ROW3	RNG3
10	30	30	10	-	90	60
20	60	60	30	10	120	100
30	90	90	50	30	90	150
40	120	120	70	60	50	150
50	90	90	90	90	-	150

Figure 274, ROW vs. RANGE example

Usage Notes

- An ORDER BY statement is required when using either expression.
- If no RANGE or ROWS expression was provided, the default range (assuming there was an ORDER BY) is all preceding rows – up to the current row.

- When using the RANGE expression, only one expression can be specified in the ORDER BY, and that expression must be numeric.

ORDER BY Expression

The ORDER BY phrase has several purposes:

- It defines the set of rows that make up a moving window.
 - It provides a set of values to do aggregations on. Each distinct value gets a new result.
 - It gives a direction to the aggregation function processing (i.e. ASC or DESC).

An ORDER BY expression is required for the RANK and DENSE_RANK functions. It is optional for all others (except of using ROWS or RANGE).




Figure 275, ORDER BY syntax

Usage Notes

- **ASC:** Sorts the values in ascending order. This is the default.
 - **DESC:** Sorts the values in descending order.
 - **NULLS:** Determines whether null values are sorted high or low, relative to the non-null values present. Note that the default option differs for ascending and descending order.
 - **Sort Expression:** The sort-key expression can be any valid column, or any scalar expression is deterministic, and has no external action.
 - **ORDER BY ORDER OF table-designator:** The table designator refers to a subselect or fullselect in the query and any ordering defined on columns in that subselect or fullselect (note: if there is no explicit ordering the results are unpredictable). If the subselect or fullselect ORDER BY is changed, the ordering sequence will automatically change to match. Note that the final query may have an ordering that differs from that in the subselect or fullselect.

NOTE: When the table designator refers to a table in the current subselect or fullselect, as opposed to the results of a nested subselect or fullselect, the values are unpredictable.

Sample Query

In the next query, various aggregations are done on a variety of fields, and on a nested-table-expression that contains an ORDER BY. Observe that the ascending fields sum or count up, while the descending fields sum down. Also observe that each aggregation field gets a separate result for each new set of rows, as defined in the ORDER BY phrase:

```

SELECT    dept ,name ,salary
        ,DEC(SUM(salary)) OVER(ORDER BY dept)           ,8,2) AS sum1
        ,DEC(SUM(salary)) OVER(ORDER BY dept DESC)      ,8,2) AS sum2
        ,DEC(SUM(salary)) OVER(ORDER BY ORDER OF s1)     ,8,2) AS sum3
        ,SMALLINT(RANK()) OVER(ORDER BY salary, name, dept) ) AS r1
        ,SMALLINT(RANK()) OVER(ORDER BY ORDER OF s1)       ) AS r2
        ,ROW_NUMBER() OVER(ORDER BY salary)                 AS w1
        ,COUNT(*) OVER(ORDER BY salary)                   AS w2
FROM      (SELECT   *
            FROM     staff
            WHERE    id < 60
            ORDER BY dept
                    ,name
        )AS s1
ORDER BY 1, 2;

ANSWER
=====
DEPT NAME      SALARY      SUM1      SUM2      SUM3 R1 R2 W1 W2
----- -----      -----      -----      ----- -- -- -- --
15 Hanes      80659.80  80659.80  412701.30  80659.80  4  1  4  4
20 Pernal     78171.25  257188.55  332041.50  158831.05  3  2  3  3
20 Sanders    98357.50  257188.55  332041.50  257188.55  5  3  5  5
38 Marenghi   77506.75  412701.30  155512.75  334695.30  1  4  1  1
38 O'Brien    78006.00  412701.30  155512.75  412701.30  2  5  2  2

```

Figure 276, ORDER BY example

NOTE: There is no relationship between the ORDER BY used in an OLAP function, and the final ordering of the answer. Both are calculated independently.

Table Designator

The next two queries illustrate referencing a table designator in a subselect. Observe that as the ORDER BY in the subselect changes, the ordering sequence changes. Note that the final query output order does match that of the subselect:

```

SELECT    id
        ,name
        ,ROW_NUMBER() OVER(
            ORDER BY ORDER OF s) od
FROM      (SELECT   *
            FROM     staff
            WHERE    id < 50
            ORDER BY name ASC
        )AS s
ORDER BY id ASC;

SELECT    id
        ,name
        ,ROW_NUMBER() OVER(
            ORDER BY ORDER OF s) od
FROM      (SELECT   *
            FROM     staff
            WHERE    id < 50
            ORDER BY name DESC
        )AS s
ORDER BY id ASC;

ANSWER
=====
ID NAME      OD
-- -----
10 Sanders   4
20 Pernal    3
30 Marenghi  1
40 O'Brien   2

ANSWER
=====
ID NAME      OD
-- -----
10 Sanders   1
20 Pernal    2
30 Marenghi  4
40 O'Brien   3

```

Figure 277, ORDER BY table designator examples

Nulls Processing

When writing the ORDER BY, one can optionally specify whether or not null values should be counted as high or low. The default, for an ascending field is that they are counted as high (i.e. come last), and for a descending field, that they are counted as low:

```

SELECT      id
           ,years
           ,salary
           ,DENSE_RANK() OVER(ORDER BY years ASC)          AS a
           ,DENSE_RANK() OVER(ORDER BY years ASC NULLS FIRST) AS af
           ,DENSE_RANK() OVER(ORDER BY years ASC NULLS LAST ) AS al
           ,DENSE_RANK() OVER(ORDER BY years DESC)           AS d
           ,DENSE_RANK() OVER(ORDER BY years DESC NULLS FIRST) AS df
           ,DENSE_RANK() OVER(ORDER BY years DESC NULLS LAST ) AS dl
FROM        staff
WHERE       id      < 100
ORDER BY    years
           ,salary;

```

ANSWER								
ID	YR	SALARY	A	AF	AL	D	DF	DL
30	5	77506.75	1	2	1	6	6	5
90	6	38001.75	2	3	2	5	5	4
40	6	78006.00	2	3	2	5	5	4
70	7	76502.83	3	4	3	4	4	3
10	7	98357.50	3	4	3	4	4	3
20	8	78171.25	4	5	4	3	3	2
50	10	80659.80	5	6	5	2	2	1
80	-	43504.60	6	1	6	1	1	6
60	-	66808.30	6	1	6	1	1	6

Figure 278, Overriding the default null ordering sequence

NOTE: In general, one null value does not equal another null value. But, as is illustrated above, for purposes of assigning rank, all null values are considered equal.

Counting Nulls

The DENSE RANK and RANK functions include null values when calculating rankings. By contrast the COUNT DISTINCT statement excludes null values when counting values. Thus, as is illustrated below, the two methods will differ (by one) when they are used get a count of distinct values - if there are nulls in the target data:

```

SELECT      COUNT(DISTINCT years) AS y#1
           ,MAX(y#)                  AS y#2
FROM        (SELECT      years
           ,DENSE_RANK()   OVER(ORDER BY years) AS y#
           FROM        staff
           WHERE       id      < 100
           )AS xxx
ORDER BY    1;

```

ANSWER	
Y#1	Y#2
5	6

Figure 279, Counting distinct values - comparison

OLAP Functions

RANK and DENSE_RANK

The RANK and DENSE_RANK functions enable one to rank the rows returned by a query. The result is of type BIGINT.

Syntax




Figure 280, Ranking functions syntax

NOTE: The ORDER BY phrase, which is required, is used to both sequence the values, and to tell DB2 when to generate a new value.

RANK vs. DENSE_RANK

The two functions differ in how they handle multiple rows with the same value:

- The RANK function returns the number of proceeding rows, plus one. If multiple rows have equal values, they all get the same rank, while subsequent rows get a ranking that counts all of the prior rows. Thus, there may be gaps in the ranking sequence.
- The DENSE_RANK function returns the number of proceeding distinct values, plus one. If multiple rows have equal values, they all get the same rank. Each change in data value causes the ranking number to be incremented by one.

Usage Notes

- The ORDER BY expression is mandatory. See page: 104 for syntax.
- The PARTITION BY expression is optional. See page: 100 for syntax.

Compare Functions

The following query illustrates the use of the two functions:

```

SELECT      id
           ,years
           ,salary
           ,RANK()          OVER(ORDER BY years) AS rank#
           ,DENSE_RANK()   OVER(ORDER BY years) AS dense#
           ,ROW_NUMBER()   OVER(ORDER BY years) AS row#
FROM        staff
WHERE       id      < 100
           AND      years < 10
ORDER BY   years;
  
```

ID	YEARS	SALARY	RANK#	DENSE#	ROW#
30	5	77506.75	1	1	1
40	6	78006.00	2	2	2
90	6	38001.75	2	2	3
10	7	98357.50	4	3	4
70	7	76502.83	4	3	5
20	8	78171.25	6	4	6

Figure 281, Ranking functions example

ORDER BY Usage

The mandatory ORDER BY phrase gives a sequence to the ranking, and also tells DB2 when to start a new rank value. The following query illustrates both uses:

```

SELECT      job          AS job
           ,years        AS yr
           ,id          AS id
           ,name        AS name
           ,RANK() OVER(ORDER BY job ASC)      ) AS a1
           ,RANK() OVER(ORDER BY job ASC, years ASC) ) AS a2
           ,RANK() OVER(ORDER BY job ASC, years ASC, id ASC) AS a3
           ,RANK() OVER(ORDER BY job DESC)      ) AS d1
           ,RANK() OVER(ORDER BY job DESC, years DESC) ) AS d2
           ,RANK() OVER(ORDER BY job DESC, years DESC, id DESC) AS d3
           ,RANK() OVER(ORDER BY job ASC, years DESC, id ASC) AS m1
           ,RANK() OVER(ORDER BY job DESC, years ASC, id DESC) AS m2
FROM        staff
WHERE       id      < 150
           AND years IN (6,7)
           AND job   > 'L'      ====== ANSWER
ORDER BY    job
           ,years
           ,id;
JOB        YR  ID  NAME   A1  A2  A3  D1  2  D3  M1  M2
-----  ---  --  --  --  --  --  --  --  --  --  --  --
Mgr        6  140 Fraye  1  1  1  4  6  6  3  4
Mgr        7  10  Sanders 1  2  2  4  4  5  1  6
Mgr        7  100 Plotz   1  2  3  4  4  4  2  5
Sales     6  40  O'Brien 4  4  4  1  2  3  5  2
Sales     6  90  Koonitz  4  4  5  1  2  2  6  1
Sales     7  70  Rothman 4  6  6  1  1  1  4  3

```

Figure 282, ORDER BY usage

Observe above that adding more fields to the ORDER BY phrase resulted in more ranking values being generated.

PARTITION Usage

The optional PARTITION phrase lets one rank the data by subsets of the rows returned. In the following example, the rows are ranked by salary within year:

```

SELECT      id          ANSWER
           ,years      AS yr
           ,salary
           ,RANK() OVER(PARTITION BY years
                         ORDER BY salary) AS r1
FROM        staff
WHERE       id      < 80
           AND years IS NOT NULL
ORDER BY    years
           ,salary;
ID        YR  SALARY   R1
---  ---  ---  ---
30      5  77506.75  1
40      6  78006.00  1
70      7  76502.83  1
10      7  98357.50  2
20      8  78171.25  1
50      0  80659.80  1

```

Figure 283, Values ranked by subset of rows

Multiple Rankings

One can do multiple independent rankings in the same query:

```

SELECT      id
           ,years
           ,salary
           ,SMALLINT(RANK() OVER(ORDER BY years ASC)) AS rank_a
           ,SMALLINT(RANK() OVER(ORDER BY years DESC)) AS rank_d
           ,SMALLINT(RANK() OVER(ORDER BY id, years)) AS rank_iy
FROM        STAFF
WHERE       id      < 100
           AND years IS NOT NULL
ORDER BY    years;

```

Figure 284, Multiple rankings in same query

Dumb Rankings

If one wants to, one can do some really dumb rankings. All of the examples below are fairly stupid, but arguably the dumbest of the lot is the last. In this case, the "ORDER BY 1" phrase

ranks the rows returned by the constant "one", so every row gets the same rank. By contrast the "ORDER BY 1" phrase at the bottom of the query sequences the rows, and so has valid business meaning:

```
SELECT      id
            ,years
            ,name
            ,salary
            ,SMALLINT(RANK() OVER(ORDER BY SUBSTR(name,3,2))) AS dumb1
            ,SMALLINT(RANK() OVER(ORDER BY salary / 1000))    AS dumb2
            ,SMALLINT(RANK() OVER(ORDER BY years * ID))        AS dumb3
            ,SMALLINT(RANK() OVER(ORDER BY 1))                  AS dumb4
  FROM       staff
 WHERE      id      < 40
           AND years IS NOT NULL
 ORDER BY 1;
```

Figure 285, Dumb rankings, SQL

ID	YEARS	NAME	SALARY	DUMB1	DUMB2	DUMB3	DUMB4
10	7	Sanders	98357.50	1	3	1	1
20	8	Pernal	78171.25	3	2	3	1
30	5	Marenghi	77506.75	2	1	2	1

Figure 286, Dumb ranking, Answer

Subsequent Processing

The ranking function gets the rank of the value as of when the function was applied. Subsequent processing may mean that the rank no longer makes sense. To illustrate this point, the following query ranks the same field twice. Between the two ranking calls, some rows were removed from the answer set, which has caused the ranking results to differ:

```
SELECT      xxx.*                                ANSWER
            ,RANK()OVER(ORDER BY id) AS r2          =====
  FROM       (SELECT      id
            ,name
            ,RANK() OVER(ORDER BY id) AS r1
  FROM       staff
  WHERE      id      < 100
           AND years IS NOT NULL
 )AS xxx
 WHERE      id      > 30
 ORDER BY id;
```

ID	NAME	R1	R2
40	O'Brien	4	1
50	Hanes	5	2
70	Rothman	6	3
90	Koonitz	7	4

Figure 287, Subsequent processing of ranked data

Ordering Rows by Rank

One can order the rows based on the output of a ranking function. This can let one sequence the data in ways that might be quite difficult to do using ordinary SQL. For example, in the following query the matching rows are ordered so that all those staff with the highest salary in their respective department come first, followed by those with the second highest salary, and so on. Within each ranking value, the person with the highest overall salary is listed first:

```
SELECT      id
            ,RANK() OVER(PARTITION BY dept
                         ORDER BY salary DESC) AS r1
            ,salary
            ,dept AS dp
  FROM       staff
 WHERE      id      < 80
           AND years IS NOT NULL
 ORDER BY r1      ASC
            ,salary DESC;
```

ID	R1	SALARY	DP
10	1	98357.50	20
50	1	80659.80	15
40	1	78006.00	38
20	2	78171.25	20
30	2	77506.75	38
70	2	76502.83	15

Figure 288, Ordering rows by rank, using RANK function

Here is the same query, written without the ranking function:

<pre> SELECT id ,(SELECT COUNT(*) FROM staff s2 WHERE s2.id < 80 AND s2.years IS NOT NULL AND s2.dept = s1.dept AND s2.salary >= s1.salary) AS r1 ,salary ,dept AS dp FROM staff s1 WHERE id < 80 AND years IS NOT NULL ORDER BY r1 ASC ,salary DESC; </pre>	ANSWER ===== ID R1 SALARY DP -- -- -- -- 10 1 98357.50 20 50 1 80659.80 15 40 1 78006.00 38 20 2 78171.25 20 30 2 77506.75 38 70 2 76502.83 15
--	--

Figure 289, Ordering rows by rank, using sub-query

The above query has all of the failings that were discussed at the beginning of this chapter:

- The nested table expression has to repeat all of the predicates in the main query, and have predicates that define the ordering sequence. Thus it is hard to read.
- The nested table expression will (inefficiently) join every matching row to all prior rows.

Selecting the Highest Value

The ranking functions can also be used to retrieve the row with the highest value in a set of rows. To do this, one must first generate the ranking in a nested table expression, and then query the derived field later in the query. The following statement illustrates this concept by getting the person, or persons, in each department with the highest salary:

<pre> SELECT id ,salary ,dept AS dp FROM (SELECT s1.* ,RANK() OVER(PARTITION BY dept ORDER BY salary DESC) AS r1 FROM staff s1 WHERE id < 80 AND years IS NOT NULL) AS xxx WHERE r1 = 1 ORDER BY dp; </pre>	ANSWER ===== ID SALARY DP -- -- -- -- 50 80659.80 15 10 98357.50 20 40 78006.00 38
--	---

Figure 290, Get highest salary in each department, use RANK function

Here is the same query, written using a correlated sub-query:

<pre> SELECT id ,salary ,dept AS dp FROM staff s1 WHERE id < 80 AND years IS NOT NULL AND NOT EXISTS (SELECT * FROM staff s2 WHERE s2.id < 80 AND s2.years IS NOT NULL AND s2.dept = s1.dept AND s2.salary > s1.salary) ORDER BY dp; </pre>	ANSWER ===== ID SALARY DP -- -- -- -- 50 80659.80 15 10 98357.50 20 40 78006.00 38
--	---

Figure 291, Get highest salary in each department, use correlated sub-query

Here is the same query, written using an uncorrelated sub-query:

```

SELECT      id
           ,salary
           ,dept AS dp
  FROM        staff
 WHERE       id      < 80
 AND        years IS NOT NULL
 AND        (dept, salary) IN
            (SELECT      dept, MAX(salary)
             FROM        staff
             WHERE       id          < 80
             AND        years IS NOT NULL
             GROUP BY   dept)
 ORDER BY    dp;

```

ANSWER		
ID	SALARY	DP
50	80659.80	15
10	98357.50	20
40	78006.00	38

Figure 292, Get highest salary in each department, use uncorrelated sub-query

Arguably, the first query above (i.e. the one using the RANK function) is the most elegant of the series because it is the only statement where the basic predicates that define what rows match are written once. With the two sub-query examples, these predicates have to be repeated, which can often lead to errors.

ROW_NUMBER

The ROW_NUMBER function lets one number the rows being returned. The result is of type BIGINT. A syntax diagram follows. Observe that unlike with the ranking functions, the ORDER BY is not required:

Syntax




Figure 293, Numbering function syntax

ORDER BY Usage

You don't have to provide an ORDER BY when using the ROW_NUMBER function, but not doing so can be considered to be either brave or foolish, depending on one's outlook on life. To illustrate this issue, consider the following query:

```

SELECT      id
           ,name
           ,ROW_NUMBER() OVER()          AS r1
           ,ROW_NUMBER() OVER(ORDER BY id) AS r2
  FROM        staff
 WHERE       id      < 50
 AND        years IS NOT NULL
 ORDER BY    id;

```

ANSWER			
ID	NAME	R1	R2
10	Sanders	1	1
20	Pernal	2	2
30	Marenghi	3	3
40	O'Brien	4	4

Figure 294, ORDER BY example, 1 of 3

In the above example, both ROW_NUMBER functions return the same set of values, which happen to correspond to the sequence in which the rows are returned. In the next query, the second ROW_NUMBER function purposely uses another sequence:

```

SELECT      id
           ,name
           ,ROW_NUMBER() OVER()          AS r1
           ,ROW_NUMBER() OVER(ORDER BY name) AS r2
  FROM        staff
 WHERE       id      < 50
 AND        years IS NOT NULL
 ORDER BY    id;

```

ANSWER			
ID	NAME	R1	R2
10	Sanders	4	4
20	Pernal	3	3
30	Marenghi	1	1
40	O'Brien	2	2

Figure 295, ORDER BY example, 2 of 3

Observe that changing the second function has had an impact on the first. Now lets see what happens when we add another ROW_NUMBER function:

```
SELECT      id
            ,name
            ,ROW_NUMBER() OVER()          AS r1
            ,ROW_NUMBER() OVER(ORDER BY ID) AS r2
            ,ROW_NUMBER() OVER(ORDER BY NAME) AS r3
FROM        staff
WHERE       id      < 50
            AND years IS NOT NULL
ORDER BY   id;
```

ANSWER				
ID	NAME	R1	R2	R3
10	Sanders	1	1	4
20	Pernal	2	2	3
30	Marenghi	3	3	1
40	O'Brien	4	4	2

Figure 296, ORDER BY example, 3 of 3

Observe that now the first function has reverted back to the original sequence.

NOTE: When not given an explicit ORDER BY, the ROW_NUMBER function, may create a value in any odd order. Usually, the sequence will reflect the order in which the rows are returned - but not always.

PARTITION Usage

The PARTITION phrase lets one number the matching rows by subsets of the rows returned. In the following example, the rows are both ranked and numbered within each JOB:

```
SELECT      job
            ,years
            ,id
            ,name
            ,ROW_NUMBER() OVER(PARTITION BY job ORDER BY years) AS row#
            ,RANK()          OVER(PARTITION BY job ORDER BY years) AS rn1#
            ,DENSE_RANK()    OVER(PARTITION BY job ORDER BY years) AS rn2#
FROM        staff
WHERE       id      < 150
            AND years IN (6,7)
            AND job     > 'L'
ORDER BY   job
            ,years;
```

ANSWER						
JOB	YEARS	ID	NAME	ROW#	RN1#	RN2#
Mgr	6	140	Fraye	1	1	1
Mgr	7	10	Sanders	2	2	2
Mgr	7	100	Plotz	3	2	2
Sales	6	40	O'Brien	1	1	1
Sales	6	90	Koonitz	2	1	1
Sales	7	70	Rothman	3	3	2

Figure 297, Use of PARTITION phrase

One problem with the above query is that the final ORDER BY that sequences the rows does not identify a unique field (e.g. ID). Consequently, the rows can be returned in any sequence within a given JOB and YEAR. Because the ORDER BY in the ROW_NUMBER function also fails to identify a unique row, this means that there is no guarantee that a particular row will always give the same row number.

For consistent results, ensure that both the ORDER BY phrase in the function call, and at the end of the query, identify a unique row. And to always get the rows returned in the desired row-number sequence, these phrases must be equal.

Selecting "n" Rows

To query the output of the ROW_NUMBER function, one has to make a nested temporary table that contains the function expression. In the following example, this technique is used to limit the query to the first three matching rows:

```

SELECT      *
FROM        (SELECT    id
              ,name
              ,ROW_NUMBER() OVER(ORDER BY id) AS r
          FROM      staff
          WHERE     id      < 100
                  AND     years IS NOT NULL
      )AS xxx
WHERE      r <= 3
ORDER BY id;

```

ANSWER

ID	NAME	R
10	Sanders	1
20	Pernal	2
30	Marenghi	3

Figure 298, Select first 3 rows, using ROW_NUMBER function

In the next query, the FETCH FIRST "n" ROWS notation is used to achieve the same result:

```

SELECT      id
              ,name
              ,ROW_NUMBER() OVER(ORDER BY id) AS r
          FROM      staff
          WHERE     id      < 100
                  AND     years IS NOT NULL
          ORDER BY id
          FETCH FIRST 3 ROWS ONLY;

```

ANSWER

ID	NAME	R
10	Sanders	1
20	Pernal	2
30	Marenghi	3

Figure 299, Select first 3 rows, using FETCH FIRST notation

So far, the ROW_NUMBER and the FETCH FIRST notations seem to be about the same. But the former is much more flexible. To illustrate, the next query gets the 3rd through 6th rows:

```

SELECT      *
FROM        (SELECT    id
              ,name
              ,ROW_NUMBER() OVER(ORDER BY id) AS r
          FROM      staff
          WHERE     id      < 200
                  AND     years IS NOT NULL
      )AS xxx
WHERE      r BETWEEN 3 AND 6
ORDER BY id;

```

ANSWER

ID	NAME	R
30	Marenghi	3
40	O'Brien	4
50	Hanes	5
70	Rothman	6

Figure 300, Select 3rd through 6th rows

In the next query we get every 5th matching row - starting with the first:

```

SELECT      *
FROM        (SELECT    id
              ,name
              ,ROW_NUMBER() OVER(ORDER BY id) AS r
          FROM      staff
          WHERE     id      < 200
                  AND     years IS NOT NULL
      )AS xxx
WHERE      (r - 1) = ((r - 1) / 5) * 5
ORDER BY id;

```

ANSWER

ID	NAME	R
10	Sanders	1
70	Rothman	6
140	Fraye	11
190	Sneider	16

Figure 301, Select every 5th matching row

In the next query we get the last two matching rows:

```

SELECT      *
FROM        (SELECT    id
              ,name
              ,ROW_NUMBER() OVER(ORDER BY id DESC) AS r
          FROM      staff
          WHERE     id      < 200
                  AND     years IS NOT NULL
      )AS xxx
WHERE      r <= 2
ORDER BY id;

```

ANSWER

ID	NAME	R
180	Abrahams	2
190	Sneider	1

Figure 302, Select last two rows

Selecting "n" or more Rows

Imagine that one wants to fetch the first "n" rows in a query. This is easy to do, and has been illustrated above. But imagine that one also wants to keep on fetching if the following rows have the same value as the "nth".

In the next example, we will get the first three matching rows in the STAFF table, ordered by years of service. However, if the 4th row, or any of the following rows, has the same YEAR as the 3rd row, then we also want to fetch them.

The query logic goes as follows:

- Select every matching row in the STAFF table, and give them all both a row-number and a ranking value. Both values are assigned according to the order of the final output. Do all of this work in a nested table expression.
- Select from the nested table expression where the rank is three or less.

The query relies on the fact that the RANK function (see page: 106) assigns the lowest common row number to each row with the same ranking:

```

SELECT      *
FROM        (SELECT  years
              ,id
              ,name
              ,RANK()          OVER(ORDER BY years)      AS rnk
              ,ROW_NUMBER()    OVER(ORDER BY years, id) AS row
          FROM    staff
          WHERE   id       < 200
                  AND years IS NOT NULL
          )AS xxx
          WHERE  rnk  <= 3
          ORDER BY years
                  ,id;

```

ANSWER				
YEARS	ID	NAME	RNK	ROW
3	180	Abrahams	1	1
4	170	Kermisch	2	2
5	30	Marenghi	3	3
5	110	Ngan	3	4

Figure 303, Select first "n" rows, or more if needed

The type of query illustrated above can be extremely useful in certain business situations. To illustrate, imagine that one wants to give a reward to the three employees that have worked for the company the longest. Stopping the query that lists the lucky winners after three rows are fetched can get one into a lot of trouble if it happens that there are more than three employees that have worked for the company for the same number of years.

Selecting "n" Rows - Efficiently

Sometimes, one only wants to fetch the first "n" rows, where "n" is small, but the number of matching rows is extremely large. In this section, we will discuss how to obtain these "n" rows efficiently, which means that we will try to fetch just them without having to process any of the many other matching rows.

Below is an invoice table. Observe that we have defined the INV# field as the primary key, which means that DB2 will build a unique index on this column:

```

CREATE TABLE invoice
(inv#      INTEGER      NOT NULL
,customer#  INTEGER      NOT NULL
,sale_date   DATE        NOT NULL
,sale_value  DECIMAL(9,2) NOT NULL
,CONSTRAINT cxt1 PRIMARY KEY (inv#)
,CONSTRAINT cxt2 CHECK(inv# >= 0));

```

Figure 304, Performance test table - definition

The next SQL statement will insert 1,000,000 rows into the above table. After the rows are inserted a REORG and RUNSTATS is run, so the optimizer can choose the best access path.

```
INSERT INTO invoice
WITH temp (n,m) AS
(VALUES      (INTEGER(0),RAND(1))
UNION ALL
SELECT  n+1, RAND()
FROM    temp
WHERE   n+1 < 1000000
)
SELECT n                               AS inv#
     ,INT(m * 1000)                   AS customer#
     ,DATE('2000-11-01') + (m*40) DAYS AS sale_date
     ,DECIMAL((m * m * 100),8,2)       AS sale_value
FROM    temp;
```

Figure 305, Performance test table - insert 1,000,000 rows

Imagine we want to retrieve the first five rows (only) from the above table. Below are several queries that get this result. For each query, the elapsed time, as measured by DB2BATCH, is provided.

Below we use the "FETCH FIRST n ROWS" notation to stop the query at the 5th row. The query scans the primary index to get first five matching rows, and thus is cheap:

```
SELECT s.*
  FROM invoice s
 ORDER BY inv#
  FETCH FIRST 5 ROWS ONLY;
```

Figure 306, Fetch first 5 rows - 0.000 elapsed seconds

The next query is essentially the same as the prior, but this time we tell DB2 to optimize the query for fetching five rows. Nothing has changed, and all is good:

```
SELECT s.*
  FROM invoice s
 ORDER BY inv#
  FETCH FIRST 5 ROWS ONLY
  OPTIMIZE FOR 5 ROWS;
```

Figure 307, Fetch first 5 rows - 0.000 elapsed seconds

The next query is the same as the first, except that it invokes the ROW_NUMBER function to passively sequence the output. This query also uses the primary index to identify the first five matching rows, and so is cheap:

```
SELECT s.*          ,ROW_NUMBER() OVER() AS row#
  FROM invoice s
 ORDER BY inv#
  FETCH FIRST 5 ROWS ONLY;
```

Figure 308, Fetch first 5 rows+ number rows - 0.000 elapsed seconds

The next query is the same as the previous. It uses a nested-table-expression, but no action is taken subsequently, so this code is ignored:

```
SELECT *
  FROM (SELECT s.*          ,ROW_NUMBER() OVER() AS row#
        FROM invoice s
        )xxx
 ORDER BY inv#
  FETCH FIRST 5 ROWS ONLY;
```

Figure 309, Fetch first 5 rows+ number rows - 0.000 elapsed seconds

All of the above queries processed only five matching rows. The next query will process all one million matching rows in order to calculate the ROW_NUMBER value, which is on no particular column. It will cost:

```
SELECT      *
FROM        (SELECT      s.*
              ,ROW_NUMBER() OVER() AS row#
            FROM        invoice s
          )xxx
WHERE      row# <= 5
ORDER BY inv#;
```

Figure 310, Process and number all rows - 0.049 elapsed seconds

In the above query the "OVER()" phrase told DB2 to assign row numbers to each row. In the next query we explicitly provide the ROW_NUMBER with a target column, which happens to be the same as the ORDER BY sequence, and is also an indexed column. DB2 can use all this information to confine the query to the first "n" matching rows:

```
SELECT      *
FROM        (SELECT      s.*
              ,ROW_NUMBER() OVER(ORDER BY inv#) AS row#
            FROM        invoice s
          )xxx
WHERE      row# <= 5
ORDER BY inv#;
```

Figure 311, Process and number 5 rows only - 0.000 elapsed seconds

WARNING: Changing the above predicate to: "WHERE row# BETWEEN 1 AND 5" will get the same answer, but use a much less efficient access path.

One can also use recursion to get the first "n" rows. One begins by getting the first matching row, and then uses that row to get the next, and then the next, and so on (in a recursive join), until the required number of rows have been obtained.

In the following example, we start by getting the row with the MIN invoice-number. This row is then joined to the row with the next to lowest invoice-number, which is then joined to the next, and so on. After five such joins, the cycle is stopped and the result is selected:

```
WITH temp (inv#, c#, sd, sv, n) AS
  (SELECT      inv.*,
              ,1
            FROM        invoice inv
           WHERE      inv# =
                  (SELECT MIN(inv#)
                    FROM        invoice)
          UNION ALL
          SELECT      new.* , n + 1
            FROM        temp   old
              ,invoice new
           WHERE      old.inv# < new.inv#
             AND      old.n      < 5
             AND      new.inv# =
                  (SELECT MIN(xxx.inv#)
                    FROM        invoice xxx
                   WHERE      xxx.inv# > old.inv#)
        )
  SELECT      *
  FROM        temp;
```

Figure 312, Fetch first 5 rows - 0.000 elapsed seconds

The above technique is nice to know, but it has several major disadvantages:

- It is not exactly easy to understand.

- It requires that all primary predicates (e.g. get only those rows where the sale-value is greater than \$10,000) be repeated four times. In the above example there are none, which is unusual in the real world.
- It quickly becomes both very complicated and quite inefficient when the sequencing value is made up of multiple fields. In the above example, we sequenced by the INV# column, but imagine if we had used the sale-date, sale-value, and customer-number.
- It is extremely vulnerable to inefficient access paths. For example, if instead of joining from one (indexed) invoice-number to the next, we joined from one (non-indexed) customer-number to the next, the query would run forever.

In this section we have illustrated how minor changes to the SQL syntax can cause major changes in query performance. But to illustrate this phenomenon, we used a set of queries with 1,000,000 matching rows. In situations where there are far fewer matching rows, one can reasonably assume that this problem is not an issue.

FIRST_VALUE and LAST_VALUE

The FIRST_VALUE and LAST_VALUE functions get first or last value in the (moving) window of matching rows:

Syntax




Figure 313, Function syntax

Usage Notes

- An expression value must be provided in the first set of parenthesis. Usually this will be a column name, but any valid scalar expression is acceptable.
- The PARTITION BY expression is optional. See page: 100 for syntax.
- The ORDER BY expression is optional. See page: 104 for syntax.
- See page 103 for notes on how to define a moving-window of rows to process.
- If no explicit moving-window definition is provided, the default window size is between UNBOUNDED PRECEDING (of the partition and/or range) and the CURRENT ROW. This can sometimes cause logic errors when using the LAST_VALUE function. The last value is often simply the current row. To get the last matching value within the partition and/or range, set the upper bound to UNBOUNDED FOLLOWING.
- If IGNORE NULLS is specified, null values are ignored, unless all values are null, in which case the result is null. The default is RESPECT NULLS.

Examples

The following query illustrates the basics. The first matching name (in ID order) within each department is obtained:

```

SELECT      dept ,id ,name
           ,FIRST_VALUE(name)
                   OVER(PARTITION BY dept
                         ORDER BY id) AS frst
FROM        staff
WHERE       dept <= 15
           AND id    > 160
ORDER BY   dept ,id;

```

ANSWER			
DEPT	ID	NAME	FRST
	10	210 Lu	Lu
	10	240 Daniels	Lu
	10	260 Jones	Lu
	15	170 Kermisch	Kermisch

Figure 314, FIRST_NAME function example

The next uses various ordering schemas and moving-window sizes to get a particular first or last value (within a department):

```

SELECT      dept ,id ,comm
           ,FIRST_VALUE(comm)
                   OVER(PARTITION BY dept ORDER BY comm)          AS first1
           ,FIRST_VALUE(comm)
                   OVER(PARTITION BY dept ORDER BY comm NULLS FIRST) AS first2
           ,FIRST_VALUE(comm)
                   OVER(PARTITION BY dept ORDER BY comm NULLS LAST)  AS first3
           ,FIRST_VALUE(comm)
                   OVER(PARTITION BY dept ORDER BY comm NULLS LAST
                         ROWS BETWEEN 1 PRECEDING AND CURRENT ROW)     AS first4
           ,LAST_VALUE(comm)
                   OVER(PARTITION BY dept ORDER BY comm)            AS last1
           ,LAST_VALUE(comm)
                   OVER(PARTITION BY dept ORDER BY comm NULLS FIRST
                         ROWS UNBOUNDED FOLLOWING)                  AS last2
FROM        staff
WHERE       id    < 100
           AND dept < 30
ORDER BY   dept ,comm;

```

ANSWER						
DEPT	ID	COMM	FIRST1	FIRST2	FIRST3	FIRST4
15	70	1152.00	1152.00	-	1152.00	1152.00
15	50	-	1152.00	-	1152.00	-
20	80	128.20	128.20	-	128.20	128.20
20	20	612.45	128.20	-	128.20	612.45
20	10	-	128.20	-	128.20	612.45

Figure 315, Function examples

The next query illustrates what happens when one, or all, of the matching values are null:

```

SELECT      dept ,id ,comm
           ,FIRST_VALUE(comm)
                   OVER(PARTITION BY dept ORDER BY comm)          AS rn_lst
           ,FIRST_VALUE(comm)
                   OVER(PARTITION BY dept ORDER BY comm NULLS LAST) AS rn_ls2
           ,FIRST_VALUE(comm,'IGNORE NULLS')
                   OVER(PARTITION BY dept ORDER BY comm NULLS FIRST) AS rn_fst
           ,FIRST_VALUE(comm,'IGNORE NULLS')
                   OVER(PARTITION BY dept ORDER BY comm NULLS FIRST) AS in_fst
FROM        staff
WHERE       id    BETWEEN 20 AND 160
           AND dept    <= 20
ORDER BY   dept ,comm;

```

ANSWER						
DEPT	ID	COMM	RN_LST	RN_LS2	RN_FST	IN_FST
10	160	-	-	-	-	-
15	110	206.60	206.60	206.60	-	206.60
15	70	1152.00	206.60	206.60	-	206.60
15	50	-	206.60	206.60	-	-
20	80	128.20	128.20	128.20	128.20	128.20
20	20	612.45	128.20	128.20	128.20	128.20

Figure 316, Null value processing

LAG and LEAD

The LAG, and LEAD functions get the previous or next value from the (moving) window of matching rows:

- **LAG:** Get previous value. Return null if at first value.
- **LEAD:** Get next value. Return null if at last value.

Syntax




Figure 317, Function syntax

Usage Notes

- An expression value must be provided in the first set of parenthesis. Usually this will be a column name, but any valid scalar expression is acceptable.
- The PARTITION BY expression is optional. See page: 100 for syntax.
- The ORDER BY expression is mandatory. See page: 104 for syntax.
- The default OFFSET value is 1. A value of zero refers to the current row. An offset that is outside of the moving-window returns null.
- If IGNORE NULLS is specified, a default (override) value must also be provided.

Examples

The next query uses the LAG function to illustrate what happens when one messes around with the ORDER BY expression:

```

SELECT      dept ,id ,comm
            ,LAG(comm)      OVER(PARTITION BY dept ORDER BY comm)      AS lag1
            ,LAG(comm,0)    OVER(PARTITION BY dept ORDER BY comm)      AS lag2
            ,LAG(comm,2)    OVER(PARTITION BY dept ORDER BY comm)      AS lag3
            ,LAG(comm,1,-1,'IGNORE NULLS')
                           OVER(PARTITION BY dept ORDER BY comm)      AS lag4
            ,LEAD(comm)     OVER(PARTITION BY dept ORDER BY comm)      AS led1
  FROM        staff
 WHERE       id   BETWEEN 20 AND 160
 AND        dept  <= 20
 ORDER BY    dept ,comm;
  
```

ANSWER							
DEPT	ID	COMM	LAG1	LAG2	LAG3	LAG4	LED1
10	160	-	-	-	-	-1.00	-
15	110	206.60	-	206.60	-	-1.00	1152.00
15	70	1152.00	206.60	1152.00	-	206.60	-
15	50	-	1152.00	-	206.60	1152.00	-
20	80	128.20	-	128.20	-	-1.00	612.45
20	20	612.45	128.20	612.45	-	128.20	-

Figure 318, LAG and LEAD function Examples

Aggregation

The various aggregation functions let one do cute things like get cumulative totals or running averages. In some ways, they can be considered to be extensions of the existing DB2 column functions. The output type is dependent upon the input type.




Figure 319, Aggregation function syntax

Syntax Notes

Guess what - this is a complicated function. Be aware of the following:

- Any DB2 column function (e.g. AVG, SUM, COUNT), except ARRAY_AGG, can use the aggregation function.
- The OVER() usage aggregates all of the matching rows. This is equivalent to getting the current row, and also applying a column function (e.g. MAX, SUM) against all of the matching rows (see page 120).
- The PARTITION BY expression is optional. See page: 100 for syntax.
- The ORDER BY expression is mandatory if the aggregation is confined to a set of rows or range of values. Otherwise it is optional. See page: 104 for syntax. If a RANGE is specified (see page:103 for definition), then the ORDER BY expression must be a single value that allows subtraction.
- If an ORDER BY phrase is provided, but neither a RANGE nor ROWS is specified, then the aggregation is done from the first row to the current row.
- See page 103 for notes on how to define a moving-window of rows to process.

Basic Usage

In its simplest form, with just an "OVER()" phrase, an aggregation function works on all of the matching rows, running the column function specified. Thus, one gets both the detailed data, plus the SUM, or AVG, or whatever, of all the matching rows.

In the following example, five rows are selected from the STAFF table. Along with various detailed fields, the query also gets sum summary data about the matching rows:

```

SELECT      id ,name ,salary
           ,SUM(salary) OVER() AS sum_sal
           ,AVG(salary) OVER() AS avg_sal
           ,MIN(salary) OVER() AS min_sal
           ,MAX(salary) OVER() AS max_sal
           ,COUNT(*)      OVER() AS #rows
  FROM        staff
 WHERE       id < 30
 ORDER BY    id;

```

ANSWER

ID	NAME	SALARY	SUM_SAL	AVG_SAL	MIN_SAL	MAX_SAL	#ROWS
10	Sanders	98357.50	254035.50	84678.50	77506.75	98357.50	3
20	Pernal	78171.25	254035.50	84678.50	77506.75	98357.50	3
30	Marenghi	77506.75	254035.50	84678.50	77506.75	98357.50	3

Figure 320, Aggregation function, basic usage

An aggregation function with just an "OVER()" phrase is logically equivalent to one that has an ORDER BY on a field that has the same value for all matching rows. To illustrate, in the following query, the four aggregation functions are all logically equivalent:

```

SELECT      id
           ,name
           ,salary
           ,SUM(salary) OVER()
           ,SUM(salary) OVER(ORDER BY id * 0)          AS sum1
           ,SUM(salary) OVER(ORDER BY 'ABC')            AS sum2
           ,SUM(salary) OVER(ORDER BY 'ABC'
                           RANGE BETWEEN UNBOUNDED PRECEDING
                           AND UNBOUNDED FOLLOWING) AS sum3
           ,SUM(salary) OVER(ORDER BY id)
           ,SUM(salary) OVER(ORDER BY id
                           RANGE BETWEEN UNBOUNDED PRECEDING
                           AND UNBOUNDED FOLLOWING) AS sum4
  FROM        staff
 WHERE       id < 60
 ORDER BY    id;

```

ANSWER

ID	NAME	SALARY	SUM1	SUM2	SUM3	SUM4
10	Sanders	98357.50	412701.30	412701.30	412701.30	412701.30
20	Pernal	78171.25	412701.30	412701.30	412701.30	412701.30
30	Marenghi	77506.75	412701.30	412701.30	412701.30	412701.30
40	O'Brien	78006.00	412701.30	412701.30	412701.30	412701.30
50	Hanes	80659.80	412701.30	412701.30	412701.30	412701.30

Figure 321, Logically equivalent aggregation functions

ORDER BY Usage

The ORDER BY phrase (see page: 104 for syntax) has two main purposes:

- It provides a set of values to do aggregations on. Each distinct value gets a new result.
- It gives a direction to the aggregation function processing (i.e. ASC or DESC).

In the next query, various aggregations are run on the DEPT field, which is not unique, and on the DEPT and NAME fields combined, which are unique (for these rows). Both ascending and descending aggregations are illustrated. Observe that the ascending fields sum or count up, while the descending fields sum down. Also observe that each aggregation field gets a separate result for each new set of rows, as defined in the ORDER BY phrase:

```

SELECT    dept
          ,name
          ,salary
          ,SUM(salary)  OVER(ORDER BY dept)           AS sum1
          ,SUM(salary)  OVER(ORDER BY dept DESC)        AS sum2
          ,SUM(salary)  OVER(ORDER BY dept, NAME)        AS sum3
          ,SUM(salary)  OVER(ORDER BY dept DESC, name DESC) AS sum4
          ,COUNT(*)    OVER(ORDER BY dept)             AS rw1
          ,COUNT(*)    OVER(ORDER BY dept, NAME)         AS rw2
FROM      staff
WHERE     id < 60
ORDER BY dept
          ,name;

```

ANSWER

DEPT	NAME	SALARY	SUM1	SUM2	SUM3	SUM4	RW1	RW2
15	Hanes	80659.80	80659.80	412701.30	80659.80	412701.30	1	1
20	Pernal	78171.25	257188.55	332041.50	158831.05	332041.50	3	2
20	Sanders	98357.50	257188.55	332041.50	257188.55	253870.25	3	3
38	Marenghi	77506.75	412701.30	155512.75	334695.30	155512.75	5	4
38	O'Brien	78006.00	412701.30	155512.75	412701.30	78006.00	5	5

Figure 322, Aggregation function, ORDER BY usage

ROWS Usage

The ROWS phrase (see page 103 for syntax) is used to limit the aggregation function to a subset of the matching rows. The set of rows to process are defined thus:

- **No ORDER BY:** UNBOUNDED PRECEDING to UNBOUNDED FOLLOWING.
- **ORDER BY only:** UNBOUNDED PRECEDING to CURRENT ROW.
- **No BETWEEN:** CURRENT ROW to "n" preceding/following row.
- **BETWEEN stmt:** From "n" to "n" preceding/following row. The end-point must be greater than or equal to the starting point.

The following query illustrates these concepts:

```

SELECT      id ,years
           ,AVG(years) OVER()                                     AS "p_f"
           ,AVG(years) OVER(ORDER BY id
                           ROWS BETWEEN UNBOUNDED PRECEDING
                           AND UNBOUNDED FOLLOWING)   AS "p_f"
           ,AVG(years) OVER(ORDER BY id)                         AS "p_c"
           ,AVG(years) OVER(ORDER BY id
                           ROWS BETWEEN UNBOUNDED PRECEDING
                           AND CURRENT ROW)          AS "p_c"
           ,AVG(years) OVER(ORDER BY id
                           ROWS      UNBOUNDED PRECEDING) AS "p_c"
           ,AVG(years) OVER(ORDER BY id
                           ROWS      UNBOUNDED FOLLOWING) AS "c_f"
           ,AVG(years) OVER(ORDER BY id
                           ROWS      2 FOLLOWING)        AS "c_2"
           ,AVG(years) OVER(ORDER BY id
                           ROWS      1 PRECEDING)       AS "l_c"
           ,AVG(years) OVER(ORDER BY id
                           ROWS BETWEEN 1 FOLLOWING
                           AND 2 FOLLOWING)         AS "l_2"
FROM        staff
WHERE       dept IN (15,20)
AND         id    > 20
AND         years > 1
ORDER BY id;

```

===== ANSWER =====

ID	YEARS	p_f	p_f	p_c	p_c	p_c	c_f	c_2	l_c	l_2
50	10	6	6	10	10	10	6	7	10	6
70	7	6	6	8	8	8	6	5	8	4
110	5	6	6	7	7	7	5	5	6	6
170	4	6	6	6	6	6	6	6	4	8
190	8	6	6	6	6	6	8	8	6	-

Figure 323, ROWS usage examples

RANGE Usage

The RANGE phrase limits the aggregation result to a range of numeric values - defined relative to the value of the current row being processed (see page 103 for syntax). The range is obtained by taking the value in the current row (defined by the ORDER BY expression) and adding to and/or subtracting from it, then seeing what other matching rows are in the range.

NOTE: When using a RANGE, only one expression can be specified in the ORDER BY, and that expression must be numeric.

In the following example, the RANGE function adds to and/or subtracts from the DEPT field. For example, in the function that is used to populate the RG10 field, the current DEPT value is checked against the preceding DEPT values. If their value is within 10 digits of the current value, the related YEARS field is added to the SUM:

```

SELECT    dept
        ,name
        ,years
        ,SMALLINT(SUM(years)) OVER(ORDER BY dept
                                ROWS BETWEEN 1 PRECEDING
                                AND CURRENT ROW) ) AS row1
        ,SMALLINT(SUM(years)) OVER(ORDER BY dept
                                ROWS BETWEEN 2 PRECEDING
                                AND CURRENT ROW) ) AS row2
        ,SMALLINT(SUM(years)) OVER(ORDER BY dept
                                RANGE BETWEEN 1 PRECEDING
                                AND CURRENT ROW) ) AS rg01
        ,SMALLINT(SUM(years)) OVER(ORDER BY dept
                                RANGE BETWEEN 10 PRECEDING
                                AND CURRENT ROW) ) AS rg10
        ,SMALLINT(SUM(years)) OVER(ORDER BY dept
                                RANGE BETWEEN 20 PRECEDING
                                AND CURRENT ROW) ) AS rg20
        ,SMALLINT(SUM(years)) OVER(ORDER BY dept
                                RANGE BETWEEN 10 PRECEDING
                                AND 20 FOLLOWING) ) AS rg11
        ,SMALLINT(SUM(years)) OVER(ORDER BY dept
                                RANGE BETWEEN CURRENT ROW
                                AND 20 FOLLOWING) ) AS rg99
FROM      staff
WHERE     id      < 100
        AND years IS NOT NULL
ORDER BY  dept
        ,name;

```

ANSWER

DEPT	NAME	YEARS	ROW1	ROW2	RG01	RG10	RG20	RG11	RG99
15	Hanes	10	10	10	17	17	17	32	32
15	Rothman	7	17	17	17	17	17	32	32
20	Pernal	8	15	25	15	32	32	43	26
20	Sanders	7	15	22	15	32	32	43	26
38	Marengh	5	12	20	11	11	26	17	17
38	O'Brien	6	11	18	11	11	26	17	17
42	Koonitz	6	12	17	6	17	17	17	6

Figure 324, RANGE usage

Note the difference between the ROWS as RANGE expressions:

- The ROWS expression refers to the "n" rows before and/or after (within the partition), as defined by the ORDER BY.
- The RANGE expression refers to those before and/or after rows (within the partition) that are within an arithmetic range of the current row.

BETWEEN vs. ORDER BY

The BETWEEN predicate in an ordinary SQL statement is used to get those rows that have a value between the specified low-value (given first) and the high value (given last). Thus the predicate "BETWEEN 5 AND 10" may find rows, but the predicate "BETWEEN 10 AND 5" will never find any.

The BETWEEN phrase in an aggregation function has a similar usage in that it defines the set of rows to be aggregated. But it differs in that the answer depends upon the related ORDER BY sequence, and a non-match returns a null value, not no-rows.

Below is some sample SQL. Observe that the first two aggregations are ascending, while the last two are descending:

```

SELECT    id
        ,name
        ,SMALLINT(SUM(id) OVER(ORDER BY id ASC
                                ROWS BETWEEN 1 PRECEDING
                                AND CURRENT ROW)) AS apc
        ,SMALLINT(SUM(id) OVER(ORDER BY id ASC
                                ROWS BETWEEN CURRENT ROW
                                AND 1 FOLLOWING)) AS acf
        ,SMALLINT(SUM(id) OVER(ORDER BY id DESC
                                ROWS BETWEEN 1 PRECEDING
                                AND CURRENT ROW)) AS dpc
        ,SMALLINT(SUM(id) OVER(ORDER BY id DESC
                                ROWS BETWEEN CURRENT ROW
                                AND 1 FOLLOWING)) AS dcf
FROM      staff
WHERE     id          < 50
        AND years IS NOT NULL
ORDER BY id;

```

ANSWER

ID	NAME	APC	ACF	DPC	DCF
10	Sanders	10	30	30	10
20	Pernal	30	50	50	30
30	Marenghi	50	70	70	50
40	O'Brien	70	40	40	70

Figure 325, BETWEEN and ORDER BY usage

The following table illustrates the processing sequence in the above query. Each BETWEEN is applied from left to right, while the rows are read either from left to right (ORDER BY ID ASC) or right to left (ORDER BY ID DESC):

ASC id (10,20,30,40)	READ ROWS, LEFT to RIGHT	1ST-ROW	2ND-ROW	3RD-ROW	4TH-ROW
	=====	=====	=====	=====	=====
	1 PRECEDING to CURRENT ROW	10=10	10+20=30	20+30=40	30+40=70
	CURRENT ROW to 1 FOLLOWING	10+20=30	20+30=50	30+40=70	40 =40

DESC id (40,30,20,10)	READ ROWS, RIGHT to LEFT	1ST-ROW	2ND-ROW	3RD-ROW	4TH-ROW
	=====	=====	=====	=====	=====
	1 PRECEDING to CURRENT ROW	20+10=30	30+20=50	40+30=70	40 =40
	CURRENT ROW to 1 FOLLOWING	10 =10	20+10=30	30+20=50	40+30=70

NOTE: Preceding row is always on LEFT of current row.
Following row is always on RIGHT of current row.

Figure 326, Explanation of query

IMPORTANT: The BETWEEN predicate, when used in an ordinary SQL statement, is not affected by the sequence of the input rows. But the BETWEEN phrase, when used in an aggregation function, is affected by the input sequence.

Scalar Functions

Introduction

Scalar functions act on a single row at a time. In this section we shall list all of the ones that come with DB2 and look in detail at some of the more interesting ones. Refer to the SQL Reference for information on those functions not fully described here.

Sample Data

The following self-defined view will be used throughout this section to illustrate how some of the following functions work. Observe that the view has a VALUES expression that defines the contents- three rows and nine columns.

```
CREATE VIEW scalar (d1,f1,s1,c1,v1,ts1,dt1,tm1,tc1) AS
  WITH temp1 (n1, c1, t1) AS
    (VALUES  (-2.4,'ABCDEF','1996-04-22-23.58.58.123456')
            ,(+0.0,'ABCD ','1996-08-15-15.15.15.151515')
            ,(+1.8,'AB   ','0001-01-01-00.00.00.000000'))
  SELECT DECIMAL(n1,3,1)
        ,DOUBLE(n1)
        ,SMALLINT(n1)
        ,CHAR(c1,6)
        ,VARCHAR(RTRIM(c1),6)
        ,TIMESTAMP(t1)
        ,DATE(t1)
        ,TIME(t1)
        ,CHAR(t1)
  FROM   temp1;
```

Figure 327, Sample View DDL - Scalar functions

Below are the view contents:

D1	F1	S1	C1	V1	TS1
-2.4	-2.4e+000	-2	ABCDEF	ABCDEF	1996-04-22-23.58.58.123456
0.0	0.0e+000	0	ABCD	ABCD	1996-08-15-15.15.15.151515
1.8	1.8e+000	1	AB	AB	0001-01-01-00.00.00.000000

DT1	TM1	TC1
1996-04-22	23:58:58	1996-04-22-23.58.58.123456
1996-08-15	15:15:15	1996-08-15-15.15.15.151515
0001-01-01	00:00:00	0001-01-01-00.00.00.000000

Figure 328, SCALAR view, contents (3 rows)

Scalar Functions, Definitions

ABS or ABSVAL

Returns the absolute value of a number (e.g. -0.4 returns + 0.4). The output field type will equal the input field type (i.e. double input returns double output).

```

SELECT d1      AS d1
      ,ABS(D1) AS d2
      ,f1      AS f1
      ,ABS(f1) AS f2
  FROM  scalar;

```

ANSWER (float output shortened)			
D1	D2	F1	F2
-2.4	2.4	-2.400e+0	2.400e+00
0.0	0.0	0.000e+0	0.000e+00
1.8	1.8	1.800e+0	1.800e+00

*Figure 329, ABS function examples***ACOS**

Returns the arccosine of the argument as an angle expressed in radians. The output format is double.

ASCII

Returns the ASCII code value of the leftmost input character. Valid input types are any valid character type up to 1 MEG. The output type is integer.

```

SELECT c1
      ,ASCII(c1)          AS ac1
      ,ASCII(SUBSTR(c1,2)) AS ac2
  FROM  scalar
 WHERE  c1 = 'ABCDEF';

```

ANSWER		
C1	AC1	AC2
ABCDEF	65	66

Figure 330, ASCII function examples

The CHR function is the inverse of the ASCII function.

ASIN

Returns the arcsine of the argument as an angle expressed in radians. The output format is double.

ATAN

Returns the arctangent of the argument as an angle expressed in radians. The output format is double.

ATAN2

Returns the arctangent of x and y coordinates, specified by the first and second arguments, as an angle, expressed in radians. The output format is double.

ATANH

Returns the hyperbolic arctangent of the argument, where the argument is and an angle expressed in radians. The output format is double.

BIGINT

Converts the input value to bigint (big integer) format. The input can be either numeric or character. If character, it must be a valid representation of a number.

```

WITH temp (big) AS
  (VALUES BIGINT(1))
UNION ALL
  SELECT big * 256
  FROM   temp
  WHERE  big < 1E16
)
SELECT big
FROM   temp;

```

ANSWER

BIG

1
256
65536
16777216
4294967296
1099511627776
281474976710656
72057594037927936

Figure 331, BIGINT function example

Converting certain float values to both BIGINT and decimal will result in different values being returned (see below). Both results are arguably correct, it is simply that the two functions use different rounding methods:

```

WITH temp (f1) AS
  (VALUES FLOAT(1.23456789))
UNION ALL
  SELECT f1 * 100
  FROM   temp
  WHERE  f1 < 1E18
)
SELECT f1          AS float1
      ,DEC(f1,19) AS decimal1
      ,BIGINT(f1) AS bigint1
  FROM   temp;

```

Figure 332, Convert FLOAT to DECIMAL and BIGINT, SQL

FLOAT1	DECIMAL1	BIGINT1
+1.23456789000000E+000	1.	1
+1.23456789000000E+002	123.	123
+1.23456789000000E+004	12345.	12345
+1.23456789000000E+006	1234567.	1234567
+1.23456789000000E+008	123456789.	123456788
+1.23456789000000E+010	12345678900.	12345678999
+1.23456789000000E+012	1234567890000.	123456788999999
+1.23456789000000E+014	123456789000000.	1234567889999999
+1.23456789000000E+016	1234567890000000.	123456788999999996
+1.23456789000000E+018	12345678900000000.	12345678899999999488

Figure 333, Convert FLOAT to DECIMAL and BIGINT, answer

See page 442 for a discussion on floating-point number manipulation.

BIT Functions

There are five BIT functions:

- **BITAND** 1 if both arguments are 1.
- **BITANDNOT** Zero if bit in second argument is 1, otherwise bit in first argument.
- **BITOR** 1 if either argument is 1.
- **BITXOR** 1 if both arguments differ.
- **BITNOT** Returns opposite of the single argument.

The arguments can be SMALLINT (16 bits), INTEGER (32 bits), BIGINT (64 bits), or DECFLOAT (113 bits). The result is the same as the argument with the largest data type.

Negative numbers can be used in bit manipulation. For example the SMALLINT value -1 will have all 16 bits set to "1" (see example on page: 131).




Figure 334, BIT functions syntax

As their name implies, the BIT functions can be used to do bit-by-bit comparisons between two numbers:

```
WITH
temp1 (b1, b2) AS
  (VALUES
    ( 1, 0) , ( 0, 1)
    ,( 0, 0) , ( 1, 1)
    ,( 2, 1) , (15,-7)
    ,(15, 7) , (-1, 1)
    ,(15,63) , (63,31)
    ,(99,64) , ( 0,-2)),
temp2 (b1, b2) AS
  (SELECT   SMALLINT(b1)
            ,SMALLINT(b2)
  FROM     temp1)
SELECT   b1 ,b2
        ,HEX(b1)          AS "hex1"
        ,HEX(b2)          AS "hex2"
        ,BITAND(b1,b2)    AS "and"
        ,BITANDNOT(b1,b2) AS "ano"
        ,BITOR(b1,b2)     AS "or"
        ,BITXOR(b1,b2)    AS "xor"
  FROM     temp2;
```

ANSWER							
B1	B2	hex1	hex2	and	ano	or	xor
1	0	0100	0000	0	1	1	1
0	1	0000	0100	0	0	1	1
0	0	0000	0000	0	0	0	0
1	1	0100	0100	1	0	1	0
2	1	0200	0100	0	2	3	3
15	-7	0F00	F9FF	9	6	-1	-10
15	7	0F00	0700	7	8	15	8
-1	1	FFFF	0100	1	-2	-1	-2
15	63	0F00	3F00	15	0	63	48
63	31	3F00	1F00	31	32	63	32
99	64	6300	4000	64	35	99	35
0	-2	0000	FEFF	0	0	-2	-2

Figure 335, BIT functions examples

Displaying BIT Values

It can sometimes be hard to comprehend what a given BASE 10 value is in BIT format. To help, the following user-defined-function converts SMALLINT numbers to BIT values:

```
CREATE FUNCTION bitdisplay(inparm SMALLINT)
RETURNS CHAR(16)
BEGIN ATOMIC
  DECLARE outstr VARCHAR(16);
  DECLARE inval INT;
  IF inparm >= 0 THEN
    SET inval = inparm;
  ELSE
    SET inval = INT(65536) + inparm;
  END IF;
  SET outstr = '';
  WHILE inval > 0 DO
    SET outstr = STRIP(CHAR(MOD(inval,2))) || outstr;
    SET inval = inval / 2;
  END WHILE;
  RETURN RIGHT(REPEAT('0',16) || outstr,16);
END!
```

Figure 336, Function to display SMALLINT bits

Below is an example of the above function in use:

```

WITH
temp1 (b1) AS
  (VALUES   (32767), (16383)
   ,(-4096), (118)
   ,(63), (16)
   ,(2), (1)
   ,(0), (-1)
   ,(-2), (-3)
   ,(-64), (-32768)
),
temp2 (b1) AS
  (SELECT   SMALLINT(b1)
  FROM     temp1
  )
SELECT   b1
  ,HEX(b1)          AS "hex1"
  ,BITDISPLAY(b1)  AS "bit_display"
FROM    temp2;

```

ANSWER		
B1	hex1	bit_display
32767	FF7F	0111111111111111
16383	FF3F	0011111111111111
4096	0010	0001000000000000
118	7600	00000000001110110
63	3F00	0000000000011111
16	1000	00000000000010000
2	0200	00000000000000010
1	0100	00000000000000001
0	0000	00000000000000000
-1	FFFF	1111111111111111
-2	FEFF	11111111111111110
-3	FDFD	111111111111111101
-64	C0FF	1111111111000000
-32768	0080	10000000000000000

Figure 337, BIT_DISPLAY function example

Updating BIT Values

Use the BITXOR function to toggle targeted bits in a value. Use the BITANDNOT function to clear the same targeted bits. To illustrate, the next query uses these two functions to toggle and clear the last four bits, because the second parameter is 15, which is b"1111":

```

WITH
temp1 (b1) AS
  (VALUES (32767),(21845),(-4096),(0),(-1),(-64))
),
temp2 (b1, s15) AS
  (SELECT   SMALLINT(b1)
   ,SMALLINT(15)
  FROM     temp1
  )
SELECT   b1
  ,BITDISPLAY(b1)          AS "b1_display"
  ,BITXOR(b1,s15)         AS "xor"
  ,BITDISPLAY(BITXOR(b1,s15)) AS "xor_display"
  ,BITANDNOT(b1,s15)       AS "andnot"
  ,BITDISPLAY(BITANDNOT(b1,s15)) AS "andnot_display"
FROM    temp2;

```

Figure 338, Update bits #1, query

Below is the answer:

B1	b1_display	xor	xor_display	andnot	andnot_display
32767	0111111111111111	32752	0111111111110000	32752	0111111111110000
21845	0101010101010101	21850	0101010101011010	21840	0101010101010000
4096	0001000000000000	4111	0001000000001111	4096	0001000000000000
0	0000000000000000	15	0000000000001111	0	0000000000000000
-1	1111111111111111	-16	1111111111110000	-16	1111111111110000
-64	1111111111000000	-49	1111111111001111	-64	1111111111000000

Figure 339, Update bits #1, answer

The next query illustrate the use of the BITAND function to return those bits that match both parameters, and the BITNOT function to toggle all bits:

```

WITH
temp1 (b1) AS
  (VALUES (32767),(21845),( 4096),(      0),(-1),(-64)
  ),
temp2 (b1, s15) AS
  (SELECT   SMALLINT(b1)
           ,SMALLINT(15)
  FROM     temp1
  )
SELECT   b1
         ,BITDISPLAY(b1)          AS "b1_display"
         ,BITAND(b1,s15)         AS "and"
         ,BITDISPLAY(BITAND(b1,s15)) AS "and_display"
         ,BITNOT(b1)              AS "not"
         ,BITDISPLAY(BITNOT(b1))   AS "not_display"
  FROM     temp2;

```

Figure 340, Update bits #2, query

Below is the answer:

B1	b1_display	and	and_display	not	not_display
32767	0111111111111111	15	0000000000000111	-32768	1000000000000000
21845	0101010101010101	5	0000000000000101	-21846	1010101010101010
4096	0001000000000000	0	0000000000000000	-4097	1110111111111111
0	0000000000000000	0	0000000000000000	-1	1111111111111111
-1	1111111111111111	15	0000000000000111	0	0000000000000000
-64	1111111111000000	0	0000000000000000	63	0000000000011111

Figure 341, Update bits #2, answer

BLOB

Converts the input (1st argument) to a blob. The output length (2nd argument) is optional.




Figure 342, BLOB function syntax

CARDINALITY

Returns a value of type BIGINT that is the number of elements in an array.

CEIL or CEILING

Returns the next smallest integer value that is greater than or equal to the input (e.g. 5.045 returns 6.000). The output field type will equal the input field type.



Figure 343, CEILING function syntax

```

SELECT d1
      ,CEIL(d1) AS d2
      ,f1
      ,CEIL(f1) AS f2
  FROM  scalar;

```

ANSWER (float output shortened)			
D1	D2	F1	F2
-2.4	-2.	-2.400E+0	-2.000E+0
0.0	0.	+0.000E+0	+0.000E+0
1.8	2.	+1.800E+0	+2.000E+0

Figure 344, CEIL function examples

NOTE: Usually, when DB2 converts a number from one format to another, any extra digits on the right are truncated, not rounded. For example, the output of INTEGER(123.9) is 123. Use the CEIL or ROUND functions to avoid truncation.

CHAR

The CHAR function has a multiplicity of uses. The result is always a fixed-length character value, but what happens to the input along the way depends upon the input type:

- For character input, the CHAR function acts a bit like the SUBSTR function, except that it can only truncate starting from the left-most character. The optional length parameter, if provided, must be a constant or keyword.
- Date-time input is converted into an equivalent character string. Optionally, the external format can be explicitly specified (i.e. ISO, USA, EUR, JIS, or LOCAL).
- Integer and double input is converted into a left-justified character string.
- Decimal input is converted into a right-justified character string with leading zeros. The format of the decimal point can optionally be provided. The default decimal point is a dot. The '+' and '-' symbols are not allowed as they are used as sign indicators.

Below is a syntax diagram:




Figure 345, CHAR function syntax

Below are some examples of the CHAR function in action:

<pre> SELECT name ANSWER ,CHAR(name, 3) ,comm ,CHAR(comm) ,CHAR(comm, '@') FROM staff WHERE id BETWEEN 80 AND 100 ORDER BY id; </pre>	<pre> ANSWER ===== NAME 2 COMM 4 5 ----- ----- James Jam 128.20 00128.20 00128@20 Koonitz Koo 1386.70 01386.70 01386@70 Plotz Plo - - - </pre>
---	--

Figure 346, CHAR function examples - characters and numbers

The CHAR function treats decimal numbers quite differently from integer and real numbers. In particular, it right-justifies the former (with leading zeros), while it left-justifies the latter (with trailing blanks). The next example illustrates this point:

```

ANSWER
=====
INT      CHAR_INT  CHAR_FLT   CHAR_DEC
-----  -----  -----
WITH temp1 (n) AS
  (VALUES (3)
    UNION ALL
    SELECT n * n
    FROM temp1
    WHERE n < 9000
)
SELECT n          AS int
  ,CHAR(INT(n))  AS char_int
  ,CHAR(FLOAT(n)) AS char_flt
  ,CHAR(DEC(n))   AS char_dec
FROM temp1;

```

Figure 347, CHAR function examples - positive numbers

Negative numeric input is given a leading minus sign. This messes up the alignment of digits in the column (relative to any positive values). In the following query, a leading blank is put in front of all positive numbers in order to realign everything:

```

ANSWER
=====
N1      I1      I2      D1      D2
-----  -----  -----
WITH temp1 (n1, n2) AS
  (VALUES (SMALLINT(+3)
           ,SMALLINT(-7))
    UNION ALL
    SELECT n1 * n2
      ,n2
    FROM temp1
    WHERE n1 < 300
)
SELECT n1
  ,CHAR(n1) AS i1
  ,CASE
    WHEN n1 < 0 THEN CHAR(n1)
    ELSE '+' CONCAT CHAR(n1)
  END AS i2
  ,CHAR(DEC(n1)) AS d1
  ,CASE
    WHEN n1 < 0 THEN CHAR(DEC(n1))
    ELSE '+' CONCAT CHAR(DEC(n1))
  END AS d2
FROM temp1;

```

Figure 348, Align CHAR function output - numbers

Both the I2 and D2 fields above will have a trailing blank on all negative values - that was added during the concatenation operation. The RTRIM function can be used to remove it.

DATE-TIME Conversion

The CHAR function can be used to convert a date-time value to character. If the input is **not** a timestamp, the output layout can be controlled using the format option:

- ISO: International Standards Organization.
- USA: American.
- EUR: European, which is usually the same as ISO.
- JIS: Japanese Industrial Standard, which is usually the same as ISO.
- LOCAL: Whatever your computer is set to.

Below are some DATE examples:

```

ANSWER
=====
SELECT   CHAR(CURRENT DATE,ISO) AS iso      ==> 2005-11-30
        ,CHAR(CURRENT DATE,EUR) AS eur      ==> 30.11.2005
        ,CHAR(CURRENT DATE,JIS) AS jis      ==> 2005-11-30
        ,CHAR(CURRENT DATE,USA) AS usa      ==> 11/30/2005
FROM     sysibm.sysdummy1;

```

Figure 349, CHAR function examples - date value

Below are some TIME examples:

```

ANSWER
=====
SELECT   CHAR(CURRENT TIME,ISO) AS iso      ==> 19.42.21
        ,CHAR(CURRENT TIME,EUR) AS eur      ==> 19.42.21
        ,CHAR(CURRENT TIME,JIS) AS jis      ==> 19:42:21
        ,CHAR(CURRENT TIME,USA) AS usa      ==> 07:42 PM
FROM     sysibm.sysdummy1;

```

Figure 350, CHAR function examples - time value

A timestamp cannot be formatted to anything other than ISO output:

```

SELECT   CHAR(CURRENT TIMESTAMP)           ANSWER
FROM     sysibm.sysdummy1;                =====
                                                2005-11-30-19.42.21.873002

```

Figure 351, CHAR function example - timestamp value

WARNING: Converting a date or time value to character, and then ordering the set of matching rows can result in unexpected orders. See page 435 for details.

CHAR vs. DIGITS - A Comparison

Numeric input can be converted to character using either the DIGITS or the CHAR function, though the former does not support float. Both functions work differently, and neither gives perfect output. The CHAR function doesn't properly align up positive and negative numbers, while the DIGITS function loses both the decimal point and sign indicator:

```

ANSWER
=====
SELECT   d2
        ,CHAR(d2)      AS cd2
        ,DIGITS(d2)    AS dd2
FROM     (SELECT DEC(d1,4,1) AS d2
        FROM scalar
        )AS xxx
ORDER BY 1;
----- ----- -----
D2   CD2   DD2
---- ---- -
-2.4 -002.4 0024
0.0  000.0  0000
1.8  001.8  0018

```

Figure 352, DIGITS vs. CHAR

NOTE: Neither the DIGITS nor the CHAR function do a great job of converting numbers to characters. See page 401 for some user-defined functions that can be used instead.

CHARACTER_LENGTH

This function is similar to the LENGTH function, except that it works with different encoding schemas. The result is an integer value that is the length of the input string.




Figure 353, CHARACTER_LENGTH function syntax

```

WITH temp1 (c1) AS (VALUES (CAST('ÁÉÌ' AS VARCHAR(10))))
SELECT      c1                               AS C1
            ,LENGTH(c1)                      AS LEN
            ,OCTET_LENGTH(c1)                  AS OCT
            ,CHAR_LENGTH(c1,OCTETS)           AS L08
            ,CHAR_LENGTH(c1,CODEUNITS16)      AS L16
            ,CHAR_LENGTH(c1,CODEUNITS32)      AS L32
FROM        temp1;

```

C1	LEN	OCT	L08	L16	L32
ÁÉÌ	6	6	6	3	3

Figure 354, CHARACTER_LENGTH function example

CHR

Converts integer input in the range 0 through 255 to the equivalent ASCII character value. An input value above 255 returns 255. The ASCII function (see above) is the inverse of the CHR function.

```

SELECT 'A'                   AS "c"
       ,ASCII('A')          AS "c>n"
       ,CHR(ASCII('A'))     AS "c>n>c"
       ,CHR(333)             AS "nl"
FROM   staff
WHERE  id = 10;

```

C	C>N	C>N>C	NL
A	65	A	ÿ

Figure 355, CHR function examples

NOTE: At present, the CHR function has a bug that results in it not returning a null value when the input value is greater than 255.

CLOB

Converts the input (1st argument) to a CLOB. The output length (2nd argument) is optional. If the input is truncated during conversion, a warning message is issued. For example, in the following example the second CLOB statement will induce a warning for the first two lines of input because they have non-blank data after the third byte:

```

SELECT c1
      ,CLOB(c1)    AS cc1
      ,CLOB(c1,3)  AS cc2
FROM   scalar;

```

C1	CC1	CC2
ABCDEF	ABCDEF	ABC
ABCD	ABCD	ABC
AB	AB	AB

Figure 356, CLOB function examples

NOTE: The DB2BATCH command processor dies a nasty death whenever it encounters a CLOB field in the output. If possible, convert to VARCHAR first to avoid this problem.

COALESCE

Returns the first non-null value in a list of input expressions (reading from left to right). Each expression is separated from the prior by a comma. All input expressions must be compatible. VALUE is a synonym for COALESCE.

```

SELECT   id
        ,comm
        ,COALESCE(comm,0)
FROM     staff
WHERE    id < 30
ORDER BY id;

```

ID	COMM	
10	-	0.00
20	612.45	612.45

Figure 357, COALESCE function example

A CASE expression can be written to do exactly the same thing as the COALESCE function. The following SQL statement shows two logically equivalent ways to replace nulls:

```

WITH temp1(c1,c2,c3) AS
  (VALUES (CAST(NULL AS SMALLINT)
           ,CAST(NULL AS SMALLINT)
           ,CAST(10 AS SMALLINT)))
SELECT COALESCE(c1,c2,c3) AS cc1
      ,CASE
        WHEN c1 IS NOT NULL THEN c1
        WHEN c2 IS NOT NULL THEN c2
        WHEN c3 IS NOT NULL THEN c3
      END AS cc2
  FROM TEMP1;

```

ANSWER
=====

CC1	CC2
---	---
10	10

Figure 358, COALESCE and equivalent CASE expression

Be aware that a field can return a null value, even when it is defined as not null. This occurs if a column function is applied against the field, and no row is returned:

```

SELECT COUNT(*) AS #rows
      ,MIN(id) AS min_id
      ,COALESCE(MIN(id),-1) AS ccc_id
  FROM staff
 WHERE id < 5;

```

ANSWER
=====

#ROWS	MIN_ID	CCC_ID
-----	-----	-----
0	-	-1

Figure 359, NOT NULL field returning null value

COLLATION_KEY_BIT

Returns a VARCHAR FOR BIT DATA string that is the collation sequence of the first argument in the function. There three parameters:

- String to be evaluated.
- Collation sequence to use (must be valid).
- Length of output (optional).

The following query displays three collation sequences:

- All flavors of a given character as the same (i.e. "a" = "A" = "Ä").
- Upper and lower case characters are equal, but sort lower than accented characters.
- All variations of a character have a different collation value.

Now for the query:

```

WITH temp1 (c1) AS
  (VALUES ('a'),('A'),('Á'),('Ä'),('b'))
SELECT   c1
      ,COLLATION_KEY_BIT(c1,'UCA400R1_S1',9) AS "a=A=Á=Ä"
      ,COLLATION_KEY_BIT(c1,'UCA400R1_S2',9) AS "a=A<Á<Ä"
      ,COLLATION_KEY_BIT(c1,'UCA400R1_S3',9) AS "a<A<Á<Ä"
  FROM temp1
 ORDER BY COLLATION_KEY_BIT(c1,'UCA400R1_S3');

```

Figure 360, COLLATION_KEY_BIT function example

Below is the answer:

C1	a=A=Á=Ä	a=A<Á<Ä	a<A<Á<Ä
---	-----	-----	-----
a	x'2600'	x'26010500'	x'260105010500'
A	x'2600'	x'26010500'	x'260105018F00'
Á	x'2600'	x'2601868D00'	x'2601868D018F0500'
Ä	x'2600'	x'2601869D00'	x'2601869D018F0500'
b	x'2800'	x'28010500'	x'280105010500'

Figure 361, COLLATION_KEY_BIT function answer

COMPARE_DECFLOAT

Compares two DECFLOAT expressions and returns a SMALLINT number:

- 0 if both values exactly equal (i.e. no trailing-zero differences)
- 1 if the first value is less than the second value.
- 2 if the first value is greater than the second value.
- 3 if the result is unordered (i.e. either argument is NaN or sNaN).

WITH temp1 (d1, d2) AS (VALUES (DECFL0AT(+1.0), DECFL0AT(+1.0)) ,(DECFL0AT(+1.0), DECFL0AT(+1.00)) ,(DECFL0AT(-1.0), DECFL0AT(-1.00)) ,(DECFL0AT(+0.0), DECFL0AT(+0.00)) ,(DECFL0AT(-0.0), DECFL0AT(-0.00)) ,(DECFL0AT(1234), +infinity) ,(+infinity, +infinity) ,(+infinity, -infinity) ,(DECFL0AT(1234), -NaN)	ANSWER =====
)	0
SELECT COMPARE_DECFL0AT(d1,d2)	2
FROM temp1;	1
	2
	2
	2
	1
	0
	2
	2
	3

Figure 362, COMPARE_DECFL0AT function example

NOTE: Several values that compare as "less than" or "greater than" above are equal in the usual sense. See the section on DECFL0AT arithmetic for details (see page: 25).

CONCAT

Joins two strings together. The CONCAT function has both "infix" and "prefix" notations. In the former case, the verb is placed between the two strings to be acted upon. In the latter case, the two strings come after the verb. Both syntax flavours are illustrated below:

SELECT 'A' 'B' , 'A' CONCAT 'B' , CONCAT('A', 'B') , 'A' 'B' 'C' , CONCAT(CONCAT('A', 'B'), 'C') FROM staff WHERE id = 10;	ANSWER =====
	1 2 3 4 5
	--- --- --- --- ---
	AB AB AB ABC ABC

Figure 363, CONCAT function examples

Note that the "||" keyword can not be used with the prefix notation. This means that "||(a,b)" is not valid while "CONCAT(a,b)" is.

Using CONCAT with ORDER BY

When ordinary character fields are concatenated, any blanks at the end of the first field are left in place. By contrast, concatenating varchar fields removes any (implied) trailing blanks. If the result of the second type of concatenation is then used in an ORDER BY, the resulting row sequence will probably be not what the user intended. To illustrate:

```

WITH temp1 (col1, col2) AS
  (VALUES ('A', 'YYY')
          ,('AE', 'OOO')
          ,('AE', 'YYY')
        )
SELECT col1
      ,col2
      ,col1 CONCAT col2 AS col3
  FROM temp1
 ORDER BY col3;

```

ANSWER

COL1	COL2	COL3
AE	OOO	AEOOO
AE	YYY	AEYYY
A	YYY	AYYY

Figure 364, CONCAT used with ORDER BY - wrong output sequence

Converting the fields being concatenated to character gets around this problem:

```

WITH temp1 (col1, col2) AS
  (VALUES ('A', 'YYY')
          ,('AE', 'OOO')
          ,('AE', 'YYY')
        )
SELECT col1
      ,col2
      ,CHAR(col1,2) CONCAT
      CHAR(col2,3) AS col3
  FROM temp1
 ORDER BY col3;

```

ANSWER

COL1	COL2	COL3
A	YYY	A YYY
AE	OOO	AEOOO
AE	YYY	AEYYY

Figure 365, CONCAT used with ORDER BY - correct output sequence

WARNING: Never do an ORDER BY on a concatenated set of variable length fields. The resulting row sequence is probably not what the user intended (see above).

COS

Returns the cosine of the argument where the argument is an angle expressed in radians. The output format is double.

```

WITH temp1(n1) AS
  (VALUES (0)
  UNION ALL
  SELECT n1 + 10
  FROM temp1
  WHERE n1 < 90)
SELECT n1
      ,DEC(RADIANS(n1),4,3) AS ran
      ,DEC(COS(RADIANS(n1)),4,3) AS cos
      ,DEC(SIN(RADIANS(n1)),4,3) AS sin
  FROM temp1;

```

ANSWER

N1	RAN	COS	SIN
0	0.000	1.000	0.000
10	0.174	0.984	0.173
20	0.349	0.939	0.342
30	0.523	0.866	0.500
40	0.698	0.766	0.642
50	0.872	0.642	0.766
60	1.047	0.500	0.866
70	1.221	0.342	0.939
80	1.396	0.173	0.984
90	1.570	0.000	1.000

Figure 366, RADIANT, COS, and SIN functions example

COSH

Returns the hyperbolic cosine for the argument, where the argument is an angle expressed in radians. The output format is double.

COT

Returns the cotangent of the argument where the argument is an angle expressed in radians. The output format is double.

DATAPARTITIONNUM

Returns the sequence number of the partition in which the row resides.

DATE

Converts the input into a date value. The nature of the conversion process depends upon the input type and length:

- Timestamp and date input have the date part extracted.
- Char or varchar input that is a valid string representation of a date or a timestamp (e.g. "1997-12-23") is converted as is.
- Char or varchar input that is seven bytes long is assumed to be a Julian date value in the format yyyyymm where yyyy is the year and mmm is the number of days since the start of the year (in the range 001 to 366).
- Numeric input is assumed to have a value which represents the number of days since the date "0001-01-01" inclusive. All numeric types are supported, but the fractional part of a value is ignored (e.g. 12.55 becomes 12 which converts to "0001-01-12").




Figure 367, DATE function syntax

If the input can be null, the output will also support null. Null values convert to null output.

<pre>SELECT ts1 ,DATE(ts1) AS dt1 FROM scalar;</pre>	ANSWER ===== TS1 ----- 1996-04-22-23.58.58.123456 1996-04-22 1996-08-15-15.15.15.151515 1996-08-15 0001-01-01-00.00.00.000000 0001-01-01
--	---

Figure 368, DATE function example - timestamp input

<pre>WITH temp1(n1) AS (VALUES (000001) ,(728000) ,(730120)) SELECT n1 ,DATE(n1) AS d1 FROM temp1;</pre>	ANSWER ===== N1 D1 ----- 1 0001-01-01 728000 1994-03-13 730120 2000-01-01
--	--

Figure 369, DATE function example - numeric input

DAY

Returns the day (as in day of the month) part of a date (or equivalent) value. The output format is integer.

<pre>SELECT dt1 ,DAY(dt1) AS day1 FROM scalar WHERE DAY(dt1) > 10;</pre>	ANSWER ===== DT1 DAY1 ----- 1996-04-22 22 1996-08-15 15
--	---

Figure 370, DAY function examples

If the input is a date or timestamp, the day value must be between 1 and 31. If the input is a date or timestamp duration, the day value can range from -99 to +99, though only -31 to +31 actually make any sense:

```

SELECT      dt1
            ,DAY(dt1)                                AS day1
            ,dt1 -'1996-04-30'                         AS dur2
            ,DAY(dt1 -'1996-04-30')                   AS day2
FROM        scalar
WHERE       DAY(dt1) > 10
ORDER BY    dt1;

```

ANSWER			
DT1	DAY1	DUR2	DAY2
1996-04-22	22	-8.	-8
1996-08-15	15	315.	15

Figure 371, DAY function, using date-duration input

NOTE: A date-duration is what one gets when one subtracts one date from another. The field is of type decimal(8), but the value is not really a number. It has digits in the format: YYYYMMDD, so in the above query the value "315" represents 3 months, 15 days.

DAYNAME

Returns the name of the day (e.g. Friday) as contained in a date (or equivalent) value. The output format is varchar(100).

```

SELECT      dt1
            ,DAYNAME(dt1)                            AS dy1
            ,LENGTH(DAYNAME(dt1))                   AS dy2
FROM        scalar
WHERE       DAYNAME(dt1) LIKE '%a%y'
ORDER BY    dt1;

```

ANSWER		
DT1	DY1	DY2
0001-01-01	Monday	6
1996-04-22	Monday	6
1996-08-15	Thursday	8

Figure 372, DAYNAME function example

DAYOFWEEK

Returns a number that represents the day of the week (where Sunday is 1 and Saturday is 7) from a date (or equivalent) value. The output format is integer.

```

SELECT      dt1
            ,DAYOFWEEK(dt1)   AS dwk
            ,DAYNAME(dt1)    AS dnm
FROM        scalar
ORDER BY    dwk
            ,dnm;

```

ANSWER		
DT1	DWK	DNM
1996-04-22	2	Monday
0001-01-01	2	Saturday
1996-08-15	5	Thursday

Figure 373, DAYOFWEEK function example

DAYOFWEEK_ISO

Returns an integer value that represents the day of the "ISO" week. An ISO week differs from an ordinary week in that it begins on a Monday (i.e. day-number = 1) and it neither ends nor begins at the exact end of the year. Instead, the final ISO week of the prior year will continue into the new year. This often means that the first days of the year have an ISO week number of 52, and that one gets more than seven days in a week for ISO week 52.

```

WITH
temp1 (n) AS
  (VALUES (0)
  UNION ALL
  SELECT n+1
  FROM temp1
  WHERE n < 9),
temp2 (dt1) AS
  (VALUES(DATE('1999-12-25'))
  ,(DATE('2000-12-24'))),
temp3 (dt2) AS
  (SELECT dt1 + n DAYS
  FROM temp1
  ,temp2)
SELECT CHAR(dt2,ISO)          AS date
      ,SUBSTR(DAYNAME(dt2),1,3) AS day
      ,WEEK(dt2)                AS w
      ,DAYOFWEEK(dt2)           AS d
      ,WEEK_ISO(dt2)             AS wi
      ,DAYOFWEEK_ISO(dt2)        AS i
FROM temp3
ORDER BY 1;

```

ANSWER					
DATE	DAY	W	D	WI	I
1999-12-25	Sat	52	7	51	6
1999-12-26	Sun	53	1	51	7
1999-12-27	Mon	53	2	52	1
1999-12-28	Tue	53	3	52	2
1999-12-29	Wed	53	4	52	3
1999-12-30	Thu	53	5	52	4
1999-12-31	Fri	53	6	52	5
2000-01-01	Sat	1	7	52	6
2000-01-02	Sun	2	1	52	7
2000-01-03	Mon	2	2	1	1
2000-12-24	Sun	53	1	51	7
2000-12-25	Mon	53	2	52	1
2000-12-26	Tue	53	3	52	2
2000-12-27	Wed	53	4	52	3
2000-12-28	Thu	53	5	52	4
2000-12-29	Fri	53	6	52	5
2000-12-30	Sat	53	7	52	6
2000-12-31	Sun	54	1	52	7
2001-01-01	Mon	1	2	1	1
2001-01-02	Tue	1	3	1	2

Figure 374, DAYOFWEEK_ISO function example

DAYOFYEAR

Returns a number that is the day of the year (from 1 to 366) from a date (or equivalent) value.
The output format is integer.

```

SELECT    dt1
          ,DAYOFYEAR(dt1) AS dyr
FROM      scalar
ORDER BY dyr;

```

ANSWER	
DT1	DYR
0001-01-01	1
1996-04-22	113
1996-08-15	228

Figure 375, DAYOFYEAR function example

DAYS

Converts a date (or equivalent) value into a number that represents the number of days since the date "0001-01-01" inclusive. The output format is INTEGER.

```

SELECT    dt1
          ,DAYS(dt1) AS dy1
FROM      scalar
ORDER BY dy1
          ,dt1;

```

ANSWER	
DT1	DY1
0001-01-01	1
1996-04-22	728771
1996-08-15	728886

Figure 376, DAYS function example

The DATE function can act as the inverse of the DAYS function. It can convert the DAYS output back into a valid date.

DBCLOB

Converts the input (1st argument) to a dbclob. The output length (2nd argument) is optional.

DBPARTITIONNUM

Returns the partition number of the row. The result is zero if the table is not partitioned. The output is of type integer, and is never null.




Figure 377, DBPARTITIONNUM function syntax

<pre> SELECT DBPARTITIONNUM(id) AS dbnum FROM staff WHERE id = 10; </pre>	ANSWER ===== DBNUM ----- 0
--	---

Figure 378, DBPARTITIONNUM function example

The DBPARTITIONNUM function will generate a SQL error if the column/row used can not be related directly back to specific row in a real table. Therefore, one can not use this function on fields in GROUP BY statements, nor in some views. It can also cause an error when used in an outer join, and the target row failed to match in the join.

DECFLOAT

Converts a character or numeric expression to DECFLOAT.




Figure 379, DECFLOAT function syntax

The first parameter is the input expression. The second is the number of digits of precision (default = 34). And the third is the decimal character value (default = '.').

<pre> SELECT DECFLOAT(+123.4) ,DECFLOAT(1.0 ,16) ,DECFLOAT(1.0000 ,16) ,DECFLOAT(1.2e-3 ,34) ,DECFLOAT('1.2e-3' ,34) ,DECFLOAT(-1E3 ,34) ,DECFLOAT('-1E3' ,34) ,DECFLOAT('12.5' ,16) ,DECFLOAT('12#5' ,16, '#') </pre>	ANSWER ===== 123.4 1.0 1.0000 0.00119999999999999999 0.0012 -1000 -1E+3 12.5 12.5
---	--

Figure 380, DECFLOAT function example

WARNING: The function does not always precisely convert floating-point numeric values to their DECFLOAT equivalent (see example above). Use character conversion instead.

DEC or DECIMAL

Converts either character or numeric input to decimal. When the input is of type character, the decimal point format can be specified.




Figure 381, DECIMAL function syntax

```

WITH temp1(n1,n2,c1,c2) AS
  (VALUES      (123
                 ,1E2
                 , '123.4'
                 , '567$8'))
SELECT DEC(n1,3)      AS dec1
      ,DEC(n2,4,1)    AS dec2
      ,DEC(c1,4,1)    AS dec3
      ,DEC(c2,4,1,'$') AS dec4
  FROM temp1;
  
```

Figure 382, DECIMAL function examples

ANSWER			
DEC1	DEC2	DEC3	DEC4
123.	100.0	123.4	567.8

WARNING: Converting a floating-point number to decimal may get different results from converting the same number to integer. See page 442 for a discussion of this issue.

DECODE

The DECODE function is a simplified form of the CASE expression. The first parameter is the expression to be evaluated. This is followed by pairs of "before" and "after" expressions. At the end is the "else" result:

```

SELECT  firstnme
        ,sex
        ,CASE sex
          WHEN 'F' THEN 'FEMALE'
          WHEN 'M' THEN 'MALE'
          ELSE '?'
        END AS sex2
        ,DECODE(sex, 'F', 'FEMALE', 'M', 'MALE', '?') AS sex3
  FROM    employee
 WHERE   firstnme <  'D'
 ORDER BY firstnme;
  
```

ANSWER			
FIRSTNME	SEX	SEX2	SEX3
BRUCE	M	MALE	MALE
CHRISTINE	F	FEMALE	FEMALE

Figure 383, DECODE function example

DECRYPT_BIN and DECRYPT_CHAR

Decrypts data that has been encrypted using the ENCRYPT function. Use the BIN function to decrypt binary data (e.g. BLOBS, CLOBS) and the CHAR function to do character data. Numeric data cannot be encrypted.




Figure 384, DECRYPT function syntax

If the password is null or not supplied, the value of the encryption password special register will be used. If it is incorrect, a SQL error will be generated.

```

SELECT      id
           ,name
           ,DECRYPT_CHAR(name2, 'CLUELESS')      AS name3
           ,GETHINT(name2)                      AS hint
           ,name2
  FROM (SELECT id
           ,name
           ,ENCRYPT(name, 'CLUELESS', 'MY BOSS') AS name2
          FROM staff
         WHERE id < 30
        )AS xxx
 ORDER BY id;

```

Figure 385, DECRYPT_CHAR function example

DEGREES

Returns the number of degrees converted from the argument as expressed in radians. The output format is double.

DEREF

Returns an instance of the target type of the argument.

DIFFERENCE

Returns the difference between the sounds of two strings as determined using the SOUNDEX function. The output (of type integer) ranges from 4 (good match) to zero (poor match).

SELECT	ANSWER
a.name AS n1	=====
,SOUNDEX(a.name) AS s1	N1 S1 N2 S2 DF
,b.name AS n2	----- ----- --
,SOUNDEX(b.name) AS s2	Sanders S536 Sneider S536 4
,DIFFERENCE	Sanders S536 Smith S530 3
(a.name,b.name) AS df	Sanders S536 Lundquist L532 2
FROM staff a	Sanders S536 Daniels D542 1
,staff b	Sanders S536 Molinare M456 1
WHERE a.id = 10	Sanders S536 Scoutten S350 1
AND b.id > 150	Sanders S536 Abrahams A165 0
AND b.id < 250	Sanders S536 Kermisch K652 0
ORDER BY df DESC	Sanders S536 Lu L000 0
,n2 ASC;	

Figure 386, DIFFERENCE function example

NOTE: The difference function returns one of five possible values. In many situations, it would be imprudent to use a value with such low granularity to rank values.

DIGITS

Converts an integer or decimal value into a character string with leading zeros. Both the sign indicator and the decimal point are lost in the translation.

SELECT	ANSWER
s1	=====
,DIGITS(s1) AS ds1	S1 DS1 D1 DD1
,d1	----- ----- --
,DIGITS(d1) AS dd1	-2 00002 -2.4 024
FROM scalar;	0 00000 0.0 000
	1 00001 1.8 018

Figure 387, DIGITS function examples

The CHAR function can sometimes be used as alternative to the DIGITS function. Their output differs slightly - see page 401 for a comparison.

NOTE: Neither the DIGITS nor the CHAR function do a great job of converting numbers to characters. See page 401 for some user-defined functions that can be used instead.

DOUBLE or DOUBLE_PRECISION

Converts numeric or valid character input to type double. This function is actually two with the same name. The one that converts numeric input is a SYSIBM function, while the other that handles character input is a SYSFUN function. The keyword DOUBLE_PRECISION has not been defined for the latter.

```
WITH temp1(c1,d1) AS
  (VALUES ('12345',12.4)
   ,('-.23.5',1234)
   ,('1E+45',-234)
   ,('-.2e05',+2.4))
SELECT DOUBLE(c1) AS c1d
   ,DOUBLE(d1) AS d1d
  FROM temp1;
```

ANSWER (output shortened)	
C1D	D1D
+1.23450000E+004	+1.24000000E+001
-2.35000000E+001	+1.23400000E+003
+1.00000000E+045	-2.34000000E+002
-2.00000000E+005	+2.40000000E+000

Figure 388, DOUBLE function examples

See page 442 for a discussion on floating-point number manipulation.

ENCRYPT

Returns a encrypted rendition of the input string. The input must be char or varchar. The output is varchar for bit data.




Figure 389, DECRYPT function syntax

The input values are defined as follows:

- ENCRYPTED DATA: A char or varchar string 32633 bytes that is to be encrypted. Numeric data must be converted to character before encryption.
- PASSWORD: A char or varchar string of at least six bytes and no more than 127 bytes. If the value is null or not provided, the current value of the encryption password special register will be used. Be aware that a password that is padded with blanks is not the same as one that lacks the blanks.
- HINT: A char or varchar string of up to 32 bytes that can be referred to if one forgets what the password is. It is included with the encrypted string and can be retrieved using the GETHINT function.

The length of the output string can be calculated thus:

- When the hint is provided, the length of the input data, plus eight bytes, plus the distance to the next eight-byte boundary, plus thirty-two bytes for the hint.
- When the hint is not provided, the length of the input data, plus eight bytes, plus the distance to the next eight-byte boundary.

```

SELECT    id
        ,name
        ,ENCRYPT(name, 'THAT IDIOT', 'MY BROTHER') AS name2
FROM      staff
WHERE     ID < 30
ORDER BY  id;

```

Figure 390, ENCRYPT function example

EVENT_MON_STATE

Returns an operational state of a particular event monitor.

EXP

Returns the exponential function of the argument. The output format is double.

ANSWER		
N1	E1	E2
0	+1.00000000000000E+0	1
1	+2.71828182845904E+0	2
2	+7.38905609893065E+0	7
3	+2.00855369231876E+1	20
4	+5.45981500331442E+1	54
5	+1.48413159102576E+2	148
6	+4.03428793492735E+2	403
7	+1.09663315842845E+3	1096
8	+2.98095798704172E+3	2980
9	+8.10308392757538E+3	8103
10	+2.20264657948067E+4	22026

Figure 391, EXP function examples

FLOAT

Same as DOUBLE.

FLOOR

Returns the next largest integer value that is smaller than or equal to the input (e.g. 5.945 returns 5.000). The output field type will equal the input field type.

ANSWER (float output shortened)			
D1	D2	F1	F2
-2.4	-3.	-2.400E+0	-3.000E+0
0.0	+0.	+0.000E+0	+0.000E+0
1.8	+1.	+1.800E+0	+1.000E+0

Figure 392, FLOOR function examples

GENERATE_UNIQUE

Uses the system clock and node number to generate a value that is guaranteed unique (as long as one does not reset the clock). The output is of type CHAR(13) FOR BIT DATA. There are no arguments. The result is essentially a timestamp (set to universal time, not local time), with the node number appended to the back.

```

SELECT      id
           ,GENERATE_UNIQUE()                               AS unique_val#1
           ,DEC(HEX(GENERATE_UNIQUE()),26)    AS unique_val#2
  FROM        staff
 WHERE       id < 50
 ORDER BY   id;                                     ANSWER
                                                       =====
                                                       ID UNIQUE_VAL#1  UNIQUE_VAL#2
                                                       -----
NOTE: 2ND FIELD => 10          20011017191648990521000000.
IS UNPRINTABLE. => 20          20011017191648990615000000.
                                         30          20011017191648990642000000.
                                         40          20011017191648990669000000.

```

Figure 393, GENERATE_UNIQUE function examples

Observe that in the above example, each row gets a higher value. This is to be expected, and is in contrast to a CURRENT TIMESTAMP call, where every row returned by the cursor will have the same timestamp value. Also notice that the second invocation of the function on the same row got a lower value (than the first).

In the prior query, the HEX and DEC functions were used to convert the output value into a number. Alternatively, the TIMESTAMP function can be used to convert the date component of the data into a valid timestamp. In a system with multiple nodes, there is no guarantee that this timestamp (alone) is unique.

Generate Unique Timestamps

The GENERATE_UNIQUE output can be processed using the TIMESTAMP function to obtain a unique timestamp value. Adding the CURRENT TIMEZONE special register to the TIMESTAMP output will convert it to local time:

```

SELECT      CURRENT_TIMESTAMP                                AS ts1
           ,TIMESTAMP(GENERATE_UNIQUE())                      AS ts2
           ,TIMESTAMP(GENERATE_UNIQUE()) + CURRENT TIMEZONE AS ts3
  FROM        sysibm.sysdummy1;                                ANSWER
                                                       =====
                                                       TS1: 2007-01-19-18.12.33.587000
                                                       TS2: 2007-01-19-22.12.28.434960
                                                       TS3: 2007-01-19-18.12.28.434953

```

Figure 394, Covert GENERATE_UNIQUE output to timestamp

This code can be useful if one is doing a multi-row insert, and one wants each row inserted to have a distinct timestamp value. However, there are a few qualifications:

- The timestamp values generated will be unique in themselves. But concurrent users may also generate the same values. There is no guarantee of absolute uniqueness.
- Converting the universal-time value to local-time does not always return a value is equal to the CURRENT TIMESTAMP special register. As is illustrated above, the result can differ by a few seconds. This may cause business problems if one is relying on the value to be the "true time" when something happened.

Making Random

One thing that DB2 lacks is a random number generator that makes unique values. However, if we flip the characters returned in the GENERATE_UNIQUE output, we have something fairly close to what is needed. Unfortunately, DB2 also lacks a REVERSE function, so the data flipping has to be done the hard way.

```

SELECT      u1
           ,SUBSTR(u1,20,1) CONCAT SUBSTR(u1,19,1) CONCAT
           ,SUBSTR(u1,18,1) CONCAT SUBSTR(u1,17,1) CONCAT
           ,SUBSTR(u1,16,1) CONCAT SUBSTR(u1,15,1) CONCAT
           ,SUBSTR(u1,14,1) CONCAT SUBSTR(u1,13,1) CONCAT
           ,SUBSTR(u1,12,1) CONCAT SUBSTR(u1,11,1) CONCAT
           ,SUBSTR(u1,10,1) CONCAT SUBSTR(u1,09,1) CONCAT
           ,SUBSTR(u1,08,1) CONCAT SUBSTR(u1,07,1) CONCAT
           ,SUBSTR(u1,06,1) CONCAT SUBSTR(u1,05,1) CONCAT
           ,SUBSTR(u1,04,1) CONCAT SUBSTR(u1,03,1) CONCAT
           ,SUBSTR(u1,02,1) CONCAT SUBSTR(u1,01,1) AS U2
FROM        (SELECT HEX(GENERATE_UNIQUE()) AS u1
           FROM staff
           WHERE id < 50) AS xxx
ORDER BY    u2;                                              ANSWER
=====
U1          U2
-----
20000901131649119940000000 04991194613110900002
20000901131649119793000000 39791194613110900002
20000901131649119907000000 70991194613110900002
20000901131649119969000000 96991194613110900002

```

Figure 395, GENERATE_UNIQUE output, characters reversed to make pseudo-random

Observe above that we used a nested table expression to temporarily store the results of the GENERATE_UNIQUE calls. Alternatively, we could have put a GENERATE_UNIQUE call inside each SUBSTR, but these would have amounted to separate function calls, and there is a very small chance that the net result would not always be unique.

Using REVERSE Function

One can refer to a user-defined reverse function (see page 416 for the definition code) to flip the U1 value, and thus greatly simplify the query:

```

SELECT      u1
           ,SUBSTR(reverse(CHAR(u1)),7,20) AS u2
FROM        (SELECT HEX(GENERATE_UNIQUE()) AS u1
           FROM STAFF
           WHERE ID < 50) AS xxx
ORDER BY    u2;

```

Figure 396, GENERATE_UNIQUE output, characters reversed using function

GETHINT

Returns the password hint, if one is found in the encrypted data.

```

SELECT      id
           ,name
           ,GETHINT(name2) AS hint
FROM        (SELECT id
           ,name
           ,ENCRYPT(name, 'THAT IDIOT', 'MY BROTHER') AS name2
           FROM staff
           WHERE id < 30
         )AS xxx
           ORDER BY id;                                              ANSWER
=====
ID NAME      HINT
-- -----
10 Sanders   MY BROTHER
20 Pernal    MY BROTHER

```

Figure 397, GETHINT function example

GRAPHIC

Converts the input (1st argument) to a graphic data type. The output length (2nd argument) is optional.

GREATEST

See MAX scalar function on page 156.

HASHEDVALUE

Returns the partition number of the row. The result is zero if the table is not partitioned. The output is of type integer, and is never null.

<pre>SELECT HASHEDVALUE(id) AS hvalue FROM staff WHERE id = 10;</pre>	ANSWER ===== HVALUE ----- 0
---	--

Figure 398, HASHEDVALUE function example

The DBPARTITIONNUM function will generate a SQL error if the column/row used can not be related directly back to specific row in a real table. Therefore, one can not use this function on fields in GROUP BY statements, nor in some views. It can also cause an error when used in an outer join, and the target row failed to match in the join.

HEX

Returns the hexadecimal representation of a value. All input types are supported.

<pre>WITH temp1(n1) AS (VALUES (-3) UNION ALL SELECT n1 + 1 FROM temp1 WHERE n1 < 3) SELECT SMALLINT(n1) AS s ,HEX(SMALLINT(n1)) AS shx ,HEX(DEC(n1,4,0)) AS dhw ,HEX(DOUBLE(n1)) AS fhw FROM temp1;</pre>	ANSWER ===== S SHX DHX FHX --- ----- -3 FDFF 00003D 000000000000008C0 -2 FFFF 00002D 0000000000000000C0 -1 FFFF 00001D 000000000000F0BF 0 0000 00000C 0000000000000000 1 0100 00001C 000000000000F03F 2 0200 00002C 0000000000000040 3 0300 00003C 00000000000000840
--	---

Figure 399, HEX function examples, numeric data

<pre>SELECT c1 ,HEX(c1) AS chx ,v1 ,HEX(v1) AS vhx FROM scalar;</pre>	ANSWER ===== C1 CHX V1 VHX --- ----- ABCDEF 414243444546 ABCDEF 414243444546 ABCD 414243442020 ABCD 41424344 AB 4142202020 AB 4142
---	---

Figure 400, HEX function examples, character & varchar

<pre>SELECT dt1 ,HEX(dt1) AS dthx ,tm1 ,HEX(tm1) AS tmhx FROM scalar;</pre>	ANSWER ===== DT1 DTHX TM1 TMHX --- ----- 1996-04-22 19960422 23:58:58 235858 1996-08-15 19960815 15:15:15 151515 0001-01-01 00010101 00:00:00 000000
---	---

Figure 401, HEX function examples, date & time

HOUR

Returns the hour (as in hour of day) part of a time value. The output format is integer.

```
SELECT      tm1
           ,HOUR(tm1) AS hr
  FROM      scalar
 ORDER BY tm1;
```

	ANSWER
TM1	HR
-----	--
00:00:00	0
15:15:15	15
23:58:58	23

Figure 402, HOUR function example

IDENTITY_VAL_LOCAL

Returns the most recently assigned value (by the current user) to an identity column. The result type is decimal (31,0), regardless of the field type of the identity column. See page 284 for detailed notes on using this function.

```
CREATE TABLE seq#
  (ident_val      INTEGER      NOT NULL GENERATED ALWAYS AS IDENTITY
   ,cur_ts        TIMESTAMP NOT NULL
   ,PRIMARY KEY (ident_val));
COMMIT;

INSERT INTO seq# VALUES(DEFAULT,CURRENT_TIMESTAMP);
```

	ANSWER
IDVAL	-----
	1 .

```
WITH temp (idval) AS
  (VALUES (IDENTITY_VAL_LOCAL()))
SELECT *
  FROM temp;
```

Figure 403, IDENTITY_VAL_LOCAL function usage

INSERT

Insert one string in the middle of another, replacing a portion of what was already there. If the value to be inserted is either longer or shorter than the piece being replaced, the remainder of the data (on the right) is shifted either left or right accordingly in order to make a good fit.

Figure 404, INSERT function syntax

Usage Notes

- Acceptable input types are varchar, clob(1M), and blob(1M).
- The first and last parameters must always have matching field types.
- To insert a new value in the middle of another without removing any of what is already there, set the third parameter to zero.
- The varchar output is always of length 4K.

```
SELECT name
       ,INSERT(name,3,2,'A')
       ,INSERT(name,3,2,'AB')
       ,INSERT(name,3,2,'ABC')
  FROM staff
 WHERE id < 40;
```

	ANSWER (4K output fields shortened)		
NAME	2	3	4
Sanders	SaAers	SaABers	SaABCers
Pernal	PeAal	PeABal	PeABCAl
Marenghi	MaAnghi	MaABnghi	MaABCnghi

Figure 405, INSERT function examples

INT or INTEGER

The INTEGER or INT function converts either a number or a valid character value into an integer. The character input can have leading and/or trailing blanks, and a sign indicator, but it can not contain a decimal point. Numeric decimal input works just fine.

<pre>SELECT d1 ,INTEGER(d1) ,INT('+123') ,INT('-123') ,INT(' 123 ') FROM scalar;</pre>	ANSWER <pre>===== D1 2 3 4 5 ----- ----- ----- ----- -2.4 -2 123 -123 123 0.0 0 123 -123 123 1.8 1 123 -123 123</pre>
---	---

Figure 406, INTEGER function examples

JULIAN_DAY

Converts a date value into a number that represents the number of days since January the 1st, 4,713 BC. The output format is integer.

<pre>WITH temp1(dt1) AS (VALUES ('0001-01-01-00.00.00') ,('1752-09-10-00.00.00') ,('2007-06-03-00.00.00') ,('2007-06-03-23.59.59')) SELECT DATE(dt1) AS dt ,DAYS(dt1) AS dy ,JULIAN_DAY(dt1) AS dj FROM temp1;</pre>	ANSWER <pre>===== DT DY DJ ----- ----- 0001-01-01 1 1721426 1752-09-10 639793 2361218 2007-06-03 732830 2454255 2007-06-03 732830 2454255</pre>
--	--

Figure 407, JULIAN_DAY function example

Julian Days, A History

I happen to be a bit of an Astronomy nut, so what follows is a rather extended description of Julian Days - their purpose, and history (taken from the web).

The Julian Day calendar is used in Astronomy to relate ancient and modern astronomical observations. The Babylonians, Egyptians, Greeks (in Alexandria), and others, kept very detailed records of astronomical events, but they all used different calendars. By converting all such observations to Julian Days, we can compare and correlate them.

For example, a solar eclipse is said to have been seen at Ninevah on Julian day 1,442,454 and a lunar eclipse is said to have been observed at Babylon on Julian day number 1,566,839. These numbers correspond to the Julian Calendar dates -763-03-23 and -423-10-09 respectively). Thus the lunar eclipse occurred 124,384 days after the solar eclipse.

The Julian Day number system was invented by Joseph Justus Scaliger (born 1540-08-05 J in Agen, France, died 1609-01-21 J in Leiden, Holland) in 1583. Although the term Julian Calendar derives from the name of Julius Caesar, the term Julian day number probably does not. Evidently, this system was named, not after Julius Caesar, but after its inventor's father, Julius Caesar Scaliger (1484-1558).

The younger Scaliger combined three traditionally recognized temporal cycles of 28, 19 and 15 years to obtain a great cycle, the Scaliger cycle, or Julian period, of 7980 years (7980 is the least common multiple of 28, 19 and 15). The length of 7,980 years was chosen as the product of 28 times 19 times 15; these, respectively, are:

- The number of years when dates recur on the same days of the week.

- The lunar or Metonic cycle, after which the phases of the Moon recur on a particular day in the solar year, or year of the seasons.
- The cycle of indiction, originally a schedule of periodic taxes or government requisitions in ancient Rome.

The first Scaliger cycle began with Year 1 on -4712-01-01 (Julian) and will end after 7980 years on 3267-12-31 (Julian), which is 3268-01-22 (Gregorian). 3268-01-01 (Julian) is the first day of Year 1 of the next Scaliger cycle.

Astronomers adopted this system and adapted it to their own purposes, and they took noon GMT -4712-01-01 as their zero point. For astronomers a day begins at noon and runs until the next noon (so that the nighttime falls conveniently within one "day"). Thus they defined the Julian day number of a day as the number of days (or part of a day) elapsed since noon GMT on January 1st, 4713 B.C.E.

This was not to the liking of all scholars using the Julian day number system, in particular, historians. For chronologists who start "days" at midnight, the zero point for the Julian day number system is 00:00 at the start of -4712-01-01 J, and this is day 0. This means that 2000-01-01 G is 2,451,545 JD.

Since most days within about 150 years of the present have Julian day numbers beginning with "24", Julian day numbers within this 300-odd-year period can be abbreviated. In 1975 the convention of the modified Julian day number was adopted: Given a Julian day number JD, the modified Julian day number MJD is defined as $MJD = JD - 2,400,000.5$. This has two purposes:

- Days begin at midnight rather than noon.
- For dates in the period from 1859 to about 2130 only five digits need to be used to specify the date rather than seven.

MJD 0 thus corresponds to JD 2,400,000.5, which is twelve hours after noon on JD 2,400,000 = 1858-11-16. Thus MJD 0 designates the midnight of November 16th/17th, 1858, so day 0 in the system of modified Julian day numbers is the day 1858-11-17.

The following SQL statement uses the JULIAN_DAY function to get the Julian Date for certain days. The same calculation is also done using hand-coded SQL.

```

SELECT      bd
           ,JULIAN_DAY(bd)
           ,(1461 * (YEAR(bd) + 4800 + (MONTH(bd)-14)/12))/4
           +( 367 * (MONTH(bd)- 2      - 12*((MONTH(bd)-14)/12)))/12
           -(   3 * ((YEAR(bd) + 4900 + (MONTH(bd)-14)/12)/100))/4
           +DAY(bd) - 32075
FROM        (SELECT birthdate AS bd
           FROM employee
           WHERE midinit = 'R'
           ) AS xxx
ORDER BY bd;

```

ANSWER		
BD	2	3
1926-05-17	2424653	2424653
1936-03-28	2428256	2428256
1946-07-09	2432011	2432011
1955-04-12	2435210	2435210

Figure 408, JULIAN_DAY function examples

Julian Dates

Many computer users think of the "Julian Date" as a date format that has a layout of "yynnn" or "yyyynnn" where "yy" is the year and "nnn" is the number of days since the start of the same. A more correct use of the term "Julian Date" refers to the current date according to the calendar as originally defined by Julius Caesar - which has a leap year on every fourth year. In the US/UK, this calendar was in effect until "1752-09-14". The days between the 3rd and 13th of September in 1752 were not used in order to put everything back in sync. In the 20th and 21st centuries, to derive the Julian date one must subtract 13 days from the relevant Gregorian date (e.g. 1994-01-22 becomes 1994-01-07).

The following SQL illustrates how to convert a standard DB2 Gregorian Date to an equivalent Julian Date (calendar) and a Julian Date (output format):

```

ANSWER
=====
DT          DJ1        DJ2
-----  -----
2007-01-01  2006-12-19  2007001
2007-01-02  2006-12-20  2007002
2007-12-31  2007-12-18  2007365

WITH temp1(dt1) AS
  (VALUES ('2007-01-01')
         ,('2007-01-02')
         ,('2007-12-31'))
SELECT DATE(dt1) AS dt
      ,DATE(dt1) - 13 DAYS AS dj1
      ,YEAR(dt1) * 1000 + DAYOFYEAR(dt1) AS dj2
  FROM temp1;

```

Figure 409, Julian Date outputs

WARNING: DB2 does not make allowances for the days that were not used when English-speaking countries converted from the Julian to the Gregorian calendar in 1752

LCASE or LOWER

Converts a mixed or upper-case string to lower case. The output is the same data type and length as the input.

```

SELECT name
      ,LCASE(name) AS lname
      ,UCASE(name) AS uname
  FROM staff
 WHERE id < 30;

```

ANSWER		
NAME	LNAME	UNAME
Sanders	sanders	SANDERS
Pernal	pernal	PERNAL

Figure 410, LCASE function example

LEAST

See MIN scalar function on page 158.

LEFT

The LEFT function has two arguments: The first is an input string of type char, varchar, clob, or blob. The second is a positive integer value. The output is the left most characters in the string. Trailing blanks are not removed.

```

WITH temp1(c1) AS
  (VALUES (' ABC')
         ,(' ABC ')
         ,('ABC '))
SELECT c1
      ,LEFT(c1,4)           AS c2
      ,LENGTH(LEFT(c1,4))   AS l2
  FROM temp1;

```

ANSWER		
C1	C2	L2
ABC	AB	4
ABC	ABC	4
ABC	ABC	4

Figure 411, LEFT function examples

If the input is either char or varchar, the output is varchar(4000). A column this long is a nuisance to work with. Where possible, use the SUBSTR function to get around this problem.

LENGTH

Returns an integer value with the internal length of the expression (except for double-byte string types, which return the length in characters). The value will be the same for all fields in a column, except for columns containing varying-length strings.

<pre>SELECT LENGTH(d1) ,LENGTH(f1) ,LENGTH(s1) ,LENGTH(c1) ,LENGTH(RTRIM(c1)) FROM scalar;</pre>	ANSWER <pre>===== 1 2 3 4 5 --- --- --- --- --- 2 8 2 6 6 2 8 2 6 4 2 8 2 6 2</pre>
---	---

Figure 412, LENGTH function examples

LN or LOG

Returns the natural logarithm of the argument (same as LOG). The output format is double.

<pre>WITH temp1(n1) AS (VALUES (1),(123),(1234) ,(12345),(123456)) SELECT n1 ,LOG(n1) AS l1 FROM temp1;</pre>	ANSWER <pre>===== N1 L1 ----- ----- 1 +0.00000000000000E+000 123 +4.81218435537241E+000 1234 +7.11801620446533E+000 12345 +9.42100640177928E+000 123456 +1.17236400962654E+001</pre>
--	--

Figure 413, LOG function example

LOCATE

Returns an integer value with the absolute starting position of the first occurrence of the first string within the second string. If there is no match, the result is zero. The optional third parameter indicates where to start the search.

Figure 414, LOCATE function syntax

The result, if there is a match, is always the absolute position (i.e. from the start of the string), not the relative position (i.e. from the starting position).

<pre>WITH temp1 (c1) As (VALUES ('abcdÄ'), ('Äbcd'), ('AÄ'), ('ÄÄ')) SELECT c1 ,LOCATE('Ä',c1) AS "11" ,LOCATE('Ä',c1,2) AS "12" ,LOCATE('Ä',c1,OCTETS) AS "13" ,LOCATE('Ä',c1,CODEUNITS16) AS "14" ,LOCATE('Ä',c1,2,CODEUNITS16) AS "15" FROM temp1;</pre>	ANSWER <pre>===== C1 11 12 13 14 15 ----- -- -- -- -- -- abcdÄ 5 5 5 5 5 Äbcd 1 0 1 1 0 AÄ 2 2 2 2 2 ÄÄ 3 3 3 2 2</pre>
--	---

Figure 415, LOCATE function examples

When a special character like "Ä" is encountered before the find-string (see last line) the plain LOCATE returns the number of bytes searched, not the number of characters.

LOG or LN

See the description of the LN function.

LOG10

Returns the base ten logarithm of the argument. The output format is double.

```
WITH temp1(n1) AS
  (VALUES (1),(123),(1234)
          ,(12345),(123456))
SELECT n1
      ,LOG10(n1) AS l1
  FROM  temp1;
```

ANSWER	
N1	L1
-----	-----
1	+0.0000000000000E+000
123	+2.08990511143939E+000
1234	+3.09131515969722E+000
12345	+4.09149109426795E+000
123456	+5.09151220162777E+000

Figure 416, LOG10 function example

LONG_VARCHAR

Converts the input (1st argument) to a long_varchar data type. The output length (2nd argument) is optional.

LONG_VARGRAPHIC

Converts the input (1st argument) to a long_vargraphic data type. The output length (2nd argument) is optional.

LOWER

See the description for the LCASE function.

LTRIM

Remove leading blanks, but not trailing blanks, from the argument.

```
WITH temp1(c1) AS
  (VALUES (' ABC')
          ,(' ABC ')
          ,('ABC '))
SELECT c1
      ,LTRIM(c1)           AS c2
      ,LENGTH(LTRIM(c1)) AS l2
  FROM  temp1;
```

ANSWER		
C1	C2	L2
-----	-----	--
ABC	ABC	3
ABC	ABC	4
ABC	ABC	5

Figure 417, LTRIM function example

MAX

Returns the largest item from a list that must be at least two items long:

```
VALUES MAX(5,8,4)
```

ANSWER => 8

Figure 418, MAX scalar function

One can combine the MAX scalar and column functions to get the combined MAX value of a set of rows and columns:

```
SELECT MAX(MAX(salary,years,comm))
  FROM STAFF;
```

ANSWER => 87654.50

Figure 419, Sample Views used in Join Examples

DB2 knows which function is which because the MAX scalar value must have at least two input values, while the column function can only have one.

Null Processing

The MAX and MIN scalar functions return null if any one of the input list items is null. The MAX and MIN column functions ignore null values. They do however return null when no rows match.

MAX_CARDINALITY

Returns a BIGINT value that is the maximum number of values that an array can contain.

MICROSECOND

Returns the microsecond part of a timestamp (or equivalent) value. The output is integer.

```
SELECT      ts1          ANSWER
           ,MICROSECOND(ts1)
  FROM        scalar
 ORDER BY    ts1;
-----
```

TS1	ANSWER
0001-01-01-00.00.00.00000	0
1996-04-22-23.58.58.123456	123456
1996-08-15-15.15.15.151515	151515

Figure 420, MICROSECOND function example

MIDNIGHT_SECONDS

Returns the number of seconds since midnight from a timestamp, time or equivalent value. The output format is integer.

```
SELECT      ts1          ANSWER
           ,MIDNIGHT_SECONDS(ts1)
           ,HOUR(ts1)*3600 +
           ,MINUTE(ts1)*60 +
           ,SECOND(ts1)
  FROM        scalar
 ORDER BY    ts1;
-----
```

TS1	ANSWER	2	3
0001-01-01-00.00.00.00000	0	0	0
1996-04-22-23.58.58.123456	86338	86338	86338
1996-08-15-15.15.15.151515	54915	54915	54915

Figure 421, MIDNIGHT_SECONDS function example

There is no single function that will convert the MIDNIGHT_SECONDS output back into a valid time value. However, it can be done using the following SQL:

```
ANSWER
=====
MS      TM
-----
```

MS	TM
0	00:00:00
54915	15:15:15
86338	23:58:58

```
WITH temp1 (ms) AS
  (SELECT MIDNIGHT_SECONDS(ts1)
   FROM  scalar
  )
SELECT ms
  ,SUBSTR(DIGITS(ms/3600            ),9) || ':' || SUBSTR(DIGITS((ms-((MS/3600)*3600))/60 ),9) || ':' || SUBSTR(DIGITS(ms-((MS/60)*60)      ),9) AS tm
  FROM  temp1
 ORDER BY 1;
```

Figure 422, Convert MIDNIGHT_SECONDS output back to a time value

NOTE: The following two identical timestamp values: "2005-07-15.24.00.00" and "2005-07-16.00.00.00" will return different MIDNIGHT_SECONDS results. See the chapter titled "Quirks in SQL" on page 427 for a detailed discussion of this issue.

MIN

Returns the smallest item from a list that must be at least two items long:

```
VALUES MIN(5,8,4)                                ANSWER => 4
```

Figure 423, MIN scalar function

Null is returned if any one of the list items is null.

MINUTE

Returns the minute part of a time or timestamp (or equivalent) value. The output is integer.

SELECT ts1 ,MINUTE(ts1)	ANSWER
FROM scalar	=====
ORDER BY ts1;	TS1 2

	0001-01-01-00.00.00.000000 0
	1996-04-22-23.58.58.123456 58
	1996-08-15-15.15.15.151515 15

Figure 424, MINUTE function example

MOD

Returns the remainder (modulus) for the first argument divided by the second. In the following example the last column uses the MOD function to get the modulus, while the second to last column obtains the same result using simple arithmetic.

WITH temp1(n1,n2) AS (VALUES (-31,+11) UNION ALL SELECT n1 + 13 ,n2 - 4 FROM temp1 WHERE n1 < 60) SELECT n1 ,n2 ,n1/n2 AS div ,n1-((n1/n2)*n2) AS md1 ,MOD(n1,n2) AS md2 FROM temp1 ORDER BY 1;	ANSWER
	=====
	N1 N2 DIV MD1 MD2
	--- --- --- --- ---
	-31 11 -2 -9 -9
	-18 7 -2 -4 -4
	-5 3 -1 -2 -2
	8 -1 -8 0 0
	21 -5 -4 1 1
	34 -9 -3 7 7
	47 -13 -3 8 8
	60 -17 -3 9 9

Figure 425, MOD function example

MONTH

Returns an integer value in the range 1 to 12 that represents the month part of a date or timestamp (or equivalent) value.

MONTHNAME

Returns the name of the month (e.g. October) as contained in a date (or equivalent) value. The output format is varchar(100).

SELECT dt1 ,MONTH(dt1) ,MONTHNAME(dt1)	ANSWER
FROM scalar	=====
ORDER BY dt1;	DT1 2 3
	----- -- -----
	0001-01-01 1 January
	1996-04-22 4 April
	1996-08-15 8 August

Figure 426, MONTH and MONTHNAME functions example

MULTIPLY_ALT

Returns the product of two arguments as a decimal value. Use this function instead of the multiplication operator when you need to avoid an overflow error because DB2 is putting aside too much space for the scale (i.e. fractional part of number) Valid input is any exact numeric type: decimal, integer, bigint, or smallint (but not float).

```
WITH temp1 (n1,n2) AS
  (VALUES (DECIMAL(1234,10)
           ,DECIMAL(1234,10)))
SELECT  n1
       ,n2
       ,n1 * n2          AS p1
       ,"(n1,n2)"        AS p2
       ,MULTIPLY_ALT(n1,n2) AS p3
  FROM    temp1;
```

	ANSWER
>>	1234.
>>	1234.
>>	1522756.
>>	1522756.
>>	1522756.

Figure 427, Multiplying numbers - examples

When doing ordinary multiplication of decimal values, the output precision and the scale is the sum of the two input precisions and scales - with both having an upper limit of 31. Thus, multiplying a DEC(10,5) number and a DEC(4,2) number returns a DEC(14,7) number. DB2 always tries to avoid losing (truncating) fractional digits, so multiplying a DEC(20,15) number with a DEC(20,13) number returns a DEC(31,28) number, which is probably going to be too small.

The MULTIPLY_ALT function addresses the multiplication overflow problem by, if need be, truncating the output scale. If it is used to multiply a DEC(20,15) number and a DEC(20,13) number, the result is a DEC(31,19) number. The scale has been reduced to accommodate the required precision. Be aware that when there is a need for a scale in the output, and it is more than three digits, the function will leave at least three digits.

Below are some examples of the output precisions and scales generated by this function:

		RESULT	RESULT	<--MULTIPLY_ALT-->	
INPUT#1	INPUT#2	"*" OPERATOR	MULTIPLY_ALT	SCALE	PRECISION
=====	=====	=====	=====	=====	=====
DEC(05,00)	DEC(05,00)	DEC(10,00)	DEC(10,00)	NO	NO
DEC(10,05)	DEC(11,03)	DEC(21,08)	DEC(21,08)	NO	NO
DEC(20,15)	DEC(21,13)	DEC(31,28)	DEC(31,18)	YES	NO
DEC(26,23)	DEC(10,01)	DEC(31,24)	DEC(31,19)	YES	NO
DEC(31,03)	DEC(15,08)	DEC(31,11)	DEC(31,03)	YES	YES

Figure 428, Decimal multiplication - same output lengths

NORMALIZE_DECFLOAT

Removes any trailing zeros from a DECFLOAT value.

```

ANSWER
=====
D1          D2
-----
1           1
1.0         1
1.00        1
1.000       1
12.3        12.3
12.30       12.3
12000      1.2E+4
1.2E+4     1.2E+4
0.0012000000000000 0.0012
0.0012      0.0012
)
SELECT    d1
          ,NORMALIZE_DECFLOAT(d1) AS d2
FROM      temp1;

```

Figure 429, NORMALIZE_DECFLOAT function examples

NULLIF

Returns null if the two values being compared are equal, otherwise returns the first value.

```

SELECT s1
      ,NULLIF(s1,0)
      ,c1
      ,NULLIF(c1,'AB')
  FROM scalar
 WHERE NULLIF(0,0) IS NULL;

```

ANSWER			
S1	2	C1	4
-2	-2	ABCDEF	ABCDEF
0	-	ABCD	ABCD
1	1	AB	-

Figure 430, NULLIF function examples

NVL

Same as COALESCE.

OCTET_LENGTH

Returns the length of the input expression in octets (bytes).

```

WITH temp1 (c1) AS (VALUES (CAST('ÁÉÌ' AS VARCHAR(10))))
SELECT    c1          AS C1
          ,LENGTH(c1)    AS LEN
          ,OCTET_LENGTH(c1) AS OCT
          ,CHAR_LENGTH(c1,OCTETS) AS L08
          ,CHAR_LENGTH(c1,CODEUNITS16) AS L16
          ,CHAR_LENGTH(c1,CODEUNITS32) AS L32
  FROM temp1;

```

ANSWER					
C1	LEN	OCT	L08	L16	L32
ÁÉÌ	6	6	6	3	3

Figure 431, OCTET_LENGTH example

OVERLAY

Overlay (i.e. replace) some part of a string with another string. There are five parameters:

- The source string to be edited.
- The new string to be inserted. This value can be zero length, but must be provided.
- Start position for new string, and also to where start deleting. This value must be between one and the string length.
- Number of bytes in the source to be overlaid. This value is optional.

- The code unit to use.

There are two function notations. One uses keywords to separate each parameter. The other uses commas:




Figure 432, OVERLAY function syntax

```

WITH temp1 (txt) AS
  (VALUES('abcded'), ('addd'), ('adq'))
SELECT   txt
        ,OVERLAY(txt,'XX',3,1,OCTETS)  AS "s3f1"
        ,OVERLAY(txt,'XX',2,     OCTETS) AS "s2f0"
        ,OVERLAY(txt,'XX',1,1,OCTETS)  AS "s1f1"
        ,OVERLAY(txt,'XX',2,2,OCTETS)  AS "s2f2"
FROM     temp1;
ANSWER
=====
TXT    s3f1    s2f0    s1f1    s2f2
-----+-----+-----+-----+
abcded abXXded axXcded XXbcded axXded
addd   adXXd   axXdd   XXddd   axXd
adq    adXX    axXq    XXdq    aXX
  
```

Figure 433, OVERLAY function example

PARTITION

Returns the partition map index of the row. The result is zero if the table is not partitioned. The output is of type integer, and is never null.

```

SELECT   PARTITION(id) AS pp
FROM     staff
WHERE    id = 10;
ANSWER
=====
PP
-- 0
  
```

Figure 434, PARTITION function example

POSITION

Returns an integer value with the absolute starting position of the first occurrence of the first string within the second string. If there is no match, the result is zero. The third parameter indicates what code-unit to use.




Figure 435, POSITION function syntax

When a special character like "Ã" is encountered before the find-string (see last two lines in next example) the plain OCTETS search returns the number of bytes searched, not the number of characters:

```

WITH temp1 (c1) AS
  (VALUES ('Ä'),('aÄ'),('ÄÄ'),('ÄÄÄ'))
SELECT   c1
        ,POSITION('Ä',c1,OCTETS)      AS "p1"
        ,POSITION('Ä',c1,CODEUNITS16)  AS "p2"
        ,POSITION('Ä',c1,CODEUNITS32)  AS "p3"
        ,POSITION('Ä' IN c1 USING OCTETS) AS "p4"
FROM     temp1;

```

	ANSWER					
	=====	C1	p1	p2	p3	p4
	-----	---	---	---	---	---
		Ä	1	1	1	1
		aÄ	2	2	2	2
		ÄÄ	3	2	2	3
		ÄÄÄ	5	3	3	5

Figure 436, POSITION function syntax

The LOCATE function (see page 155) is very similar to the POSITION function. It has the additional capability of being able to start the search at any position in the search string.

POSSTR

Returns the position at which the second string is contained in the first string. If there is no match the value is zero. The test is case sensitive. The output format is integer.

```

SELECT   c1
        ,POSSTR(c1,' ')  AS p1
        ,POSSTR(c1,'CD') AS p2
        ,POSSTR(c1,'cd') AS p3
FROM     scalar
ORDER BY 1;

```

	ANSWER				
	=====	C1	P1	P2	P3
	-----	---	---	---	---
		AB	3	0	0
		ABCD	5	3	0
		ABCDEF	0	3	0

Figure 437, POSSTR function example

POSSTR vs. LOCATE

The LOCATE and POSSTR functions are very similar. Both look for matching strings searching from the left. The only functional differences are that the input parameters are reversed and the LOCATE function enables one to begin the search at somewhere other than the start. When either is suitable for the task at hand, it is probably better to use the POSSTR function because it is a SYSIBM function and so should be faster.

```

SELECT c1
        ,POSSTR(c1,' ')  AS p1
        ,LOCATE(' ',c1)  AS l1
        ,POSSTR(c1,'CD') AS p2
        ,LOCATE('CD',c1) AS l2
        ,POSSTR(c1,'cd') AS p3
        ,LOCATE('cd',c1) AS l3
        ,LOCATE('D',c1,2) AS l4
FROM     scalar
ORDER BY 1;

```

	ANSWER								
	=====	C1	P1	L1	P2	L2	P3	L3	L4
	-----	---	---	---	---	---	---	---	---
		AB	3	3	0	0	0	0	0
		ABCD	5	5	3	3	0	0	4
		ABCDEF	0	0	3	3	0	0	4

Figure 438, POSSTR vs. LOCATE functions

POWER

Returns the value of the first argument to the power of the second argument

```

WITH temp1(n1) AS
  (VALUES (1),(10),(100))
SELECT n1
        ,POWER(n1,1) AS p1
        ,POWER(n1,2) AS p2
        ,POWER(n1,3) AS p3
FROM     temp1;

```

	ANSWER				
	=====	N1	P1	P2	P3
	-----	-----	-----	-----	-----
		1	1	1	1
		10	10	100	1000
		100	100	10000	1000000

Figure 439, POWER function examples

QUANTIZE

Convert the first input parameter to DECFLOAT, using the second parameter as a mask. The specific value of the second parameter is irrelevant. But the precision (i.e. number of digits after the decimal point) defines the precision of the DECFLOAT result:

```

----- ANSWER -----
WITH templ (d1, d2) AS
  (VALUES (+1.23,      DECFLOAT(1.0))
        ,(+1.23,      DECFLOAT(1.00))
        ,(-1.23,      DECFLOAT(1.000))
        ,(+123,       DECFLOAT(9.8765))
        ,(+123,       DECFLOAT(1E-3))
        ,(+123,       DECFLOAT(1E+3))
        ,(SQRT(2),    DECFLOAT(0.0))
        ,(SQRT(2),    DECFLOAT('1E-5'))
        ,(SQRT(2),    DECFLOAT(' 1E-5 '))
)
SELECT QUANTIZE(d1,d2)
FROM   templ;

```

Figure 440, QUANTIZE function examples

Observe that the function returns a very different result when the second parameter is '1E-5' vs. 1E-5 (i.e. with no quotes). This is because the number 1E-5 is not precisely converted to the DECFLOAT value 0.00001, as the following query illustrates:

```
-----  
ANSWER  
-----  
WITH temp1 (d1) AS  
    (VALUES (DECFLOAT('1E-5'))  
            ,(DECFLOAT( 1E-5 ))  
    )  
SELECT d1  
FROM temp1;
```

Figure 441 DEC2FLOAT conversion example

CHAPTER

Returns an integer value in the range 1 to 4 that represents the quarter of the year from a date or timestamp (or equivalent) value.

RADIANS

Returns the number of radians converted from the input, which is expressed in degrees. The output format is double.

RAISE ERROR

Causes the SQL statement to stop and return a user-defined error message when invoked. There are a lot of usage restrictions involving this function, see the SOL Reference for details.



Figure 442, RAISE_ERROR function syntax

```

SELECT s1
      ,CASE
        WHEN s1 < 1 THEN s1
        ELSE RAISE_ERROR('80001',c1)
      END AS s2
   FROM scalar;

```

ANSWER	
S1	S2
-2	-2
0	0

Figure 443. RAISE_ERROR function example

The SIGNAL statement (see page 83) is the statement equivalent of this function.

RAND

WARNING: Using the RAND function in a predicate can result in unpredictable results. See page 430 for a detailed description of this issue. To randomly sample the rows in a table reliably and efficiently, use the TABLESAMPLE feature. See page 396 for details.

Returns a pseudo-random floating-point value in the range of zero to one inclusive. An optional seed value can be provided to get reproducible random results. This function is especially useful when one is trying to create somewhat realistic sample data.

Usage Notes

- The RAND function returns any one of 32K distinct floating-point values in the range of zero to one inclusive. Note that many equivalent functions in other languages (e.g. SAS) return many more distinct values over the same range.
- The values generated by the RAND function are evenly distributed over the range of zero to one inclusive.
- A seed can be provided to get reproducible results. The seed can be any valid number of type integer. Note that the use of a seed alone does not give consistent results. Two different SQL statements using the same seed may return different (but internally consistent) sets of pseudo-random numbers.
- If the seed value is zero, the initial result will also be zero. All other seed values return initial values that are not the same as the seed. Subsequent calls of the RAND function in the same statement are not affected.
- If there are multiple references to the RAND function in the same SQL statement, the seed of the first RAND invocation is the one used for all.
- If the seed value is not provided, the pseudo-random numbers generated will usually be unpredictable. However, if some prior SQL statement in the same thread has already invoked the RAND function, the newly generated pseudo-random numbers "may" continue where the prior ones left off.

Typical Output Values

The following recursive SQL generates 100,000 random numbers using two as the seed value. The generated data is then summarized using various DB2 column functions:

```

WITH temp (num, ran) AS
  (VALUES (INT(1)
           ,RAND(2))
UNION ALL
  SELECT num + 1
           ,RAND()
  FROM temp
  WHERE num < 100000
)
SELECT COUNT(*)          AS #rows      ==> 100000
      ,COUNT(DISTINCT ran) AS #values    ==> 31242
      ,DEC(AVG(ran),7,6)   AS avg_ran   ==> 0.499838
      ,DEC(STDDEV(ran),7,6) AS std_dev   ==> 0.288706
      ,DEC(MIN(ran),7,6)   AS min_ran   ==> 0.000000
      ,DEC(MAX(ran),7,6)   AS max_ran   ==> 1.000000
      ,DEC(MAX(ran),7,6) - DEC(MIN(ran),7,6) AS range    ==> 1.000000
      ,DEC(VAR(ran),7,6)   AS variance  ==> 0.083351
  FROM temp;

```

Figure 444, Sample output from RAND function

Observe that less than 32K distinct numbers were generated. Presumably, this is because the RAND function uses a 2-byte carry. Also observe that the values range from a minimum of zero to a maximum of one.

WARNING: Unlike most, if not all, other numeric functions in DB2, the RAND function returns different results in different flavors of DB2.

Reproducible Random Numbers

The RAND function creates pseudo-random numbers. This means that the output looks random, but it is actually made using a very specific formula. If the first invocation of the function uses a seed value, all subsequent invocations will return a result that is explicitly derived from the initial seed. To illustrate this concept, the following statement selects six random numbers. Because of the use of the seed, the same six values will always be returned when this SQL statement is invoked (when invoked on my machine):

```

SELECT deptno AS dno
      ,RAND(0) AS ran
  FROM department
 WHERE deptno < 'E'
 ORDER BY 1;

```

ANSWER	
=====	
DNO	RAN
---	-----
A00	+1.15970336008789E-003
B01	+2.35572374645222E-001
C01	+6.48152104251228E-001
D01	+7.43736075930052E-002
D11	+2.70241401409955E-001
D21	+3.60026856288339E-001

Figure 445, Make reproducible random numbers (use seed)

To get random numbers that are not reproducible, simply leave the seed out of the first invocation of the RAND function. To illustrate, the following statement will give differing results with each invocation:

```

SELECT deptno AS dno
      ,RAND() AS ran
  FROM department
 WHERE deptno < 'D'
 ORDER BY 1;

```

ANSWER	
=====	
DNO	RAN
---	-----
A00	+2.55287331766717E-001
B01	+9.85290078432569E-001
C01	+3.18918424024171E-001

Figure 446, Make non-reproducible random numbers (no seed)

NOTE: Use of the seed value in the RAND function has an impact across multiple SQL statements. For example, if the above two statements were always run as a pair (with nothing else run in between), the result from the second would always be the same.

Generating Random Values

Imagine that we need to generate a set of reproducible random numbers that are within a certain range (e.g. 5 to 15). Recursive SQL can be used to make the rows, and various scalar functions can be used to get the right range of data.

In the following example we shall make a list of three columns and ten rows. The first field is a simple ascending sequence. The second is a set of random numbers of type smallint in the range zero to 350 (by increments of ten). The last is a set of random decimal numbers in the range of zero to 10,000.

<pre>WITH Temp1 (col1, col2, col3) AS (VALUES (0 ,SMALLINT(RAND(2)*35)*10 ,DECIMAL(RAND()*10000,7,2)) UNION ALL SELECT col1 + 1 ,SMALLINT(RAND()*35)*10 ,DECIMAL(RAND()*10000,7,2) FROM temp1 WHERE col1 + 1 < 10) SELECT * FROM temp1;</pre>	ANSWER $\begin{array}{l} \hline \text{COL1} & \text{COL2} & \text{COL3} \\ \hline \end{array}$ <table border="0"> <tbody> <tr><td>0</td><td>0</td><td>9342.32</td></tr> <tr><td>1</td><td>250</td><td>8916.28</td></tr> <tr><td>2</td><td>310</td><td>5430.76</td></tr> <tr><td>3</td><td>150</td><td>5996.88</td></tr> <tr><td>4</td><td>110</td><td>8066.34</td></tr> <tr><td>5</td><td>50</td><td>5589.77</td></tr> <tr><td>6</td><td>130</td><td>8602.86</td></tr> <tr><td>7</td><td>340</td><td>184.94</td></tr> <tr><td>8</td><td>310</td><td>5441.14</td></tr> <tr><td>9</td><td>70</td><td>9267.55</td></tr> </tbody> </table>	0	0	9342.32	1	250	8916.28	2	310	5430.76	3	150	5996.88	4	110	8066.34	5	50	5589.77	6	130	8602.86	7	340	184.94	8	310	5441.14	9	70	9267.55
0	0	9342.32																													
1	250	8916.28																													
2	310	5430.76																													
3	150	5996.88																													
4	110	8066.34																													
5	50	5589.77																													
6	130	8602.86																													
7	340	184.94																													
8	310	5441.14																													
9	70	9267.55																													

Figure 447, Use RAND to make sample data

NOTE: See the section titled "Making Sample Data" for more detailed examples of using the RAND function and recursion to make test data.

Making Many Distinct Random Values

The RAND function generates 32K distinct random values. To get a larger set of (evenly distributed) random values, combine the result of two RAND calls in the manner shown below for the RAN2 column:

<pre>WITH temp1 (col1,ran1,ran2) AS (VALUES (0 ,RAND(2) ,RAND()+(RAND()/1E5)) UNION ALL SELECT col1 + 1 ,RAND() ,RAND() +(RAND()/1E5) FROM temp1 WHERE col1 + 1 < 30000) SELECT COUNT(*) AS col#1 ,COUNT(DISTINCT ran1) AS ran#1 ,COUNT(DISTINCT ran2) AS ran#2 FROM temp1;</pre>	ANSWER $\begin{array}{l} \hline \text{COL#1} & \text{RAN#1} & \text{RAN#2} \\ \hline \end{array}$ <table border="0"> <tbody> <tr><td>30000</td><td>19698</td><td>29998</td></tr> </tbody> </table>	30000	19698	29998
30000	19698	29998		

Figure 448, Use RAND to make many distinct random values

Observe that we do not multiply the two values that make up the RAN2 column above. If we did this, it would skew the average (from 0.5 to 0.25), and we would always get a zero whenever either one of the two RAND functions returned a zero.

NOTE: The GENERATE_UNIQUE function can also be used to get a list of distinct values, and actually does a better job than the RAND function. With a bit of simple data manipulation (see page 147), these values can also be made random.

Selecting Random Rows, Percentage

WARNING: Using the RAND function in a predicate can result in unpredictable results.
See page 430 for a detailed description of this issue.

Imagine that you want to select approximately 10% of the matching rows from some table. The predicate in the following query will do the job:

<pre>SELECT id ,name FROM staff WHERE RAND() < 0.1 ORDER BY id;</pre>	ANSWER ===== ID NAME --- --- 140 Fraye 190 Sneider 290 Quill
--	---

Figure 449, Randomly select 10% of matching rows

The RAND function randomly generates values in the range of zero through one, so the above query should return approximately 10% the matching rows. But it may return anywhere from zero to all of the matching rows - depending on the specific values that the RAND function generates. If the number of rows to be processed is large, then the fraction (of rows) that you get will be pretty close to what you asked for. But for small sets of matching rows, the result set size is quite often anything but what you wanted.

Selecting Random Rows, Number

The following query will select five random rows from the set of matching rows. It begins (in the inner-most nested table expression) by using the RAND function to assign random values to each matching row. Subsequently, the ROW_NUMBER function is used to sequence each random value. Finally, those rows with the five lowest row numbers are selected:

<pre>SELECT id ,name FROM (SELECT s2.* ,ROW_NUMBER() OVER(ORDER BY r1) AS r2 FROM (SELECT s1.* ,RAND() AS r1 FROM staff s1 WHERE id <= 100)AS s2)AS s3 WHERE r2 <= 5 ORDER BY id;</pre>	ANSWER ===== ID NAME --- --- 10 Sanders 30 Marenghi 40 O'Brien 70 Rothman 100 Plotz
--	--

Figure 450, Select five random rows

Use in DML

Imagine that in act of inspired unfairness, we decided to update a selected set of employee's salary to a random number in the range of zero to \$10,000. This too is easy:

```
UPDATE      staff
 SET        salary = RAND()*10000
 WHERE      id < 50;
```

Figure 451, Use RAND to assign random salaries

REAL

Returns a single-precision floating-point representation of a number.

```


ANSWERS
=====
SELECT n1          AS dec      => 1234567890.123456789012345678901
      ,DOUBLE(n1)   AS dbl      => 1.23456789012346e+009
      ,REAL(n1)     AS rel      => 1.234568e+009
      ,INTEGER(n1)  AS int      => 1234567890
      ,BIGINT(n1)   AS big      => 1234567890
FROM   (SELECT 1234567890.123456789012345678901 AS n1
       FROM staff
      WHERE id = 10) AS xxx;

```

Figure 452, REAL and other numeric function examples

REPEAT

Repeats a character string "n" times.



REPEAT — (— string-to-repeat — , #times —) ——————→

Figure 453, REPEAT function syntax

```


SELECT id          ANSWER
      ,CHAR(REPEAT(name, 3), 40)
FROM  staff        =====
WHERE id < 40        ID 2
ORDER BY id;        -- -----
                      10 SandersSandersSanders
                      20 PernalPernalPernal
                      30 MarenghiMarenghiMarenghi

```

Figure 454, REPEAT function example

REPLACE

Replaces all occurrences of one string with another. The output is of type varchar(4000).



REPLACE — (— string-to-change — , search-for — , replace-with —) ——————→

Figure 455, REPLACE function syntax

```

SELECT c1          ANSWER
      ,REPLACE(c1, 'AB', 'XY') AS r1
      ,REPLACE(c1, 'BA', 'XY') AS r2
FROM  scalar;      =====
                      C1      R1      R2
                      ----  -----
                      ABCDEF XYCDEF ABCDEF
                      ABCD  XYCD    ABCD
                      AB    XY      AB

```

Figure 456, REPLACE function examples

The REPLACE function is case sensitive. To replace an input value, regardless of the case, one can nest the REPLACE function calls. Unfortunately, this technique gets to be a little tedious when the number of characters to replace is large.

```

SELECT c1          ANSWER
      ,REPLACE(REPLACE(
      REPLACE(REPLACE(c1,
          'AB', 'XY'), 'ab', 'XY'),
          'Ab', 'XY'), 'aB', 'XY')
FROM  scalar;      =====
                      C1      R1
                      ----  -----
                      ABCDEF XYCDEF
                      ABCD  XYCD
                      AB    XY

```

Figure 457, Nested REPLACE functions

RID

Returns the RID (i.e. row identifier - of type BIGINT) for the matching row. The row identifier contains the page number, and the row number within the page. A unique table identifier must be provided.

```

SELECT   id                               ANSWER
        ,salary
        ,RID(staff) AS staff_rid
FROM     staff
WHERE    id < 40
ORDER BY id;
===== =====
ID  SALARY  STAFF_RID
--  -----
10  98357.50 100663300
20  78171.25 100663301
30  77506.75 100663302

```

Figure 458, RID function example

The RID function is similar to the RID_BIT function, but less useful (e.g. does not work in a DPF environment). All subsequent examples will refer to the RID_BIT function.

RID_BIT

Returns the row identifier, of type VARCHAR(16) FOR BIT DATA, for the row. The row identifier contains the page number, and the row number within the page.

The only input value, which must be provided, is the (unique) table identifier. The table must be listed in the subsequent FROM statement.

```

SELECT   id                               ANSWER
        ,RID_BIT(staff) AS rid_bit
FROM     staff
WHERE    id < 40
ORDER BY id;
===== =====
ID  RID_BIT
--  -----
10  x'04000006000000000000000000000000FCE14D'
20  x'05000006000000000000000000000000FCE14D'
30  x'06000006000000000000000000000000FCE14D'

```

Figure 459, RID_BIT function example – single table

When the same table is referenced twice in the FROM, the correlation name must be used:

```

SELECT   s1.id                               ANSWER
        ,RID_BIT(s1) AS rid_bit
FROM     staff s1
        ,staff s2
WHERE    s1.id < 40
        AND   s1.id = s2.id - 10
ORDER BY s1.id;
===== =====
ID  RID_BIT
--  -----
10  x'04000006000000000000000000000000FCE14D'
20  x'05000006000000000000000000000000FCE14D'
30  x'06000006000000000000000000000000FCE14D'

```

Figure 460, RID_BIT function example – multiple tables

The RID function can be used in a predicate to uniquely identify a row: To illustrate, the following query gets the RID and ROW CHANGE TOKEN for a particular row:

```

ANSWER - VALUES
=====
SELECT   id
        ,salary
        ,RID_BIT(staff)
        ,ROW CHANGE TOKEN FOR staff
FROM     staff
WHERE    id = 20;
20
78171.25
x'05000006000000000000000000000000FCE14D'
3999250443959009280

```

Figure 461, RID_BIT function example – select row to update

If at some subsequent point in time we want to update this row, we can use the RID value to locate it directly, and the ROW CHANGE TOKEN to confirm that it has not been changed:

```

UPDATE   staff
SET      salary          =  salary * 1.1
WHERE    RID_BIT(staff)   =  x'05000006000000000000000000000000FCE14D'
        AND    ROW CHANGE TOKEN FOR staff =  3999250443959009280;

```

Figure 462, RID_BIT function example – update row

Usage Notes

- The table name provided to the RID_BIT function must uniquely identify the table being processed. If a view is referenced, the view must be deletable.
 - The RID_BIT function will return a different value for a particular row a REORG is run.
 - The ROW CHANGE TOKEN changes every time a row is updated, including when an update is rolled back. So after a rollback the value will be different from what it was at the beginning of the unit of work.
 - The ROW CHANGE TOKEN is unique per page, not per row. So if any other row in the same page is changed, the prior update will not match. This is called a "false negative". To avoid, define a ROW CHANGE TIMESTAMP column for the table, as the value in this field is unique per row.

RIGHT

Has two arguments: The first is an input string of type char, varchar, clob, or blob. The second is a positive integer value. The output, of type varchar(4000), is the right most characters in the string.

```

WITH templ(c1) AS
  (VALUES ('ABC')
        ,(' ABC ')
        ,('ABC '))
SELECT c1
      ,RIGHT(c1,4)          AS c2
      ,LENGTH(RIGHT(c1,4)) as l2
FROM   templ;

```

ANSWER		
C1	C2	L2
ABC	ABC	4
ABC	ABC	4
ABC	BC	4

Figure 463, RIGHT function examples

ROUND

Rounds the rightmost digits of number (1st argument). If the second argument is positive, it rounds to the right of the decimal place. If the second argument is negative, it rounds to the left. A second argument of zero results rounds to integer. The input and output types are the same, except for decimal where the precision will be increased by one - if possible. Therefore, a DEC(5,2)field will be returned as DEC(6,2), and a DEC(31,2) field as DEC(31,2). To truncate instead of round, use the TRUNCATE function.

```

ANSWER
=====
D1      P2      P1      P0      N1      N2
-----
123.400 123.400 123.400 123.000 120.000 100.000
(VALUES (123.400)           23.450   23.450   23.400   23.000   20.000   0.000
      ,( 23.450)            3.456    3.460    3.500    3.000    0.000    0.000
      ,( 3.456)             0.056   0.060   0.100   0.000   0.000   0.000
      ,( .056))             

SELECT d1
      ,DEC(ROUND(d1,+2),6,3) AS p2
      ,DEC(ROUND(d1,+1),6,3) AS p1
      ,DEC(ROUND(d1,+0),6,3) AS p0
      ,DEC(ROUND(d1,-1),6,3) AS n1
      ,DEC(ROUND(d1,-2),6,3) AS n2
FROM temp1;

```

Figure 464, ROUND function examples

RTRIM

Trims the right-most blanks of a character string.

```
SELECT c1
      ,RTRIM(c1)          AS r1
      ,LENGTH(c1)          AS r2
      ,LENGTH(RTRIM(c1))  AS r3
  FROM  scalar;
```

ANSWER			
C1	R1	R2	R3
ABCDEF	ABCDEF	6	6
ABCD	ABCD	6	4
AB	AB	6	2

Figure 465, RTRIM function example

SECLABEL Functions

The SECLABEL, SECLABEL_BY_NAME, and SECLABEL_BY_CHAR functions are used to process security labels. See the SQL Reference for more details.

SECOND

Returns the second (of minute) part of a time or timestamp (or equivalent) value.

SIGN

Returns -1 if the input number is less than zero, 0 if it equals zero, and +1 if it is greater than zero. The input and output types will equal, except for decimal which returns double.

```
SELECT d1
      ,SIGN(d1)
      ,f1
      ,SIGN(f1)
  FROM  scalar;
```

ANSWER (float output shortened)			
D1	2	F1	4
-2.4	-1.000E+0	-2.400E+0	-1.000E+0
0.0	+0.000E+0	+0.000E+0	+0.000E+0
1.8	+1.000E+0	+1.800E+0	+1.000E+0

Figure 466, SIGN function examples

SIN

Returns the SIN of the argument where the argument is an angle expressed in radians. The output format is double.

```
WITH temp1(n1) AS
  (VALUES (0)
  UNION ALL
  SELECT n1 + 10
  FROM temp1
  WHERE n1 < 80)
SELECT n1
      ,DEC(RADIANS(n1),4,3)    AS ran
      ,DEC(SIN(RADIANS(n1)),4,3) AS sin
      ,DEC(TAN(RADIANS(n1)),4,3) AS tan
  FROM temp1;
```

ANSWER			
N1	RAN	SIN	TAN
0	0.000	0.000	0.000
10	0.174	0.173	0.176
20	0.349	0.342	0.363
30	0.523	0.500	0.577
40	0.698	0.642	0.839
50	0.872	0.766	1.191
60	1.047	0.866	1.732
70	1.221	0.939	2.747
80	1.396	0.984	5.671

Figure 467, SIN function example

SINH

Returns the hyperbolic sin for the argument, where the argument is an angle expressed in radians. The output format is double.

SMALLINT

Converts either a number or a valid character value into a smallint value.

```
SELECT d1
      ,SMALLINT(d1)
      ,SMALLINT('+123')
      ,SMALLINT('-123')
      ,SMALLINT(' 123 ')
  FROM scalar;
```

	ANSWER
D1	=====
-2.4	-2
0.0	0
1.8	1
	123
	-123
	123
	-123
	123

Figure 468, SMALLINT function examples

SNAPSHOT Functions

The various SNAPSHOT functions can be used to analyze the system. They are beyond the scope of this book. Refer instead to the DB2 System Monitor Guide and Reference.

SOUNDEX

Returns a 4-character code representing the sound of the words in the argument. Use the DIFFERENCE function to convert words to soundex values and then compare.

```
SELECT a.name          AS n1
      ,SOUNDEX(a.name) AS s1
      ,b.name          AS n2
      ,SOUNDEX(b.name) AS s2
      ,DIFFERENCE
      (a.name,b.name) AS df
  FROM staff a
      ,staff b
 WHERE a.id = 10
   AND b.id > 150
   AND b.id < 250
 ORDER BY df DESC
      ,n2 ASC;
```

	ANSWER			
N1	=====			
S1	-----			
N2	-----			
S2	-----			
DF	--			
Sanders	S536	Sneider	S536	4
Sanders	S536	Smith	S530	3
Sanders	S536	Lundquist	L532	2
Sanders	S536	Daniels	D542	1
Sanders	S536	Molinare	M456	1
Sanders	S536	Scoutten	S350	1
Sanders	S536	Abrahams	A165	0
Sanders	S536	Kermisch	K652	0
Sanders	S536	Lu	L000	0

Figure 469, SOUNDEX function example

SOUNDEX Formula

There are several minor variations on the SOUNDEX algorithm. Below is one example:

- The first letter of the name is left unchanged.
- The letters W and H are ignored.
- The vowels, A, E, I, O, U, and Y are not coded, but are used as separators (see last item).
- The remaining letters are coded as:

B, P, F, V	1
C, G, J, K, Q, S, X, Z	2
D, T	3
L	4
M, N	5
R	6

- Letters that follow letters with same code are ignored unless a separator (see the third item above) precedes them.

The result of the above calculation is a four byte value. The first byte is a character as defined in step one. The remaining three bytes are digits as defined in steps two through four. Output

longer than four bytes is truncated. If the output is not long enough, it is padded on the right with zeros. The maximum number of distinct values is 8,918.

NOTE: The SOUNDEX function is something of an industry standard that was developed several decades ago. Since that time, several other similar functions have been developed. You may want to investigate writing your own DB2 function to search for similar-sounding names.

SPACE

Returns a string consisting of "n" blanks. The output format is varchar(4000).

```

WITH temp1(n1) AS
VALUES (1),(2),(3))
SELECT n1
,SPACE(n1)          AS s1
,LENGTH(SPACE(n1)) AS s2
,SPACE(n1) || 'X'   AS s3
FROM   temp1;

```

ANSWER			
N1	S1	S2	S3
--	---	--	---
	1	1	X
	2	2	X
	3	3	X

Figure 470, SPACE function examples

SQRT

Returns the square root of the input value, which can be any positive number. The output format is double.

```

WITH temp1(n1) AS
  (VALUES (0.5),(0.0)
        ,(1.0),(2.0))
SELECT DEC(n1,4,3)          AS n1
      ,DEC(SQRT(n1),4,3) AS s1
FROM   temp1;

```

ANSWER	
N1	S1
0.500	0.707
0.000	0.000
1.000	1.000
2.000	1.414

Figure 471, SQRT function example

STRIP

Removes leading, trailing, or both (the default), characters from a string. If no strip character is provided, leading and/or trailing blank characters are removed.




Figure 472, STRIP function syntax

Observe in the following query that the last example removes leading "A" characters:

```

WITH temp1(c1) AS
  (VALUES (' ABC')
        ,(' ABC ')
        ,('ABC '))
SELECT c1
      ,STRIP(c1)
      ,LENGTH(STRIP(c1))
      ,STRIP(c1,LEADING)
      ,LENGTH(STRIP(c1,LEADING))
      ,STRIP(c1,LEADING,'A')
  FROM temp1;

```


ANSWER					
C1	C2	L2	C3	L3	C4
ABC	ABC	3	ABC	3	ABC
ABC	ABC	3	ABC	4	ABC
ABC	ABC	3	ABC	5	BC

Figure 473, STRIP function example

The TRIM function works the same way.

SUBSTR

Returns part of a string. If the length is not provided, the output is from the start value to the end of the string.



A diagram showing the SUBSTR function syntax. It consists of a left-pointing arrow, followed by the text "SUBSTR (", another left-pointing arrow, then "string", another left-pointing arrow, then ", start", a right-pointing arrow pointing to a rectangular box containing ", length", another right-pointing arrow, and finally a right-pointing arrow.

Figure 474, SUBSTR function syntax

If the length is provided, and it is longer than the field length, a SQL error results. The following statement illustrates this. Note that in this example the DAT1 field has a "field length" of 9 (i.e. the length of the longest input string).

```

WITH temp1 (len, dat1) AS
  (VALUES      ( 6,'123456789')
    ,( 4,'12345'      )
    ,(16,'123'       )
  )
SELECT   len
      ,dat1
      ,LENGTH(dat1)      AS ldat
      ,SUBSTR(dat1,1,len) AS subdat
  FROM temp1;

```

ANSWER			
LEN	DAT1	LDAT	SUBDAT
6	123456789	9	123456
4	12345	5	1234
		<error>	

Figure 475, SUBSTR function - error because length parm too long

The best way to avoid the above problem is to simply write good code. If that sounds too much like hard work, try the following SQL:

```

WITH temp1 (len, dat1) AS
  (VALUES      ( 6,'123456789')
    ,( 4,'12345'      )
    ,(16,'123'       )
  )
SELECT   len
      ,dat1
      ,LENGTH(dat1)  AS ldat
      ,SUBSTR(dat1,1,CASE
                           WHEN len < LENGTH(dat1) THEN len
                           ELSE LENGTH(dat1)
                           END ) AS subdat
  FROM temp1;

```

ANSWER			
LEN	DAT1	LDAT	SUBDAT
6	123456789	9	123456
4	12345	5	1234
16	123	3	123

Figure 476, SUBSTR function - avoid error using CASE (see previous)

In the above SQL a CASE statement is used to compare the LEN value against the length of the DAT1 field. If the former is larger, it is replaced by the length of the latter.

If the input is varchar, and no length value is provided, the output is varchar. However, if the length is provided, the output is of type char - with padded blanks (if needed):

```

SELECT name
      ,LENGTH(name)          AS len
      ,SUBSTR(name,5)        AS s1
      ,LENGTH(SUBSTR(name,5)) AS l1
      ,SUBSTR(name,5,3)       AS s2
      ,LENGTH(SUBSTR(name,5,3)) AS l2
  FROM staff
 WHERE id < 60;

```

ANSWER					
NAME	LEN	S1	L1	S2	L2
Sanders	7	ers	3	ers	3
Pernal	6	al	2	al	3
Marenghi	8	nghi	4	ngh	3
O'Brien	7	ien	3	ien	3
Hanes	5	s	1	s	3

Figure 477, SUBSTR function - fixed length output if third parm. used

TABLE

There isn't really a TABLE function, but there is a TABLE phrase that returns a result, one row at a time, from either an external (e.g. user written) function, or from a nested table expression. The TABLE phrase (function) has to be used in the latter case whenever there is a reference in the nested table expression to a row that exists outside of the expression. An example follows:

```

SELECT a.id
      ,a.dept
      ,a.salary
      ,b.deptsal
  FROM staff a
      ,TABLE
      (SELECT b.dept
            ,SUM(b.salary) AS deptsal
         FROM staff b
        WHERE b.dept = a.dept
       GROUP BY b.dept
      )AS b
 WHERE a.id < 40
 ORDER BY a.id;

```

Figure 478, Fullselect with external table reference

See page 303 for more details on using of the TABLE phrase in a nested table expression.

TABLE_NAME

Returns the base view or table name for a particular alias after all alias chains have been resolved. The output type is varchar(18). If the alias name is not found, the result is the input values. There are two input parameters. The first, which is required, is the alias name. The second, which is optional, is the alias schema. If the second parameter is not provided, the default schema is used for the qualifier.

```

CREATE ALIAS emp1 FOR employee;
CREATE ALIAS emp2 FOR emp1;

SELECT tabschema
      ,tabname
      ,card
  FROM syscat.tables
 WHERE tabname = TABLE_NAME('emp2', 'graeme');

```

ANSWER		
TABSCHEMA	TABNAME	CARD
graeme	employee	-1

Figure 479, TABLE_NAME function example

TABLE_SCHEMA

Returns the base view or table schema for a particular alias after all alias chains have been resolved. The output type is char(8). If the alias name is not found, the result is the input values. There are two input parameters. The first, which is required, is the alias name. The sec-

ond, which is optional, is the alias schema. If the second parameter is not provided, the default schema is used for the qualifier.

Resolving non-existent Objects

Dependent aliases are not dropped when a base table or view is removed. After the base table or view drop, the TABLE_SCHEMA and TABLE_NAME functions continue to work fine (see the 1st output line below). However, when the alias being checked does not exist, the original input values (explicit or implied) are returned (see the 2nd output line below).

```

CREATE VIEW fred1 (c1, c2, c3)
AS VALUES (11, 'AAA', 'BBB');

CREATE ALIAS fred2 FOR fred1;
CREATE ALIAS fred3 FOR fred2;

DROP VIEW fred1;

WITH temp1 (tab_sch, tab_nme) AS
  (VALUES (TABLE_SCHEMA('fred3','graeme'),TABLE_NAME('fred3')),
          (TABLE_SCHEMA('xxxxxx')           ,TABLE_NAME('xxxxxx','xxx')))

SELECT *
FROM   temp1;

```

ANSWER	=====
TAB_SCH	TAB_NME
graeme	fred1
graeme	xxxxx

Figure 480, TABLE_SCHEMA and TABLE_NAME functions example

TAN

Returns the tangent of the argument where the argument is an angle expressed in radians.

TANH

Returns the hyperbolic tan for the argument, where the argument is an angle expressed in radians. The output format is double.

TIME

Converts the input into a time value.

TIMESTAMP

Converts the input(s) into a timestamp value.

Argument Options

- If only one argument is provided, it must be (one of):
 - A timestamp value.
 - A character representation of a timestamp (the microseconds are optional).
 - A 14 byte string in the form: YYYYMMDDHHMMSS.
- If both arguments are provided:
 - The first must be a date, or a character representation of a date.
 - The second must be a time, or a character representation of a time.

```

SELECT  TIMESTAMP('1997-01-11-22.44.55.000000')
        ,TIMESTAMP('1997-01-11-22.44.55.000')
        ,TIMESTAMP('1997-01-11-22.44.55')
        ,TIMESTAMP('19970111224455')
        ,TIMESTAMP('1997-01-11','22.44.55')
  FROM    staff
 WHERE   id = 10;

```

Figure 481, *TIMESTAMP function examples*

TIMESTAMP_FORMAT

Takes an input string with the format: "YYYY-MM-DD HH:MM:SS" and converts it into a valid timestamp value. The VARCHAR_FORMAT function does the inverse.

```

WITH temp1 (ts1) AS
  (VALUES ('1999-12-31 23:59:59')
          ,('2002-10-30 11:22:33')
  )
SELECT  ts1
        ,TIMESTAMP_FORMAT(ts1,'YYYY-MM-DD HH24:MI:SS') AS ts2
  FROM    temp1
 ORDER BY ts1;                                              ANSWER
=====
TS1                      TS2
-----
1999-12-31 23:59:59  1999-12-31-23.59.59.000000
2002-10-30 11:22:33  2002-10-30-11.22.33.000000

```

Figure 482, *TIMESTAMP_FORMAT function example*

Note that the only allowed formatting mask is the one shown.

TIMESTAMP_ISO

Returns a timestamp in the ISO format (yyyy-mm-dd hh:mm:ss.nnnnnn) converted from the IBM internal format (yyyy-mm-dd-hh.mm.ss.nnnnnn). If the input is a date, zeros are inserted in the time part. If the input is a time, the current date is inserted in the date part and zeros in the microsecond section.

```

SELECT tm1
      ,TIMESTAMP_ISO(tm1)
  FROM scalar;                                              ANSWER
=====
TM1                      2
-----
23:58:58 2000-09-01-23.58.58.000000
15:15:15 2000-09-01-15.15.15.000000
00:00:00 2000-09-01-00.00.00.000000

```

Figure 483, *TIMESTAMP_ISO function example*

TIMESTAMPDIFF

Returns an integer value that is an estimate of the difference between two timestamp values. Unfortunately, the estimate can sometimes be seriously out (see the example below), so this function should be used with extreme care.

Arguments

There are two arguments. The first argument indicates what interval kind is to be returned. Valid options are:

1 = Microseconds.	2 = Seconds.	4 = Minutes.
8 = Hours.	16 = Days.	32 = Weeks.
64 = Months.	128 = Quarters.	256 = Years.

The second argument is the result of one timestamp subtracted from another and then converted to character.

```

WITH
temp1 (ts1,ts2) AS
  (VALUES ('1996-03-01-00.00.01','1995-03-01-00.00.00')
   ,('1996-03-01-00.00.00','1995-03-01-00.00.01')),
temp2 (ts1,ts2) AS
  (SELECT  TIMESTAMP(ts1)
    ,TIMESTAMP(ts2)
   FROM temp1),
temp3 (ts1,ts2,df) AS
  (SELECT ts1
    ,ts2
    ,CHAR(TS1 - TS2) AS df
   FROM temp2)
SELECT df
  ,TIMESTAMPDIFF(16,df) AS dif
  ,DAYS(ts1) - DAYS(ts2) AS dys
   FROM temp3;

```

ANSWER	=====	DF	DIF	DYS
0001000000001.000000	-----	365	366	
00001130235959.000000	-----	360	366	

Figure 484, TIMESTAMPDIFF function example

WARNING: Some the interval types return estimates, not definitive differences, so should be used with care. For example, to get the difference between two timestamps in days, use the DAYS function as shown above. It is always correct.

Roll Your Own

The following user-defined function will get the difference, in microseconds, between two timestamp values. It can be used as an alternative to the above:

```

CREATE FUNCTION ts_diff_works(in_hi TIMESTAMP,in_lo TIMESTAMP)
RETURNS BIGINT
RETURN (BIGINT(DAYS(in_hi)) * 86400000000
      + BIGINT(MIDNIGHT_SECONDS(in_hi)) * 1000000
      + BIGINT(MICROSECOND(in_hi)))
      -(BIGINT(DAYS(in_lo)) * 86400000000
      + BIGINT(MIDNIGHT_SECONDS(in_lo)) * 1000000
      + BIGINT(MICROSECOND(in_lo)));

```

Figure 485, Function to get difference between two timestamps

TO_CHAR

This function is a synonym for VARCHAR_FORMAT (see page 181). It converts a timestamp value into a string using a template to define the output layout.

TO_DATE

This function is a synonym for TIMESTAMP_FORMAT (see page 177). It converts a character string value into a timestamp using a template to define the input layout.

TOTALORDER

Compares two DECFLOAT expressions and returns a SMALLINT number:

- -1 if the first value is less than the second value.
- 0 if both values exactly equal (i.e. no trailing-zero differences)
- +1 if the first value is greater than the second value.

Several values that compare as "less than" or "greater than" in the example below are equal in the usual sense. See the section on DECFLOAT arithmetic for details (see page: 25).

```

WITH temp1 (d1, d2) AS
  (VALUES (DECFLOAT(+1.0), DECFLOAT(+1.0))
   , (DECFLOAT(+1.0), DECFLOAT(+1.00))
   , (DECFLOAT(-1.0), DECFLOAT(-1.00))
   , (DECFLOAT(+0.0), DECFLOAT(+0.00))
   , (DECFLOAT(-0.0), DECFLOAT(-0.00))
   , (DECFLOAT(1234), +infinity)
   , (+infinity, +infinity)
   , (+infinity, -infinity)
   , (DECFLOAT(1234), -NaN)
  )
SELECT TOTALORDER(d1,d2)
FROM temp1;

```

ANSWER
=====

0
1
-1
1
1
-1
0
1
1

Figure 486, TOTALORDER function example

TRANSLATE

Converts individual characters in either a character or graphic input string from one value to another. It can also convert lower case data to upper case.




Figure 487, TRANSLATE function syntax

Usage Notes

- The use of the input string alone generates upper case output.
- When "from" and "to" values are provided, each individual "from" character in the input string is replaced by the corresponding "to" character (if there is one).
- If there is no "to" character for a particular "from" character, those characters in the input string that match the "from" are set to blank (if there is no substitute value).
- A fourth, optional, single-character parameter can be provided that is the substitute character to be used for those "from" values having no "to" value.
- If there are more "to" characters than "from" characters, the additional "to" characters are ignored.

SELECT 'abcd'	ANS. NOTES
, TRANSLATE('abcd')	==> abcd No change
, TRANSLATE('abcd', ' ', 'a')	==> ABCD Make upper case
, TRANSLATE('abcd', 'A', 'A')	==> bcd 'a'=>' '
, TRANSLATE('abcd', 'A', 'a')	abcd 'A'=>'A'
, TRANSLATE('abcd', 'A', 'ab')	Abcd 'a'=>'A'
, TRANSLATE('abcd', 'A', 'ab', ' ')	A cd 'a'=>'A', 'b'=>' '
, TRANSLATE('abcd', 'A', 'ab', 'z')	A cd 'a'=>'A', 'b'=>'z'
, TRANSLATE('abcd', 'AB', 'a')	Azcd 'a'=>'A', 'b'=>'z'
FROM staff	Abcd 'a'=>'A'
WHERE id = 10;	

Figure 488, TRANSLATE function examples

REPLACE vs. TRANSLATE - A Comparison

Both the REPLACE and the TRANSLATE functions alter the contents of input strings. They differ in that the REPLACE converts whole strings while the TRANSLATE converts multiple sets of individual characters. Also, the "to" and "from" strings are back to front.

```

SELECT c1
    ,REPLACE(c1,'AB','XY')
    ,REPLACE(c1,'BA','XY')
    ,TRANSLATE(c1,'XY','AB')
    ,TRANSLATE(c1,'XY','BA')
FROM scalar
WHERE c1 = 'ABCD';

```

ANSWER
=====
==> ABCD
==> XYCD
==> ABCD
XYCD
YXCD

Figure 489, REPLACE vs. TRANSLATE

TRIM

See STRIP function on page 173.

TRUNC or TRUNCATE

Truncates (not rounds) the rightmost digits of an input number (1st argument). If the second argument is positive, it truncates to the right of the decimal place. If the second value is negative, it truncates to the left. A second value of zero truncates to integer. The input and output types will equal. To round instead of truncate, use the ROUND function.

```

ANSWER
=====
D1      POS2     POS1     ZERO    NEG1    NEG2
-----  -----
123.400 123.400 123.400 123.000 120.000 100.000
23.450  23.440  23.400  23.000  20.000   0.000
,( 23.450)      3.456   3.450   3.400   3.000   0.000
,( 3.456)       0.056   0.050   0.000   0.000   0.000
,( .056))      .          .        .        .        .        .
SELECT d1
    ,DEC(TRUNC(d1,+2),6,3) AS pos2
    ,DEC(TRUNC(d1,+1),6,3) AS pos1
    ,DEC(TRUNC(d1,+0),6,3) AS zero
    ,DEC(TRUNC(d1,-1),6,3) AS neg1
    ,DEC(TRUNC(d1,-2),6,3) AS neg2
FROM temp1
ORDER BY 1 DESC;

```

Figure 490, TRUNCATE function examples

TYPE_ID

Returns the internal type identifier of the dynamic data type of the expression.

TYPE_NAME

Returns the unqualified name of the dynamic data type of the expression.

TYPE_SCHEMA

Returns the schema name of the dynamic data type of the expression.

UCASE or UPPER

Converts a mixed or lower-case string to upper case. The output is the same data type and length as the input.

```
SELECT name
      ,LCASE(name) AS lname
      ,UCASE(name) AS uname
   FROM staff
  WHERE id < 30;
```

ANSWER		
NAME	LNAME	UNAME
Sanders	sanders	SANDERS
Pernal	pernal	PERNAL

Figure 491, UCASE function example

VALUE

Same as COALESCE.

VARCHAR

Converts the input (1st argument) to a varchar data type. The output length (2nd argument) is optional. Trailing blanks are not removed.

```
SELECT c1
      ,LENGTH(c1)          AS l1
      ,VARCHAR(c1)          AS v2
      ,LENGTH(VARCHAR(c1)) AS l2
      ,VARCHAR(c1,4)         AS v3
   FROM scalar;
```

ANSWER		
C1	L1 V2	L2 V3
ABCDEF	6 ABCDEF	6 ABCD
ABCD	6 ABCD	6 ABCD
AB	6 AB	6 AB

Figure 492, VARCHAR function examples

VARCHAR_BIT_FORMAT

Returns a VARCHAR bit-data representation of a character string. See the SQL Reference for more details.

VARCHAR_FORMAT

Converts a timestamp value into a string with the format: "YYYY-MM-DD HH:MM:SS". The TIMESTAMP_FORMAT function does the inverse.

```
WITH temp1 (ts1) AS
  (VALUES  (TIMESTAMP('1999-12-31-23.59.59'))
           ,(TIMESTAMP('2002-10-30-11.22.33'))
  )
SELECT ts1
      ,VARCHAR_FORMAT(ts1,'YYYY-MM-DD HH24:MI:SS') AS ts2
   FROM temp1
  ORDER BY ts1;
```

ANSWER	
TS1	TS2
1999-12-31-23.59.59.000000	1999-12-31 23:59:59
2002-10-30-11.22.33.000000	2002-10-30 11:22:33

Figure 493, VARCHAR_FORMAT function example

Note that the only allowed formatting mask is the one shown.

VARCHAR_FORMAT_BIT

Returns a VARCHAR representation of a character bit-data string. See the SQL Reference for more details.

VARGRAPHIC

Converts the input (1st argument) to a VARGRAPHIC data type. The output length (2nd argument) is optional.

WEEK

Returns a value in the range 1 to 53 or 54 that represents the week of the year, where a week begins on a Sunday, or on the first day of the year. Valid input types are a date, a timestamp, or an equivalent character value. The output is of type integer.

```
SELECT  WEEK(DATE('2000-01-01')) AS w1
        ,WEEK(DATE('2000-01-02')) AS w2
        ,WEEK(DATE('2001-01-02')) AS w3
        ,WEEK(DATE('2000-12-31')) AS w4
        ,WEEK(DATE('2040-12-31')) AS w5
  FROM    sysibm.sysdummy1;
```

ANSWER				
W1	W2	W3	W4	W5
--	--	--	--	--
1	2	1	54	53

Figure 494, WEEK function examples

Both the first and last week of the year may be partial weeks. Likewise, from one year to the next, a particular day will often be in a different week (see page 434).

WEEK_ISO

Returns an integer value, in the range 1 to 53, that is the "ISO" week number. An ISO week differs from an ordinary week in that it begins on a Monday and it neither ends nor begins at the exact end of the year. Instead, week 1 is the first week of the year to contain a Thursday. Therefore, it is possible for up to three days at the beginning of the year to appear in the last week of the previous year. As with ordinary weeks, not all ISO weeks contain seven days.

```
WITH
temp1 (n) AS
  (VALUES (0)
  UNION ALL
  SELECT n+1
  FROM temp1
  WHERE n < 10),
temp2 (dt2) AS
  (SELECT DATE('1998-12-27') + y.n YEARS
   + d.n DAYS
  FROM temp1 y
  ,temp1 d
  WHERE y.n IN (0,2))
SELECT  CHAR(dt2,ISO)          dte
        ,SUBSTR(DAYNAME(dt2),1,3) dy
        ,WEEK(dt2)                  wk
        ,DAYOFWEEK(dt2)             dy
        ,WEEK_ISO(dt2)              wi
        ,DAYOFWEEK_ISO(dt2)         di
  FROM temp2
 ORDER BY 1;
```

ANSWER					
DTE	DY	WK	DY	WI	DI
1998-12-27	Sun	53	1	52	7
1998-12-28	Mon	53	2	53	1
1998-12-29	Tue	53	3	53	2
1998-12-30	Wed	53	4	53	3
1998-12-31	Thu	53	5	53	4
1999-01-01	Fri	1	6	53	5
1999-01-02	Sat	1	7	53	6
1999-01-03	Sun	2	1	53	7
1999-01-04	Mon	2	2	1	1
1999-01-05	Tue	2	3	1	2
1999-01-06	Wed	2	4	1	3
2000-12-27	Wed	53	4	52	3
2000-12-28	Thu	53	5	52	4
2000-12-29	Fri	53	6	52	5
2000-12-30	Sat	53	7	52	6
2000-12-31	Sun	54	1	52	7
2001-01-01	Mon	1	2	1	1
2001-01-02	Tue	1	3	1	2
2001-01-03	Wed	1	4	1	3
2001-01-04	Thu	1	5	1	4
2001-01-05	Fri	1	6	1	5
2001-01-06	Sat	1	7	1	6

Figure 495, WEEK_ISO function example

YEAR

Returns a four-digit year value in the range 0001 to 9999 that represents the year (including the century). The input is a date or timestamp (or equivalent) value. The output is integer.

```

SELECT dt1
      ,YEAR(dt1) AS yr
      ,WEEK(dt1) AS wk
   FROM scalar;

```

ANSWER		
DT1	YR	WK
1996-04-22	1996	17
1996-08-15	1996	33
0001-01-01	1	1

Figure 496, YEAR and WEEK functions example

"+" PLUS

The PLUS function is same old plus sign that you have been using since you were a kid. One can use it the old fashioned way, or as if it were normal a DB2 function - with one or two input items. If there is a single input item, then the function acts as the unary "plus" operator. If there are two items, the function adds them:

```

SELECT id
      ,salary
      ,"+"(salary) AS s2
      ,"+"(salary,id) AS s3
   FROM staff
  WHERE id < 40
 ORDER BY id;

```

ANSWER			
ID	SALARY	S2	S3
10	98357.50	98357.50	98367.50
20	78171.25	78171.25	78191.25
30	77506.75	77506.75	77536.75

Figure 497, PLUS function examples

Both the PLUS and MINUS functions can be used to add and subtract numbers, and also date and time values. For the latter, one side of the equation has to be a date/time value, and the other either a date or time duration (a numeric representation of a date/time), or a specified date/time type. To illustrate, below are three different ways to add one year to a date:

```

SELECT empno
      ,CHAR(birthdate,ISO)
      ,CHAR(birthdate + 1 YEAR,ISO)
      ,CHAR("+"(birthdate,DEC(00010000,8)),ISO)
      ,CHAR("+"(birthdate,DOUBLE(1),SMALLINT(1)),ISO)
   FROM employee
  WHERE empno < '0000040'
 ORDER BY empno;

```

ANSWER				
EMPNO	BDATE1	BDATE2	BDATE3	BDATE4
000010	1933-08-24	1934-08-24	1934-08-24	1934-08-24
000020	1948-02-02	1949-02-02	1949-02-02	1949-02-02
000030	1941-05-11	1942-05-11	1942-05-11	1942-05-11

Figure 498, Adding one year to date value

"-" MINUS

The MINUS works the same way as the PLUS function, but does the opposite:

```

SELECT id
      ,salary
      ,"-"(salary) AS s2
      ,"-"(salary,id) AS s3
   FROM staff
  WHERE id < 40
 ORDER BY id;

```

ANSWER			
ID	SALARY	S2	S3
10	98357.50	-98357.50	98347.50
20	78171.25	-78171.25	78151.25
30	77506.75	-77506.75	77476.75

Figure 499, MINUS function examples

"" MULTIPLY**

The MULTIPLY function is used to multiply two numeric values:

```

SELECT      id
            ,salary
            ,salary * id    AS s2
            ,"(salary,id)" AS s3
FROM        staff
WHERE       id < 40
ORDER BY   id;

```

ANSWER			
ID	SALARY	S2	S3
10	98357.50	983575.00	983575.00
20	78171.25	1563425.00	1563425.00
30	77506.75	2325202.50	2325202.50

Figure 500, MULTIPLY function examples

"/" DIVIDE

The DIVIDE function is used to divide two numeric values:

```

SELECT      id
            ,salary
            ,salary / id    AS s2
            ,"/"(salary,id) AS s3
FROM        staff
WHERE       id < 40
ORDER BY   id;

```

ANSWER			
ID	SALARY	S2	S3
10	98357.50	9835.75	9835.75
20	78171.25	3908.56	3908.56
30	77506.75	2583.55	2583.55

Figure 501, DIVIDE function examples

"||" CONCAT

Same as the CONCAT function:

```

SELECT      id
            ,name || 'Z'      AS n1
            ,name CONCAT 'Z'  AS n2
            ,"(name,'Z')"     AS n3
            ,CONCAT(name,'Z') AS n4
FROM        staff
WHERE       LENGTH(name) < 5
ORDER BY   id;

```

ANSWER				
ID	N1	N2	N3	N4
110	NganZ	NganZ	NganZ	NganZ
210	LuZ	LuZ	LuZ	LuZ
270	LeaZ	LeaZ	LeaZ	LeaZ

Figure 502, CONCAT function examples

User Defined Functions

Many problems that are really hard to solve using raw SQL become surprisingly easy to address, once one writes a simple function. This chapter will cover some of the basics of user-defined functions. These can be very roughly categorized by their input source, their output type, and the language used:

- External scalar functions use an external process (e.g. a C program), and possibly also an external data source, to return a single value.
- External table functions use an external process, and possibly also an external data source, to return a set of rows and columns.
- Internal sourced functions are variations of an existing DB2 function
- Internal scalar functions use compound SQL code to return a single value.
- Internal table functions use compound SQL code to return a set of rows and columns

This chapter will briefly go over the last three types of function listed above. See the official DB2 documentation for more details.

WARNING: As of the time of writing, there is a known bug in DB2 that causes the prepare cost of a dynamic SQL statement to go up exponentially when a user defined function that is written in the SQL language is referred to multiple times in a single SQL statement.

Sourced Functions

A sourced function is used to redefine an existing DB2 function so as to in some way restrict or enhance its applicability. Below is the basic syntax:




Figure 503, Sourced function syntax

Below is a scalar function that is a variation on the standard DIGITS function, but which only works on small integer fields:

```

CREATE FUNCTION digi_int (SMALLINT)
RETURNS CHAR(5)
SOURCE SYSIBM.DIGITS(SMALLINT);
    
```

Figure 504, Create sourced function

Here is an example of the function in use:

```

SELECT      id          AS ID
           ,DIGITS(id)    AS I2
           ,digi_int(id)  AS I3
  FROM       staff
 WHERE      id < 40
 ORDER BY   id;

```

ANSWER		
ID	I2	I3
--	--	--
10	00010	00010
20	00020	00020
30	00030	00030

Figure 505, Using sourced function - works

By contrast, the following statement will fail because the input is an integer field:

```

SELECT      id
           ,digi_int(INT(id))
  FROM       staff
 WHERE      id < 50;

```

ANSWER		
<error>		

Figure 506, Using sourced function - fails

Sourced functions are especially useful when one has created a distinct (data) type, because these do not come with any of the usual DB2 functions. To illustrate, in the following example a distinct type is created, then a table using the type, then two rows are inserted:

```

CREATE DISTINCT TYPE us_dollars AS DEC(7,2) WITH COMPARISONS;

CREATE TABLE customers
 (ID          SMALLINT      NOT NULL
 ,balance     us_dollars    NOT NULL);

INSERT INTO customers VALUES (1 ,111.11),(2 ,222.22);

```

ANSWER	
ID	balance
--	--
1	111.11
2	222.22

```

SELECT      *
  FROM       customers
 ORDER BY   ID;

```

Figure 507, Create distinct type and test table

The next query will fail because there is currently no multiply function for "us_dollars":

```

SELECT      id
           ,balance * 10
  FROM       customers
 ORDER BY   id;

```

ANSWER	
<error>	

Figure 508, Do multiply - fails

To enable the above, we have to create a sourced function:

```

CREATE FUNCTION "*" (us_dollars,INT)
RETURNS us_dollars
SOURCE SYSIBM."*" (DECIMAL,INT);

```

Figure 509, Create sourced function

Now we can do the multiply:

```

SELECT      id
           ,balance * 10 AS newbal
  FROM       customers
 ORDER BY   id;

```

ANSWER	
ID	NEWBAL
--	--
1	1111.10
2	2222.20

Figure 510, Do multiply - works

For the record, here is another way to write the same:

```
SELECT      id
            , """(balance,10) AS newbal
FROM        customers
ORDER BY    id;
```

ID	NEWBAL
1	1111.10
2	2222.20

Figure 511, Do multiply - works

Scalar Functions

A scalar function has as input a specific number of values (i.e. not a table) and returns a single output item. Here is the syntax (also for table function):




Figure 512. Scalar and Table function syntax

Description

- **FUNCTION NAME:** A qualified or unqualified name, that along with the number and type of parameters, uniquely identifies the function.
 - **RETURNS:** The type of value returned, if a scalar function. For a table function, the list of columns, with their type.
 - **LANGUAGE SQL:** This is the default, and the only one that is supported.
 - **DETERMINISTIC:** Specifies whether the function always returns the same result for a given input. For example, a function that multiplies the input number by ten is deterministic, whereas a function that gets the current timestamp is not. The optimizer needs to know this information.
 - **EXTERNAL ACTION:** Whether the function takes some action, or changes some object that is not under the control of DB2. The optimizer needs to know this information.

- READS SQL DATA: Whether the function reads SQL data only, or doesn't even do that. The function cannot modify any DB2 data, except via an external procedure call.
- STATIC DISPATCH: At function resolution time, DB2 chooses the function to run based on the parameters of the function.
- CALLED ON NULL INPUT: The function is called, even when the input is null.
- PREDICATES: For predicates using this function, this clause lists those that can use the index extensions. If this clause is specified, function must also be DETERMINISTIC with NO EXTERNAL ACTION. See the DB2 documentation for details.
- RETURN: The value or table (result set) returned by the function.

Null Output

If a function returns a value (as opposed to a table), that value will always be nullable, regardless of whether or not the returned value can ever actually be null. This may cause problems if one is not prepared to handle a null indicator. To illustrate, the following function will return a nullable value that never be null:

```
CREATE FUNCTION Test()      RETURNS CHAR(5)      RETURN 'abcde' ;
```

Figure 513, Function returns nullable, but never null, value

Input and Output Limits

One can have multiple scalar functions with the same name and different input/output data types, but not with the same name and input/output types, but with different lengths. So if one wants to support all possible input/output lengths for, say, varchar data, one has to define the input and output lengths to be the maximum allowed for the field type.

For varchar input, one would need an output length of 32,672 bytes to support all possible input values. But this is a problem, because it is very close to the maximum allowable table (row) length in DB2, which is 32,677 bytes.

Decimal field types are even more problematic, because one needs to define both a length and a scale. To illustrate, imagine that one defines the input as being of type decimal(31,12). The following input values would be treated thus:

- A decimal(10,5) value would be fine.
- A decimal(31,31) value would lose precision.
- A decimal(31,0) value may fail because it is too large.

See page 401 for a detailed description of this problem.

Examples

Below is a very simple scalar function - that always returns zero:

```
CREATE FUNCTION returns_zero() RETURNS SMALLINT RETURN 0;
```

SELECT	id	AS id	ANSWER
	,	returns_zero()	=====
FROM	staff		ID ZZ
WHERE	id = 10;		-- --
			10 0

Figure 514, Simple function usage

Two functions can be created with the same name. Which one is used depends on the input type that is provided:

```

CREATE FUNCTION calc(inval SMALLINT) RETURNS INT RETURN inval * 10;
CREATE FUNCTION calc(inval INTEGER)   RETURNS INT RETURN inval * 5;

SELECT      id          AS id
            ,calc(SMALLINT(id)) AS c1
            ,calc(INTEGER (id)) AS C2
  FROM        staff
 WHERE       id < 30
 ORDER BY    id;                                ANSWER
                                                =====
                                                ID C1  C2
                                                --  --  --
                                                10 100 50
                                                20 200 100

DROP FUNCTION calc(SMALLINT);
DROP FUNCTION calc(INTEGER);

```

Figure 515, Two functions with same name

Below is an example of a function that is not deterministic, which means that the function result can not be determined based on the input:

```

CREATE FUNCTION rnd(inval INT)
RETURNS SMALLINT
NOT DETERMINISTIC
RETURN RAND() * 50;                                ANSWER
                                                    =====
                                                    ID RND
                                                    --  --
                                                    10 37
                                                    20 8
                                                    30 42

SELECT      id          AS id
            ,rnd(1) AS RND
  FROM        staff
 WHERE       id < 40
 ORDER BY    id;

```

Figure 516, Not deterministic function

The next function uses a query to return a single row/column value:

```

CREATE FUNCTION get_sal(inval SMALLINT)
RETURNS DECIMAL(7,2)
RETURN SELECT salary
        FROM  staff
        WHERE id = inval;                                ANSWER
                                                    =====
                                                    ID SALARY
                                                    --  -----
                                                    10 98357.50
                                                    20 78171.25
                                                    30 77506.75

SELECT      id          AS id
            ,get_sal(id) AS salary
  FROM        staff
 WHERE       id < 40
 ORDER BY    id;

```

Figure 517, Function using query

More complex SQL statements are also allowed - as long as the result (in a scalar function) is just one row/column value. In the next example, the either the maximum salary in the same department is obtained, or the maximum salary for the same year - whatever is higher:

```

CREATE FUNCTION max_sal(inval SMALLINT)
RETURNS DECIMAL(7,2)
RETURN WITH
    ddd (max_sal) AS
        (SELECT MAX(S2.salary)
         FROM staff S1
              ,staff S2
        WHERE S1.id = inval
          AND S1.dept = s2.dept)
    ,yyy (max_sal) AS
        (SELECT MAX(S2.salary)
         FROM staff S1
              ,staff S2
        WHERE S1.id = inval
          AND S1.years = s2.years)
    SELECT CASE
        WHEN ddd.max_sal > yyy.max_sal
        THEN ddd.max_sal
        ELSE yyy.max_sal
    END
FROM ddd, yyy;
SELECT id AS id
      ,salary AS SAL1
      ,max_sal(id) AS SAL2
FROM staff
WHERE id < 40
ORDER BY id;

```

ANSWER
=====

ID	SAL1	SAL2
10	98357.50	98357.50
20	78171.25	98357.50
30	77506.75	79260.25

Figure 518, Function using common table expression

A scalar or table function cannot change any data, but it can be used in a DML statement. In the next example, a function is used to remove all "e" characters from the name column:

```

CREATE FUNCTION remove_e(instr VARCHAR(50))
RETURNS VARCHAR(50)
RETURN replace(instr,'e','');

```

```

UPDATE staff
SET name = remove_e(name)
WHERE id < 40;

```

Figure 519, Function used in update

Compound SQL Usage

A function can use compound SQL, with the following limitations:

- The statement delimiter, if needed, cannot be a semi-colon.
- No DML statements are allowed.

Below is an example of a scalar function that uses compound SQL to reverse the contents of a text string:

```
--#SET DELIMITER !
CREATE FUNCTION reverse(instr VARCHAR(50))
RETURNS VARCHAR(50)
BEGIN ATOMIC
    DECLARE outstr VARCHAR(50) DEFAULT '';
    DECLARE curbyte SMALLINT DEFAULT 0;
    SET curbyte = LENGTH(RTRIM(instr));
    WHILE curbyte >= 1 DO
        SET outstr = outstr || SUBSTR(instr,curbyte,1);
        SET curbyte = curbyte - 1;
    END WHILE;
    RETURN outstr;
END!
SELECT id AS id
     ,name AS name1
     ,reverse(name) AS name2
  FROM staff
 WHERE id < 40
 ORDER BY id!
```

IMPORTANT
=====This example uses an "!" as the stmt delimiter.

ID	NAME1	NAME2
10	Sanders	srednas
20	Pernal	lanreP
30	Marenghi	ihgneraM

ANSWER

Figure 520, Function using compound SQL

Because compound SQL is a language with basic logical constructs, one can add code that does different things, depending on what input is provided. To illustrate, in the next example the possible output values are as follows:

- If the input is null, the output is set to null.
- If the length of the input string is less than 6, an error is flagged.
- If the length of the input string is less than 7, the result is set to -1.
- Otherwise, the result is the length of the input string.

Now for the code:

```
--#SET DELIMITER !
CREATE FUNCTION check_len(instr VARCHAR(50))
RETURNS SMALLINT
BEGIN ATOMIC
    IF instr IS NULL THEN
        RETURN NULL;
    END IF;
    IF length(instr) < 6 THEN
        SIGNAL SQLSTATE '75001'
        SET MESSAGE_TEXT = 'Input string is < 6';
    ELSEIF length(instr) < 7 THEN
        RETURN -1;
    END IF;
    RETURN length(instr);
END!
SELECT id AS id
     ,name AS name1
     ,check_len(name) AS name2
  FROM staff
 WHERE id < 60
 ORDER BY id!
```

IMPORTANT
=====This example uses an "!" as the stmt delimiter.

ID	NAME1	NAME2
10	Sanders	7
20	Pernal	-1
30	Marenghi	8
40	O'Brien	7
		<error>

ANSWER

Figure 521, Function with error checking logic

The above query failed when it got to the name "Hanes", which is less than six bytes long.

Table Functions

A table function is very similar to a scalar function, except that it returns a set of rows and columns, rather than a single value. Here is an example:

```

CREATE FUNCTION get_staff()
RETURNS TABLE (id      SMALLINT
              ,name    VARCHAR(9)
              ,yr     SMALLINT)
RETURN SELECT id
       ,name
       ,years
      FROM staff;

SELECT   *
FROM    TABLE(get_staff()) AS s
WHERE   id < 40
ORDER BY id;

```

ANSWER		
ID	NAME	YR
10	Sanders	7
20	Pernal	8
30	Marenghi	5

Figure 522, Simple table function

NOTE: See page 187 for the create table function syntax diagram.

Description

The basic syntax for selecting from a table function goes as follows:




Figure 523, Table function usage - syntax

Note the following:

- The TABLE keyword, the function name (obviously), the two sets of parenthesis , and a correlation name, are all required.
- If the function has input parameters, they are all required, and their type must match.
- Optionally, one can list all of the columns that are returned by the function, giving each an assigned name

Below is an example of a function that uses all of the above features:

```

CREATE FUNCTION get_st(inval INTEGER)
RETURNS TABLE (id      SMALLINT
              ,name    VARCHAR(9)
              ,yr     SMALLINT)
RETURN SELECT id
       ,name
       ,years
      FROM staff
     WHERE id = inval;

SELECT   *
FROM    TABLE(get_st(30)) AS sss (id, nnn, yy);

```

ANSWER		
ID	NNN	YY
30	Marenghi	5

Figure 524, Table function with parameters

Examples

A table function returns a table, but it doesn't have to touch a table. To illustrate, the following function creates the data on the fly:

```

CREATE FUNCTION make_data()
RETURNS TABLE (KY SMALLINT
               ,DAT CHAR(5))
RETURN WITH temp1 (k#) AS (VALUES (1),(2),(3))
        SELECT k#
              ,DIGITS(SMALLINT(k#))
             FROM temp1;
SELECT   *
  FROM TABLE(make_data()) AS ttt;

```

ANSWER
=====
KY DAT
-- ----
1 00001
2 00002
3 00003

Figure 525, Table function that creates data

The next example uses compound SQL to first flag an error if one of the input values is too low, then find the maximum salary and related ID in the matching set of rows, then fetch the same rows - returning the two previously found values at the same time:

```

CREATE FUNCTION staff_list(lo_key INTEGER
                           ,lo_sal INTEGER)
RETURNS TABLE (id      SMALLINT
               ,salary  DECIMAL(7,2)
               ,max_sal DECIMAL(7,2)
               ,id_max  SMALLINT)
LANGUAGE SQL
READS SQL DATA
EXTERNAL ACTION
DETERMINISTIC
BEGIN ATOMIC
  DECLARE hold_sal DECIMAL(7,2) DEFAULT 0;
  DECLARE hold_key SMALLINT;
  IF lo_sal < 0 THEN
    SIGNAL SQLSTATE '75001'
    SET MESSAGE_TEXT = 'Salary too low';
  END IF;
  FOR get_max AS
    SELECT id      AS in_key
          ,salary AS in_sal
         FROM staff
        WHERE id >= lo_key
  DO
    IF in_sal > hold_sal THEN
      SET hold_sal = in_sal;
      SET hold_key = in_key;
    END IF;
  END FOR;
  RETURN
    SELECT id
          ,salary
          ,hold_sal
          ,hold_key
         FROM staff
        WHERE id >= lo_key;
END!
SELECT   *
  FROM TABLE(staff_list(66,1)) AS ttt
 WHERE id < 111
 ORDER BY id!

```

IMPORTANT
=====
This example
uses an "!"
as the stmt
delimiter.

ANSWER

ID	SALARY	MAX_SAL	ID_MAX
70	76502.83	91150.00	140
80	43504.60	91150.00	140
90	38001.75	91150.00	140
100	78352.80	91150.00	140
110	42508.20	91150.00	140

Figure 526, Table function with compound SQL

Useful User-Defined Functions

In this section we will describe some simple functions that are generally useful, and that people have asked for over the years. In addition to the functions listed here, there are also the following elsewhere in this book:

- Check character input is a numeric value - page 399
- Convert numeric data to character (right justified) - page 401.
- Like-column predicate evaluation - page 43.
- Locate string in input, a block at a time - page 322.
- Pause SQL statement (by looping) for "n" seconds - page 419.
- Sort character field contents - page 418.

Julian Date Functions

The function below converts a DB2 date into a Julian date (format) value:

```
CREATE FUNCTION julian_out(inval DATE)
RETURNS CHAR(7)
RETURN  RTRIM(CHAR(YEAR(inval)))
|| SUBSTR(DIGITS(DAYOFYEAR(inval)),8);
ANSWER
=====
```

SELECT	empno	,CHAR(hiredate,ISO)	AS h_date	EMPNO	H_DATE	J_DATE
		,JULIAN_OUT(hiredate)	AS j_date	-----	-----	-----
FROM	employee			000010	1995-01-01	1995001
WHERE	empno < '000050'			000020	2003-10-10	2003283
ORDER BY	empno;			000030	2005-04-05	2005095

Figure 527, Convert Date into Julian Date

The next function does the opposite:

```
CREATE FUNCTION julian_in(inval CHAR(7))
RETURNS DATE
RETURN  DATE('0001-01-01')
+ (INT(SUBSTR(inval,1,4)) - 1) YEARS
+ (INT(SUBSTR(inval,5,3)) - 1) DAYS;
```

Figure 528, Convert Julian Date into Date

Get Prior Date

Imagine that one wanted to get all rows where some date is for the prior year - relative to the current year. This is easy to code:

```
SELECT  empno
,hiredate
FROM    employee
WHERE   YEAR(hiredate) = YEAR(CURRENT DATE) - 1;
```

Figure 529, Select rows where hire-date = prior year

Get Prior Month

One can use the DAYS function to get the same data for the prior day. But one cannot use the MONTH function to do the equivalent for the prior month because at the first of the year the month number goes back to one.

One can address this issue by writing a simple function that multiplies the year-number by 12, and then adds the month-number:

```
CREATE FUNCTION year_month(inval DATE)
RETURNS INTEGER
RETURN (YEAR(inval) * 12) + MONTH(inval);
```

Figure 530, Create year-month function

We can use this function thus:

```
SELECT      empno
           ,hiredate
  FROM        employee
 WHERE       YEAR_MONTH(hiredate) = YEAR_MONTH(CURRENT DATE) - 1;
```

Figure 531, Select rows where hire-date = prior month

Get Prior Week

Selecting rows for the prior week is complicated by the fact that both the US and ISO definitions of a week begin at one at the start of the year (see page 434). If however we choose to define a week as a set of seven contiguous days, regardless of the date, we can create a function to do the job. In the example below we shall assume that a week begins on a Sunday:

```
CREATE FUNCTION sunday_week(inval DATE)
RETURNS INTEGER
RETURN DAYS(inval) / 7;
```

Figure 532, Create week-number function

The next function assumes that a week begins on a Monday:

```
CREATE FUNCTION monday_week(inval DATE)
RETURNS INTEGER
RETURN (DAYS(inval) - 1) / 7;
```

Figure 533, Create week-number function

Both the above functions convert the input date into a day-number value, then subtract (if needed) to get to the right day of the week, then divide by seven to get a week-number. The result is the number of weeks since the beginning of the current era.

The next query shows the two functions in action:

WITH temp1 (num,dt) AS (VALUES (1 ,DATE('2004-12-29')) UNION ALL SELECT num + 1 ,dt + 1 DAY FROM temp1 WHERE num < 15) , temp2 (dt,dy) AS (SELECT dt ,SUBSTR(DAYNAME(dt),1,3) FROM temp1) SELECT CHAR(dt,ISO) AS date ,dy AS day ,WEEK(dt) AS wk ,WEEK_ISO(dt) AS is ,sunday_week(dt) AS sun_wk ,monday_week(dt) AS mon_wk FROM temp2 ORDER BY 1;	ANSWER
	=====
	DATE DAY WK IS SUN_WK MON_WK
	----- - - - - -
2004-12-29	Wed 53 53 104563 104563
2004-12-30	Thu 53 53 104563 104563
2004-12-31	Fri 53 53 104563 104563
2005-01-01	Sat 1 53 104563 104563
2005-01-02	Sun 2 53 104564 104563
2005-01-03	Mon 2 1 104564 104564
2005-01-04	Tue 2 1 104564 104564
2005-01-05	Wed 2 1 104564 104564
2005-01-06	Thu 2 1 104564 104564
2005-01-07	Fri 2 1 104564 104564
2005-01-08	Sat 2 1 104564 104564
2005-01-09	Sun 3 1 104565 104565
2005-01-10	Mon 3 2 104565 104565
2005-01-11	Tue 3 2 104565 104565
2005-01-12	Wed 3 2 104565 104565

Figure 534, Use week-number functions

Generating Numbers

The next function returns a table of rows. Each row consists of a single integer value , starting at zero, and going up to the number given in the input. At least one row is always returned. If the input value is greater than zero, the number of rows returned equals the input value plus one:

```
CREATE FUNCTION NumList(max_num INTEGER)
RETURNS TABLE(num INTEGER)
LANGUAGE SQL
RETURN
    WITH templ (num) AS
        (VALUES (0)
        UNION ALL
        SELECT num + 1
        FROM templ
        WHERE num < max_num
    )
    SELECT num
    FROM templ;
```

Figure 535, Create num-list function

Below are some queries that use the above function:

SELECT * FROM TABLE(NumList(-1)) AS xxx;	ANSWERS =====
	0
SELECT * FROM TABLE(NumList(+0)) AS xxx;	0
SELECT * FROM TABLE(NumList(+3)) AS xxx;	0 1 2 3
SELECT * FROM TABLE(NumList(CAST(NULL AS INTEGER))) AS xxx;	0

Figure 536, Using num-list function

NOTE: If this function did not always return one row, we might have to use a left-outer-join when joining to it. Otherwise the calling row might disappear from the answer-set because no row was returned.

To illustrate the function's usefulness, consider the following query, which returns the start and end date for a given set of activities:

```
SELECT actno
      ,emstdate
      ,emendate
      ,DAYS(emendate) -
      DAYS(emstdate) AS #days
  FROM emp_act act
 WHERE empno = '000260'
   AND projno = 'AD3113'
   AND actno < 100
   AND emptime = 0.5
 ORDER BY actno;
```

ANSWER
=====
ACTNO EMSTDATE EMENDATE #DAYS
----- ----- ----- -----
70 2002-06-15 2002-07-01 16
80 2002-03-01 2002-04-15 45

Figure 537, Select activity start & end date

Imagine that we wanted take the above output, and generate a row for each day between the start and end dates. To do this we first have to calculate the number of days between a given start and end, and then join to the function using that value:

```

SELECT      actno
           ,#days
           ,num
           ,emstdate + num DAYS AS new_date
  FROM (SELECT      actno
           ,emstdate
           ,emendate
           ,DAYS(emendate) -
           DAYS(emstdate) AS #days
  FROM emp_act act
 WHERE empno = '000260'
   AND projno = 'AD3113'
   AND actno < 100
   AND emptime = 0.5
 )AS aaa
 ,TABLE(NumList(#days)) AS ttt
 ORDER BY actno
 ,num;

```

ANSWER				
ACTNO	#DAYS	NUM	NEW_DATE	
70	16	0	2002-06-15	
70	16	1	2002-06-16	
70	16	2	2002-06-17	
70	16	3	2002-06-18	
70	16	4	2002-06-19	
70	16	5	2002-06-20	
70	16	6	2002-06-21	
70	16	7	2002-06-22	
70	16	8	2002-06-23	
70	16	9	2002-06-24	
70	16	10	2002-06-25	
etc...				

Figure 538, Generate one row per date between start & end dates (1 of 2)

In the above query the #days value equals the number of days between the start and end dates. If the two dates equal, the #days value will be zero. In this case we will still get a row because the function will return a single zero value. If this were not the case (i.e. the function returned no rows if the input value was less than one), we would have to code a left-outer-join with a fake ON statement:

```

SELECT      actno
           ,#days
           ,num
           ,emstdate + num DAYS AS new_date
  FROM (SELECT      actno
           ,emstdate
           ,emendate
           ,DAYS(emendate) -
           DAYS(emstdate) AS #days
  FROM emp_act act
 WHERE empno = '000260'
   AND projno = 'AD3113'
   AND actno < 100
   AND emptime = 0.5
 )AS aaa
 LEFT OUTER JOIN
          TABLE(NumList(#days)) AS ttt
        ON 1 = 1
 ORDER BY actno
 ,num;

```

ACTNO	#DAYS	NUM	NEW_DATE
70	16	0	2002-06-15
70	16	1	2002-06-16
70	16	2	2002-06-17
70	16	3	2002-06-18
70	16	4	2002-06-19
70	16	5	2002-06-20
70	16	6	2002-06-21
70	16	7	2002-06-22
70	16	8	2002-06-23
70	16	9	2002-06-24
70	16	10	2002-06-25
etc...			

Figure 539, Generate one row per date between start & end dates (2 of 2)

Check Data Value Type

The following function checks to see if an input value is character, where character is defined as meaning that **all** bytes are "A" through "Z" or blank. It converts (if possible) all bytes to blank using the TRANSLATE function, and then checks to see if the result is blank:

```

CREATE FUNCTION ISCHAR (inval VARCHAR(250))
RETURNS SMALLINT
LANGUAGE SQL
RETURN
CASE
  WHEN TRANSLATE(UPPER(inval), ' ', 'ABCDEFGHIJKLMNPQRSTUVWXYZ') = ' '
  THEN 1
  ELSE 0
END;

```

Figure 540, Check if input value is character

The next function is similar to the prior, except that it looks to see if all bytes in the input are in the range of "0" through "9", or blank:

```
CREATE FUNCTION ISNUM (inval VARCHAR(250))
RETURNS SMALLINT
LANGUAGE SQL
RETURN
CASE
    WHEN TRANSLATE(inval, ' ', '01234567890') = ' '
    THEN 1
    ELSE 0
END;
```

Figure 541, Check if input value is numeric

Below is an example of the above two functions in action:

<pre>WITH temp (indata) AS VALUES ('ABC'),('123'),('3.4') ,('44'),('A1 ') ,(' ') SELECT indata AS indata ,ISCHAR(indata) AS c ,ISNUM(indata) AS n FROM temp;</pre>	ANSWER ===== INDATA C N $\text{-----} - -$ ABC 1 0 123 0 1 3.4 0 0 -44 0 0 A1 0 0 1 1
--	--

Figure 542, Example of functions in use

The above ISNUM function is a little simplistic. It doesn't check for all-blanks, or embedded blanks, decimal input, or sign indicators. The next function does all of this, and also indicates what type of number was found:

```
CREATE FUNCTION ISNUM2 (inval VARCHAR(255))
RETURNS CHAR(4)
LANGUAGE SQL
RETURN
CASE
    WHEN inval          = ' '
    THEN ' '
    WHEN LOCATE(' ', RTRIM(LTRIM(inval))) > 0
    THEN ' '
    WHEN TRANSLATE(inval, ' ', '01234567890') = inval
    THEN ' '
    WHEN TRANSLATE(inval, ' ', '01234567890') = ' '
    THEN 'INT'
    WHEN TRANSLATE(inval, ' ', '+01234567890') = ' '
    AND LOCATE('+', LTRIM(inval)) = 1
    AND LENGTH(REPLACE(inval, '+', '')) = LENGTH(inval) - 1
    THEN 'INT+'
    WHEN TRANSLATE(inval, ' ', '-01234567890') = ' '
    AND LOCATE('-', LTRIM(inval)) = 1
    AND LENGTH(REPLACE(inval, '-', '')) = LENGTH(inval) - 1
    THEN 'INT-'
    WHEN TRANSLATE(inval, ' ', '.01234567890') = ' '
    AND LENGTH(REPLACE(inval, '.', '')) = LENGTH(inval) - 1
    THEN 'DEC'
    WHEN TRANSLATE(inval, ' ', '+.01234567890') = ' '
    AND LOCATE('+', LTRIM(inval)) = 1
    AND LENGTH(REPLACE(inval, '+', '')) = LENGTH(inval) - 1
    AND LENGTH(REPLACE(inval, '.', '')) = LENGTH(inval) - 1
    THEN 'DEC+'
```

Figure 543, Check if input value is numeric - part 1 of 2

```

WHEN  TRANSLATE(inval,' ','.-01234567890') = ' '
AND   LOCATE('-',LTRIM(inval))          = 1
AND   LENGTH(REPLACE(inval,'-',''))      = LENGTH(inval) - 1
AND   LENGTH(REPLACE(inval,'.',''))      = LENGTH(inval) - 1
THEN   'DEC-'                          '
ELSE   '
END;

```

Figure 544, Check if input value is numeric - part 2 of 2

The first three WHEN checks above are looking for non-numeric input:

- The input is blank.
- The input has embedded blanks.
- The input does not contain any digits.

The final five WHEN checks look for a specific types of numeric input. They are all similar in design, so we can use the last one (looking of negative decimal input) to illustrate how they all work:

- Check that the input consists only of digits, dots, the minus sign, and blanks.
- Check that the minus sign is the left-most non-blank character.
- Check that there is only one minus sign in the input.
- Check that there is only one dot in the input.

Below is an example of the above function in use:

	ANSWER
=====	=====
INDATA	TYPE NUMBER
-----	-----
ABC	-
123	INT 123.00
3.4	DEC 3.40
-44	INT- -44.00
+11	INT+ 11.00
-1-	-
12+	-
.1	DEC+ 0.10
-0.	DEC- 0.00
	-
1 1	-
.	-

```

WITH temp (indata) AS
  (VALUES ('ABC'),('123'),('3.4')
  ,('-.44'),('+11'),('-1-')
  ,('12+'),('+.1'),('-0.')
  ,('   '),('1 1'),('. .'))
SELECT  indata           AS indata
       ,ISNUM2(indata)  AS type
       ,CASE
         WHEN ISNUM2(indata) <> ''
         THEN DEC(indata,5,2)
         ELSE NULL
       END               AS number
  FROM   temp;
```

Figure 545, Example of function in use

Hash Function

The following hash function is a little crude, but it works. It accepts a VARCHAR string as input, then walks the string and, one byte at a time, manipulates a floating point number. At the end of the process the floating point value is translated into BIGINT.

```

CREATE FUNCTION HASH_STRING (instr VARCHAR(30000))
RETURNS BIGINT
DETERMINISTIC
CONTAINS SQL
NO EXTERNAL ACTION
BEGIN ATOMIC
    DECLARE inlen SMALLINT;
    DECLARE curbit SMALLINT DEFAULT 1;
    DECLARE outnum DOUBLE DEFAULT 0;
    SET inlen = LENGTH(instr);
    WHILE curbit <= inlen DO
        SET outnum = (outnum * 123) + ASCII(SUBSTR(instr,curbit));
        IF outnum > 1E10 THEN
            SET outnum = outnum / 1.2345E6;
        END IF;
        SET curbit = curbit + 1;
    END WHILE;
    RETURN BIGINT(TRANSLATE(CHAR(outnum), '01', '.E'));
END!

```

IMPORTANT
=====This example uses an "!" as the stmt delimiter.

Figure 546, Create HASH_STRING function

Below is an example of the function in use:

```

SELECT      id
           ,name
           ,HASH_STRING(name) AS hash_val
  FROM        staff s
 WHERE       id < 70
 ORDER BY   id!

```

ID	NAME	HASH_VAL
10	Sanders	203506538768383718
20	Pernal	108434258721263716
30	Marenghi	201743899927085914
40	O'Brien	202251277018590318
50	Hanes	103496977706763914
60	Quigley	202990889019520318

Figure 547, HASH_STRING function usage

One way to judge a hash function is to look at the number of distinct values generated for a given number of input strings. Below is a very simple test:

```

WITH
temp1 (col1) AS
  (VALUES (1)
  UNION ALL
  SELECT col1 + 1
  FROM temp1
  WHERE col1 < 100000
)
SELECT COUNT(*) AS #rows
      ,COUNT(DISTINCT HASH_STRING(CHAR(col1))) AS #hash1
      ,COUNT(DISTINCT HASH_STRING(DIGITS(col1))) AS #hash2
  FROM temp1!

```

#ROWS	#HASH1	#HASH2
100000	100000	100000

Figure 548, HASH_FUNCTION test

Order By, Group By, and Having

Order By

The ORDER BY statement is used to sequence output rows. The syntax goes as follows:




Figure 549, ORDER BY syntax

Notes

One can order on any one of the following:

- A named column, or an expression, neither of which need to be in the select list.
- An unnamed column - identified by its number in the list of columns selected.
- The ordering sequence of a specific nested subselect.
- For an insert, the order in which the rows were inserted (see page 71).

Also note:

- One can have multiple ORDER BY statements in a query, but only one per subselect.
- Specifying the same field multiple times in an ORDER BY list is allowed, but silly. Only the first specification of the field will have any impact on the output order.
- If the ORDER BY column list does not uniquely identify each row, any rows with duplicate values will come out in random order. This is almost always the wrong thing to do when the data is being displayed to an end-user.
- Use the TRANSLATE function to order data regardless of case. Note that this trick may not work consistently with some European character sets.
- NULL values sort high.

Sample Data

The following view is used throughout this section:

```

CREATE VIEW SEQ_DATA(col1,col2)
AS VALUES ('ab','xy')
      ,('AB','XY')
      ,('ac','XY')
      ,('AB','XY')
      ,('Ab','12');
    
```

Figure 550, ORDER BY sample data definition

Order by Examples

The following query presents the output in ascending order:

```
SELECT    col1  
          ,col2  
FROM      seq_data  
ORDER BY  col1 ASC  
          ,col2;
```

Figure 551, Simple ORDER BY

In the above example, all of the lower case data comes before any of the upper case data. Use the TRANSLATE function to display the data in case-independent order:

```
SELECT    col1
          ,col2
FROM      seq_data
ORDER BY  TRANSLATE(col1) ASC
          ,TRANSLATE(col2) ASC
```

ANSWER	
<hr/>	
COL1	COL2
<hr/>	
Ab	12
ab	xy
AB	xy
AB	XY
ac	XY

Figure 552, Case insensitive ORDER BY

One does not have to specify the column in the ORDER BY in the select list though, to the end-user, the data may seem to be random order if one leaves it out:

```
SELECT    col2
FROM      seq_data
ORDER BY  col1
          ,col2;
```

ANSWER
=====
COL2

XY
XY
12
XY
XY

Figure 553. ORDER BY on not-displayed column

In the next example, the data is (primarily) sorted in descending sequence, based on the second byte of the first column:

```
SELECT    col1
          ,col2
FROM      seq_data
ORDER BY  SUBSTR(col1,2) DESC
          ,col2
          1;
```

```

ANSWER
=====
COL1 COL2
-----
ac   XY
Ab   12
ab   xy
AB   XY
AB   xv

```

Figure 554. ORDER BY second byte of first column

The standard ASCII collating sequence defines upper-case characters as being lower than lower-case (i.e. 'A' < 'a'), so upper-case characters display first if the data is ascending order. In the next example, this is illustrated using the HEX function is used to display character data in bit-data order:

```

SELECT  col1
        ,HEX(col1) AS hex1
        ,col2
        ,HEX(col2) AS hex2
FROM    seq_data
ORDER BY HEX(col1)
        ,HEX(col2)

```

ANSWER			
COL1	HEX1	COL2	HEX2
AB	4142	XY	5859
AB	4142	xy	7879
Ab	4162	12	3132
ab	6162	xy	7879
ac	6163	XY	5859

Figure 555, ORDER BY in bit-data sequence

ORDER BY subselect

One can order by the result of a nested ORDER BY, thus enabling one to order by a column that is not in the input - as is done below:

```

SELECT  col1
FROM    (SELECT  col1
        FROM    seq_data
        ORDER BY col2
        ) AS xxx
ORDER BY ORDER OF xxx;

```

ANSWER		SEQ_DATA
COL1	COL2	
Ab	ab	xy
ac	AB	xy
AB	ac	XY
ab	AB	XY
AB	Ab	12

Figure 556, ORDER BY nested ORDER BY

In the next example the ordering of the innermost subselect is used, in part, to order the final output. This is done by first referring it to directly, and then indirectly:

```

SELECT  *
FROM    (SELECT  *
        FROM    (SELECT  *
                FROM    seq_data
                ORDER BY col2
                ) AS xxx
        ORDER BY ORDER OF xxx
        ,SUBSTR(col1,2)
        ) AS yyy
ORDER BY ORDER OF yyy
        ,col1;

```

ANSWER	
COL1	COL2
Ab	12
AB	XY
ac	XY
AB	xy
ac	xy

Figure 557, Multiple nested ORDER BY statements

ORDER BY inserted rows

One can select from an insert statement (see page 71) to see what was inserted. Order by the INSERT SEQUENCE to display the rows in the order that they were inserted:

```

SELECT  empno
        ,projno AS prj
        ,actno AS act
        ,ROW_NUMBER() OVER() AS r#
FROM    FINAL TABLE
        (INSERT INTO emp_act (empno, projno, actno)
         VALUES ('400000', 'ZZZ', 999)
                 ,('400000', 'VVV', 111))
ORDER BY INPUT SEQUENCE;

```

ANSWER			
EMPNO	PRJ	ACT	R#
400000	ZZZ	999	1
400000	VVV	111	2

Figure 558, ORDER BY insert input sequence

NOTE: The INPUT SEQUENCE phrase only works in an insert statement. It can be listed in the ORDER BY part of the statement, but not in the SELECT part. The select cannot be a nested table expression.

Group By and Having

The GROUP BY and GROUPING SETS statements are used to group individual rows into combined sets based on the value in one, or more, columns. The related ROLLUP and CUBE statements are short-hand forms of particular types of GROUPING SETS statement.




Figure 559, GROUP BY syntax

Rules and Restrictions

- There can only be one GROUP BY per SELECT. Multiple select statements in the same query can each have their own GROUP BY.
- Every field in the SELECT list must either be specified in the GROUP BY, or must have a column function applied against it.
- The result of a simple GROUP BY is always a distinct set of rows, where the unique identifier is whatever fields were grouped on.
- Only expressions returning constant values (e.g. a column name, a constant) can be referenced in a GROUP BY. For example, one cannot group on the RAND function as its result varies from one call to the next. To reference such a value in a GROUP BY, resolve it beforehand using a nested-table-expression.
- Variable length character fields with differing numbers of trailing blanks are treated as equal in the GROUP. The number of trailing blanks, if any, in the result is unpredictable.
- When grouping, all null values in the GROUP BY fields are considered equal.
- There is no guarantee that the rows resulting from a GROUP BY will come back in any particular order. If this is a problem, use an ORDER BY.

GROUP BY Flavors

A typical GROUP BY that encompasses one or more fields is actually a subset of the more general GROUPING SETS command. In a grouping set, one can do the following:

- Summarize the selected data by the items listed such that one row is returned per unique combination of values. This is an ordinary GROUP BY.
- Summarize the selected data using multiple independent fields. This is equivalent to doing multiple independent GROUP BY statements - with the separate results combined into one using UNION ALL statements.
- Summarize the selected data by the items listed such that one row is returned per unique combination of values, and also get various sub-totals, plus a grand-total. Depending on what exactly is wanted, this statement can be written as a ROLLUP, or a CUBE.

To illustrate the above concepts, imagine that we want to group some company data by team, department, and division. The possible sub-totals and totals that we might want to get are:

```
GROUP BY division, department, team
GROUP BY division, department
GROUP BY division
GROUP BY division, team
GROUP BY department, team
GROUP BY department
GROUP BY team
GROUP BY ()      <= grand-total
```

Figure 560, Possible groupings

If we wanted to get the first three totals listed above, plus the grand-total, we could write the statement one of three ways:

```
GROUP BY division, department, team
UNION ALL
GROUP BY division, department
UNION ALL
GROUP BY division
UNION ALL
GROUP BY ()

GROUP BY GROUPING SETS ((division, department, team)
                        ,(division, department)
                        ,(division)
                        ,())
```

```
GROUP BY ROLLUP (division, department, team)
```

Figure 561, Three ways to write the same GROUP BY

Usage Warnings

Before we continue, be aware of the following:

- Single vs. double parenthesis is a very big deal in grouping sets. When using the former, one is listing multiple independent groupings, while with the latter one is listing the set of items in a particular grouping.
- Repetition matters - sometimes. In an ordinary GROUP BY duplicate references to the same field has no impact on the result. By contrast, in a GROUPING SET, ROLLUP, or CUBE statement, duplicate references can often result in the same set of data being retrieved multiple times.

GROUP BY Sample Data

The following view will be used throughout this section:

```
CREATE VIEW employee_view
(d1,dept,sex,salary) AS
VALUES('A','A00','F',52750)
 ,('A','A00','M',29250)
 ,('A','A00','M',46500)
 ,('B','B01','M',41250)
 ,('C','C01','F',23800)
 ,('C','C01','F',28420)
 ,('C','C01','F',38250)
 ,('D','D11','F',21340)
 ,('D','D11','F',22250)
 ,('D','D11','F',29840)
 ,('D','D11','M',18270)
 ,('D','D11','M',20450)
 ,('D','D11','M',24680)
 ,('D','D11','M',25280)
 ,('D','D11','M',27740)
 ,('D','D11','M',32250);
```

VIEW CONTENTS			
=====			
D1	DEPT	SEX	SALARY
--	--	--	--
A	A00	F	52750
A	A00	M	29250
A	A00	M	46500
B	B01	M	41250
C	C01	F	23800
C	C01	F	28420
C	C01	F	38250
D	D11	F	21340
D	D11	F	22250
D	D11	F	29840
D	D11	M	18270
D	D11	M	20450
D	D11	M	24680
D	D11	M	25280
D	D11	M	27740
D	D11	M	32250

Figure 562, GROUP BY Sample Data

Simple GROUP BY Statements

A simple GROUP BY is used to combine individual rows into a distinct set of summary rows.

Sample Queries

In this first query we group our sample data by the leftmost three fields in the view:

```
SELECT      d1, dept, sex
           ,SUM(salary)          AS salary
           ,SMALLINT(COUNT(*))  AS #rows
  FROM        employee_view
 WHERE       dept <> 'ABC'
 GROUP BY   d1, dept, sex
 HAVING      dept      > 'A0'
           AND (SUM(salary) > 100
           OR  MIN(salary) > 10
           OR  COUNT(*)    <> 22)
 ORDER BY   d1, dept, sex;
```

ANSWER			
=====			
D1	DEPT	SEX	SALARY #ROWS
--	--	--	--
A	A00	F	52750 1
A	A00	M	75750 2
B	B01	M	41250 1
C	C01	F	90470 3
D	D11	F	73430 3
D	D11	M	148670 6

Figure 563, Simple GROUP BY

There is no need to have a field in the GROUP BY in the SELECT list, but the answer really doesn't make much sense if one does this:

```
SELECT      sex
           ,SUM(salary)          AS salary
           ,SMALLINT(COUNT(*))  AS #rows
  FROM        employee_view
 WHERE       sex IN ('F','M')
 GROUP BY   dept
           ,sex
 ORDER BY   sex;
```

ANSWER		
=====		
SEX	SALARY	#ROWS
--	--	--
F	52750	1
F	90470	3
F	73430	3
M	75750	2
M	41250	1
M	148670	6

Figure 564, GROUP BY on non-displayed field

One can also do a GROUP BY on a derived field, which may, or may not be, in the statement SELECT list. This is an amazingly stupid thing to do:

```

SELECT      SUM(salary)          AS salary
           ,SMALLINT(COUNT(*)) AS #rows
  FROM        employee_view
 WHERE       d1 <> 'X'
 GROUP BY   SUBSTR(dept,3,1)
 HAVING     COUNT(*) <> 99;

```

ANSWER	
=====	
SALARY	#ROWS
-----	-----
128500	3
353820	13

Figure 565, GROUP BY on derived field, not shown

One can not refer to the name of a derived column in a GROUP BY statement. Instead, one has to repeat the actual derivation code. One can however refer to the new column name in an ORDER BY:

```

SELECT      SUBSTR(dept,3,1)    AS wpart
           ,SUM(salary)          AS salary
           ,SMALLINT(COUNT(*)) AS #rows
  FROM        employee_view
 GROUP BY   SUBSTR(dept,3,1)
 ORDER BY   wpart DESC;

```

ANSWER		
=====		
WPART	SALARY	#ROWS
-----	-----	-----
1	353820	13
0	128500	3

Figure 566, GROUP BY on derived field, shown

GROUPING SETS Statement

The GROUPING SETS statement enables one to get multiple GROUP BY result sets using a single statement. It is important to understand the difference between nested (i.e. in secondary parenthesis), and non-nested GROUPING SETS sub-phrases:

- A nested list of columns works as a simple GROUP BY.
- A non-nested list of columns works as separate simple GROUP BY statements, which are then combined in an implied UNION ALL.

GROUP BY GROUPING SETS ((A,B,C))	is equivalent to	GROUP BY A , B , C
GROUP BY GROUPING SETS (A,B,C)	is equivalent to	GROUP BY A UNION ALL GROUP BY B UNION ALL GROUP BY C
GROUP BY GROUPING SETS (A,(B,C))	is equivalent to	GROUP BY A UNION ALL GROUP BY B , BY C

Figure 567, GROUPING SETS in parenthesis vs. not

Multiple GROUPING SETS in the same GROUP BY are combined together as if they were simple fields in a GROUP BY list:

GROUP BY GROUPING SETS (A) , GROUPING SETS (B) , GROUPING SETS (C)	is equivalent to	GROUP BY A , B , C
GROUP BY GROUPING SETS (A) , GROUPING SETS ((B,C))	is equivalent to	GROUP BY A , B , C
GROUP BY GROUPING SETS (A) , GROUPING SETS (B,C)	is equivalent to	GROUP BY A , B UNION ALL GROUP BY A , C

Figure 568, Multiple GROUPING SETS

One can mix simple expressions and GROUPING SETS in the same GROUP BY:

GROUP BY A , GROUPING SETS ((B,C))	is equivalent to	GROUP BY A , B , C
---------------------------------------	------------------	--------------------------

Figure 569, Simple GROUP BY expression and GROUPING SETS combined

Repeating the same field in two parts of the GROUP BY will result in different actions depending on the nature of the repetition. The second field reference is ignored if a standard GROUP BY is being made, and used if multiple GROUP BY statements are implied:

GROUP BY A , B , GROUPING SETS ((B,C))	is equivalent to	GROUP BY A , B , C
GROUP BY A , B , GROUPING SETS (B,C)	is equivalent to	GROUP BY A , B , C UNION ALL GROUP BY A , B
GROUP BY A , B , C , GROUPING SETS (B,C)	is equivalent to	GROUP BY A , B , C UNION ALL GROUP BY A , B , C

Figure 570, Mixing simple GROUP BY expressions and GROUPING SETS

A single GROUPING SETS statement can contain multiple sets of (implied) GROUP BY phrases. These are combined using implied UNION ALL statements:

GROUP BY GROUPING SETS ((A,B,C) , (A,B) , (C))	is equivalent to	GROUP BY A , B , C UNION ALL GROUP BY A , B UNION ALL GROUP BY C
GROUP BY GROUPING SETS ((A) , (B,C) , (A) , A , ((C)))	is equivalent to	GROUP BY A UNION ALL GROUP BY B , C UNION ALL GROUP BY A UNION ALL GROUP BY A UNION ALL GROUP BY C

Figure 571, GROUPING SETS with multiple components

The null-field list "()" can be used to get a grand total. This is equivalent to not having the GROUP BY at all.

```

GROUP BY GROUPING SETS ((A,B,C)      is equivalent to      GROUP BY A
, (A,B)                            ,B
, (A)                             ,C
, () )                           UNION ALL
                                GROUP BY A
                                ,B
                                UNION ALL
                                GROUP BY A
                                UNION ALL
                                grand-totl
is equivalent to
ROLLUP(A,B,C)

```

Figure 572, GROUPING SET with multiple components, using grand-total

The above GROUPING SETS statement is equivalent to a ROLLUP(A,B,C), while the next is equivalent to a CUBE(A,B,C):

```

GROUP BY GROUPING SETS ((A,B,C)      is equivalent to      GROUP BY A
, (A,B)                            ,B
, (A,C)                            ,C
, (B,C)                           UNION ALL
, (A)                             GROUP BY A
, (B)                             ,B
, (C)                             UNION ALL
, () )                           GROUP BY A
                                ,C
                                UNION ALL
                                GROUP BY B
                                ,C
                                UNION ALL
                                GROUP BY A
                                UNION ALL
                                GROUP BY B
                                UNION ALL
                                GROUP BY C
                                UNION ALL
                                grand-totl
is equivalent to
CUBE(A,B,C)

```

Figure 573, GROUPING SET with multiple components, using grand-total

SQL Examples

This first example has two GROUPING SETS. Because the second is in nested parenthesis, the result is the same as a simple three-field group by:

SELECT d1 ,dept ,sex ,SUM(salary) AS sal ,SMALLINT(COUNT(*)) AS #r ,GROUPING(d1) AS f1 ,GROUPING(dept) AS fd ,GROUPING(sex) AS fs FROM employee_view GROUP BY GROUPING SETS (d1) ,GROUPING SETS ((dept,sex)) ORDER BY d1 ,dept ,sex;	ANSWER
	=====
	D1 DEPT SEX SAL #R DF WF SF
	-- -- -- -- -- -- -- -- -- --
	A A00 F 52750 1 0 0 0
	A A00 M 75750 2 0 0 0
	B B01 M 41250 1 0 0 0
	C C01 F 90470 3 0 0 0
	D D11 F 73430 3 0 0 0
	D D11 M 148670 6 0 0 0

Figure 574, Multiple GROUPING SETS, making one GROUP BY

NOTE: The GROUPING(field-name) column function is used in these examples to identify what rows come from which particular GROUPING SET. A value of 1 indicates that the corresponding data field is null because the row is from of a GROUPING SET that does not involve this row. Otherwise, the value is zero.

In the next query, the second GROUPING SET is not in nested-parenthesis. The query is therefore equivalent to GROUP BY D1, DEPT UNION ALL GROUP BY D1, SEX:

```

SELECT      d1
           ,dept
           ,sex
           ,SUM(salary)          AS sal
           ,SMALLINT(COUNT(*))  AS #r
           ,GROUPING(d1)         AS f1
           ,GROUPING(dept)       AS fd
           ,GROUPING(sex)        AS fs
FROM        employee_view
GROUP BY   GROUPING SETS (d1)
           ,GROUPING SETS (dept,sex)
ORDER BY   d1
           ,dept
           ,sex;

```

ANSWER

D1	DEPT	SEX	SAL	#R	F1	FD	FS
A	A00	-	128500	3	0	0	1
A	-	F	52750	1	0	1	0
A	-	M	75750	2	0	1	0
B	B01	-	41250	1	0	0	1
B	-	M	41250	1	0	1	0
C	C01	-	90470	3	0	0	1
C	-	F	90470	3	0	1	0
D	D11	-	222100	9	0	0	1
D	-	F	73430	3	0	1	0
D	-	M	148670	6	0	1	0

Figure 575, Multiple GROUPING SETS, making two GROUP BY results

It is generally unwise to repeat the same field in both ordinary GROUP BY and GROUPING SETS statements, because the result is often rather hard to understand. To illustrate, the following two queries differ only in their use of nested-parenthesis. Both of them repeat the DEPT field:

- In the first, the repetition is ignored, because what is created is an ordinary GROUP BY on all three fields.
- In the second, repetition is important, because two GROUP BY statements are implicitly generated. The first is on D1 and DEPT. The second is on D1, DEPT, and SEX.

```

SELECT      d1
           ,dept
           ,sex
           ,SUM(salary)          AS sal
           ,SMALLINT(COUNT(*))  AS #r
           ,GROUPING(d1)         AS f1
           ,GROUPING(dept)       AS fd
           ,GROUPING(sex)        AS fs
FROM        employee_view
GROUP BY   d1
           ,dept
           ,GROUPING SETS ((dept,sex))
ORDER BY   d1
           ,dept
           ,sex;

```

ANSWER

D1	DEPT	SEX	SAL	#R	F1	FD	FS
A	A00	F	52750	1	0	0	0
A	A00	M	75750	2	0	0	0
B	B01	M	41250	1	0	0	0
C	C01	F	90470	3	0	0	0
D	D11	F	73430	3	0	0	0
D	D11	M	148670	6	0	0	0

Figure 576, Repeated field essentially ignored

```

SELECT      d1
           ,dept
           ,sex
           ,SUM(salary)          AS sal
           ,SMALLINT(COUNT(*))  AS #r
           ,GROUPING(d1)         AS f1
           ,GROUPING(dept)       AS fd
           ,GROUPING(sex)        AS fs
FROM        employee_view
GROUP BY   d1
           ,DEPT
           ,GROUPING SETS (dept,sex)
ORDER BY   d1
           ,dept
           ,sex;

```

ANSWER

D1	DEPT	SEX	SAL	#R	F1	FD	FS
A	A00	F	52750	1	0	0	0
A	A00	M	75750	2	0	0	0
A	A00	-	128500	3	0	0	1
B	B01	M	41250	1	0	0	0
B	B01	-	41250	1	0	0	1
C	C01	F	90470	3	0	0	0
C	C01	-	90470	3	0	0	1
D	D11	F	73430	3	0	0	0
D	D11	M	148670	6	0	0	0
D	D11	-	222100	9	0	0	1

Figure 577, Repeated field impacts query result

The above two queries can be rewritten as follows:

<pre>GROUP BY d1 ,dept ,GROUPING SETS ((dept,sex))</pre>	is equivalent to	<pre>GROUP BY d1 ,dept ,sex</pre>
<pre>GROUP BY d1 ,dept ,GROUPING SETS (dept,sex)</pre>	is equivalent to	<pre>GROUP BY d1 ,dept ,sex UNION ALL GROUP BY d1 ,dept ,dept</pre>

Figure 578, Repeated field impacts query result

NOTE: Repetitions of the same field in a GROUP BY (as is done above) are ignored during query processing. Therefore GROUP BY D1, DEPT, DEPT, SEX is the same as GROUP BY D1, DEPT, SEX.

ROLLUP Statement

A ROLLUP expression displays sub-totals for the specified fields. This is equivalent to doing the original GROUP BY, and also doing more groupings on sets of the left-most columns.

<pre>GROUP BY ROLLUP(A,B,C)</pre>	\implies	<pre>GROUP BY GROUPING SETS((A,B,C) ,(A,B) ,(A) ,())</pre>
<pre>GROUP BY ROLLUP(C,B)</pre>	\implies	<pre>GROUP BY GROUPING SETS((C,B) ,(C) ,())</pre>
<pre>GROUP BY ROLLUP(A)</pre>	\implies	<pre>GROUP BY GROUPING SETS((A) ,())</pre>

Figure 579, ROLLUP vs. GROUPING SETS

Imagine that we wanted to GROUP BY, but not ROLLUP one field in a list of fields. To do this, we simply combine the field to be removed with the next more granular field:

<pre>GROUP BY ROLLUP(A,(B,C))</pre>	\implies	<pre>GROUP BY GROUPING SETS((A,B,C) ,(A) ,())</pre>
-------------------------------------	------------	---

Figure 580, ROLLUP vs. GROUPING SETS

Multiple ROLLUP statements in the same GROUP BY act independently of each other:

<pre>GROUP BY ROLLUP(A) ,ROLLUP(B,C)</pre>	\implies	<pre>GROUP BY GROUPING SETS((A,B,C) ,(A,B) ,(A) ,(B,C) ,(B) ,())</pre>
--	------------	--

Figure 581, ROLLUP vs. GROUPING SETS

One way to understand the above is to convert the two ROLLUP statement into equivalent grouping sets, and then "multiply" them - ignoring any grand-totals except when they are on both sides of the equation:

<pre>ROLLUP(A) * ROLLUP(B,C) = GROUPING SETS((A,B,C) ,(A,B) ,(A) ,(B,C) ,(B) ,())</pre>
$\text{GROUPING SETS}((A),(),*) \text{ GROUPING SETS}((B,C),(),(B),(),((),)) =$

Figure 582, Multiplying GROUPING SETS

SQL Examples

Here is a standard GROUP BY that gets no sub-totals:

```
SELECT    dept
          ,SUM(salary)      AS salary
          ,SMALLINT(COUNT(*)) AS #rows
          ,GROUPING(dept)   AS fd
  FROM      employee_view
 GROUP BY  dept
 ORDER BY  dept;
```

ANSWER			
=====			
DEPT	SALARY	#ROWS	FD
A00	128500	3	0
B01	41250	1	0
C01	90470	3	0
D11	222100	9	0

Figure 583, Simple GROUP BY

Imagine that we wanted to also get a grand total for the above. Below is an example of using the ROLLUP statement to do this:

```
SELECT    dept
          ,SUM(salary)      AS salary
          ,SMALLINT(COUNT(*)) AS #rows
          ,GROUPING(dept)   AS FD
  FROM      employee_view
 GROUP BY  ROLLUP(dept)
 ORDER BY  dept;
```

ANSWER			
=====			
DEPT	SALARY	#ROWS	FD
A00	128500	3	0
B01	41250	1	0
C01	90470	3	0
D11	222100	9	0
-	482320	16	1

Figure 584, GROUP BY with ROLLUP

NOTE: The GROUPING(field-name) function that is selected in the above example returns a one when the output row is a summary row, else it returns a zero.

Alternatively, we could do things the old-fashioned way and use a UNION ALL to combine the original GROUP BY with an all-row summary:

```
SELECT    dept
          ,SUM(salary)      AS salary
          ,SMALLINT(COUNT(*)) AS #rows
          ,GROUPING(dept)   AS fd
  FROM      employee_view
 GROUP BY  dept
 UNION ALL
SELECT    CAST(NULL AS CHAR(3)) AS dept
          ,SUM(salary)      AS salary
          ,SMALLINT(COUNT(*)) AS #rows
          ,CAST(1 AS INTEGER) AS fd
  FROM      employee_view
 ORDER BY  dept;
```

ANSWER			
=====			
DEPT	SALARY	#ROWS	FD
A00	128500	3	0
B01	41250	1	0
C01	90470	3	0
D11	222100	9	0
-	482320	16	1

Figure 585, ROLLUP done the old-fashioned way

Specifying a field both in the original GROUP BY, and in a ROLLUP list simply results in every data row being returned twice. In other words, the result is garbage:

```
SELECT    dept
          ,SUM(salary)      AS salary
          ,SMALLINT(COUNT(*)) AS #rows
          ,GROUPING(dept)   AS fd
  FROM      employee_view
 GROUP BY  dept
          ,ROLLUP(dept)
 ORDER BY  dept;
```

ANSWER			
=====			
DEPT	SALARY	#ROWS	FD
A00	128500	3	0
A00	128500	3	0
B01	41250	1	0
B01	41250	1	0
C01	90470	3	0
C01	90470	3	0
D11	222100	9	0
D11	222100	9	0

Figure 586, Repeating a field in GROUP BY and ROLLUP (error)

Below is a graphic representation of why the data rows were repeated above. Observe that two GROUP BY statements were, in effect, generated:

```
GROUP BY dept      => GROUP BY dept
      ,ROLLUP(dept) ,GROUPING SETS((dept))      => GROUP BY dept
                                                UNION ALL
                                                ,()          GROUP BY dept
                                                ,()
```

Figure 587, Repeating a field, explanation

In the next example the GROUP BY, is on two fields, with the second also being rolled up:

<pre>SELECT dept ,sex ,SUM(salary) AS salary ,SMALLINT(COUNT(*)) AS #rows ,GROUPING(dept) AS fd ,GROUPING(sex) AS fs FROM employee_view GROUP BY dept ,ROLLUP(sex) ORDER BY dept ,sex;</pre>	ANSWER <pre>=====</pre> <table border="1"> <thead> <tr> <th>DEPT</th> <th>SEX</th> <th>SALARY</th> <th>#ROWS</th> <th>FD</th> <th>FS</th> </tr> </thead> <tbody> <tr> <td>A00</td> <td>F</td> <td>52750</td> <td>1</td> <td>0</td> <td>0</td> </tr> <tr> <td>A00</td> <td>M</td> <td>75750</td> <td>2</td> <td>0</td> <td>0</td> </tr> <tr> <td>A00</td> <td>-</td> <td>128500</td> <td>3</td> <td>0</td> <td>1</td> </tr> <tr> <td>B01</td> <td>M</td> <td>41250</td> <td>1</td> <td>0</td> <td>0</td> </tr> <tr> <td>B01</td> <td>-</td> <td>41250</td> <td>1</td> <td>0</td> <td>1</td> </tr> <tr> <td>C01</td> <td>F</td> <td>90470</td> <td>3</td> <td>0</td> <td>0</td> </tr> <tr> <td>C01</td> <td>-</td> <td>90470</td> <td>3</td> <td>0</td> <td>1</td> </tr> <tr> <td>D11</td> <td>F</td> <td>73430</td> <td>3</td> <td>0</td> <td>0</td> </tr> <tr> <td>D11</td> <td>M</td> <td>148670</td> <td>6</td> <td>0</td> <td>0</td> </tr> <tr> <td>D11</td> <td>-</td> <td>222100</td> <td>9</td> <td>0</td> <td>1</td> </tr> </tbody> </table>	DEPT	SEX	SALARY	#ROWS	FD	FS	A00	F	52750	1	0	0	A00	M	75750	2	0	0	A00	-	128500	3	0	1	B01	M	41250	1	0	0	B01	-	41250	1	0	1	C01	F	90470	3	0	0	C01	-	90470	3	0	1	D11	F	73430	3	0	0	D11	M	148670	6	0	0	D11	-	222100	9	0	1
DEPT	SEX	SALARY	#ROWS	FD	FS																																																														
A00	F	52750	1	0	0																																																														
A00	M	75750	2	0	0																																																														
A00	-	128500	3	0	1																																																														
B01	M	41250	1	0	0																																																														
B01	-	41250	1	0	1																																																														
C01	F	90470	3	0	0																																																														
C01	-	90470	3	0	1																																																														
D11	F	73430	3	0	0																																																														
D11	M	148670	6	0	0																																																														
D11	-	222100	9	0	1																																																														

Figure 588, GROUP BY on 1st field, ROLLUP on 2nd

The next example does a ROLLUP on both the DEPT and SEX fields, which means that we will get rows for the following:

- The work-department and sex field combined (i.e. the original raw GROUP BY).
- A summary for all sexes within an individual work-department.
- A summary for all work-departments (i.e. a grand-total).

<pre>SELECT dept ,sex ,SUM(salary) AS salary ,SMALLINT(COUNT(*)) AS #rows ,GROUPING(dept) AS fd ,GROUPING(sex) AS fs FROM employee_view GROUP BY ROLLUP(dept ,sex) ORDER BY dept ,sex;</pre>	ANSWER <pre>=====</pre> <table border="1"> <thead> <tr> <th>DEPT</th> <th>SEX</th> <th>SALARY</th> <th>#ROWS</th> <th>FD</th> <th>FS</th> </tr> </thead> <tbody> <tr> <td>A00</td> <td>F</td> <td>52750</td> <td>1</td> <td>0</td> <td>0</td> </tr> <tr> <td>A00</td> <td>M</td> <td>75750</td> <td>2</td> <td>0</td> <td>0</td> </tr> <tr> <td>A00</td> <td>-</td> <td>128500</td> <td>3</td> <td>0</td> <td>1</td> </tr> <tr> <td>B01</td> <td>M</td> <td>41250</td> <td>1</td> <td>0</td> <td>0</td> </tr> <tr> <td>B01</td> <td>-</td> <td>41250</td> <td>1</td> <td>0</td> <td>1</td> </tr> <tr> <td>C01</td> <td>F</td> <td>90470</td> <td>3</td> <td>0</td> <td>0</td> </tr> <tr> <td>C01</td> <td>-</td> <td>90470</td> <td>3</td> <td>0</td> <td>1</td> </tr> <tr> <td>D11</td> <td>F</td> <td>73430</td> <td>3</td> <td>0</td> <td>0</td> </tr> <tr> <td>D11</td> <td>M</td> <td>148670</td> <td>6</td> <td>0</td> <td>0</td> </tr> <tr> <td>D11</td> <td>-</td> <td>222100</td> <td>9</td> <td>0</td> <td>1</td> </tr> <tr> <td>-</td> <td>-</td> <td>482320</td> <td>16</td> <td>1</td> <td>1</td> </tr> </tbody> </table>	DEPT	SEX	SALARY	#ROWS	FD	FS	A00	F	52750	1	0	0	A00	M	75750	2	0	0	A00	-	128500	3	0	1	B01	M	41250	1	0	0	B01	-	41250	1	0	1	C01	F	90470	3	0	0	C01	-	90470	3	0	1	D11	F	73430	3	0	0	D11	M	148670	6	0	0	D11	-	222100	9	0	1	-	-	482320	16	1	1
DEPT	SEX	SALARY	#ROWS	FD	FS																																																																				
A00	F	52750	1	0	0																																																																				
A00	M	75750	2	0	0																																																																				
A00	-	128500	3	0	1																																																																				
B01	M	41250	1	0	0																																																																				
B01	-	41250	1	0	1																																																																				
C01	F	90470	3	0	0																																																																				
C01	-	90470	3	0	1																																																																				
D11	F	73430	3	0	0																																																																				
D11	M	148670	6	0	0																																																																				
D11	-	222100	9	0	1																																																																				
-	-	482320	16	1	1																																																																				

Figure 589, ROLLUP on DEPT, then SEX

In the next example we have reversed the ordering of fields in the ROLLUP statement. To make things easier to read, we have also altered the ORDER BY sequence. Now get an individual row for each sex and work-department value, plus a summary row for each sex:, plus a grand-total row:

```

SELECT    sex
        ,dept
        ,SUM(salary)      AS salary
        ,SMALLINT(COUNT(*)) AS #rows
        ,GROUPING(dept)   AS fd
        ,GROUPING(sex)    AS fs
FROM      employee_view
GROUP BY ROLLUP(sex
                  ,dept)
ORDER BY sex
        ,dept;

```

ANSWER					
SEX	DEPT	SALARY	#ROWS	FD	FS
F	A00	52750	1	0	0
F	C01	90470	3	0	0
F	D11	73430	3	0	0
F	-	216650	7	1	0
M	A00	75750	2	0	0
M	B01	41250	1	0	0
M	D11	148670	6	0	0
M	-	265670	9	1	0
-	-	482320	16	1	1

Figure 590, ROLLUP on SEX, then DEPT

The next statement is the same as the prior, but it uses the logically equivalent GROUPING SETS syntax:

```

SELECT    sex
        ,dept
        ,SUM(salary)      AS salary
        ,SMALLINT(COUNT(*)) AS #rows
        ,GROUPING(dept)   AS fd
        ,GROUPING(sex)    AS fs
FROM      employee_view
GROUP BY GROUPING SETS ((sex, dept)
                           ,(sex)
                           ,())
ORDER BY sex
        ,dept;

```

ANSWER					
SEX	DEPT	SALARY	#ROWS	FD	FS
F	A00	52750	1	0	0
F	C01	90470	3	0	0
F	D11	73430	3	0	0
F	-	216650	7	1	0
M	A00	75750	2	0	0
M	B01	41250	1	0	0
M	D11	148670	6	0	0
M	-	265670	9	1	0
-	-	482320	16	1	1

Figure 591, ROLLUP on SEX, then DEPT

The next example has two independent rollups:

- The first generates a summary row for each sex.
- The second generates a summary row for each work-department.

The two together make a (single) combined summary row of all matching data. This query is the same as a UNION of the two individual rollups, but it has the advantage of being done in a single pass of the data. The result is the same as a CUBE of the two fields:

```

SELECT    sex
        ,dept
        ,SUM(salary)      AS salary
        ,SMALLINT(COUNT(*)) AS #rows
        ,GROUPING(dept)   AS fd
        ,GROUPING(sex)    AS fs
FROM      employee_view
GROUP BY ROLLUP(sex)
                  ,ROLLUP(dept)
ORDER BY sex
        ,dept;

```

ANSWER					
SEX	DEPT	SALARY	#ROWS	FD	FS
F	A00	52750	1	0	0
F	C01	90470	3	0	0
F	D11	73430	3	0	0
F	-	216650	7	1	0
M	A00	75750	2	0	0
M	B01	41250	1	0	0
M	D11	148670	6	0	0
M	-	265670	9	1	0
-	A00	128500	3	0	1
-	B01	41250	1	0	1
-	C01	90470	3	0	1
-	D11	222100	9	0	1
-	-	482320	16	1	1

Figure 592, Two independent ROLLUPS

Below we use an inner set of parenthesis to tell the ROLLUP to treat the two fields as one, which causes us to only get the detailed rows, and the grand-total summary:

```

SELECT      dept
           ,sex
           ,SUM(salary)      AS salary
           ,SMALLINT(COUNT(*)) AS #rows
           ,GROUPING(dept)   AS fd
           ,GROUPING(sex)    AS fs
  FROM        employee_view
 GROUP BY    ROLLUP((dept,sex))
 ORDER BY    dept
           ,sex;

```

ANSWER					
DEPT	SEX	SALARY	#ROWS	FD	FS
A00	F	52750	1	0	0
A00	M	75750	2	0	0
B01	M	41250	1	0	0
C01	F	90470	3	0	0
D11	F	73430	3	0	0
D11	M	148670	6	0	0
-	-	482320	16	1	1

Figure 593, Combined-field ROLLUP

The HAVING statement can be used to refer to the two GROUPING fields. For example, in the following query, we eliminate all rows except the grand total:

```

SELECT      SUM(salary)      AS salary
           ,SMALLINT(COUNT(*)) AS #rows
  FROM        employee_view
 GROUP BY    ROLLUP(sex
           ,dept)
 HAVING     GROUPING(dept) = 1
           AND GROUPING(sex)  = 1
 ORDER BY    salary;

```

ANSWER	
SALARY	#ROWS
482320	16

Figure 594, Use HAVING to get only grand-total row

Below is a logically equivalent SQL statement:

```

SELECT      SUM(salary)      AS salary
           ,SMALLINT(COUNT(*)) AS #rows
  FROM        employee_view
 GROUP BY    GROUPING SETS();

```

ANSWER	
SALARY	#ROWS
482320	16

Figure 595, Use GROUPING SETS to get grand-total row

Here is another:

```

SELECT      SUM(salary)      AS salary
           ,SMALLINT(COUNT(*)) AS #rows
  FROM        employee_view
 GROUP BY    ();

```

ANSWER	
SALARY	#ROWS
482320	16

Figure 596, Use GROUP BY to get grand-total row

And another:

```

SELECT      SUM(salary)      AS salary
           ,SMALLINT(COUNT(*)) AS #rows
  FROM        employee_view;

```

ANSWER	
SALARY	#ROWS
482320	16

Figure 597, Get grand-total row directly

CUBE Statement

A CUBE expression displays a cross-tabulation of the sub-totals for any specified fields. As such, it generates many more totals than the similar ROLLUP.

GROUP BY CUBE(A,B,C)	==>	GROUP BY GROUPING SETS((A,B,C), (A,B), (A,C), (B,C), (A), (B), (C), ())
GROUP BY CUBE(C,B)	==>	GROUP BY GROUPING SETS((C,B), (C), (B), ())
GROUP BY CUBE(A)	==>	GROUP BY GROUPING SETS((A), ())

Figure 598, CUBE vs. GROUPING SETS

As with the ROLLUP statement, any set of fields in nested parenthesis is treated by the CUBE as a single field:

GROUP BY CUBE(A,(B,C)) ==> GROUP BY GROUPING SETS((A,B,C), (B,C), (A), ())

Figure 599, CUBE vs. GROUPING SETS

Having multiple CUBE statements is allowed, but very, very silly:

Figure 600, CUBE vs. GROUPING SETS

Obviously, the above is a lot of GROUPING SETS, and even more underlying GROUP BY statements. Think of the query as the Cartesian Product of the two CUBE statements, which are first resolved down into the following two GROUPING SETS:

((A,B),(A),(B),())

((B,C),(B),(C),())

SQL Examples

Below is a standard CUBE statement:

```

SELECT    d1
          ,dept
          ,sex
          ,INT(SUM(salary))   AS sal
          ,SMALLINT(COUNT(*)) AS #r
          ,GROUPING(d1)        AS f1
          ,GROUPING(dept)      AS fd
          ,GROUPING(sex)       AS fs
FROM      employee_view
GROUP BY  CUBE(d1, dept, sex)
ORDER BY  d1
          ,dept
          ,sex;

```

ANSWER

D1	DEPT	SEX	SAL	#R	F1	FD	FS
A	A00	F	52750	1	0	0	0
A	A00	M	75750	2	0	0	0
A	A00	-	128500	3	0	0	1
A	-	F	52750	1	0	1	0
A	-	M	75750	2	0	1	0
A	-	-	128500	3	0	1	1
B	B01	M	41250	1	0	0	0
B	B01	-	41250	1	0	0	1
B	-	M	41250	1	0	1	0
B	-	-	41250	1	0	1	1
C	C01	F	90470	3	0	0	0
C	C01	-	90470	3	0	0	1
C	-	F	90470	3	0	1	0
C	-	-	90470	3	0	1	1
D	D11	F	73430	3	0	0	0
D	D11	M	148670	6	0	0	0
D	D11	-	222100	9	0	0	1
D	-	F	73430	3	0	1	0
D	-	M	148670	6	0	1	0
D	-	-	222100	9	0	1	1
-	A00	F	52750	1	1	0	0
-	A00	M	75750	2	1	0	0
-	A00	-	128500	3	1	0	1
-	B01	M	41250	1	1	0	0
-	B01	-	41250	1	1	0	1
-	C01	F	90470	3	1	0	0
-	C01	-	90470	3	1	0	1
-	D11	F	73430	3	1	0	0
-	D11	M	148670	6	1	0	0
-	D11	-	222100	9	1	0	1
-	-	F	216650	7	1	1	0
-	-	M	265670	9	1	1	0
-	-	-	482320	16	1	1	1

Figure 601, CUBE example

Here is the same query expressed as GROUPING SETS:

```

SELECT    d1
          ,dept
          ,sex
          ,INT(SUM(salary))   AS sal
          ,SMALLINT(COUNT(*)) AS #r
          ,GROUPING(d1)        AS f1
          ,GROUPING(dept)      AS fd
          ,GROUPING(sex)       AS fs
FROM      employee_view
GROUP BY  GROUPING SETS ((d1, dept, sex)
                           ,(d1,dept)
                           ,(d1,sex)
                           ,(dept,sex)
                           ,(d1)
                           ,(dept)
                           ,(sex)
                           ,())
ORDER BY  d1
          ,dept
          ,sex;

```

ANSWER

D1	DEPT	SEX	SAL	#R	F1	FD	FS
A	A00	F	52750	1	0	0	0
A	A00	M	75750	2	0	0	0
etc... (same as prior query)							

Figure 602, CUBE expressed using multiple GROUPING SETS

A CUBE on a list of columns in nested parenthesis acts as if the set of columns was only one field. The result is that one gets a standard GROUP BY (on the listed columns), plus a row with the grand-totals:

```

SELECT    d1
        ,dept
        ,sex
        ,INT(SUM(salary))    AS sal
        ,SMALLINT(COUNT(*))  AS #r
        ,GROUPING(d1)         AS f1
        ,GROUPING(dept)       AS fd
        ,GROUPING(sex)        AS fs
FROM      employee_VIEW
GROUP BY CUBE((d1, dept, sex))
ORDER BY d1
        ,dept
        ,sex;

```

Figure 603, CUBE on compound fields

The above query is resolved thus:

```

GROUP BY CUBE((A,B,C)) => GROUP BY GROUPING SETS((A,B,C)) => GROUP BY A
                                ,()
                                ,B
                                ,C
                                UNION ALL
                                GROUP BY()

```

Figure 604, CUBE on compound field, explanation

Complex Grouping Sets - Done Easy

Many of the more complicated SQL statements illustrated above are essentially unreadable because it is very hard to tell what combinations of fields are being rolled up, and what are not. There ought to be a more user-friendly way and, fortunately, there is. The CUBE command can be used to roll up everything. Then one can use ordinary SQL predicates to select only those totals and sub-totals that one wants to display.

NOTE: Queries with multiple complicated ROLLUP and/or GROUPING SET statements sometimes fail to compile. In which case, this method can be used to get the answer.

To illustrate this technique, consider the following query. It summarizes the data in the sample view by three fields:

```

SELECT    d1
        ,dept
        ,sex
        ,INT(SUM(salary))    AS sal
        ,SMALLINT(COUNT(*))  AS r
FROM      employee_VIEW
GROUP BY d1
        ,dept
        ,sex
ORDER BY 1,2,3;

```

D1	DPT	SX	SAL	R
A	A00	F	52750	1
A	A00	M	75750	2
B	B01	M	41250	1
C	C01	F	90470	3
D	D11	F	73430	3
D	D11	M	148670	6
-	-	-	482320	16
				1
				1

Figure 605, Basic GROUP BY example

Now imagine that we want to extend the above query to get the following sub-total rows:

```

DESIRED SUB-TOTALS
=====
D1, DEPT, and SEX.
D1 and DEPT.
D1 and SEX.
D1.
SEX.
Grand total.

```

EQUIVILENT TO	
=====	
GROUP BY GROUPING SETS ((d1,dept,sex)	
,(d1,dept)	
,(d1,sex)	
,(d1)	
,(sex)	
,(())	
=====	
GROUP BY ROLLUP(d1,dept)	
,ROLLUP(sex)	

Figure 606, Sub-totals that we want to get

Rather than use either of the syntaxes shown on the right above, below we use the CUBE expression to get all sub-totals, and then select those that we want:

```

SELECT      *
FROM        (SELECT    d1
              ,dept
              ,sex
              ,INT(SUM(salary))
              ,SMALLINT(COUNT(*))
              ,SMALLINT(GROUPING(d1))
              ,SMALLINT(GROUPING(dept))
              ,SMALLINT(GROUPING(sex))
          FROM      EMPLOYEE_VIEW
          GROUP BY CUBE(d1,dept,sex)
        )AS xxx
WHERE      (g1,gd,gs) = (0,0,0)
OR         (g1,gd,gs) = (0,0,1)
OR         (g1,gd,gs) = (0,1,0)
OR         (g1,gd,gs) = (0,1,1)
OR         (g1,gd,gs) = (1,1,0)
OR         (g1,gd,gs) = (1,1,1)
ORDER BY 1,2,3;

```

	ANSWER							
	D1	DPT	SX	SAL	#R	G1	GD	GS
A	A00	F	52750	1	0	0	0	0
A	A00	M	75750	2	0	0	0	0
A	A00	-	128500	3	0	0	1	0
A	-	F	52750	1	0	1	0	0
A	-	M	75750	2	0	1	0	0
A	-	-	128500	3	0	1	1	0
B	B01	M	41250	1	0	0	0	0
B	B01	-	41250	1	0	0	1	0
B	-	M	41250	1	0	1	0	0
B	-	-	41250	1	0	1	1	0
C	C01	F	90470	3	0	0	0	0
C	C01	-	90470	3	0	0	1	0
C	-	F	90470	3	0	1	0	0
C	-	-	90470	3	0	1	1	0
D	D11	F	73430	3	0	0	0	0
D	D11	M	148670	6	0	0	0	0
D	D11	-	222100	9	0	0	1	0
D	-	F	73430	3	0	1	0	0
D	-	M	148670	6	0	1	0	0
D	-	-	222100	9	0	1	1	0
-	-	F	216650	7	1	1	0	0
-	-	M	265670	9	1	1	0	0
-	-	-	482320	16	1	1	1	1

Figure 607, Get lots of sub-totals, using CUBE

In the above query, the GROUPING function (see page 93) is used to identify what fields are being summarized on each row. A value of one indicates that the field is being summarized; while a value of zero means that it is not. Only the following combinations are kept:

```

(G1, GD, GS) = (0,0,0)    <==  D1, DEPT, SEX
(G1, GD, GS) = (0,0,1)    <==  D1, DEPT
(G1, GD, GS) = (0,1,0)    <==  D1, SEX
(G1, GD, GS) = (0,1,1)    <==  D1,
(G1, GD, GS) = (1,1,0)    <==  SEX,
(G1, GD, GS) = (1,1,1)    <==  grand total

```

Figure 608, Predicates used - explanation

Here is the same query written using two ROLLUP expressions. You can be the judge as to which is the easier to understand:

```

SELECT    d1
        ,dept
        ,sex
        ,INT(SUM(salary))    AS sal
        ,SMALLINT(COUNT(*))  AS #r
FROM      employee_view
GROUP BY  ROLLUP(d1,dept)
        ,ROLLUP(sex)
ORDER BY  1,2,3;

```

ANSWER				
D1	DEPT	SEX	SAL	#R
A	A00	F	52750	1
A	A00	M	75750	2
A	A00	-	128500	3
A	-	F	52750	1
A	-	M	75750	2
A	-	-	128500	3
B	B01	M	41250	1
B	B01	-	41250	1
B	-	M	41250	1
B	-	-	41250	1
C	C01	F	90470	3
C	C01	-	90470	3
C	-	F	90470	3
C	-	-	90470	3
D	D11	F	73430	3
D	D11	M	148670	6
D	D11	-	222100	9
D	-	F	73430	3
D	-	M	148670	6
D	-	-	222100	9
-	-	F	216650	7
-	-	M	265670	9
-	-	-	482320	16

Figure 609, Get lots of sub-totals, using ROLLUP

Group By and Order By

One should never assume that the result of a GROUP BY will be a set of appropriately ordered rows because DB2 may choose to use a "strange" index for the grouping so as to avoid doing a row sort. For example, if one says "GROUP BY C1, C2" and the only suitable index is on C2 descending and then C1, the data will probably come back in index-key order.

```

SELECT    dept, job
        ,COUNT(*)
FROM      staff
GROUP BY dept, job
ORDER BY dept, job;

```

Figure 610, GROUP BY with ORDER BY

NOTE: Always code an ORDER BY if there is a need for the rows returned from the query to be specifically ordered - which there usually is.

Group By in Join

We want to select those rows in the STAFF table where the average SALARY for the employee's DEPT is greater than \$18,000. Answering this question requires using a JOIN and GROUP BY in the same statement. The GROUP BY will have to be done first, then its' result will be joined to the STAFF table.

There are two syntactically different, but technically similar, ways to write this query. Both techniques use a temporary table, but the way by which this is expressed differs. In the first example, we shall use a common table expression:

```

WITH staff2 (dept, avgSal) AS
  (SELECT dept
   ,AVG(salary)
  FROM staff
 GROUP BY dept
 HAVING AVG(salary) > 18000
 )
SELECT a.id
 ,a.name
 ,a.dept
FROM staff a
 ,staff2 b
WHERE a.dept = b.dept
ORDER BY a.id;

```

ANSWER		
ID	NAME	DEPT
160	Molinare	10
210	Lu	10
240	Daniels	10
260	Jones	10

Figure 611, GROUP BY on one side of join - using common table expression

In the next example, we shall use a fullselect:

```

SELECT a.id
 ,a.name
 ,a.dept
FROM staff a
 ,(SELECT dept AS dept
 ,AVG(salary) AS avgSal
  FROM staff
 GROUP BY dept
 HAVING AVG(salary) > 18000
 )AS b
WHERE a.dept = b.dept
ORDER BY a.id;

```

ANSWER		
ID	NAME	DEPT
160	Molinare	10
210	Lu	10
240	Daniels	10
260	Jones	10

Figure 612, GROUP BY on one side of join - using fullselect

COUNT and No Rows

When there are no matching rows, the value returned by the COUNT depends upon whether this is a GROUP BY in the SQL statement or not:

```

SELECT COUNT(*) AS c1
FROM staff
WHERE id < 1;

```

ANSWER		
=====	0	


```

SELECT COUNT(*) AS c1
FROM staff
WHERE id < 1
GROUP BY id;

```

ANSWER		
=====	no row	

Figure 613, COUNT and No Rows

See page 428 for a comprehensive discussion of what happens when no rows match.

Joins

A join is used to relate sets of rows in two or more logical tables. The tables are always joined on a row-by-row basis using whatever join criteria are provided in the query. The result of a join is always a new, albeit possibly empty, set of rows.

In a join, the matching rows are joined side-by-side to make the result table. By contrast, in a union (see page 259) the matching rows are joined (in a sense) one-above-the-other to make the result table.

Why Joins Matter

The most important data in a relational database is not that stored in the individual rows. Rather, it is the implied relationships between sets of related rows. For example, individual rows in an EMPLOYEE table may contain the employee ID and salary - both of which are very important data items. However, it is the set of all rows in the same table that gives the gross wages for the whole company, and it is the (implied) relationship between the EMPLOYEE and DEPARTMENT tables that enables one to get a breakdown of employees by department and/or division.

Joins are important because one uses them to tease the relationships out of the database. They are also important because they are very easy to get wrong.

Sample Views

```
CREATE VIEW staff_v1 AS
SELECT id, name
FROM staff
WHERE id BETWEEN 10 AND 30;

CREATE VIEW staff_v2 AS
SELECT id, job
FROM staff
WHERE id BETWEEN 20 AND 50
UNION ALL
SELECT id, 'Clerk' AS job
FROM staff
WHERE id = 30;
```

STAFF_V1		STAFF_V2	
ID	NAME	ID	JOB
10	Sanders	20	Sales
20	Pernal	30	Clerk
30	Marenghi	30	Mgr
		40	Sales
		50	Mgr

Figure 614, Sample Views used in Join Examples

Observe that the above two views have the following characteristics:

- Both views contain rows that have no corresponding ID in the other view.
- In the V2 view, there are two rows for ID of 30.

Join Syntax

DB2 SQL comes with two quite different ways to represent a join. Both syntax styles will be shown throughout this section though, in truth, one of the styles is usually the better, depending upon the situation.

The first style, which is only really suitable for inner joins, involves listing the tables to be joined in a FROM statement. A comma separates each table name. A subsequent WHERE statement constrains the join.




Figure 615, Join Syntax #1

Here are some sample joins:

```

SELECT v1.id
      ,v1.name
      ,v2.job
  FROM staff_v1 v1
      ,staff_v2 v2
 WHERE v1.id = v2.id
 ORDER BY v1.id
      ,v2.job;
  
```

JOIN ANSWER		
ID	NAME	JOB
20	Pernal	Sales
30	Marenghi	Clerk
30	Marenghi	Mgr

Figure 616, Sample two-table join

```

SELECT v1.id
      ,v2.job
      ,v3.name
  FROM staff_v1 v1
      ,staff_v2 v2
      ,staff_v1 v3
 WHERE v1.id = v2.id
   AND v2.id = v3.id
   AND v3.name LIKE 'M%'
 ORDER BY v1.name
      ,v2.job;
  
```

JOIN ANSWER		
ID	JOB	NAME
30	Clerk	Marenghi
30	Mgr	Marenghi

Figure 617, Sample three-table join

The second join style, which is suitable for both inner and outer joins, involves joining the tables two at a time, listing the type of join as one goes. ON conditions constrain the join (note: there must be at least one), while WHERE conditions are applied after the join and constrain the result.




Figure 618, Join Syntax #2

The following sample joins are logically equivalent to the two given above:

```

SELECT v1.id
      ,v1.name
      ,v2.job
  FROM staff_v1 v1
 INNER JOIN staff_v2 v2
    ON v1.id = v2.id
 ORDER BY v1.id
      ,v2.job;
  
```

JOIN ANSWER		
ID	NAME	JOB
20	Pernal	Sales
30	Marenghi	Clerk
30	Marenghi	Mgr

Figure 619, Sample two-table inner join

SELECT	v1.id ,v2.job ,v3.name FROM staff_v1 v1 JOIN staff_v2 v2 ON v1.id = v2.id JOIN staff_v1 v3 ON v2.id = v3.id WHERE v3.name LIKE 'M%' ORDER BY v1.name ,v2.job;	STAFF_V1	STAFF_V2
		ID NAME	ID JOB
		-- --	-- --
		10 Sanders	20 Sales
		20 Pernal	30 Clerk
		30 Marenghi	30 Mgr
		+-----+	+-----+
			40 Sales
			50 Mgr
			+-----+
			JOIN ANSWER
			=====
		ID JOB NAME	
		-- -- --	
		30 Clerk Marenghi	
		30 Mgr Marenghi	

Figure 620, Sample three-table inner join

Query Processing Sequence

The following table lists the sequence with which various parts of a query are executed:

FROM clause
JOIN ON clause
WHERE clause
GROUP BY and aggregate
HAVING clause
SELECT list
ORDER BY clause
FETCH FIRST

Figure 621, Query Processing Sequence

Observe that ON predicates (e.g. in an outer join) are always processed before any WHERE predicates (in the same join) are applied. Ignoring this processing sequence can cause what looks like an outer join to run as an inner join - see figure 633.

ON vs. WHERE

A join written using the second syntax style shown above can have either, or both, ON and WHERE checks. These two types of check work quite differently:

- WHERE checks are used to filter rows, and to define the nature of the join. Only those rows that match all WHERE checks are returned.
- ON checks define the nature of the join. They are used to categorize rows as either joined or not-joined, rather than to exclude rows from the answer-set, though they may do this in some situations.

Let illustrate this difference with a simple, if slightly silly, left outer join:

SELECT	*	ANSWER
FROM	staff_v1 v1	=====
LEFT OUTER JOIN		ID NAME ID JOB
	staff_v2 v2	-- -- -- --
ON	1 = 1	10 Sanders - -
AND	v1.id = v2.id	20 Pernal 20 Sales
ORDER BY	v1.id ,v2.job;	30 Marenghi 30 Clerk
		30 Marenghi 30 Mgr

Figure 622, Sample Views used in Join Examples

Now lets replace the second ON check with a WHERE check:

```

SELECT      *
FROM        staff_v1 v1
LEFT OUTER JOIN
          staff_v2 v2
ON          1      = 1
WHERE      v1.id    = v2.id
ORDER BY   v1.id
           ,v2.job;

```

ANSWER			
ID	NAME	ID	JOB
20	Pernal	20	Sales
30	Marenghi	30	Clerk
30	Marenghi	30	Mgr

Figure 623, Sample Views used in Join Examples

In the first example above, all rows were retrieved from the V1 view. Then, for each row, the two ON checks were used to find matching rows in the V2 view. In the second query, all rows were again retrieved from the V1 view. Then each V1 row was joined to every row in the V2 view using the (silly) ON check. Finally, the WHERE check (which is always done after the join) was applied to filter out all pairs that do not match on ID.

Can an ON check ever exclude rows? The answer is complicated:

- In an inner join, an ON check can exclude rows because it is used to define the nature of the join and, by definition, in an inner join only matching rows are returned.
- In a partial outer join, an ON check on the originating table does not exclude rows. It simply categorizes each row as participating in the join or not.
- In a partial outer join, an ON check on the table to be joined to can exclude rows because if the row fails the test, it does not match the join.
- In a full outer join, an ON check never excludes rows. It simply categorizes them as matching the join or not.

Each of the above principles will be demonstrated as we look at the different types of join.

Join Types

A generic join matches one row with another to create a new compound row. Joins can be categorized by the nature of the match between the joined rows. In this section we shall discuss each join type and how to code it in SQL.

Inner Join

An inner-join is another name for a standard join in which two sets of columns are joined by matching those rows that have equal data values. Most of the joins that one writes will probably be of this kind and, assuming that suitable indexes have been created, they will almost always be very efficient.

STAFF_V1		STAFF_V2		Join on ID =====>	INNER-JOIN ANSWER			
ID	NAME	ID	JOB		ID	NAME	ID	JOB
10	Sanders	20	Sales		20	Pernal	20	Sales
20	Pernal	30	Clerk		30	Marenghi	30	Clerk
30	Marenghi	30	Mgr		30	Marenghi	30	Mgr
		40	Sales					
		50	Mgr					

Figure 624, Example of Inner Join

```
SELECT      *
FROM        staff_v1 v1
           ,staff_v2 v2
WHERE       v1.id = v2.id
ORDER BY   v1.id
           ,v2.job;
```

ANSWER

```
=====
ID NAME      ID JOB
-- ----- -- -----
20 Pernal    20 Sales
30 Marenghi 30 Clerk
30 Marenghi 30 Mgr
```

Figure 625, Inner Join SQL (1 of 2)

```
SELECT      *
FROM        staff_v1 v1
INNER JOIN
           staff_v2 v2
ON         v1.id = v2.id
ORDER BY   v1.id
           ,v2.job;
```

ANSWER

```
=====
ID NAME      ID JOB
-- ----- -- -----
20 Pernal    20 Sales
30 Marenghi 30 Clerk
30 Marenghi 30 Mgr
```

Figure 626, Inner Join SQL (2 of 2)

ON and WHERE Usage

In an inner join only, an ON and a WHERE check work much the same way. Both define the nature of the join, and because in an inner join, only matching rows are returned, both act to exclude all rows that do not match the join.

Below is an inner join that uses an ON check to exclude managers:

```
SELECT      *
FROM        staff_v1 v1
INNER JOIN
           staff_v2 v2
ON         v1.id = v2.id
AND        v2.job <> 'Mgr'
ORDER BY   v1.id
           ,v2.job;
```

ANSWER

```
=====
ID NAME      ID JOB
-- ----- -- -----
20 Pernal    20 Sales
30 Marenghi 30 Clerk
```

Figure 627, Inner join, using ON check

Here is the same query written using a WHERE check

```
SELECT      *
FROM        staff_v1 v1
INNER JOIN
           staff_v2 v2
ON         v1.id = v2.id
WHERE      v2.job <> 'Mgr'
ORDER BY   v1.id
           ,v2.job;
```

ANSWER

```
=====
ID NAME      ID JOB
-- ----- -- -----
20 Pernal    20 Sales
30 Marenghi 30 Clerk
```

Figure 628, Inner join, using WHERE check

Left Outer Join

A left outer join is the same as saying that I want all of the rows in the first table listed, plus any matching rows in the second table:

STAFF_V1		STAFF_V2	
ID	NAME	ID	JOB
10	Sanders	20	Sales
20	Pernal	30	Clerk
30	Marenghi	30	Mgr
		40	Sales
		50	Mgr

=====>

LEFT-OUTER-JOIN ANSWER

```
=====
ID NAME      ID JOB
-- ----- -- -----
10 Sanders   - -
20 Pernal    20 Sales
30 Marenghi 30 Clerk
30 Marenghi 30 Mgr
```

Figure 629, Example of Left Outer Join

```

SELECT      *
FROM        staff_v1 v1
LEFT OUTER JOIN
          staff_v2 v2
ON         v1.id = v2.id
ORDER BY 1,4;

```

Figure 630, Left Outer Join SQL (1 of 2)

It is possible to code a left outer join using the standard inner join syntax (with commas between tables), but it is a lot of work:

```

SELECT      v1.*           <== This join gets all
              ,v2.*           rows in STAFF_V1
          FROM    staff_v1 v1   that match rows
              ,staff_v2 v2   in STAFF_V2.
          WHERE   v1.id = v2.id
          UNION
          SELECT  v1.*           <== This query gets
              ,CAST(NULL AS SMALLINT) AS id
              ,CAST(NULL AS CHAR(5))  AS job
          FROM    staff_v1 v1
          WHERE   v1.id NOT IN
                  (SELECT id FROM staff_v2)
          ORDER BY 1,4;

```

Figure 631, Left Outer Join SQL (2 of 2)

ON and WHERE Usage

In any type of join, a WHERE check works as if the join is an inner join. If no row matches, then no row is returned, regardless of what table the predicate refers to. By contrast, in a left or right outer join, an ON check works differently, depending on what table field it refers to:

- If it refers to a field in the table being joined to, it determines whether the related row matches the join or not.
- If it refers to a field in the table being joined from, it determines whether the related row finds a match or not. Regardless, the row will be returned.

In the next example, those rows in the table being joined to (i.e. the V2 view) that match on ID, and that are not for a manager are joined to:

<pre> SELECT * FROM staff_v1 v1 LEFT OUTER JOIN staff_v2 v2 ON v1.id = v2.id AND v2.job <> 'Mgr' ORDER BY v1.id ,v2.job; </pre>	ANSWER $\equiv\equiv\equiv\equiv\equiv\equiv\equiv\equiv\equiv$ <table border="0"> <thead> <tr> <th>ID</th> <th>NAME</th> <th>ID</th> <th>JOB</th> </tr> </thead> <tbody> <tr> <td>10</td> <td>Sanders</td> <td>-</td> <td>-</td> </tr> <tr> <td>20</td> <td>Pernal</td> <td>20</td> <td>Sales</td> </tr> <tr> <td>30</td> <td>Marenghi</td> <td>30</td> <td>Clerk</td> </tr> </tbody> </table>	ID	NAME	ID	JOB	10	Sanders	-	-	20	Pernal	20	Sales	30	Marenghi	30	Clerk
ID	NAME	ID	JOB														
10	Sanders	-	-														
20	Pernal	20	Sales														
30	Marenghi	30	Clerk														

Figure 632, ON check on table being joined to

If we rewrite the above query using a WHERE check we will lose a row (of output) because the check is applied after the join is done, and a null JOB does not match:

<pre> SELECT * FROM staff_v1 v1 LEFT OUTER JOIN staff_v2 v2 ON v1.id = v2.id WHERE v2.job <> 'Mgr' ORDER BY v1.id ,v2.job; </pre>	ANSWER $\equiv\equiv\equiv\equiv\equiv\equiv\equiv\equiv\equiv$ <table border="0"> <thead> <tr> <th>ID</th> <th>NAME</th> <th>ID</th> <th>JOB</th> </tr> </thead> <tbody> <tr> <td>20</td> <td>Pernal</td> <td>20</td> <td>Sales</td> </tr> <tr> <td>30</td> <td>Marenghi</td> <td>30</td> <td>Clerk</td> </tr> </tbody> </table>	ID	NAME	ID	JOB	20	Pernal	20	Sales	30	Marenghi	30	Clerk
ID	NAME	ID	JOB										
20	Pernal	20	Sales										
30	Marenghi	30	Clerk										

Figure 633, WHERE check on table being joined to (1 of 2)

We could make the WHERE equivalent to the ON, if we also checked for nulls:

```

SELECT      *
FROM        staff_v1 v1
LEFT OUTER JOIN
           staff_v2 v2
ON          v1.id    = v2.id
WHERE       (v2.job <> 'Mgr'
            OR     v2.job IS NULL)
ORDER BY   v1.id
           ,v2.job;

```

ANSWER

ID	NAME	ID	JOB
10	Sanders	-	-
20	Pernal	20	Sales
30	Marenghi	30	Clerk

Figure 634, WHERE check on table being joined to (2 of 2)

In the next example, those rows in the table being joined from (i.e. the V1 view) that match on ID and have a NAME > 'N' participate in the join. Note however that V1 rows that do not participate in the join (i.e. ID = 30) are still returned:

```

SELECT      *
FROM        staff_v1 v1
LEFT OUTER JOIN
           staff_v2 v2
ON          v1.id    = v2.id
AND         v1.name > 'N'
ORDER BY   v1.id
           ,v2.job;

```

ANSWER

ID	NAME	ID	JOB
10	Sanders	-	-
20	Pernal	20	Sales
30	Marenghi	-	-

Figure 635, ON check on table being joined from

If we rewrite the above query using a WHERE check (on NAME) we will lose a row because now the check excludes rows from the answer-set, rather than from participating in the join:

```

SELECT      *
FROM        staff_v1 v1
LEFT OUTER JOIN
           staff_v2 v2
ON          v1.id    = v2.id
WHERE       v1.name > 'N'
ORDER BY   v1.id
           ,v2.job;

```

ANSWER

ID	NAME	ID	JOB
10	Sanders	-	-
20	Pernal	20	Sales

Figure 636, WHERE check on table being joined from

Unlike in the previous example, there is no way to alter the above WHERE check to make it logically equivalent to the prior ON check. The ON and the WHERE are applied at different times and for different purposes, and thus do completely different things.

Right Outer Join

A right outer join is the inverse of a left outer join. One gets every row in the second table listed, plus any matching rows in the first table:

STAFF_V1		STAFF_V2		
ID	NAME	ID	JOB	=====>
10	Sanders	20	Sales	
20	Pernal	30	Clerk	
30	Marenghi	30	Mgr	

RIGHT-OUTER-JOIN ANSWER			
ID	NAME	ID	JOB
20	Pernal	20	Sales
30	Marenghi	30	Clerk
30	Marenghi	30	Mgr
-	-	40	Sales
-	-	50	Mgr

Figure 637, Example of Right Outer Join

```

SELECT      *
FROM        staff_v1 v1
RIGHT OUTER JOIN
          staff_v2 v2
ON          v1.id = v2.id
ORDER BY   v2.id
           ,v2.job;

```

ANSWER			
ID	NAME	ID	JOB
20	Pernal	20	Sales
30	Marenghi	30	Clerk
30	Marenghi	30	Mgr
-	-	40	Sales
-	-	50	Mgr

Figure 638, Right Outer Join SQL (1 of 2)

It is also possible to code a right outer join using the standard inner join syntax:

```

SELECT      v1.*
           ,v2.*
FROM        staff_v1 v1
           ,staff_v2 v2
WHERE       v1.id = v2.id
UNION
SELECT      CAST(NULL AS SMALLINT)    AS id
           ,CAST(NULL AS VARCHAR(9)) AS name
           ,v2.*
FROM        staff_v2 v2
WHERE       v2.id NOT IN
           (SELECT id FROM staff_v1)
ORDER BY   3,4;

```

ANSWER			
ID	NAME	ID	JOB
20	Pernal	20	Sales
30	Marenghi	30	Clerk
30	Marenghi	30	Mgr
-	-	40	Sales
-	-	50	Mgr


Figure 639, Right Outer Join SQL (2 of 2)

ON and WHERE Usage

The rules for ON and WHERE usage are the same in a right outer join as they are for a left outer join (see page 228), except that the relevant tables are reversed.

Full Outer Joins

A full outer join occurs when all of the matching rows in two tables are joined, and there is also returned one copy of each non-matching row in both tables.



FULL-OUTER-JOIN ANSWER			
ID	NAME	ID	JOB
10	Sanders	-	-
20	Pernal	20	Sales
30	Marenghi	30	Clerk
30	Marenghi	30	Mgr
-	-	40	Sales
-	-	50	Mgr

Figure 640, Example of Full Outer Join

```

SELECT      *
FROM        staff_v1 v1
FULL OUTER JOIN
          staff_v2 v2
ON          v1.id = v2.id
ORDER BY   v1.id
           ,v2.id
           ,v2.job;

```

ANSWER			
ID	NAME	ID	JOB
10	Sanders	-	-
20	Pernal	20	Sales
30	Marenghi	30	Clerk
30	Marenghi	30	Mgr
-	-	40	Sales
-	-	50	Mgr

Figure 641, Full Outer Join SQL

Here is the same done using the standard inner join syntax:

```

SELECT      v1.*  

           ,v2.*  

  FROM      staff_v1 v1  

           ,staff_v2 v2  

 WHERE     v1.id = v2.id  

UNION  

SELECT      v1.*  

           ,CAST(NULL AS SMALLINT) AS id  

           ,CAST(NULL AS CHAR(5)) AS job  

  FROM      staff_v1 v1  

 WHERE     v1.id NOT IN  

          (SELECT id FROM staff_v2)  

UNION  

SELECT      CAST(NULL AS SMALLINT)   AS id  

           ,CAST(NULL AS VARCHAR(9)) AS name  

           ,v2.*  

  FROM      staff_v2 v2  

 WHERE     v2.id NOT IN  

          (SELECT id FROM staff_v1)  

 ORDER BY 1,3,4;

```

Figure 642, Full Outer Join SQL

The above is reasonably hard to understand when two tables are involved, and it goes down hill fast as more tables are joined. Avoid.

ON and WHERE Usage

In a full outer join, an ON check is quite unlike a WHERE check in that it never results in a row being excluded from the answer set. All it does is categorize the input row as being either matching or non-matching. For example, in the following full outer join, the ON check joins those rows with equal key values:

```

SELECT      *  

  FROM      staff_v1 v1  

 FULL OUTER JOIN  

           staff_v2 v2  

  ON      v1.id = v2.id  

 ORDER BY v1.id  

           ,v2.id  

           ,v2.job;

```

ANSWER			
ID	NAME	ID	JOB
10	Sanders	-	-
20	Pernal	20	Sales
30	Marenghi	30	Clerk
30	Marenghi	30	Mgr
-	-	40	Sales
-	-	50	Mgr

Figure 643, Full Outer Join, match on keys

In the next example, we have deemed that only those IDs that match, and that also have a value greater than 20, are a true match:

```

SELECT      *  

  FROM      staff_v1 v1  

 FULL OUTER JOIN  

           staff_v2 v2  

  ON      v1.id = v2.id  

 AND     v1.id > 20  

 ORDER BY v1.id  

           ,v2.id  

           ,v2.job;

```

ANSWER			
ID	NAME	ID	JOB
10	Sanders	-	-
20	Pernal	-	-
30	Marenghi	30	Clerk
30	Marenghi	30	Mgr
-	-	20	Sales
-	-	40	Sales
-	-	50	Mgr

Figure 644, Full Outer Join, match on keys > 20

Observe how in the above statement we added a predicate, and we got more rows! This is because in an outer join an ON predicate never removes rows. It simply categorizes them as being either matching or non-matching. If they match, it joins them. If they don't, it passes them through.

In the next example, nothing matches. Consequently, every row is returned individually. This query is logically similar to doing a UNION ALL on the two views:

```
SELECT      *
FROM        staff_v1 v1
FULL OUTER JOIN
          staff_v2 v2
ON          v1.id = v2.id
AND         +1 = -1
ORDER BY   v1.id
           ,v2.id
           ,v2.job;
```

ANSWER			
ID	NAME	ID	JOB
10	Sanders	--	--
20	Pernal	--	--
30	Marenghi	--	--
		20	Sales
		30	Clerk
		30	Mgr
		40	Sales
		50	Mgr

Figure 645, Full Outer Join, match on keys (no rows match)

ON checks are somewhat like WHERE checks in that they have two purposes. Within a table, they are used to categorize rows as being either matching or non-matching. Between tables, they are used to define the fields that are to be joined on.

In the prior example, the first ON check defined the fields to join on, while the second join identified those fields that matched the join. Because nothing matched (due to the second predicate), everything fell into the "outer join" category. This means that we can remove the first ON check without altering the answer set:

```
SELECT      *
FROM        staff_v1 v1
FULL OUTER JOIN
          staff_v2 v2
ON          +1 = -1
ORDER BY   v1.id
           ,v2.id
           ,v2.job;
```

ANSWER			
ID	NAME	ID	JOB
10	Sanders	--	--
20	Pernal	--	--
30	Marenghi	--	--
		20	Sales
		30	Clerk
		30	Mgr
		40	Sales
		50	Mgr

Figure 646, Full Outer Join, don't match on keys (no rows match)

What happens if everything matches and we don't identify the join fields? The result in a Cartesian Product:

```
SELECT      *
FROM        staff_v1 v1
FULL OUTER JOIN
          staff_v2 v2
ON          +1 <> -1
ORDER BY   v1.id
           ,v2.id
           ,v2.job;
```

ANSWER			
ID	NAME	ID	JOB
10	Sanders	20	Sales
10	Sanders	30	Clerk
10	Sanders	30	Mgr
10	Sanders	40	Sales
10	Sanders	50	Mgr
20	Pernal	20	Sales
20	Pernal	30	Clerk
20	Pernal	30	Mgr
20	Pernal	40	Sales
20	Pernal	50	Mgr
30	Marenghi	20	Sales
30	Marenghi	30	Clerk
30	Marenghi	30	Mgr
30	Marenghi	40	Sales
30	Marenghi	50	Mgr

STAFF_V1		STAFF_V2	
ID	NAME	ID	JOB
10	Sanders	20	Sales
20	Pernal	30	Clerk
30	Marenghi	30	Mgr
		40	Sales
		50	Mgr

Figure 647, Full Outer Join, don't match on keys (all rows match)

In an outer join, WHERE predicates behave as if they were written for an inner join. In particular, they always do the following:

- WHERE predicates defining join fields enforce an inner join on those fields.
- WHERE predicates on non-join fields are applied after the join, which means that when they are used on not-null fields, they negate the outer join.

Here is an example of a WHERE join predicate turning an outer join into an inner join:

<pre>SELECT * FROM staff_v1 v1 FULL JOIN staff_v2 v2 ON v1.id = v2.id WHERE v1.id = v2.id ORDER BY 1,3,4;</pre>	ANSWER ===== ID NAME ID JOB -- ----- -- ----- 20 Pernal 20 Sales 30 Marenghi 30 Clerk 30 Marenghi 30 Mgr
---	---

Figure 648, Full Outer Join, turned into an inner join by WHERE

To illustrate some of the complications that WHERE checks can cause, imagine that we want to do a FULL OUTER JOIN on our two test views (see below), limiting the answer to those rows where the "V1 ID" field is less than 30. There are several ways to express this query, each giving a different answer:

<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">STAFF_V1</th> <th colspan="2">STAFF_V2</th> </tr> <tr> <th>ID</th> <th>NAME</th> <th>ID</th> <th>JOB</th> </tr> </thead> <tbody> <tr> <td>10</td> <td>Sanders</td> <td>20</td> <td>Sales</td> </tr> <tr> <td>20</td> <td>Pernal</td> <td>30</td> <td>Clerk</td> </tr> <tr> <td>30</td> <td>Marenghi</td> <td>30</td> <td>Mgr</td> </tr> <tr> <td></td> <td></td> <td>40</td> <td>Sales</td> </tr> <tr> <td></td> <td></td> <td>50</td> <td>Mgr</td> </tr> </tbody> </table>	STAFF_V1		STAFF_V2		ID	NAME	ID	JOB	10	Sanders	20	Sales	20	Pernal	30	Clerk	30	Marenghi	30	Mgr			40	Sales			50	Mgr	<table border="0"> <thead> <tr> <th colspan="2">OUTER-JOIN CRITERIA</th> <th colspan="2">ANSWER</th> </tr> <tr> <th colspan="2"></th> <th colspan="2">=====</th> </tr> <tr> <th colspan="2"></th> <th colspan="2">???, DEPENDS</th> </tr> </thead> <tbody> <tr> <td colspan="2">V1.ID = V2.ID</td> <td colspan="2"></td> </tr> <tr> <td colspan="2">V1.ID < 30</td> <td colspan="2"></td> </tr> </tbody> </table>	OUTER-JOIN CRITERIA		ANSWER				=====				???, DEPENDS		V1.ID = V2.ID				V1.ID < 30			
STAFF_V1		STAFF_V2																																															
ID	NAME	ID	JOB																																														
10	Sanders	20	Sales																																														
20	Pernal	30	Clerk																																														
30	Marenghi	30	Mgr																																														
		40	Sales																																														
		50	Mgr																																														
OUTER-JOIN CRITERIA		ANSWER																																															
		=====																																															
		???, DEPENDS																																															
V1.ID = V2.ID																																																	
V1.ID < 30																																																	

Figure 649, Outer join V1.ID < 30, sample data

In our first example, the "V1.ID < 30" predicate is applied after the join, which effectively eliminates all "V2" rows that don't match (because their "V1.ID" value is null):

<pre>SELECT * FROM staff_v1 v1 FULL JOIN staff_v2 v2 ON v1.id = v2.id WHERE v1.id < 30 ORDER BY 1,3,4;</pre>	ANSWER ===== ID NAME ID JOB -- ----- -- ----- 10 Sanders - - 20 Pernal 20 Sales
---	---

Figure 650, Outer join V1.ID < 30, check applied in WHERE (after join)

In the next example the "V1.ID < 30" check is done during the outer join where it does not any eliminate rows, but rather limits those that match in the two views:

<pre>SELECT * FROM staff_v1 v1 FULL JOIN staff_v2 v2 ON v1.id = v2.id AND v1.id < 30 ORDER BY 1,3,4;</pre>	ANSWER ===== ID NAME ID JOB -- ----- -- ----- 10 Sanders - - 20 Pernal 20 Sales 30 Marenghi - - - - 30 Clerk - - 30 Mgr - - 40 Sales - - 50 Mgr
---	--

Figure 651, Outer join V1.ID < 30, check applied in ON (during join)

Imagine that what really wanted to have the "V1.ID < 30" check to only apply to those rows in the "V1" table. Then one has to apply the check before the join, which requires the use of a nested-table expression:

<pre>SELECT * FROM (SELECT * FROM staff_v1 WHERE id < 30) AS v1 FULL OUTER JOIN staff_v2 v2 ON v1.id = v2.id ORDER BY 1,3,4;</pre>	ANSWER $\begin{array}{l} \text{ID NAME ID JOB} \\ \hline \text{-- -- -- --} \\ \text{10 Sanders - -} \\ \text{20 Pernal 20 Sales} \\ \text{-- - - 30 Clerk} \\ \text{-- - - 30 Mgr} \\ \text{-- - - 40 Sales} \\ \text{-- - - 50 Mgr} \end{array}$
---	--

Figure 652, Outer join V1.ID < 30, check applied in WHERE (before join)

Observe how in the above query we still got a row back with an ID of 30, but it came from the "V2" table. This makes sense, because the WHERE condition had been applied before we got to this table.

There are several incorrect ways to answer the above question. In the first example, we shall keep all non-matching V2 rows by allowing to pass any null V1.ID values:

<pre>SELECT * FROM staff_v1 v1 FULL OUTER JOIN staff_v2 v2 ON v1.id = v2.id WHERE v1.id < 30 OR v1.id IS NULL ORDER BY 1,3,4;</pre>	ANSWER $\begin{array}{l} \text{ID NAME ID JOB} \\ \hline \text{-- -- -- --} \\ \text{10 Sanders - -} \\ \text{20 Pernal 20 Sales} \\ \text{-- - - 40 Sales} \\ \text{-- - - 50 Mgr} \end{array}$
--	--

Figure 653, Outer join V1.ID < 30, (gives wrong answer - see text)

There are two problems with the above query: First, it is only appropriate to use when the V1.ID field is defined as not null, which it is in this case. Second, we lost the row in the V2 table where the ID equaled 30. We can fix this latter problem, by adding another check, but the answer is still wrong:

<pre>SELECT * FROM staff_v1 v1 FULL OUTER JOIN staff_v2 v2 ON v1.id = v2.id WHERE v1.id < 30 OR v1.id = v2.id OR v1.id IS NULL ORDER BY 1,3,4;</pre>	ANSWER $\begin{array}{l} \text{ID NAME ID JOB} \\ \hline \text{-- -- -- --} \\ \text{10 Sanders - -} \\ \text{20 Pernal 20 Sales} \\ \text{30 Marenghi 30 Clerk} \\ \text{30 Marenghi 30 Mgr} \\ \text{-- - - 40 Sales} \\ \text{-- - - 50 Mgr} \end{array}$
---	--

Figure 654, Outer join V1.ID < 30, (gives wrong answer - see text)

The last two checks in the above query ensure that every V2 row is returned. But they also have the affect of returning the NAME field from the V1 table whenever there is a match. Given our intentions, this should not happen.

SUMMARY: Query WHERE conditions are applied after the join. When used in an outer join, this means that they applied to all rows from all tables. In effect, this means that any WHERE conditions in a full outer join will, in most cases, turn it into a form of inner join.

Cartesian Product

A Cartesian Product is a form of inner join, where the join predicates either do not exist, or where they do a poor job of matching the keys in the joined tables.

STAFF_V1		STAFF_V2		CARTESIAN-PRODUCT			
ID	NAME	ID	JOB	ID	NAME	ID	JOB
10	Sanders	20	Sales	10	Sanders	20	Sales
20	Pernal	30	Clerk	10	Sanders	30	Clerk
30	Marenghi	30	Mgr	10	Sanders	30	Mgr
		40	Sales	10	Sanders	40	Sales
		50	Mgr	10	Sanders	50	Mgr
				20	Pernal	20	Sales
				20	Pernal	30	Clerk
				20	Pernal	30	Mgr
				20	Pernal	40	Sales
				20	Pernal	50	Mgr
				30	Marenghi	20	Sales
				30	Marenghi	30	Clerk
				30	Marenghi	30	Mgr
				30	Marenghi	40	Sales
				30	Marenghi	50	Mgr

Figure 655, Example of Cartesian Product

Writing a Cartesian Product is simplicity itself. One simply omits the WHERE conditions:

```
SELECT      *
FROM        staff_v1 v1
           ,staff_v2 v2
ORDER BY   v1.id
           ,v2.id
           ,v2.job;
```

Figure 656, Cartesian Product SQL (1 of 2)

One way to reduce the likelihood of writing a full Cartesian Product is to always use the inner/outer join style. With this syntax, an ON predicate is always required. There is however no guarantee that the ON will do any good. Witness the following example:

```
SELECT      *
FROM        staff_v1 v1
INNER JOIN
           staff_v2 v2
ON          'A' <> 'B'
ORDER BY   v1.id
           ,v2.id
           ,v2.job;
```

Figure 657, Cartesian Product SQL (2 of 2)

A Cartesian Product is almost always the wrong result. There are very few business situations where it makes sense to use the kind of SQL shown above. The good news is that few people ever make the mistake of writing the above. But partial Cartesian Products are very common, and they are also almost always incorrect. Here is an example:

SELECT v2a.id ,v2a.job ,v2b.id			ANSWER
FROM staff_v2 v2a ,staff_v2 v2b			=====
WHERE v2a.job = v2b.job AND v2a.id < 40			ID JOB ID
ORDER BY v2a.id ,v2b.id;			-- ----- --
20	Sales	20	20 Sales 20
20	Sales	40	20 Sales 40
30	Clerk	30	30 Clerk 30
30	Mgr	30	30 Mgr 30
30	Mgr	50	30 Mgr 50

Figure 658, Partial Cartesian Product SQL

In the above example we joined the two views by JOB, which is not a unique key. The result was that for each JOB value, we got a mini Cartesian Product.

Cartesian Products are at their most insidious when the result of the (invalid) join is feed into a GROUP BY or DISTINCT statement that removes all of the duplicate rows. Below is an example where the only clue that things are wrong is that the count is incorrect:

<pre>SELECT v2.job ,COUNT(*) AS #rows FROM staff_v1 v1 ,staff_v2 v2 GROUP BY v2.job ORDER BY #rows ,v2.job;</pre>	ANSWER =====
	JOB #ROWS

	Clerk 3
	Mgr 6
	Sales 6

Figure 659, Partial Cartesian Product SQL, with GROUP BY

To really mess up with a Cartesian Product you may have to join more than one table. Note however that big tables are not required. For example, a Cartesian Product of five 100-row tables will result in 10,000,000,000 rows being returned.

HINT: A good rule of thumb to use when writing a join is that for all of the tables (except one) there should be equal conditions on all of the fields that make up the various unique keys. If this is not true then it is probable that some kind Cartesian Product is being done and the answer may be wrong.

Join Notes

Using the COALESCE Function

If you don't like working with nulls, but you need to do outer joins, then life is tough. In an outer join, fields in non-matching rows are given null values as placeholders. Fortunately, these nulls can be eliminated using the COALESCE function.

The COALESCE function can be used to combine multiple fields into one, and/or to eliminate null values where they occur. The result of the COALESCE is always the first non-null value encountered. In the following example, the two ID fields are combined, and any null NAME values are replaced with a question mark.

<pre>SELECT COALESCE(v1.id,v2.id) AS id ,COALESCE(v1.name,'?') AS name ,v2.job FROM staff_v1 v1 FULL OUTER JOIN staff_v2 v2 ON v1.id = v2.id ORDER BY v1.id ,v2.job;</pre>	ANSWER =====
	ID NAME JOB
	-- -----
	10 Sanders -
	20 Pernal Sales
	30 Marenghi Clerk
	30 Marenghi Mgr
	40 ? Sales
	50 ? Mgr

Figure 660, Use of COALESCE function in outer join

Listing non-matching rows only

Imagine that we wanted to do an outer join on our two test views, only getting those rows that do not match. This is a surprisingly hard query to write.

STAFF_V1		STAFF_V2		NON-MATCHING OUTER-JOIN		ANSWER	
ID	NAME	ID	JOB	>		ID	NAME
10	Sanders	20	Sales			10	Sanders
20	Pernal	30	Clerk			-	-
30	Marenghi	30	Mgr			-	40 Sales
		40	Sales			-	50 Mgr
		50	Mgr				

Figure 661, Example of outer join, only getting the non-matching rows

One way to express the above is to use the standard inner-join syntax:

```

SELECT    v1.*                                     <== Get all the rows
          ,CAST(NULL AS SMALLINT) AS id
          ,CAST(NULL AS CHAR(5))  AS job
FROM      staff_v1 v1
WHERE     v1.id NOT IN
          (SELECT id FROM staff_v2)
UNION
SELECT    CAST(NULL AS SMALLINT)   AS id          <== Get all the rows
          ,CAST(NULL AS VARCHAR(9)) AS name
          ,v2.*
FROM      staff_v2 v2
WHERE     v2.id NOT IN
          (SELECT id FROM staff_v1)
ORDER BY 1,3,4;
  
```

Figure 662, Outer Join SQL, getting only non-matching rows

The above question can also be expressed using the outer-join syntax, but it requires the use of two nested-table expressions. These are used to assign a label field to each table. Only those rows where either of the two labels are null are returned:

```

SELECT    *
FROM      (SELECT v1.*    , 'V1' AS flag    FROM staff_v1 v1) AS v1
          FULL OUTER JOIN
                  (SELECT v2.*    , 'V2' AS flag    FROM staff_v2 v2) AS v2
ON        v1.id = v2.id
WHERE     v1.flag IS NULL
          OR v2.flag IS NULL
ORDER BY v1.id
          ,v2.id
          ,v2.job;
  
```

ANSWER							
ID	NAME	FLAG	ID	JOB	FLAG		
10	Sanders	V1	-	-	-		
-	-	-	40	Sales	V2		
-	-	-	50	Mgr	V2		

Figure 663, Outer Join SQL, getting only non-matching rows

Alternatively, one can use two common table expressions to do the same job:

```

WITH
  v1 AS (SELECT v1.*    , 'V1' AS flag    FROM staff_v1 v1)
  ,v2 AS (SELECT v2.*    , 'V2' AS flag    FROM staff_v2 v2)
SELECT *
FROM  v1 v1
      FULL OUTER JOIN
              v2 v2
ON    v1.id = v2.id
WHERE  v1.flag IS NULL
          OR v2.flag IS NULL
ORDER BY v1.id, v2.id, v2.job;
  
```

ANSWER							
ID	NAME	FLAG	ID	JOB	FLAG		
10	Sanders	V1	-	-	-		
-	-	-	40	Sales	V2		
-	-	-	50	Mgr	V2		

Figure 664, Outer Join SQL, getting only non-matching rows

If either or both of the input tables have a field that is defined as not null, then label fields can be discarded. For example, in our test tables, the two ID fields will suffice:

SELECT * FROM staff_v1 v1 FULL OUTER JOIN staff_v2 v2 ON v1.id = v2.id WHERE v1.id IS NULL OR v2.id IS NULL ORDER BY v1.id ,v2.id ,v2.job;		STAFF_V1	STAFF_V2
ID	NAME	ID	JOB
10	Sanders	10	Sales
20	Pernal	20	Clerk
30	Marenghi	30	Mgr
		40	Sales
		50	Mgr

Figure 665, Outer Join SQL, getting only non-matching rows

Join in SELECT Phrase

Imagine that we want to get selected rows from the V1 view, and for each matching row, get the corresponding JOB from the V2 view - if there is one:

STAFF_V1	STAFF_V2	LEFT OUTER JOIN	ANSWER
ID	NAME	ID	JOB
10	Sanders	20	Sales
20	Pernal	30	Clerk
30	Marenghi	30	Mgr
		40	Sales
		50	Mgr

Figure 666, Left outer join example

Here is one way to express the above as a query:

SELECT v1.id ,v1.name ,v2.job FROM staff_v1 v1 LEFT OUTER JOIN staff_v2 v2 ON v1.id = v2.id WHERE v1.id <> 30 ORDER BY v1.id ;	ANSWER	
ID	NAME	JOB
		-
		Sales

Figure 667, Outer Join done in FROM phrase of SQL

Below is a logically equivalent left outer join with the join placed in the SELECT phrase of the SQL statement. In this query, for each matching row in STAFF_V1, the join (i.e. the nested table expression) will be done:

SELECT v1.id ,v1.name ,(SELECT v2.job FROM staff_v2 v2 WHERE v1.id = v2.id) AS jb FROM staff_v1 v1 WHERE v1.id <> 30 ORDER BY v1.id;	ANSWER	
ID	NAME	JB
		-
		Sales

Figure 668, Outer Join done in SELECT phrase of SQL

Certain rules apply when using the above syntax:

- The nested table expression in the SELECT is applied after all other joins and sub-queries (i.e. in the FROM section of the query) are done.
- The nested table expression acts as a left outer join.
- Only one column and row (at most) can be returned by the expression.

- If no row is returned, the result is null.

Given the above restrictions, the following query will fail because more than one V2 row is returned for every V1 row (for ID = 30):

```
SELECT v1.id
      ,v1.name
      ,(SELECT v2.job
              FROM staff_v2 v2
             WHERE v1.id = v2.id) AS jb
   FROM staff_v1 v1
  ORDER BY v1.id;
```

ANSWER		
ID	NAME	JB
10	Sanders	-
20	Pernal	Sales
	<error>	

Figure 669, Outer Join done in SELECT phrase of SQL - gets error

To make the above query work for all IDs, we have to decide which of the two matching JOB values for ID 30 we want. Let us assume that we want the maximum:

```
SELECT v1.id
      ,v1.name
      ,(SELECT MAX(v2.job)
              FROM staff_v2 v2
             WHERE v1.id = v2.id) AS jb
   FROM staff_v1 v1
  ORDER BY v1.id;
```

ANSWER		
ID	NAME	JB
10	Sanders	-
20	Pernal	Sales
30	Marenghi	Mgr

Figure 670, Outer Join done in SELECT phrase of SQL - fixed

The above is equivalent to the following query:

```
SELECT v1.id
      ,v1.name
      ,MAX(v2.job) AS jb
   FROM staff_v1 v1
  LEFT OUTER JOIN
        staff_v2 v2
      ON v1.id = v2.id
 GROUP BY v1.id
      ,v1.name
  ORDER BY v1.id ;
```

ANSWER		
ID	NAME	JB
10	Sanders	-
20	Pernal	Sales
30	Marenghi	Mgr

Figure 671, Same as prior query - using join and GROUP BY

The above query is rather misleading because someone unfamiliar with the data may not understand why the NAME field is in the GROUP BY. Obviously, it is not there to remove any rows, it simply needs to be there because of the presence of the MAX function. Therefore, the preceding query is better because it is much easier to understand. It is also probably more efficient.

CASE Usage

The SELECT expression can be placed in a CASE statement if needed. To illustrate, in the following query we get the JOB from the V2 view, except when the person is a manager, in which case we get the NAME from the corresponding row in the V1 view:

```
SELECT v2.id
      ,CASE
          WHEN v2.job <> 'Mgr'
          THEN v2.job
          ELSE (SELECT v1.name
                  FROM staff_v1 v1
                 WHERE v1.id = v2.id)
          END AS j2
   FROM staff_v2 v2
  ORDER BY v2.id
      ,j2;
```

ANSWER		
ID	J2	
20	Sales	
30	Clerk	
30	Marenghi	
40	Sales	
50	-	

Figure 672, Sample Views used in Join Examples

Multiple Columns

If you want to retrieve two columns using this type of join, you need to have two independent nested table expressions:

```
SELECT      v2.id
           ,v2.job
           ,(SELECT    v1.name
                  FROM    staff_v1 v1
                  WHERE   v2.id = v1.id)
           ,(SELECT    LENGTH(v1.name) AS n2
                  FROM    staff_v1 v1
                  WHERE   v2.id = v1.id)
      FROM    staff_v2 v2
      ORDER BY v2.id
           ,v2.job;
```

ANSWER			
ID	JOB	NAME	N2
20	Sales	Pernal	6
30	Clerk	Marenghi	8
30	Mgr	Marenghi	8
40	Sales	-	-
50	Mgr	-	-

Figure 673, Outer Join done in SELECT, 2 columns

An easier way to do the above is to write an ordinary left outer join with the joined columns in the SELECT list. To illustrate this, the next query is logically equivalent to the prior:

```
SELECT      v2.id
           ,v2.job
           ,v1.name
           ,LENGTH(v1.name) AS n2
      FROM    staff_v2 v2
      LEFT OUTER JOIN
              staff_v1 v1
            ON      v2.id = v1.id
      ORDER BY v2.id
           ,v2.job;
```

ANSWER			
ID	JOB	NAME	N2
20	Sales	Pernal	6
30	Clerk	Marenghi	8
30	Mgr	Marenghi	8
40	Sales	-	-
50	Mgr	-	-

Figure 674, Outer Join done in FROM, 2 columns

Column Functions

This join style lets one easily mix and match individual rows with the results of column functions. For example, the following query returns a running SUM of the ID column:

```
SELECT      v1.id
           ,v1.name
           ,(SELECT    SUM(x1.id)
                  FROM    staff_v1 x1
                  WHERE   x1.id <= v1.id
           )AS sum_id
      FROM    staff_v1 v1
      ORDER BY v1.id
           ,v2.job;
```

ANSWER		
ID	NAME	SUM_ID
10	Sanders	10
20	Pernal	30
30	Marenghi	60

Figure 675, Running total, using JOIN in SELECT

An easier way to do the same as the above is to use an OLAP function:

```
SELECT      v1.id
           ,v1.name
           ,SUM(id) OVER(ORDER BY id) AS sum_id
      FROM    staff_v1 v1
      ORDER BY v1.id;
```

ANSWER		
ID	NAME	SUM_ID
10	Sanders	10
20	Pernal	30
30	Marenghi	60

Figure 676, Running total, using OLAP function

Predicates and Joins, a Lesson

Imagine that one wants to get all of the rows in STAFF_V1, and to also join those matching rows in STAFF_V2 where the JOB begins with an 'S':

STAFF_V1		STAFF_V2		OUTER-JOIN CRITERIA =====> V1.ID = V2.ID V2.JOB LIKE 'S%'	ANSWER =====
ID	NAME	ID	JOB		
10	Sanders	20	Sales		10 Sanders -
20	Pernal	30	Clerk		20 Pernal Sales
30	Marenghi	30	Mgr		30 Marenghi -
		40	Sales		
		50	Mgr		

Figure 677, Outer join, with WHERE filter

The first query below gives the wrong answer. It is wrong because the WHERE is applied after the join, so eliminating some of the rows in the STAFF_V1 table:

```
SELECT v1.id
      ,v1.name
      ,v2.job
  FROM staff_v1 v1
 LEFT OUTER JOIN
          staff_v2 v2
    ON v1.id      = v2.id
   WHERE v2.job LIKE 'S%'
 ORDER BY v1.id
      ,v2.job;
```

ANSWER (WRONG)
=====

ID	NAME	JOB
20	Pernal	Sales

Figure 678, Outer Join, WHERE done after - wrong

In the next query, the WHERE is moved into a nested table expression - so it is done before the join (and against STAFF_V2 only), thus giving the correct answer:

```
SELECT v1.id
      ,v1.name
      ,v2.job
  FROM staff_v1 v1
 LEFT OUTER JOIN
          (SELECT *
   FROM staff_v2
  WHERE job LIKE 'S%')
     )AS v2
    ON v1.id = v2.id
 ORDER BY v1.id
      ,v2.job;
```

ANSWER
=====

ID	NAME	JOB
10	Sanders	-
20	Pernal	Sales
30	Marenghi	-

Figure 679, Outer Join, WHERE done before - correct

The next query does the join in the SELECT phrase. In this case, whatever predicates are in the nested table expression apply to STAFF_V2 only, so we get the correct answer:

```
SELECT v1.id
      ,v1.name
      ,(SELECT v2.job
        FROM staff_v2 v2
       WHERE v1.id      = v2.id
             AND v2.job LIKE 'S%')
    FROM staff_v1 v1
 ORDER BY v1.id
      ,job;
```

ANSWER
=====

ID	NAME	JOB
10	Sanders	-
20	Pernal	Sales
30	Marenghi	-

Figure 680, Outer Join, WHERE done independently - correct

Joins - Things to Remember

- You get nulls in an outer join, whether you want them or not, because the fields in non-matching rows are set to null. If they bug you, use the COALESCE function to remove them. See page 236 for an example.

- From a logical perspective, all WHERE conditions are applied after the join. For performance reasons, DB2 may apply some checks before the join, especially in an inner join, where doing this cannot affect the result set.
- All WHERE conditions that join tables act as if they are doing an inner join, even when they are written in an outer join.
- The ON checks in a full outer join never remove rows. They simply determine what rows are matching versus not (see page 231). To eliminate rows in an outer join, one must use a WHERE condition.
- The ON checks in a partial outer join work differently, depending on whether they are against fields in the table being joined to, or joined from (see page 228).
- A Cartesian Product is not an outer join. It is a poorly matching inner join. By contrast, a true outer join gets both matching rows, and non-matching rows.
- The NODENUMBER and PARTITION functions cannot be used in an outer join. These functions only work on rows in real tables.

When the join is defined in the SELECT part of the query (see page 238), it is done after any other joins and/or sub-queries specified in the FROM phrase. And it acts as if it is a left outer join.

Complex Joins

When one joins multiple tables using an outer join, one must consider carefully what exactly what one wants to do, because the answer that one gets will depend upon how one writes the query. To illustrate, the following query first gets a set of rows from the employee table, and then joins (from the employee table) to both the activity and photo tables:

```

SELECT      eee.empno          ANSWER
            ,aaa.projno
            ,aaa.actno
            ,ppp.photo_format AS format
FROM        employee      eee
LEFT OUTER JOIN
            emp_act      aaa
ON          eee.empno      = aaa.empno
AND         aaa.emptime    = 1
AND         aaa.projno     LIKE 'M%1%'
LEFT OUTER JOIN
            emp_photo    ppp
ON          eee.empno      = ppp.empno ←
AND         ppp.photo_format LIKE 'b%'
WHERE       eee.lastname    LIKE '%A%'
            AND eee.empno     < '000170'
            AND eee.empno     >< '000030'
ORDER BY    eee.empno;

```

Figure 681, Join from Employee to Activity and Photo

Observe that we got photo data, even when there was no activity data. This is because both tables were joined directly from the employee table. In the next query, we will again start at the employee table, then join to the activity table, and then from the activity table join to the photo table. We will not get any photo data, if the employee has no activity:

```

SELECT      eee.empno
           ,aaa.projno
           ,aaa.actno
           ,ppp.photo_format AS format
  FROM        employee      eee
 LEFT OUTER JOIN      emp_act      aaa
    ON        eee.empno      =  aaa.empno
   AND      aaa.emptime      =  1
   AND      aaa.projno      LIKE 'M%1%'
 LEFT OUTER JOIN      emp_photo      ppp
    ON        aaa.empno      =  ppp.empno
   AND      ppp.photo_format LIKE 'b%'
 WHERE      eee.lastname      LIKE '%A%'
   AND      eee.empno      < '000170'
   AND      eee.empno      >> '000030'
 ORDER BY    eee.empno;

```

ANSWER

EMPNO	PROJNO	ACTNO	FORMAT
000010	MA2110	10	-
000070	-	-	-
000130	-	-	-
000150	MA2112	60	bitmap
000150	MA2112	180	bitmap
000160	MA2113	60	-

*Figure 682, Join from Employee to Activity, then from Activity to Photo*

The only difference between the above two queries is the first line of the second ON.

Outer Join followed by Inner Join

Mixing and matching inner and outer joins in the same query can cause one to get the wrong answer. To illustrate, the next query has an outer join, followed by an inner join. We are trying to do the following:

- Get a list of matching employees - based on some local predicates.
- For each employee found, list their matching activities, if any (i.e. left outer join).
- For each activity found, only list it if its project-name contains the letter "Q" (i.e. inner join between activity and project).

Below is the **wrong** way to write this query. It is wrong because the final inner join (between activity and project) turns the preceding outer join into an inner join. This causes an employee to not show when there are no matching projects:

```

SELECT      eee.workdept AS dp#
           ,eee.empno
           ,aaa.projno
           ,ppp.prstaff AS staff
  FROM        (SELECT *
               FROM        employee
              WHERE      lastname      LIKE '%A%'
                AND      job          >> 'DESIGNER'
                AND      workdept     BETWEEN 'B' AND 'E'
            )AS eee
 LEFT OUTER JOIN      emp_act      aaa
    ON        aaa.empno      =  eee.empno
   AND      aaa.emptime      <= 0.5
 INNER JOIN      project      ppp
    ON        aaa.projno      =  ppp.projno
   AND      ppp.projname     LIKE '%Q%'
 ORDER BY    eee.workdept
           ,eee.empno
           ,aaa.projno;

```

ANSWER

DP#	EMPNO	PROJNO	STAFF
C01	000030	IF1000	2.00
C01	000130	IF1000	2.00

Figure 683, Complex join - wrong

As was stated above, we really want to get all matching employees, and their related activities (projects). If an employee has no matching activates, we still want to see the employee.

The next query gets the correct answer by putting the inner join between the activity and project tables in parenthesis, and then doing an outer join to the combined result:

```

SELECT      eee.workdept AS dp#
            ,eee.empno
            ,xxx.projno
            ,xxx.prstaff  AS staff
FROM        (SELECT *
            FROM   employee
            WHERE  lastname    LIKE '%A%'
            AND    job          <> 'DESIGNER'
            AND    workdept   BETWEEN 'B' AND 'E'
           )AS eee
LEFT OUTER JOIN
           (SELECT aaa.empno
            ,aaa.emptime
            ,aaa.projno
            ,ppp.prstaff
           FROM   emp_act      aaa
           INNER JOIN
                  project      ppp
           ON      aaa.projno = ppp.projno
           AND    ppp.projname LIKE '%Q%'
           )AS xxx
ON          xxx.empno      = eee.empno
AND         xxx.emptime   <= 0.5
ORDER BY    eee.workdept
            ,eee.empno
            ,xxx.projno;

```

Figure 684, Complex join - right

The lesson to be learnt here is that if a subsequent inner join acts upon data in a preceding outer join, then it, in effect, turns the former into an inner join.

Simplified Nested Table Expression

The next query is the same as the prior, except that the nested-table expression has no select list, nor correlation name. In this example, any columns in tables that are inside of the nested-table expression are referenced directly in the rest of the query:

```

SELECT      eee.workdept AS dp#
            ,eee.empno
            ,aaa.projno
            ,ppp.prstaff  AS staff
FROM        (SELECT *
            FROM   employee
            WHERE  lastname    LIKE '%A%'
            AND    job          <> 'DESIGNER'
            AND    workdept   BETWEEN 'B' AND 'E'
           )AS eee
LEFT OUTER JOIN
           (      emp_act      aaa
           INNER JOIN
                  project      ppp
           ON      aaa.projno = ppp.projno
           AND    ppp.projname LIKE '%Q%'
           )
ON          aaa.empno      = eee.empno
AND         aaa.emptime   <= 0.5
ORDER BY    eee.workdept
            ,eee.empno
            ,aaa.projno;

```

Figure 685, Complex join - right

Sub-Query

Sub-queries are hard to use, tricky to tune, and often do some strange things. Consequently, a lot of people try to avoid them, but this is stupid because sub-queries are really, really, useful. Using a relational database and not writing sub-queries is almost as bad as not doing joins.

A sub-query is a special type of fullselect that is used to relate one table to another without actually doing a join. For example, it lets one select all of the rows in one table where some related value exists, or does not exist, in another table.

Sample Tables

Two tables will be used in this section. Please note that the second sample table has a mixture of null and not-null values:

```
CREATE TABLE table1
(t1a      CHAR(1)      NOT NULL
,t1b      CHAR(2)      NOT NULL
,PRIMARY KEY(t1a));
COMMIT;

CREATE TABLE table2
(t2a      CHAR(1)      NOT NULL
,t2b      CHAR(1)      NOT NULL
,t2c      CHAR(1));
```

TABLE1		TABLE2		
T1A	T1B	T2A	T2B	T2C
A	AA	A	A	A
B	BB	B	A	-
C	CC			

" - " = null

```
INSERT INTO table1 VALUES ('A', 'AA'), ('B', 'BB'), ('C', 'CC');
INSERT INTO table2 VALUES ('A', 'A', 'A'), ('B', 'A', NULL);
```

Figure 686, Sample tables used in sub-query examples

Sub-query Flavors

Sub-query Syntax

A sub-query compares an expression against a fullselect. The type of comparison done is a function of which, if any, keyword is used:




Figure 687, Sub-query syntax diagram

The result of doing a sub-query check can be any one of the following:

- True, in which case the current row being processed is returned.
- False, in which case the current row being processed is rejected.
- Unknown, which is functionally equivalent to false.
- A SQL error, due to an invalid comparison.

No Keyword Sub-Query

One does not have to provide a SOME, or ANY, or IN, or any other keyword, when writing a sub-query. But if one does not, there are three possible results:

- If no row in the sub-query result matches, the answer is false.
- If one row in the sub-query result matches, the answer is true.
- If more than one row in the sub-query result matches, you get a SQL error.

In the example below, the T1A field in TABLE1 is checked to see if it equals the result of the sub-query (against T2A in TABLE2). For the value "A" there is a match, while for the values "B" and "C" there is no match:

SELECT * FROM table1 WHERE t1a = (SELECT t2a FROM table2 WHERE t2a = 'A'));			ANSWER
SUB-Q	TABLE1	TABLE2	
RESLT	+-----+ T1A T1B +-----+	+-----+ T2A T2B T2C +-----+	=====
+---+ T2A	+---+ --- --- +---+ --- --- +---+	+---+ --- --- +---+ --- --- +---+	T1A T1B
---	A AA	A A A	- - -
A	B BB	B A -	A AA
+---+ C CC	+---+ +-----+ " - " = null	+-----+ " - " = null	

Figure 688, No keyword sub-query, works

The next example gets a SQL error. The sub-query returns two rows, which the "=l" check cannot process. Had an "= ANY" or an "= SOME" check been used instead, the query would have worked fine:

SELECT * FROM table1 WHERE t1a = (SELECT t2a FROM table2);			ANSWER
SUB-Q	TABLE1	TABLE2	
RESLT	+-----+ T1A T1B +-----+	+-----+ T2A T2B T2C +-----+	=====
+---+ T2A	+---+ --- --- +---+ --- --- +---+	+---+ --- --- +---+ --- --- +---+	<error>
---	A AA	A A A	
A	B BB	B A -	
B	C CC	+-----+ " - " = null	

Figure 689, No keyword sub-query, fails

NOTE: There is almost never a valid reason for coding a sub-query that does not use an appropriate sub-query keyword. Do not do the above.

SOME/ANY Keyword Sub-Query

When a SOME or ANY sub-query check is used, there are two possible results:

- If any row in the sub-query result matches, the answer is true.
- If the sub-query result is empty, or all nulls, the answer is false.
- If no value found in the sub-query result matches, the answer is also false.

The query below compares the current T1A value against the sub-query result three times. The first row (i.e. T1A = "A") fails the test, while the next two rows pass:

SELECT *	ANSWER	SUB-Q	TABLE1	TABLE2
FROM table1	=====	RESLT	+-----+	+-----+
WHERE t1a > ANY	T1A T1B	+---+	T1A T1B	T2A T2B T2C
(SELECT t2a FROM table2);	T2A B BB C CC	- - - --- A AA B BB C CC	A A A B A -	- - -
		+---+ +-----+ +-----+ +-----+	" - " = null	

Figure 690, ANY sub-query

When an ANY or ALL sub-query check is used with a "greater than" or similar expression (as opposed to an "equal" or a "not equal" expression) then the check can be considered similar to evaluating the MIN or the MAX of the sub-query result set. The following table shows what type of sub-query check equates to what type of column function:

SUB-QUERY CHECK	EQUIVALENT COLUMN FUNCTION
> ANY(sub-query)	> MINIMUM(sub-query results)
< ANY(sub-query)	< MAXIMUM(sub-query results)
> ALL(sub-query)	> MAXIMUM(sub-query results)
< ALL(sub-query)	< MINIMUM(sub-query results)

Figure 691, ANY and ALL vs. column functions

All Keyword Sub-Query

When an ALL sub-query check is used, there are two possible results:

- If all rows in the sub-query result match, the answer is true.
- If there are no rows in the sub-query result, the answer is also true.
- If any row in the sub-query result does not match, or is null, the answer is false.

Below is a typical example of the ALL check usage. Observe that a TABLE1 row is returned only if the current T1A value equals all of the rows in the sub-query result:

SELECT *	ANSWER	SUB-Q
FROM table1	=====	RESLT
WHERE t1a = ALL	T1A T1B	+---+
(SELECT t2b FROM table2 WHERE t2b >= 'A');	T2B A AA A A	- - - --- A A
		+---+ +-----+ +-----+

Figure 692, ALL sub-query, with non-empty sub-query result

When the sub-query result consists of zero rows (i.e. an empty set) then all rows processed in TABLE1 are deemed to match:

SELECT *	ANSWER	SUB-Q
FROM table1	=====	RESLT
WHERE t1a = ALL	T1A T1B	+---+
(SELECT t2b FROM table2 WHERE t2b >= 'X');	T2B A AA B BB C CC	- - - --- A B C
		+---+ +-----+ +-----+

Figure 693, ALL sub-query, with empty sub-query result

The above may seem a little unintuitive, but it actually makes sense, and is in accordance with how the NOT EXISTS sub-query (see page 249) handles a similar situation.

Imagine that one wanted to get a row from TABLE1 where the T1A value matched all of the sub-query result rows, but if the latter was an empty set (i.e. no rows), one wanted to get a non-match. Try this:

SELECT *					ANSWER	
					=====	
					0 rows	
FROM table1	SQ-#1	SQ-#2	TABLE1	TABLE2		
WHERE t1a = ALL	RESLT	RESLT	+-----+ T1A T1B +-----+	+-----+ T2A T2B T2C +-----+		
(SELECT t2b	+---+	+---+	--- --- +---+ --- --- +---+	--- --- +---+ --- --- +---+		
FROM table2	T2B	(*)	A AA +---+ A A A +---+	B BB +---+ B A - +---+		
WHERE t2b >= 'X')	---	---	B BB +---+ B A - +---+	C CC +---+ " " null +---+		
AND 0 <>	+---+	0	+---+ C CC +---+ " " null +---+	" " = null		
(SELECT COUNT(*)						
FROM table2						
WHERE t2b >= 'X');						

Figure 694, ALL sub-query, with extra check for empty set

Two sub-queries are done above: The first looks to see if all matching values in the sub-query equal the current T1A value. The second confirms that the number of matching values in the sub-query is not zero.

WARNING: Observe that the ANY sub-query check returns false when used against an empty set, while a similar ALL check returns true.

EXISTS Keyword Sub-Query

So far, we have been taking a value from the TABLE1 table and comparing it against one or more rows in the TABLE2 table. The EXISTS phrase does not compare values against rows, rather it simply looks for the existence or non-existence of rows in the sub-query result set:

- If the sub-query matches on one or more rows, the result is true.
- If the sub-query matches on no rows, the result is false.

Below is an EXISTS check that, given our sample data, always returns true:

SELECT *			ANSWER		TABLE1		TABLE2	
			=====		+-----+		+-----+	
					T1A T1B		T2A T2B T2C	
FROM table1	T1A	T1B	+---+		+---+ --- --- +---+ --- --- +---+		+---+ --- --- +---+ --- --- +---+	
WHERE EXISTS	---	--	---		A AA +---+ A AA +---+ A A A +---+		B BB +---+ B A - +---+	
(SELECT *	A	AA	---		B BB +---+ B A - +---+		C CC +---+ " " null +---+	
FROM table2);	B	BB			C CC +---+ " " null +---+		" " = null	

Figure 695, EXISTS sub-query, always returns a match

Below is an EXISTS check that, given our sample data, always returns false:

SELECT *			ANSWER	
			=====	
			0 rows	
FROM table1				
WHERE EXISTS				
(SELECT *				
FROM table2				
WHERE t2b >= 'X');				

Figure 696, EXISTS sub-query, always returns a non-match

When using an EXISTS check, it doesn't matter what field, if any, is selected in the sub-query SELECT phrase. What is important is whether the sub-query returns a row or not. If it does, the sub-query returns true. Having said this, the next query is an example of an EXISTS sub-query that will always return true, because even when no matching rows are found in the sub-query, the SELECT COUNT(*) statement will return something (i.e. a zero). Arguably, this query is logically flawed:

SELECT *		ANSWER	TABLE1	TABLE2
FROM	table1	=====	+-----+ T1A T1B +-----+	+-----+ T2A T2B T2C +-----+
WHERE	EXISTS	---	- - - - - - - - -	- - - - - - - - -
	(SELECT COUNT(*)	A	A AA	A A A
	FROM	B	B BB	B A -
	WHERE	C	C CC	+-----+ - - - = null

Figure 697, EXISTS sub-query, always returns a match

NOT EXISTS Keyword Sub-query

The NOT EXISTS phrases looks for the non-existence of rows in the sub-query result set:

- If the sub-query matches on no rows, the result is true.
- If the sub-query has rows, the result is false.

We can use a NOT EXISTS check to create something similar to an ALL check, but with one very important difference. The two checks will handle nulls differently. To illustrate, consider the following two queries, both of which will return a row from TABLE1 only when it equals all of the matching rows in TABLE2:

SELECT *		ANSWERS	TABLE1	TABLE2
FROM	table1	=====	+-----+ T1A T1B +-----+	+-----+ T2A T2B T2C +-----+
WHERE	NOT EXISTS	---	- - - - - - - - -	- - - - - - - - -
	(SELECT *	A	A AA	A A A
	FROM	B	B BB	B A -
	WHERE	C	C CC	+-----+ - - - = null

SELECT *		ANSWERS	TABLE1	TABLE2
FROM	table1	=====	+-----+ T1A T1B +-----+	+-----+ T2A T2B T2C +-----+
WHERE	t1a = ALL	---	- - - - - - - - -	- - - - - - - - -
	(SELECT t2c	A	A AA	A A A
	FROM	B	B BB	B A -
	WHERE	C	C CC	+-----+ - - - = null

Figure 698, NOT EXISTS vs. ALL, ignore nulls, find match

The above two queries are very similar. Both define a set of rows in TABLE2 where the T2C value is greater than or equal to "A", and then both look for matching TABLE2 rows that are not equal to the current T1A value. If a row is found, the sub-query is false.

What happens when no TABLE2 rows match the ">=" predicate? As is shown below, both of our test queries treat an empty set as a match:

SELECT *		ANSWERS	TABLE1	TABLE2
FROM	table1	=====	+-----+ T1A T1B +-----+	+-----+ T2A T2B T2C +-----+
WHERE	NOT EXISTS	---	- - - - - - - - -	- - - - - - - - -
	(SELECT *	A	A AA	A A A
	FROM	B	B BB	B A -
	WHERE	C	C CC	+-----+ - - - = null

SELECT *		ANSWERS	TABLE1	TABLE2
FROM	table1	=====	+-----+ T1A T1B +-----+	+-----+ T2A T2B T2C +-----+
WHERE	t1a = ALL	---	- - - - - - - - -	- - - - - - - - -
	(SELECT t2c	A	A AA	A A A
	FROM	B	B BB	B A -
	WHERE	C	C CC	+-----+ - - - = null

Figure 699, NOT EXISTS vs. ALL, ignore nulls, no match

One might think that the above two queries are logically equivalent, but they are not. As is shown below, they return different results when the sub-query answer set can include nulls:

SELECT *	ANSWER	TABLE1	TABLE2
FROM table1	=====	T1A T1B	T2A T2B T2C
WHERE NOT EXISTS			
(SELECT * FROM table2 WHERE t2c <> t1a);	A AA	T1A T1B --- --- A AA	T2A T2B T2C --- --- --- A A A
	B BB		B A -
	C CC		
			+-----+ "- " = null

SELECT *	ANSWER
FROM table1	=====
WHERE t1a = ALL	no rows
(SELECT t2c FROM table2);	

Figure 700, NOT EXISTS vs. ALL, process nulls

A sub-query can only return true or false, but a DB2 field value can either match (i.e. be true), or not match (i.e. be false), or be unknown. It is the differing treatment of unknown values that is causing the above two queries to differ:

- In the ALL sub-query, each value in T1A is checked against all of the values in T2C. The null value is checked, deemed to differ, and so the sub-query always returns false.
- In the NOT EXISTS sub-query, each value in T1A is used to find those T2C values that are not equal. For the T1A values "B" and "C", the T2C value "A" does not equal, so the NOT EXISTS check will fail. But for the T1A value "A", there are no "not equal" values in T2C, because a null value does not "not equal" a literal. So the NOT EXISTS check will pass.

The following three queries list those T2C values that do "not equal" a given T1A value:

SELECT *	SELECT *	SELECT *
FROM table2	FROM table2	FROM table2
WHERE t2c <> 'A';	WHERE t2c <> 'B';	WHERE t2c <> 'C';
ANSWER	ANSWER	ANSWER
=====	=====	=====
T2A T2B T2C	T2A T2B T2C	T2A T2B T2C
--- --- ---	--- --- ---	--- --- ---
no rows	A A A	A A A

Figure 701, List of values in T2C <> T1A value

To make a NOT EXISTS sub-query that is logically equivalent to the ALL sub-query that we have used above, one can add an additional check for null T2C values:

SELECT *	ANSWER	TABLE1	TABLE2
FROM table1	=====	T1A T1B	T2A T2B T2C
WHERE NOT EXISTS			
(SELECT *	no rows		
FROM table2			
WHERE t2c <> t1a			
OR t2c IS NULL);			
			+-----+ "- " = null

Figure 702, NOT EXISTS - same as ALL

One problem with the above query is that it is not exactly obvious. Another is that the two T2C predicates will have to be fenced in with parenthesis if other predicates (on TABLE2) exist. For these reasons, use an ALL sub-query when that is what you mean to do.

IN Keyword Sub-Query

The IN sub-query check is similar to the ANY and SOME checks:

- If any row in the sub-query result matches, the answer is true.
- If the sub-query result is empty, the answer is false.
- If no row in the sub-query result matches, the answer is also false.
- If all of the values in the sub-query result are null, the answer is false.

Below is an example that compares the T1A and T2A columns. Two rows match:

SELECT *		ANSWER	TABLE1	TABLE2
FROM	table1	=====	+-----+	+-----+
WHERE	t1a IN	T1A T1B	T1A T1B	T2A T2B T2C
	(SELECT t2a FROM table2);	--- ---	--- ---	--- --- ---
		A AA	A AA	A A A
		B BB	B BB	B A -
		C CC	C CC	+-----+ - = null
			+-----+	+-----+ - = null

Figure 703, IN sub-query example, two matches

In the next example, no rows match because the sub-query result is an empty set:

SELECT *		ANSWER
FROM	table1	=====
WHERE	t1a IN	0 rows
	(SELECT t2a FROM table2 WHERE t2a >= 'X');	

Figure 704, IN sub-query example, no matches

The IN, ANY, SOME, and ALL checks all look for a match. Because one null value does not equal another null value, having a null expression in the "top" table causes the sub-query to always return false:

SELECT *		ANSWERS	TABLE2
FROM	table2	=====	+-----+
WHERE	t2c IN	T2A T2B T2C	T2A T2B T2C
	(SELECT t2c FROM table2);	--- --- ---	--- --- ---
		A A A	A A A
		B A	B A -
			+-----+ - = null

Figure 705, IN and = ANY sub-query examples, with nulls

NOT IN Keyword Sub-Queries

Sub-queries that look for the non-existence of a row work largely as one would expect, except when a null value is involved. To illustrate, consider the following query, where we want to see if the current T1A value is not in the set of T2C values:

SELECT *		ANSWER	TABLE1	TABLE2
FROM	table1	=====	+-----+	+-----+
WHERE	t1a NOT IN	0 rows	T1A T1B	T2A T2B T2C
	(SELECT t2c FROM table2);		--- ---	--- --- ---
			A AA	A A A
			B BB	B A -
			C CC	+-----+ - = null
			+-----+	+-----+ - = null

Figure 706, NOT IN sub-query example, no matches

Observe that the T1A values "B" and "C" are obviously not in T2C, yet they are not returned. The sub-query result set contains the value null, which causes the NOT IN check to return unknown, which equates to false.

The next example removes the null values from the sub-query result, which then enables the NOT IN check to find the non-matching values:

SELECT *	ANSWER	TABLE1	TABLE2
FROM table1	=====	+-----+	+-----+
WHERE t1a NOT IN	T1A T1B	T1A T1B	T2A T2B T2C
(SELECT t2c	---	---	---
FROM table2	B BB	A AA	A A A
WHERE t2c IS NOT NULL);	C CC	B BB	B A -
		C CC	
		+-----+	+-----+
		" - " = null	

Figure 707, NOT IN sub-query example, matches

Another way to find the non-matching values while ignoring any null rows in the sub-query, is to use an EXISTS check in a correlated sub-query:

SELECT *	ANSWER	TABLE1	TABLE2
FROM table1	=====	+-----+	+-----+
WHERE NOT EXISTS	T1A T1B	T1A T1B	T2A T2B T2C
(SELECT *	---	---	---
FROM table2	B BB	A AA	A A A
WHERE t1a = t2c);	C CC	B BB	B A -
		C CC	
		+-----+	+-----+
		" - " = null	

Figure 708, NOT EXISTS sub-query example, matches

Correlated vs. Uncorrelated Sub-Queries

An uncorrelated sub-query is one where the predicates in the sub-query part of SQL statement have no direct relationship to the current row being processed in the "top" table (hence uncorrelated). The following sub-query is uncorrelated:

SELECT *	ANSWER	TABLE1	TABLE2
FROM table1	=====	+-----+	+-----+
WHERE t1a IN	T1A T1B	T1A T1B	T2A T2B T2C
(SELECT t2a	---	---	---
FROM table2);	A AA	A AA	A A A
	B BB	B BB	B A -
	C CC		
	+-----+	+-----+	+-----+
	" - " = null		

Figure 709, Uncorrelated sub-query

A correlated sub-query is one where the predicates in the sub-query part of the SQL statement cannot be resolved without reference to the row currently being processed in the "top" table (hence correlated). The following query is correlated:

SELECT *	ANSWER	TABLE1	TABLE2
FROM table1	=====	+-----+	+-----+
WHERE t1a IN	T1A T1B	T1A T1B	T2A T2B T2C
(SELECT t2a	---	---	---
FROM table2	A AA	A AA	A A A
WHERE t1a = t2a);	B BB	B BB	B A -
	C CC		
	+-----+	+-----+	+-----+
	" - " = null		

Figure 710, Correlated sub-query

Below is another correlated sub-query. Because the same table is being referred to twice, correlation names have to be used to delineate which column belongs to which table:

```
SELECT *
FROM  table2 aa
WHERE EXISTS
  (SELECT *
   FROM  table2 bb
   WHERE aa.t2a = bb.t2b);
```

ANSWER			TABLE2		
T2A	T2B	T2C	T2A	T2B	T2C
A	A	A	A	A	A
B	A	-	B	A	-

"-" = null

Figure 711, Correlated sub-query, with correlation names

Which is Faster

In general, if there is a suitable index on the sub-query table, use a correlated sub-query. Else, use an uncorrelated sub-query. However, there are several very important exceptions to this rule, and some queries can only be written one way.

NOTE: The DB2 optimizer is not as good at choosing the best access path for sub-queries as it is with joins. Be prepared to spend some time doing tuning.

Multi-Field Sub-Queries

Imagine that you want to compare multiple items in your sub-query. The following examples use an IN expression and a correlated EXISTS sub-query to do two equality checks:

```
SELECT *
FROM  table1
WHERE (t1a,t1b) IN
  (SELECT t2a, t2b
   FROM  table2);
```

ANSWER		TABLE1		TABLE2		
0 rows		T1A	T1B	T2A	T2B	T2C
		A	AA	A	A	A
		B	BB	B	A	-
		C	CC	-	-	-

"-" = null

```
SELECT *
FROM  table1
WHERE EXISTS
  (SELECT *
   FROM  table2
   WHERE t1a = t2a
     AND t1b = t2b);
```

ANSWER	
0 rows	

Figure 712, Multi-field sub-queries, equal checks

Observe that to do a multiple-value IN check, you put the list of expressions to be compared in parenthesis, and then select the same number of items in the sub-query.

An IN phrase is limited because it can only do an equality check. By contrast, use whatever predicates you want in an EXISTS correlated sub-query to do other types of comparison:

```
SELECT *
FROM  table1
WHERE EXISTS
  (SELECT *
   FROM  table2
   WHERE t1a = t2a
     AND t1b >= t2b);
```

ANSWER		TABLE1		TABLE2		
T1A	T1B	T1A	T1B	T2A	T2B	T2C
A	AA	A	AA	A	A	A
B	BB	B	BB	B	A	-
C	CC	-	-	-	-	-

"-" = null

Figure 713, Multi-field sub-query, with non-equal check

Nested Sub-Queries

Some business questions may require that the related SQL statement be written as a series of nested sub-queries. In the following example, we are after all employees in the EMPLOYEE table who have a salary that is greater than the maximum salary of all those other employees that do not work on a project with a name beginning 'MA'.

```

SELECT empno
      ,lastname
      ,salary
  FROM employee
 WHERE salary >
    (SELECT MAX(salary)
       FROM employee
      WHERE empno NOT IN
        (SELECT empno
           FROM emp_act
          WHERE projno LIKE 'MA%'))
 ORDER BY 1;

```

Figure 714, Nested Sub-Queries

ANSWER		
EMPNO	LASTNAME	SALARY
000010	HAAS	52750.00
000110	LUCCHESSI	46500.00

Usage Examples

In this section we will use various sub-queries to compare our two test tables - looking for those rows where none, any, ten, or all values match.

Beware of Nulls

The presence of null values greatly complicates sub-query usage. Not allowing for them when they are present can cause one to get what is arguably a wrong answer. And do not assume that just because you don't have any nullable fields that you will never therefore encounter a null value. The DEPTNO table in the Department table is defined as not null, but in the following query, the maximum DEPTNO that is returned will be null:

```

SELECT COUNT(*) AS #rows
      ,MAX(deptno) AS maxdpt
  FROM department
 WHERE deptname LIKE 'Z%'
 ORDER BY 1;

```

ANSWER	
#ROWS	MAXDEPT
0	null

Figure 715, Getting a null value from a not null field

True if NONE Match

Find all rows in TABLE1 where there are no rows in TABLE2 that have a T2C value equal to the current T1A value in the TABLE1 table:

```

SELECT *
  FROM table1 t1
 WHERE 0 =
    (SELECT COUNT(*)
       FROM table2 t2
      WHERE t1.t1a = t2.t2c);

SELECT *
  FROM table1 t1
 WHERE NOT EXISTS
    (SELECT *
       FROM table2 t2
      WHERE t1.t1a = t2.t2c);

SELECT *
  FROM table1
 WHERE t1a NOT IN
    (SELECT t2c
       FROM table2
      WHERE t2c IS NOT NULL);

```

TABLE1		TABLE2		
T1A	T1B	T2A	T2B	T2C
A	AA	A	A	A
B	BB	B	A	-
C	CC	-----		

" - " = null

ANSWER	
T1A	T1B
B	BB
C	CC

Figure 716, Sub-queries, true if none match

Observe that in the last statement above we eliminated the null rows from the sub-query. Had this not been done, the NOT IN check would have found them and then returned a result of "unknown" (i.e. false) for all of rows in the TABLE1A table.

Using a Join

Another way to answer the same problem is to use a left outer join, going from TABLE1 to TABLE2 while matching on the T1A and T2C fields. Get only those rows (from TABLE1) where the corresponding T2C value is null:

SELECT t1.* FROM table1 t1 LEFT OUTER JOIN table2 t2 ON t1.t1a = t2.t2c WHERE t2.t2c IS NULL;	ANSWER =====
	T1A T1B --- ---
	B BB
	C CC

Figure 717, Outer join, true if none match

True if ANY Match

Find all rows in TABLE1 where there are one, or more, rows in TABLE2 that have a T2C value equal to the current T1A value:

SELECT * FROM table1 t1 WHERE EXISTS (SELECT * FROM table2 t2 WHERE t1.t1a = t2.t2c);	TABLE1 TABLE2 +-----+ +-----+ T1A T1B T2A T2B T2C --- --- --- --- --- A AA A A A B BB B A - C CC +-----+ +-----+ "- " = null
SELECT * FROM table1 t1 WHERE 1 <= (SELECT COUNT(*) FROM table2 t2 WHERE t1.t1a = t2.t2c);	ANSWER =====
SELECT * FROM table1 WHERE t1a = ANY (SELECT t2c FROM table2);	T1A T1B --- --- A AA
SELECT * FROM table1 WHERE t1a = SOME (SELECT t2c FROM table2);	
SELECT * FROM table1 WHERE t1a IN (SELECT t2c FROM table2);	

Figure 718, Sub-queries, true if any match

Of all of the above queries, the second query is almost certainly the worst performer. All of the others can, and probably will, stop processing the sub-query as soon as it encounters a single matching value. But the sub-query in the second statement has to count all of the matching rows before it return either a true or false indicator.

Using a Join

This question can also be answered using an inner join. The trick is to make a list of distinct T2C values, and then join that list to TABLE1 using the T1A column. Several variations on this theme are given below:

```

WITH t2 AS
  (SELECT DISTINCT t2c
   FROM   table2
  )
SELECT t1.*
  FROM   table1 t1
         ,t2
 WHERE   t1.t1a = t2.t2c;

```

TABLE1		TABLE2		
T1A	T1B	T2A	T2B	T2C
A	AA	A	A	A
B	BB	B	A	-
C	CC	+-----+		

" - " = null

```
SELECT t1.*  
FROM   table1 t1  
       ,(SELECT DISTINCT t2c  
          FROM   table2  
         )AS t2  
WHERE   t1.t1a = t2.t2c;
```

ANSWER
=====

T1A	T1B
---	---
A	AA

```
SELECT t1.*  
FROM   table1 t1  
INNER JOIN  
        (SELECT DISTINCT t2c  
         FROM   table2  
        )AS t2  
ON      t1.t1a = t2.t2c;
```

Figure 719, Joins, true if any match

True if TEN Match

Find all rows in TABLE1 where there are exactly ten rows in TABLE2 that have a T2B value equal to the current T1A value in the TABLE1 table:

```
SELECT *
FROM   table1 t1
WHERE  10 =
      (SELECT COUNT(*)
       FROM   table2 t2
       WHERE  t1.tla = t2.t2b);
```

TABLE1		TABLE2		
T1A	T1B	T2A	T2B	T2C
A	AA	A	A	A
B	BB	B	A	-
C	CC	+-----+ "- = null		

```
SELECT *
FROM   table1
WHERE  EXISTS
       (SELECT      t2b
        FROM   table2
        WHERE   t1a = t2b
        GROUP  BY t2b
        HAVING  COUNT(*) = 10);
```

ANSWER
=====

```
SELECT *  
FROM   table1  
WHERE  t1a IN  
       (SELECT      t2b  
        FROM        table2  
        GROUP BY  t2b  
        HAVING COUNT(*) = 10);
```

Figure 720, Sub-queries, true if ten match (1 of 2)

The first two queries above use a correlated sub-query. The third is uncorrelated. The next query, which is also uncorrelated, is guaranteed to befuddle your coworkers. It uses a multi-field IN (see page 253 for more notes) to both check T2B and the count at the same time:

```

SELECT *
FROM  table1
WHERE (t1a,10) IN
      (SELECT t2b, COUNT(*)
       FROM  table2
       GROUP BY t2b);

```

ANSWER
=====
0 rows

Figure 721, Sub-queries, true if ten match (2 of 2)

Using a Join

To answer this generic question using a join, one simply builds a distinct list of T2B values that have ten rows, and then joins the result to TABLE1:

```

WITH t2 AS
  (SELECT t2b
   FROM  table2
   GROUP BY t2b
   HAVING COUNT(*) = 10
  )
SELECT t1.*
FROM  table1 t1
     ,t2
WHERE t1.t1a = t2.t2b;

```

TABLE1		TABLE2		
T1A	T1B	T2A	T2B	T2C
A	AA	A	A	A
B	BB	B	A	-
C	CC	-	-	-

"-" = null

```

SELECT t1.*
FROM  table1 t1
     ,(SELECT t2b
       FROM  table2
       GROUP BY t2b
       HAVING COUNT(*) = 10
      )AS t2
WHERE t1.t1a = t2.t2b;

```

ANSWER
=====
0 rows

```

SELECT t1.*
FROM  table1 t1
INNER JOIN
  (SELECT t2b
   FROM  table2
   GROUP BY t2b
   HAVING COUNT(*) = 10
  )AS t2
ON    t1.t1a = t2.t2b;

```

Figure 722, Joins, true if ten match

True if ALL match

Find all rows in TABLE1 where all matching rows in TABLE2 have a T2B value equal to the current T1A value in the TABLE1 table. Before we show some SQL, we need to decide what to do about nulls and empty sets:

- When nulls are found in the sub-query, we can either deem that their presence makes the relationship false, which is what DB2 does, or we can exclude nulls from our analysis.
- When there are no rows found in the sub-query, we can either say that the relationship is false, or we can do as DB2 does, and say that the relationship is true.

See page 247 for a detailed discussion of the above issues.

The next two queries use the basic DB2 logic for dealing with empty sets; In other words, if no rows are found by the sub-query, then the relationship is deemed to be true. Likewise, the relationship is also true if all rows found by the sub-query equal the current T1A value:

```

SELECT *
FROM  table1
WHERE t1a = ALL
  (SELECT t2b
   FROM  table2);

SELECT *
FROM  table1
WHERE NOT EXISTS
  (SELECT *
   FROM  table2
   WHERE t1a <> t2b);

```

TABLE1		TABLE2		
T1A	T1B	T2A	T2B	T2C
---	---	---	---	---
A	AA	A	A	A
B	BB	B	A	-
C	CC	" - "	= null	

ANSWER
=====

T1A	T1B
---	---
A	AA

Figure 723, Sub-queries, true if all match, find rows

The next two queries are the same as the prior, but an extra predicate has been included in the sub-query to make it return an empty set. Observe that now all TABLE1 rows match:

```

SELECT *
FROM  table1
WHERE t1a = ALL
  (SELECT t2b
   FROM  table2
   WHERE t2b >= 'X');

SELECT *
FROM  table1
WHERE NOT EXISTS
  (SELECT *
   FROM  table2
   WHERE t1a <> t2b
     AND t2b >= 'X');

```

ANSWER	
=====	
T1A	T1B
---	---
A	AA
B	BB
C	CC

Figure 724, Sub-queries, true if all match, empty set

False if no Matching Rows

The next two queries differ from the above in how they address empty sets. The queries will return a row from TABLE1 if the current T1A value matches all of the T2B values found in the sub-query, but they will not return a row if no matching values are found:

```

SELECT *
FROM  table1
WHERE t1a = ALL
  (SELECT t2b
   FROM  table2
   WHERE t2b >= 'X')
  AND 0 <>
    (SELECT COUNT(*)
     FROM  table2
     WHERE t2b >= 'X');

SELECT *
FROM  table1
WHERE t1a IN
  (SELECT MAX(t2b)
   FROM  table2
   WHERE t2b >= 'X'
   HAVING COUNT(DISTINCT t2b) = 1);

```

TABLE1		TABLE2		
T1A	T1B	T2A	T2B	T2C
---	---	---	---	---
A	AA	A	A	A
B	BB	B	A	-
C	CC	" - "	= null	

ANSWER
=====

0 rows

Figure 725, Sub-queries, true if all match, and at least one value found

Both of the above statements have flaws: The first processes the TABLE2 table twice, which not only involves double work, but also requires that the sub-query predicates be duplicated. The second statement is just plain strange.

Union, Intersect, and Except

A UNION, EXCEPT, or INTERSECT expression combines sets of columns into new sets of columns. An illustration of what each operation does with a given set of data is shown below:

R1	R2	R1 UNION R2	R1 UNION ALL	R1 INTERSECT R2	R1 INTERSECT ALL	R1 EXCEPT R2	R1 EXCEPT ALL	R1 MINUS R2
A	A	A	A	A	A	E	A	E
A	A	B	A	B	A		C	
A	B	C	A	C	B		C	
B	B	D	A		B		E	
B	B	E	A		C			
C	C		B					
C	D		B					
C			B					
C			C					
C			C					
D			D					
E			E					

Figure 726, Examples of Union, Except, and Intersect

WARNING: Unlike the UNION and INTERSECT operations, the EXCEPT statement is not commutative. This means that "A EXCEPT B" is not the same as "B EXCEPT A".

Syntax Diagram




Figure 727, Union, Except, and Intersect syntax

Sample Views

```

CREATE VIEW R1 (R1)
  AS VALUES ('A'),('A'),('A'),('B'),('B'),('C'),('C'),('E');
CREATE VIEW R2 (R2)
  AS VALUES ('A'),('A'),('B'),('B'),('B'),('C'),('D');           ANSWER
=====
SELECT   R1
FROM     R1
ORDER BY R1;                                         R1  R2
                                                       --  --
                                                       A  A
                                                       A  A
                                                       A  B
                                                       B  B
                                                       B  B
                                                       C  C
                                                       C  D
                                                       C  E

```

Figure 728, Query sample views

Usage Notes

Union & Union All

A UNION operation combines two sets of columns and removes duplicates. The UNION ALL expression does the same but does not remove the duplicates.

	R1	R2	UNION	UNION ALL
	--	--	=====	=====
SELECT R1 FROM R1 UNION SELECT R2 FROM R2 ORDER BY 1;			A A A	A
			A A B	A
			A B C	A
			B B D	A
			B B E	A
			C C	B
			C D	B
			C	B
			E	B
SELECT R1 FROM R1 UNION ALL SELECT R2 FROM R2 ORDER BY 1;				B
				C
				C
				C
				D
				E

Figure 729, Union and Union All SQL

NOTE: Recursive SQL requires that there be a UNION ALL phrase between the two main parts of the statement. The UNION ALL, unlike the UNION, allows for duplicate output rows which is what often comes out of recursive processing.

Intersect & Intersect All

An INTERSECT operation retrieves the matching set of distinct values (not rows) from two columns. The INTERSECT ALL returns the set of matching individual rows.

	R1	R2	INTERSECT	INTERSECT ALL
	--	--	=====	=====
SELECT R1 FROM R1 INTERSECT SELECT R2 FROM R2 ORDER BY 1;			A A A	A
			A A B	A
			A B C	B
			B B	B
			B B	C
SELECT R1 FROM R1 INTERSECT ALL SELECT R2 FROM R2 ORDER BY 1;			C C	
			C D	
			C	
			E	

Figure 730, Intersect and Intersect All SQL

An INTERSECT and/or EXCEPT operation is done by matching ALL of the columns in the top and bottom result-sets. In other words, these are row, not column, operations. It is not possible to only match on the keys, yet at the same time, also fetch non-key columns. To do this, one needs to use a sub-query.

Except, Except All, & Minus

An EXCEPT operation retrieves the set of distinct data values (not rows) that exist in the first the table but not in the second. The EXCEPT ALL returns the set of individual rows that exist only in the first table. The word MINUS is a synonym for EXCEPT.

SELECT R1 FROM R1 EXCEPT SELECT R2 FROM R2 ORDER BY 1;	R1 -- A A A B B C C C E	R2 A A B B B C C D E	R1 EXCEPT ALL R2 ===== A C C E
---	---	---	---

Figure 731, Except and Except All SQL (R1 on top)

Because the EXCEPT/MINUS operation is not commutative, using it in the reverse direction (i.e. R2 to R1 instead of R1 to R2) will give a different result:

SELECT R2 FROM R2 EXCEPT SELECT R1 FROM R1 ORDER BY 1;	R1 -- A A A B B C C C E	R2 EXCEPT R1 R1 ===== D B D
SELECT R2 FROM R2 EXCEPT ALL SELECT R1 FROM R1 ORDER BY 1;	B B C C C E	B B C C D

Figure 732, Except and Except All SQL (R2 on top)

NOTE: Only the EXCEPT/MINUS operation is not commutative. Both the UNION and the INTERSECT operations work the same regardless of which table is on top or on bottom.

Precedence Rules

When multiple operations are done in the same SQL statement, there are precedence rules:

- Operations in parenthesis are done first.
- INTERSECT operations are done before either UNION or EXCEPT.
- Operations of equal worth are done from top to bottom.

The next example illustrates how parenthesis can be used change the processing order:

SELECT R1 FROM R1 UNION SELECT R2 FROM R2 EXCEPT SELECT R2 FROM R2 ORDER BY 1;	(SELECT R1 FROM R1 UNION SELECT R2 FROM R2) EXCEPT SELECT R2 FROM R2 ORDER BY 1;	SELECT R1 FROM R1 UNION (SELECT R2 FROM R2 EXCEPT SELECT R2 FROM R2) ORDER BY 1;	R1 -- A A A B B C C C D C E
ANSWER ===== E	ANSWER ===== E	ANSWER ===== A B C E	

Figure 733, Use of parenthesis in Union

Unions and Views

Imagine that one has a series of tables that track sales data, with one table for each year. One can define a view that is the UNION ALL of these tables, so that a user would see them as a single object. Such a view can support inserts, updates, and deletes, as long as each table in the view has a constraint that distinguishes it from all the others. Below is an example:

```

CREATE TABLE sales_data_2002
(sales_date      DATE      NOT NULL
,daily_seq#     INTEGER   NOT NULL
,cust_id        INTEGER   NOT NULL
,amount         DEC(10,2) NOT NULL
,invoice#       INTEGER   NOT NULL
,sales_rep      CHAR(10)  NOT NULL
,CONSTRAINT C CHECK (YEAR(sales_date) = 2002)
,PRIMARY KEY (sales_date, daily_seq#));

CREATE TABLE sales_data_2003
(sales_date      DATE      NOT NULL
,daily_seq#     INTEGER   NOT NULL
,cust_id        INTEGER   NOT NULL
,amount         DEC(10,2) NOT NULL
,invoice#       INTEGER   NOT NULL
,sales_rep      CHAR(10)  NOT NULL
,CONSTRAINT C CHECK (YEAR(sales_date) = 2003)
,PRIMARY KEY (sales_date, daily_seq#));

CREATE VIEW sales_data AS
SELECT *
FROM   sales_data_2002
UNION ALL
SELECT *
FROM   sales_data_2003;

```

Figure 734, Define view to combine yearly tables

Below is some SQL that changes the contents of the above view:

```

INSERT INTO sales_data VALUES ('2002-11-22',1,123,100.10,996,'SUE')
,('2002-11-22',2,123,100.10,997,'JOHN')
,('2003-01-01',1,123,100.10,998,'FRED')
,('2003-01-01',2,123,100.10,999,'FRED');

UPDATE sales_data
SET   amount = amount / 2
WHERE  sales_rep = 'JOHN';

DELETE
FROM   sales_data
WHERE  sales_date = '2003-01-01'
  AND  daily_seq# = 2;

```

Figure 735, Insert, update, and delete using view

Below is the view contents, after the above is run:

SALES_DATE	DAILY_SEQ#	CUST_ID	AMOUNT	INVOICE#	SALES_REP
01/01/2003	1	123	100.10	998	FRED
11/22/2002	1	123	100.10	996	SUE
11/22/2002	2	123	50.05	997	JOHN

Figure 736, View contents after insert, update, delete

Materialized Query Tables

Introduction

A materialized query table contains the results of a query. The DB2 optimizer knows this and can, if appropriate, redirect a query that is against the source table(s) to use the materialized query table instead. This can make the query run much faster.

The following statement defines a materialized query table:

```
CREATE TABLE staff_summary AS
  (SELECT dept
    ,COUNT(*) AS count_rows
    ,SUM(id) AS sum_id
   FROM staff
  GROUP BY dept)
  DATA INITIALLY DEFERRED REFRESH IMMEDIATE;
```

Figure 737, Sample materialized query table DDL

Below on the left is a query that is very similar to the one used in the above CREATE. The DB2 optimizer can convert this query into the optimized equivalent on the right, which uses the materialized query table. Because (in this case) the data in the materialized query table is maintained in sync with the source table, both statements will return the same answer.

ORIGINAL QUERY	OPTIMIZED QUERY
<hr/>	<hr/>
SELECT dept ,AVG(id) FROM staff GROUP BY dept	SELECT Q1.dept AS "dept" ,Q1.sum_id / Q1.count_rows FROM staff_summary AS Q1

Figure 738, Original and optimized queries

When used appropriately, materialized query tables can cause dramatic improvements in query performance. For example, if in the above STAFF table there was, on average, about 5,000 rows per individual department, referencing the STAFF_SUMMARY table instead of the STAFF table in the sample query might be about 1,000 times faster.

DB2 Optimizer Issues

In order for a materialized query table to be considered for use by the DB2 optimizer, the following has to be true:

- The table has to be refreshed at least once.
- The table MAINTAINED BY parameter and the related DB2 special registers must correspond. For example, if the table is USER maintained, then the CURRENT REFRESH AGE special register must be set to ANY, and the CURRENT MAINTAINED TABLE TYPES FOR OPTIMIZATION special register must be set to USER or ALL.

See page 266 for more details on these registers.

Usage Notes

A materialized query table is defined using a variation of the standard CREATE TABLE statement. Instead of providing an element list, one supplies a SELECT statement, and defines the refresh option.




Figure 739, Materialized query table DDL, syntax diagram

Syntax Options

Refresh

- REFRESH DEFERRED: The data is refreshed whenever one does a REFRESH TABLE. At this point, DB2 will first delete all of the existing rows in the table, then run the select statement defined in the CREATE to (you guessed it) repopulate.
- REFRESH IMMEDIATE: Once created, this type of table has to be refreshed once using the REFRESH statement. From then on, DB2 will maintain the materialized query table in sync with the source table as changes are made to the latter.

Materialized query tables that are defined REFRESH IMMEDIATE are obviously more useful in that the data in them is always current. But they may cost quite a bit to maintain, and not all queries can be defined thus.

Query Optimization

- ENABLE: The table is used for query optimization when appropriate. This is the default. The table can also be queried directly.
- DISABLE: The table will not be used for query optimization. It can be queried directly.

Maintained By

- SYSTEM: The data in the materialized query table is maintained by the system. This is the default.
- USER: The user is allowed to perform insert, update, and delete operations against the materialized query table. The table cannot be refreshed. This type of table can be used when you want to maintain your own materialized query table (e.g. using triggers) to support features not provided by DB2. The table can also be defined to enable query optimization, but the optimizer will probably never use it as a substitute for a real table.
- FEDERATED_TOOL: The data in the materialized query table is maintained by the replication tool. Only a REFRESH DEFERRED table can be maintained using this option.

Options vs. Actions

The following table compares materialized query table options to subsequent actions:

MATERIALIZED QUERY TABLE		ALLOWABLE ACTIONS ON TABLE	
REFRESH	MAINTAINED BY	REFRESH TABLE	INSERT/UPDATE/DELETE
=====	=====	=====	=====
DEFERRED	SYSTEM	yes	no
	USER	no	yes
IMMEDIATE	SYSTEM	yes	no

Figure 740, Materialized query table options vs. allowable actions

Select Statement

Various restrictions apply to the select statement that is used to define the materialized query table. In general, materialized query tables defined refresh-immediate need simpler queries than those defined refresh-deferred.

Refresh Deferred Tables

- The query must be a valid SELECT statement.
- Every column selected must have a name.
- An ORDER BY is not allowed.
- Reference to a typed table or typed view is not allowed.
- Reference to declared temporary table is not allowed.
- Reference to a nickname or materialized query table is not allowed.
- Reference to a system catalogue table is not allowed. Reference to an explain table is allowed, but is impudent.
- Reference to NODENUMBER, PARTITION, or any other function that depends on physical characteristics, is not allowed.
- Reference to a datalink type is not allowed.
- Functions that have an external action are not allowed.
- Scalar functions, or functions written in SQL, are not allowed. So SUM(SALARY) is fine, but SUM(INT(SALARY)) is not allowed.

Refresh Immediate Tables

All of the above restrictions apply, plus the following:

- If the query references more than one table or view, it must define as inner join, yet not use the INNER JOIN syntax (i.e. must use old style).
- If there is a GROUP BY, the SELECT list must have a COUNT(*) or COUNT_BIG(*) column.
- Besides the COUNT and COUNT_BIG, the only other column functions supported are SUM and GROUPING - all with the DISTINCT phrase. Any field that allows nulls, and that is summed, but also have a COUNT(column name) function defined.
- Any field in the GROUP BY list must be in the SELECT list.
- The table must have at least one unique index defined, and the SELECT list must include (amongst other things) all the columns of this index.

- Grouping sets, CUBE and ROLLUP are allowed. The GROUP BY items and associated GROUPING column functions in the select list must form a unique key of the result set.
- The HAVING clause is not allowed.
- The DISTINCT clause is not allowed.
- Non-deterministic functions are not allowed.
- Special registers are not allowed.
- If REPLICATED is specified, the table must have a unique key.

Optimizer Options

A materialized query table that has been defined ENABLE QUERY OPTIMIZATION, and has been refreshed, is a candidate for use by the DB2 optimizer if, and only if, three DB2 special registers are set to match the table status:

- CURRENT MAINTAINED TABLE TYPES FOR OPTIMIZATION.
- CURRENT QUERY OPTIMIZATION.
- CURRENT REFRESH AGE.

Each of the above are discussed below.

CURRENT REFRESH AGE

The refresh age special register tells the DB2 optimizer how up-to-date the data in an materialized query table has to be in order to be considered. There are only two possible values:

- 0: Only use those materialized query tables that are defined as refresh-immediate are eligible. This is the default.
- 99,999,999,999,999: Consider all valid materialized query tables. This is the same as ANY.

NOTE: The above number is a 26-digit decimal value that is a timestamp duration, but without the microsecond component. The value ANY is logically equivalent.

The database default value can be changed using the following command:

```
UPDATE DATABASE CONFIGURATION USING dft_refresh_age ANY;
```

Figure 741, Changing default refresh age for database

The database default value can be overridden within a thread using the SET REFRESH AGE statement. Here is the syntax:




Figure 742, Set refresh age command, syntax

Below are some examples of the SET command:

```
SET CURRENT REFRESH AGE 0;
SET CURRENT REFRESH AGE = ANY;
SET CURRENT REFRESH AGE = 9999999999999999;
```

Figure 743, Set refresh age command, examples

CURRENT MAINTAINED TYPES

The current maintained types special register tells the DB2 optimizer what types of materialized query table that are defined refresh deferred are to be considered - assuming that the refresh-age parameter is not set to zero:

- ALL: All refresh-deferred materialized query tables are to be considered. If this option is chosen, no other option can be used.
- NONE: No refresh-deferred materialized query tables are to be considered. If this option is chosen, no other option can be used.
- SYSTEM: System-maintained refresh-deferred materialized query tables are to be considered. This is the default.
- USER: User-maintained refresh-deferred materialized query tables are to be considered.
- FEDERATED TOOL: Federated-tool-maintained refresh-deferred materialized query tables are to be considered, but only if the CURRENT QUERY OPTIMIZATION special register is 2 or greater than 5.
- CURRENT MAINTAINED TABLE TYPES FOR OPTIMIZATION: The existing values for this special register are used.

The database default value can be changed using the following command:

```
UPDATE DATABASE CONFIGURATION USING dft_refresh_age ANY;
```

Figure 744, Changing default maintained type for database

The database default value can be overridden within a thread using the SET REFRESH AGE statement. Here is the syntax:




Figure 745, Set maintained type command, syntax

Below are some examples of the SET command:

```
SET CURRENT MAINTAINED TYPES = ALL;
SET CURRENT MAINTAINED TABLE TYPES = SYSTEM;
SET CURRENT MAINTAINED TABLE TYPES FOR OPTIMIZATION = USER, SYSTEM;
```

Figure 746, Set maintained type command, examples

CURRENT QUERY OPTIMIZATION

The current query optimization special register tells the DB2 optimizer what set of optimization techniques to use. The value can range from zero to nine - except for four or eight. A value of five or above will cause the optimizer to consider using materialized query tables.

The database default value can be changed using the following command:

```
UPDATE DATABASE CONFIGURATION USING DFT_QUERYOPT 5;
```

Figure 747, Changing default maintained type for database

The database default value can be overridden within a thread using the SET CURRENT QUERY OPTIMIZATION statement. Here is the syntax:



Figure 748, Set maintained type command, syntax

Below are an example of the SET command:

```
SET CURRENT QUERY OPTIMIZATION = 9;
```

figure 749, Set query optimization, example

What Matches What

Assuming that the current query optimization special register is set to five or above, the DB2 optimizer will consider using a materialized query table (instead of the base table) when any of the following conditions are true:

MQT DEFINITION	DATABASE/APPLICATION STATUS	DB2
REFRESH MAINTAINED-BY	REFRESH-AGE MAINTAINED-TYPE	USE
===== =====	===== =====	MQT
IMMEDIATE SYSTEM	- -	==
DEFERRED SYSETM	ANY ALL or SYSTEM	Yes
DEFERRED USER	ANY ALL or USER	Yes
DEFERRED FEDERATED-TOOL	ANY ALL or FEDERATED-TOOL	Yes

Figure 750, When DB2 will consider using a materialized query table

Selecting Special Registers

One can select the relevant special register to see what the values are:

```
SELECT CURRENT REFRESH AGE          AS age_ts
      ,CURRENT TIMESTAMP            AS current_ts
      ,CURRENT QUERY OPTIMIZATION   AS q_opt
  FROM sysibm.sysdummy1;
```

Figure 751, Selecting special registers

Refresh Deferred Tables

A materialized query table defined REFRESH DEFERRED can be periodically updated using the REFRESH TABLE command. Below is an example of a such a table that has one row per qualifying department in the STAFF table:

```

CREATE TABLE staff_names AS
  (SELECT    dept
            ,COUNT(*)          AS count_rows
            ,SUM(salary)       AS sum_salary
            ,AVG(salary)       AS avg_salary
            ,MAX(salary)       AS max_salary
            ,MIN(salary)       AS min_salary
            ,STDDEV(salary)    AS std_salary
            ,VARIANCE(salary)  AS var_salary
            ,CURRENT TIMESTAMP AS last_change
   FROM      staff
  WHERE     TRANSLATE(name) LIKE '%A%'
            AND salary           > 10000
  GROUP BY  dept
  HAVING    COUNT(*) = 1
)DATA INITIALLY DEFERRED REFRESH DEFERRED;

```

Figure 752, Refresh deferred materialized query table DDL

Refresh Immediate Tables

A materialized query table defined REFRESH IMMEDIATE is automatically maintained in sync with the source table by DB2. As with any materialized query table, it is defined by referring to a query. Below is a table that refers to a single source table:

```

CREATE TABLE emp_summary AS
  (SELECT    emp.workdept
            ,COUNT(*)          AS num_rows
            ,COUNT(emp.salary) AS num_salary
            ,SUM(emp.salary)   AS sum_salary
            ,COUNT(emp.comm)   AS num_comm
            ,SUM(emp.comm)     AS sum_comm
   FROM      employee emp
  GROUP BY  emp.workdept
)DATA INITIALLY DEFERRED REFRESH IMMEDIATE;

```

Figure 753, Refresh immediate materialized query table DDL

Below is a query that can use the above materialized query table in place of the base table:

```

SELECT    emp.workdept
            ,DEC(SUM(emp.salary),8,2)   AS sum_sal
            ,DEC(AVG(emp.salary),7,2)   AS avg_sal
            ,SMALLINT(COUNT(emp.comm)) AS #comms
            ,SMALLINT(COUNT(*))        AS #emps
   FROM      employee emp
  WHERE     emp.workdept      > 'C'
  GROUP BY  emp.workdept
  HAVING    COUNT(*)         <> 5
            AND SUM(emp.salary) > 50000
  ORDER BY sum_sal DESC;

```

Figure 754, Query that uses materialized query table (1 of 3)

The next query can also use the materialized query table. This time, the data returned from the materialized query table is qualified by checking against a sub-query:

```

SELECT    emp.workdept
            ,COUNT(*)          AS #rows
   FROM      employee emp
  WHERE     emp.workdept IN
            (SELECT deptno
               FROM department
              WHERE deptname LIKE '%S%')
  GROUP BY emp.workdept
  HAVING    SUM(salary) > 50000;

```

Figure 755, Query that uses materialized query table (2 of 3)

This last example uses the materialized query table in a nested table expression:

```

SELECT      #emps
           ,DEC(SUM(sum_sal),9,2)    AS sal_sal
           ,SMALLINT(COUNT(*))      AS #depts
  FROM      (SELECT      emp.workdept
           ,DEC(SUM(emp.salary),8,2)    AS sum_sal
           ,MAX(emp.salary)          AS max_sal
           ,SMALLINT(COUNT(*))      AS #emps
          FROM      employee emp
          GROUP BY emp.workdept
         )AS XXX
  GROUP BY #emps
 HAVING     COUNT(*) > 1
 ORDER BY #emps
FETCH FIRST 3 ROWS ONLY
OPTIMIZE FOR 3 ROWS;

```

Figure 756, Query that uses materialized query table (3 of 3)

Using Materialized Query Tables to Duplicate Data

All of the above materialized query tables have contained a GROUP BY in their definition. But this is not necessary. To illustrate, we will first create a simple table:

```

CREATE TABLE staff_all
(id      SMALLINT      NOT NULL
, name   VARCHAR(9)    NOT NULL
, job    CHAR(5)
, salary DECIMAL(7,2)
, PRIMARY KEY(id));

```

Figure 757, Create source table

As long as the above table has a primary key, which it does, we can define a duplicate of the above using the following code:

```

CREATE TABLE staff_all_dup AS
(SELECT  *
   FROM  staff_all)
DATA INITIALLY DEFERRED REFRESH IMMEDIATE;

```

Figure 758, Create duplicate data table

We can also decide to duplicate only certain rows:

```

CREATE TABLE staff_all_dup_some AS
(SELECT  *
   FROM  staff_all
  WHERE  id < 30)
DATA INITIALLY DEFERRED REFRESH IMMEDIATE;

```

Figure 759, Create table - duplicate certain rows only

Imagine that we had another table that listed all those staff that we are about to fire:

```

CREATE TABLE staff_to_fire
(id      SMALLINT      NOT NULL
, name   VARCHAR(9)    NOT NULL
, dept   SMALLINT
, PRIMARY KEY(id));

```

Figure 760, Create source table

We can create materialized query table that joins the above two staff tables as long as the following is true:

- Both tables have identical primary keys (i.e. same number of columns).
- The join is an inner join on the common primary key fields.

- All primary key columns are listed in the SELECT.

Now for an example:

```
CREATE TABLE staff_combo AS
  (SELECT aaa.id      AS id1
   ,aaa.job      AS job
   ,fff.id       AS id2
   ,fff.dept    AS dept
  FROM   staff_all  aaa
         ,staff_to_fire fff
 WHERE  aaa.id = fff.id)
DATA INITIALLY DEFERRED REFRESH IMMEDIATE;
```

Figure 761, Materialized query table on join

See page 272 for more examples of join usage.

Queries that don't use Materialized Query Table

Below is a query that can not use the EMP_SUMMARY table because of the reference to the MAX function. Ironically, this query is exactly the same as the nested table expression above, but in the prior example the MAX is ignored because it is never actually selected:

```
SELECT  emp.workdept
        ,DEC(SUM(emp.salary),8,2)  AS sum_sal
        ,MAX(emp.salary)          AS max_sal
  FROM   employee emp
 GROUP BY emp.workdept;
```

Figure 762, Query that doesn't use materialized query table (1 of 2)

The following query can't use the materialized query table because of the DISTINCT clause:

```
SELECT  emp.workdept
        ,DEC(SUM(emp.salary),8,2)  AS sum_sal
        ,COUNT(DISTINCT salary)   AS #salaries
  FROM   employee emp
 GROUP BY emp.workdept;
```

Figure 763, Query that doesn't use materialized query table (2 of 2)

Usage Notes and Restrictions

- A materialized query table must be refreshed before it can be queried. If the table is defined refresh immediate, then the table will be maintained automatically after the initial refresh.
- Make sure to commit after doing a refresh. The refresh does not have an implied commit.
- Run RUNSTATS after refreshing a materialized query table.
- One can not load data into materialized query tables.
- One can not directly update materialized query tables.

To refresh a materialized query table, use either of the following commands:

```
REFRESH TABLE emp_summary;
COMMIT;

SET INTEGRITY FOR emp_summary IMMEDIATE CHECKED;
COMMIT;
```

Figure 764, Materialized query table refresh commands

Multi-table Materialized Query Tables

Single-table materialized query tables save having to look at individual rows to resolve a GROUP BY. Multi-table materialized query tables do this, and also avoid having to resolve a join.

```
CREATE TABLE dept_emp_summary AS
  (SELECT   emp.workdept
   ,dpt.deptname
   ,COUNT(*)          AS num_rows
   ,COUNT(emp.salary) AS num_salary
   ,SUM(emp.salary)   AS sum_salary
   ,COUNT(emp.comm)   AS num_comm
   ,SUM(emp.comm)     AS sum_comm
  FROM     employee  emp
   ,department dpt
  WHERE    dpt.deptno = emp.workdept
  GROUP BY emp.workdept
   ,dpt.deptname
 )DATA INITIALLY DEFERRED REFRESH IMMEDIATE;
```

Figure 765, Multi-table materialized query table DDL

The following query is resolved using the above materialized query table:

```
SELECT   d.deptname
   ,d.deptno
   ,DEC(AVG(e.salary),7,2)   AS avg_sal
   ,SMALLINT(COUNT(*))      AS #emps
  FROM     department d
   ,employee  e
 WHERE   e.workdept      = d.deptno
   AND   d.deptname LIKE '%S%'
  GROUP BY d.deptname
   ,d.deptno
 HAVING   SUM(e.comm)    > 4000
 ORDER BY avg_sal DESC;
```

Figure 766, Query that uses materialized query table

Here is the SQL that DB2 generated internally to get the answer:

```
SELECT   Q2.$C0 AS "deptname"
   ,Q2.$C1 AS "deptno"
   ,Q2.$C2 AS "avg_sal"
   ,Q2.$C3 AS "#emps"
  FROM     (SELECT   Q1.deptname
   ,Q1.workdept
   ,DEC((Q1.sum_salary / Q1.num_salary),7,2) AS $C0
   ,SMALLINT(Q1.num_rows)                      AS $C1
   FROM     dept_emp_summary AS Q1
   WHERE   (Q1.deptname LIKE '%S%')
   AND   (4000 < Q1.sum_comm)
 )AS Q2
 ORDER BY Q2.$C2 DESC;
```

Figure 767, DB2 generated query to use materialized query table

Rules and Restrictions

- The join must be an inner join, and it must be written in the old style syntax.
- Every table accessed in the join (except one?) must have a unique index.
- The join must not be a Cartesian product.
- The GROUP BY must include all of the fields that define the unique key for every table (except one?) in the join.

Three-table Example

```

CREATE TABLE dpt_emp_act_sumry AS
  (SELECT   emp.workdept
           ,dpt.deptname
           ,emp.empno
           ,emp.firstnme
           ,SUM(act.emptime)    AS sum_time
           ,COUNT(act.emptime) AS num_time
           ,COUNT(*)            AS num_rows
  FROM      department dpt
           ,employee   emp
           ,emp_act     act
 WHERE     dpt.deptno = emp.workdept
           AND emp.empno  = act.empno
 GROUP BY emp.workdept
           ,dpt.deptname
           ,emp.empno
           ,emp.firstnme
 )DATA INITIALLY DEFERRED REFRESH IMMEDIATE;

```

Figure 768, Three-table materialized query table DDL

Now for a query that will use the above:

```

SELECT   d.deptno
           ,d.deptname
           ,DEC(AVG(a.emptime),5,2) AS avg_time
  FROM      department d
           ,employee   e
           ,emp_act     a
 WHERE     d.deptno      = e.workdept
           AND e.empno       = a.empno
           AND d.deptname LIKE '%S%'
           AND e.firstnme  LIKE '%S%'
 GROUP BY d.deptno
           ,d.deptname
 ORDER BY 3 DESC;

```

Figure 769, Query that uses materialized query table

And here is the DB2 generated SQL:

```

SELECT   Q4.$C0 AS "deptno"
           ,Q4.$C1 AS "deptname"
           ,Q4.$C2 AS "avg_time"
  FROM      (SELECT   Q3.$C3
           ,Q3.$C2
           ,DEC((Q3.$C1 / Q3.$C0),5,2) AS $C2
  FROM      (SELECT   SUM(Q2.$C2)
           ,SUM(Q2.$C3)
           ,Q2.$C0
           ,Q2.$C1
  FROM      (SELECT   Q1.deptname
           ,Q1.workdept
           ,Q1.num_time
           ,Q1.sum_time
  FROM      dpt_emp_act_sumry AS Q1
           WHERE  (Q1.firstnme LIKE '%S%')
           AND   (Q1.DEPTNAME LIKE '%S%')
 )AS Q2
 GROUP BY Q2.$C1
           ,Q2.$C0
 )AS Q3
           )AS Q4
 ORDER BY Q4.$C2 DESC;

```

Figure 770, DB2 generated query to use materialized query table

Indexes on Materialized Query Tables

To really make things fly, one can add indexes to the materialized query table columns. DB2 will then use these indexes to locate the required data. Certain restrictions apply:

- Unique indexes are not allowed.
- The materialized query table must not be in a "check pending" status when the index is defined. Run a refresh to address this problem.

Below are some indexes for the DPT_EMP_ACT_SUMRY table that was defined above:

```
CREATE INDEX dpt_emp_act_sumx1
    ON dpt_emp_act_sumry
    (workdept
     ,deptname
     ,empno
     ,firsttnme);

CREATE INDEX dpt_emp_act_sumx2
    ON dpt_emp_act_sumry
    (num_rows);
```

Figure 771, Indexes for DPT_EMP_ACT_SUMRY materialized query table

The next query will use the first index (i.e. on WORKDEPT):

```
SELECT    d.deptno
          ,d.deptname
          ,e.empno
          ,e.firsttnme
          ,INT(AVG(a.emptime)) AS avg_time
FROM      department d
          ,employee   e
          ,emp_act    a
WHERE     d.deptno      = e.workdept
          AND e.empno       = a.empno
          AND d.deptno LIKE 'D%'
GROUP BY d.deptno
          ,d.deptname
          ,e.empno
          ,e.firsttnme
ORDER BY 1,2,3,4;
```

Figure 772, Sample query that use WORKDEPT index

The next query will use the second index (i.e. on NUM_ROWS):

```
SELECT    d.deptno
          ,d.deptname
          ,e.empno
          ,e.firsttnme
          ,COUNT(*) AS #acts
FROM      department d
          ,employee   e
          ,emp_act    a
WHERE     d.deptno      = e.workdept
          AND e.empno       = a.empno
GROUP BY d.deptno
          ,d.deptname
          ,e.empno
          ,e.firsttnme
HAVING   COUNT(*) > 4
ORDER BY 1,2,3,4;
```

Figure 773, Sample query that uses NUM_ROWS index

Organizing by Dimensions

The following materialized query table is organized (clustered) by the two columns that are referred to in the GROUP BY. Under the covers, DB2 will also create a dimension index on each column, and a block index on both columns combined:

```
CREATE TABLE emp_sum AS
  (SELECT   workdept
    , job
    , SUM(salary)          AS sum_sal
    , COUNT(*)             AS #emps
    , GROUPING(workdept)  AS grp_dpt
    , GROUPING(job)        AS grp_job
  FROM     employee
  GROUP BY CUBE(workdept
    , job))
DATA INITIALLY DEFERRED REFRESH DEFERRED
ORGANIZE BY DIMENSIONS (workdept, job)
IN tsempsum;
```

Figure 774, Materialized query table organized by dimensions

WARNING: Multi-dimensional tables may perform very poorly when created in the default tablespace, or in a system-maintained tablespace. Use a database-maintained tablespace with the right extent size, and/or run the DB2EMPFA command.

Don't forget to run RUNSTATS!

Using Staging Tables

A staging table can be used to incrementally maintain a materialized query table that has been defined refresh deferred. Using a staging table can result in a significant performance saving (during the refresh) if the source table is very large, and is not changed very often.

NOTE: To use a staging table, the SQL statement used to define the target materialized query table must follow the rules that apply for a table that is defined refresh immediate - even though it is defined refresh deferred.

The staging table CREATE statement has the following components:

- The name of the staging table.
- A list of columns (with no attributes) in the target materialized query table. The column names do not have to match those in the target table.
- Either two or three additional columns with specific names- as provided by DB2.
- The name of the target materialized query table.

To illustrate, below is a typical materialized query table:

```
CREATE TABLE emp_sumry AS
  (SELECT   workdept          AS dept
    , COUNT(*)            AS #rows
    , COUNT(salary)       AS #sal
    , SUM(salary)         AS sum_sal
  FROM     employee emp
  GROUP BY emp.workdept
)DATA INITIALLY DEFERRED REFRESH DEFERRED;
```

Figure 775, Sample materialized query table

Here is a staging table for the above:

```

CREATE TABLE emp_sumry_s
(
    dept
    ,num_rows
    ,num_sal
    ,sum_sal
    ,GLOBALTRANSID
    ,GLOBALTRANSTIME
)FOR emp_sumry PROPAGATE IMMEDIATE;

```

Figure 776, Staging table for the above materialized query table

Additional Columns

The two, or three, additional columns that every staging table must have are as follows:

- GLOBALTRANSID: The global transaction ID for each propagated row.
- GLOBALTRANSTIME: The transaction timestamp
- OPERATIONTYPE: The operation type (i.e. insert, update, or delete). This column is needed if the target materialized query table does not contain a GROUP BY statement.

Using a Staging Table

To activate the staging table one must first use the SET INTEGRITY command to remove the check pending flag, and then do a full refresh of the target materialized query table. After this is done, the staging table will record all changes to the source table.

Use the refresh incremental command to apply the changes recorded in the staging table to the target materialized query table.

```

SET INTEGRITY FOR emp_sumry_s STAGING IMMEDIATE UNCHECKED;
REFRESH TABLE emp_sumry;

<< make changes to the source table (i.e. employee) >>

REFRESH TABLE emp_sumry INCREMENTAL;

```

Figure 777, Enabling and the using a staging table

A multi-row update (or insert, or delete) uses the same CURRENT TIMESTAMP for all rows changed, and for all invoked triggers. Therefore, the #CHANGING_SQL field is only incremented when a new timestamp value is detected.

Identity Columns and Sequences

Imagine that one has an INVOICE table that records invoices generated. Also imagine that one wants every new invoice that goes into this table to get an invoice number value that is part of a unique and unbroken sequence of ascending values - assigned in the order that the invoices are generated. So if the highest invoice number is currently 12345, then the next invoice will get 12346, and then 12347, and so on.

There are three ways to do this, up to a point:

- Use an identity column, which generates a unique value per row in a table.
- Use a sequence, which generates a unique value per one or more tables.
- Do it yourself, using an insert trigger to generate the unique values.

You may need to know what values were generated during each insert. There are several ways to do this:

- For all of the above techniques, embed the insert inside a select statement (see figure 795 and/or page 71). This is probably the best solution.
- For identity columns, use the IDENTITY_VAL_LOCAL function (see page 284).
- For sequences, make a NEXTVAL or PREVVAL call (see page 287).

Living With Gaps

The only way that one can be absolutely certain not to have a gap in the sequence of values generated is to create your own using an insert trigger. However, this solution is probably the least efficient of those listed here, and it certainly has the least concurrency.

There is almost never a valid business reason for requiring an unbroken sequence of values. So the best thing to do, if your users ask for such a feature, is to beat them up.

Living With Sequence Errors

For efficiency reasons, identity column and sequence values are usually handed out (to users doing inserts) in block of values, where the block size is defined using the CACHE option. If a user inserts a row, and then dithers for a bit before inserting another, it is possible that some other user (with a higher value) will insert first. In this case, the identity column or sequence value will be a good approximation of the insert sequence, but not right on.

If the users need to know the precise order with which rows were inserted, then either set the cache size to one, which will cost, or include a current timestamp value.

Identity Columns

One can define a column in a DB2 table as an "identity column". This column, which must be numeric (note: fractional fields not allowed), will be incremented by a fixed constant each time a new row is inserted. Below is a syntax diagram for that part of a CREATE TABLE statement that refers to an identity column definition:




Figure 778, Identity Column syntax

Below is an example of a typical invoice table that uses an identity column that starts at one, and then goes ever upwards:

```

CREATE TABLE invoice_data
  (invoice#      INTEGER          NOT NULL
   GENERATED ALWAYS AS IDENTITY
     (START WITH 1
      ,INCREMENT BY 1
      ,NO MAXVALUE
      ,NO CYCLE
      ,ORDER)
  ,sale_date      DATE            NOT NULL
  ,customer_id   CHAR(20)        NOT NULL
  ,product_id    INTEGER         NOT NULL
  ,quantity      INTEGER         NOT NULL
  ,price         DECIMAL(18,2)   NOT NULL
  ,PRIMARY KEY   (invoice#));
  
```

Figure 779, Identity column, sample table

Rules and Restrictions

Identity columns come in one of two general flavors:

- The value is always generated by DB2.
- The value is generated by DB2 only if the user does not provide a value (i.e. by default). This configuration is typically used when the input is coming from an external source (e.g. data propagation).

Rules

- There can only be one identity column per table.
- The field cannot be updated if it is defined "generated always".

- The column type must be numeric and must not allow fractional values. Any integer type is OK. Decimal is also fine, as long as the scale is zero. Floating point is a no-no.
- The identity column value is generated before any BEFORE triggers are applied. Use a trigger transition variable to see the value.
- A unique index is not required on the identity column, but it is a good idea. Certainly, if the value is being created by DB2, then a non-unique index is a fairly stupid idea.
- Unlike triggers, identity column logic is invoked and used during a LOAD. However, a load-replace will not reset the identity column value. Use the RESTART command (see below) to do this. An identity column is not affected by a REORG.

Syntax Notes

- START WITH defines the start value, which can be any valid integer value. If no start value is provided, then the default is the MINVALUE for ascending sequences, and the MAXVALUE for descending sequences. If this value is also not provided, then the default is 1.
- INCREMENT BY defines the interval between consecutive values. This can be any valid integer value, though using zero is pretty silly. The default is 1.
- MINVALUE defines (for ascending sequences) the value that the sequence will start at if no start value is provided. It is also the value that an ascending sequence will begin again at after it reaches the maximum and loops around. If no minimum value is provided, then after reaching the maximum the sequence will begin again at the start value. If that is also not defined, then the sequence will begin again at 1, which is the default start value.
- For descending sequences, it is the minimum value that will be used before the sequence loops around, and starts again at the maximum value.
- MAXVALUE defines (for ascending sequences) the value that a sequence will stop at, and then go back to the minimum value. For descending sequences, it is the start value (if no start value is provided), and also the restart value - if the sequence reaches the minimum and loops around.
- CYCLE defines whether the sequence should cycle about when it reaches the maximum value (for an ascending sequences), or whether it should stop. The default is no cycle.
- CACHE defines whether or not to allocate sequences values in chunks, and thus to save on log writes. The default is no cache, which means that every row inserted causes a log write (to save the current value).
- If a cache value (from 2 to 20) is provided, then the new values are assigned to a common pool in blocks. Each insert user takes from the pool, and only when all of the values are used is a new block (of values) allocated and a log write done. If the table is deactivated, either normally or otherwise, then the values in the current block are discarded, resulting in gaps in the sequence. Gaps in the sequence of values also occur when an insert is subsequently rolled back, so they cannot be avoided. But don't use the cache if you want to try and avoid them.
- ORDER defines whether all new rows inserted are assigned a sequence number in the order that they were inserted. The default is no, which means that occasionally a row that is inserted after another may get a slightly lower sequence number. This is the default.

Identity Column Examples

The following example uses all of the defaults to start an identity column at one, and then to go up in increments of one. The inserts will eventually die when they reach the maximum allowed value for the field type (i.e. for small integer = 32K).

```
CREATE TABLE test_data
(key# SMALLINT NOT NULL
GENERATED ALWAYS AS IDENTITY
,dat1 SMALLINT NOT NULL
,ts1 TIMESTAMP NOT NULL
,PRIMARY KEY(key#));
```

KEY#	FIELD - VALUES ASSIGNED
1	etc.
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
etc.	

Figure 780, Identity column, ascending sequence

The next example defines an identity column that goes down in increments of -3:

```
CREATE TABLE test_data
(key# SMALLINT NOT NULL
GENERATED ALWAYS AS IDENTITY
(START WITH 6
,INCREMENT BY -3
,NO CYCLE
,NO CACHE
,ORDER)
,dat1 SMALLINT NOT NULL
,ts1 TIMESTAMP NOT NULL
,PRIMARY KEY(key#));
```

KEY#	FIELD - VALUES ASSIGNED
6	etc.
3	
0	
-3	
-6	
-9	
-12	
-15	
etc.	

Figure 781, Identity column, descending sequence

The next example, which is amazingly stupid, goes nowhere fast. A primary key cannot be defined on this table:

```
CREATE TABLE test_data
(key# SMALLINT NOT NULL
GENERATED ALWAYS AS IDENTITY
(START WITH 123
,MAXVALUE 124
,INCREMENT BY 0
,NO CYCLE
,NO ORDER)
,dat1 SMALLINT NOT NULL
,ts1 TIMESTAMP NOT NULL);
```

KEY#	VALUES ASSIGNED
123	etc.
123	
123	
123	
123	
123	
123	
etc.	

Figure 782, Identity column, dumb sequence

The next example uses every odd number up to the maximum (i.e. 6), then loops back to the minimum value, and goes through the even numbers, ad-infinitum:

```
CREATE TABLE test_data
(key# SMALLINT NOT NULL
GENERATED ALWAYS AS IDENTITY
(START WITH 1
,INCREMENT BY 2
,MAXVALUE 6
,MINVALUE 2
,CYCLE
,NO CACHE
,ORDER)
,dat1 SMALLINT NOT NULL
,ts1 TIMESTAMP NOT NULL);
```

KEY#	VALUES ASSIGNED
1	etc.
3	
5	
2	
4	
6	
2	
4	
6	
2	
4	
6	
etc.	

Figure 783, Identity column, odd values, then even, then stuck

Usage Examples

Below is the DDL for a simplified invoice table where the primary key is an identity column. Observe that the invoice# is always generated by DB2:

```

CREATE TABLE invoice_data
  (invoice#      INTEGER          NOT NULL
   GENERATED ALWAYS AS IDENTITY
     (START WITH 100
      ,INCREMENT BY 1
      ,NO CYCLE
      ,ORDER)
  ,sale_date      DATE             NOT NULL
  ,customer_id    CHAR(20)         NOT NULL
  ,product_id     INTEGER          NOT NULL
  ,quantity       INTEGER          NOT NULL
  ,price          DECIMAL(18,2)    NOT NULL
  ,PRIMARY KEY    (invoice#));

```

Figure 784, Identity column, definition

One cannot provide a value for the invoice# when inserting into the above table. Therefore, one must either use a default placeholder, or leave the column out of the insert. An example of both techniques is given below. The second insert also selects the generated values:

```

INSERT INTO invoice_data
VALUES (DEFAULT,'2001-11-22','ABC',123,100,10);

SELECT  invoice#
        FROM  FINAL TABLE
  (INSERT INTO invoice_data
  (sale_date,customer_id,product_id,quantity,price)
  VALUES ('2002-11-22','DEF',123,100,10)
        ,('2003-11-22','GHI',123,100,10));

```

Figure 785, Invoice table, sample inserts

Below is the state of the table after the above two inserts:

INVOICE#	SALE_DATE	CUSTOMER_ID	PRODUCT_ID	QUANTITY	PRICE
100	2001-11-22	ABC	123	100	10.00
101	2002-11-22	DEF	123	100	10.00
102	2003-11-22	GHI	123	100	10.00

Figure 786, Invoice table, after inserts

Altering Identity Column Options

Imagine that the application is happily collecting invoices in the above table, but your silly boss is unhappy because not enough invoices, as measured by the ever-ascending invoice# value, are being generated per unit of time. We can improve things without actually fixing any difficult business problems by simply altering the invoice# current value and the increment using the ALTER TABLE ... RESTART command:

```

ALTER TABLE  invoice_data
ALTER COLUMN invoice#
  RESTART WITH 1000
  SET INCREMENT BY 2;

```

Figure 787, Invoice table, restart identity column value

Now imagine that we insert two more rows thus:

```

INSERT INTO invoice_data
VALUES (DEFAULT,'2004-11-24','XXX',123,100,10)
      ,(DEFAULT,'2004-11-25','YYY',123,100,10);

```

Figure 788, Invoice table, more sample inserts

Our mindless management will now see this data:

INVOICE#	SALE_DATE	CUSTOMER_ID	PRODUCT_ID	QUANTITY	PRICE
100	2001-11-22	ABC	123	100	10.00
101	2002-11-22	DEF	123	100	10.00
102	2003-11-22	GHI	123	100	10.00
1000	2004-11-24	XXX	123	100	10.00
1002	2004-11-25	YYY	123	100	10.00

Figure 789, Invoice table, after second inserts

Alter Usage Notes

The identity column options can be changed using the ALTER TABLE command:




Figure 790, Identity Column alter syntax

Restarting the identity column start number to a lower number, or to a higher number if the increment is a negative value, can result in the column getting duplicate values. This can also occur if the increment value is changed from positive to negative, or vice-versa. If no value is provided for the restart option, the sequence restarts at the previously defined start value.

Gaps in Identity Column Values

If an identity column is generated always, and no cache is used, and the increment value is 1, then there will usually be no gaps in the sequence of assigned values. But gaps can occur if an insert is subsequently rolled out instead of committed. In the following example, there will be no row in the table with customer number "1" after the rollback:

```

CREATE TABLE customers
(cust#      INTEGER          NOT NULL
             GENERATED ALWAYS AS IDENTITY (NO CACHE)
,cname       CHAR(10)        NOT NULL
,ctype       CHAR(03)        NOT NULL
,PRIMARY KEY (cust#));
COMMIT;

SELECT cust#
FROM FINAL TABLE
(INSERT INTO customers
VALUES (DEFAULT,'FRED','XXX')) ;
ROLLBACK;

SELECT cust#
FROM FINAL TABLE
(INSERT INTO customers
VALUES (DEFAULT,'FRED','XXX')) ;
COMMIT;
  
```

ANSWER
=====
CUST#

1
ANSWER
=====
CUST#

2

Figure 791, Gaps in Values, example

Find Gaps in Values

The following query can be used to list the missing values in a table. It starts by getting the minimum and maximum values. It next generates every value in between. Finally, it checks the generated values against the source tables. Non-matches are selected.

```

WITH
  generate_values (min_val, max_val, num_val, cur_val) AS
    (SELECT   MIN(dat1)
     ,MAX(dat1)
     ,COUNT(*)
     ,MIN(dat1)
   FROM     test_data td1
  UNION ALL
    SELECT   min_val
     ,max_val
     ,num_val
     ,cur_val + 1
   FROM     generate_values gv1
  WHERE    cur_val < max_val
  )
  SELECT   *
  FROM     generate_values gv2
  WHERE    NOT EXISTS
    (SELECT   *
     FROM     test_data td2
    WHERE    td2.dat1 = cur_val)
  ORDER BY cur_val;

```

INPUT				
=====				
DAT1	---			
1	1			
2	2			
3	3			
4	4			
6	6			
7	7			
9	9			
10	10			
	ANSWER			
	=====	=====	=====	=====
	MIN_VAL	MAX_VAL	NUM_VAL	CUR_VAL
	-----	-----	-----	-----
	1	10	8	5
	1	10	8	8

Figure 792, Find gaps in values

The above query may be inefficient if there is no suitable index on the DAT1 column. The next query gets around this problem by using an EXCEPT instead of a sub-query:

```

WITH
  generate_values (min_val, max_val, num_val, cur_val) AS
    (SELECT   MIN(dat1)
     ,MAX(dat1)
     ,COUNT(*)
     ,MIN(dat1)
   FROM     test_data td1
  UNION ALL
    SELECT   min_val
     ,max_val
     ,num_val
     ,cur_val + 1
   FROM     generate_values gv1
  WHERE    cur_val < max_val
  )
  SELECT   cur_val
  FROM     generate_values gv2
 EXCEPT ALL
  SELECT   dat1
  FROM     test_data td2
  ORDER BY 1;

```

INPUT				
=====				
DAT1	---			
1	1			
2	2			
3	3			
4	4			
6	6			
7	7			
9	9			
10	10			
	ANSWER			
	=====	=====	=====	=====
	CUR_VAL			

	5			
	8			

Figure 793, Find gaps in values

The next query uses a totally different methodology. It assigns a rank to every value, and then looks for places where the rank and value get out of step:

```

WITH
assign_ranks AS
  (SELECT      dat1
   ,DENSE_RANK() OVER(ORDER BY dat1)           AS rank#
   FROM        test_data
  ),
locate_gaps AS
  (SELECT      dat1 - rank#                   AS diff
   ,min(dat1)                                AS min_val
   ,max(dat1)                                AS max_val
   ,ROW_NUMBER() OVER(ORDER BY dat1 - rank#) AS gap#
   FROM        assign_ranks ar1
   GROUP BY dat1 - rank#
  )
SELECT      lg1.gap#                      AS gap#
   ,lg1.max_val                    AS prev_val
   ,lg2.min_val                    AS next_val
   ,lg2.min_val - lg1.max_val    AS diff
  FROM        locate_gaps lg1
   ,locate_gaps lg2
 WHERE      lg2.gap# = lg1.gap# + 1
 ORDER BY lg1.gap#;
=====
GAP#  PREV_VAL  NEXT_VAL  DIFF
-----  

1       4          6          2  

2       7          9          2

```

Figure 794, Find gaps in values

IDENTITY_VAL_LOCAL Function

There are two ways to find out what values were generated when one inserted a row into a table with an identity column:

- Embed the insert within a select statement (see figure 795).
- Call the IDENTITY_VAL_LOCAL function.

Certain rules apply to IDENTITY_VAL_LOCAL function usage:

- The value returned from is a decimal (31,0) field.
- The function returns null if the user has not done a single-row insert in the current unit of work. Therefore, the function has to be invoked before one does a commit. Having said this, in some versions of DB2 it seems to work fine after a commit.
- If the user inserts multiple rows into table(s) having identity columns in the same unit of work, the result will be the value obtained from the last single-row insert. The result will be null if there was none.
- Multiple-row inserts are ignored by the function. So if the user first inserts one row, and then separately inserts two rows (in a single SQL statement), the function will return the identity column value generated during the first insert.
- The function cannot be called in a trigger or SQL function. To get the current identity column value in an insert trigger, use the trigger transition variable for the column. The value, and thus the transition variable, is defined before the trigger is begun.
- If invoked inside an insert statement (i.e. as an input value), the value will be taken from the most recent (previous) single-row insert done in the same unit of work. The result will be null if there was none.
- The value returned by the function is unpredictable if the prior single-row insert failed. It may be the value from the insert before, or it may be the value given to the failed insert.

- The function is non-deterministic, which means that the result is determined at fetch time (i.e. not at open) when used in a cursor. So if one fetches a row from a cursor, and then does an insert, the next fetch may get a different value from the prior.
- The value returned by the function may not equal the value in the table - if either a trigger or an update has changed the field since the value was generated. This can only occur if the identity column is defined as being "generated by default". An identity column that is "generated always" cannot be updated.
- When multiple users are inserting into the same table concurrently, each will see their own most recent identity column value. They cannot see each other's.

If the above sounds unduly complex, it is because it is. It is often much easier to simply get the values by embedding the insert inside a select:

```

SELECT  MIN(cust#) AS minc
        ,MAX(cust#) AS maxc
        ,COUNT(*)    AS rows
FROM    FINAL TABLE
(INSERT INTO customers
VALUES  (DEFAULT,'FRED','xxx')
        ,(DEFAULT,'DAVE','yyy')
        ,(DEFAULT,'JOHN','zzz'));
```

ANSWER		
=====		
MINC	MAXC	ROWS
-----	-----	-----
3	5	3

Figure 795, Selecting identity column values inserted

Below are two examples of the function in use. Observe that the second invocation (done after the commit) returned a value, even though it is supposed to return null:

```

CREATE TABLE invoice_table
(invoice#      INTEGER          NOT NULL
             GENERATED ALWAYS AS IDENTITY
,sale_date     DATE             NOT NULL
,customer_id   CHAR(20)         NOT NULL
,product_id    INTEGER          NOT NULL
,quantity      INTEGER          NOT NULL
,price         DECIMAL(18,2)    NOT NULL
,PRIMARY KEY   (invoice#));
COMMIT;

INSERT INTO invoice_table
VALUES  (DEFAULT,'2000-11-22','ABC',123,100,10);

WITH temp (id) AS
(VALUES (IDENTITY_VAL_LOCAL()))
SELECT *
FROM  temp;
COMMIT;

WITH temp (id) AS
(VALUES (IDENTITY_VAL_LOCAL()))
SELECT *
FROM  temp;
```

<<< ANSWER	
=====	
ID	--
1	--
1	--

Figure 796, IDENTITY_VAL_LOCAL function examples

In the next example, two separate inserts are done on the table defined above. The first inserts a single row, and so sets the function value to "2". The second is a multi-row insert, and so is ignored by the function:

```

INSERT INTO invoice_table
VALUES (DEFAULT,'2000-11-23','ABC',123,100,10);

INSERT INTO invoice_table
VALUES (DEFAULT,'2000-11-24','ABC',123,100,10)
      ,(DEFAULT,'2000-11-25','ABC',123,100,10);

SELECT     invoice#          AS inv#
           ,sale_date
           ,IDENTITY_VAL_LOCAL() AS id
  FROM      invoice_table
 ORDER BY 1;
 COMMIT;

ANSWER
=====
INV#  SALE_DATE   ID
----  -----
1    11/22/2000  2
2    11/23/2000  2
3    11/24/2000  2
4    11/25/2000  2

```

Figure 797, IDENTITY_VAL_LOCAL function examples

One can also use the function to get the most recently inserted single row by the current user:

```

SELECT invoice#          AS inv#
           ,sale_date
           ,IDENTITY_VAL_LOCAL() AS id
  FROM      invoice_table
 WHERE     id = IDENTITY_VAL_LOCAL();

```

ANSWER		
INV#	SALE_DATE	ID
2	11/23/2000	2

Figure 798, IDENTITY_VAL_LOCAL usage in predicate

Sequences

A sequence is almost the same as an identity column, except that it is an object that exists outside of any particular table.

```

CREATE SEQUENCE fred
  AS DECIMAL(31)
  START WITH 100
  INCREMENT BY 2
  NO MINVALUE
  NO MAXVALUE
  NO CYCLE
  CACHE 20
  ORDER;

```

SEQ# VALUES ASSIGNED	
SEQ#	VALUES
100	102 104 106 etc.

Figure 799, Create sequence

The options and defaults for a sequence are exactly the same as those for an identity column (see page 279). Likewise, one can alter a sequence in much the same way as one would alter the status of an identity column:

```

ALTER SEQUENCE fred
  RESTART WITH -55
  INCREMENT BY -5
  MINVALUE    -1000
  MAXVALUE    +1000
  NO CACHE
  NO ORDER
  CYCLE;

```

SEQ# VALUES ASSIGNED	
SEQ#	VALUES
-55	-60 -65 -70 etc.

Figure 800, Alter sequence attributes

The only sequence attribute that one cannot change with the ALTER command is the field type that is used to hold the current value.

Constant Sequence

If the increment is zero, the sequence will stay whatever value one started it with until it is altered. This can be useful if wants to have a constant that can be globally referenced:

```

CREATE SEQUENCE biggest_sale_to_date
    AS INTEGER
    START WITH 345678
    INCREMENT BY 0;

```

SEQ#	VALUES ASSIGNED
	=====
	345678, 345678, etc.

Figure 801, Sequence that doesn't change

Getting the Sequence Value

There is no concept of a current sequence value. Instead one can either retrieve the next or the previous value (if there is one). And any reference to the next value will invariably cause the sequence to be incremented. The following example illustrates this:

```

CREATE SEQUENCE fred;
COMMIT;

WITH templ (n1) AS
  (VALUES 1
  UNION ALL
  SELECT n1 + 1
  FROM   templ
  WHERE  n1 < 5
)
SELECT NEXTVAL FOR fred AS seq#
FROM   templ;

```

ANSWER
=====
SEQ#

1
2
3
4
5

Figure 802, Selecting the NEXTVAL

NEXTVAL and PREVVAL - Usage Notes

- One retrieves the next or previous value using a "NEXTVAL FOR sequence-name", or a "PREVVAL for sequence-name" call.
- A NEXTVAL call generates and returns the next value in the sequence. Thus, each call will consume the returned value. This remains true even if the statement that did the retrieval subsequently fails or is rolled back.
- A PREVVAL call returns the most recently generated value for the specified sequence for the current connection. Unlike when getting the next value, getting the prior value does not alter the state of the sequence, so multiple calls can retrieve the same value.
- If no NEXTVAL reference (to the target sequence) has been made for the current connection, any attempt to get the PREVVAL will result in a SQL error.

NEXTVAL and PREVVAL - Usable Statements

- SELECT INTO statement (within the select part), as long as there is no DISTINCT, GROUP BY, UNION, EXECPT, or INTERSECT.
- INSERT statement - with restrictions.
- UPDATE statement - with restrictions.
- SET host variable statement.

NEXTVAL - Usable Statements

- A trigger.

NEXTVAL and PREVVAL - Not Allowed In

- DELETE statement.
- Join condition of a full outer join.

- Anywhere in a CREATE TABLE or CREATE VIEW statement.

NEXTVAL - Not Allowed In

- CASE expression
- Join condition of a join.
- Parameter list of an aggregate function.
- SELECT statement where there is an outer select that contains a DISTINCT, GROUP BY, UNION, EXCEPT, or INTERSECT.
- Most sub-queries.

PREVVAL - Not Allowed In

- A trigger.

There are many more usage restrictions, but you presumably get the picture. See the DB2 SQL Reference for the complete list.

Usage Examples

Below a sequence is defined, then various next and previous values are retrieved:

CREATE SEQUENCE fred;	ANSWERS	
COMMIT;	=====	
WITH temp1 (prv) AS (VALUES (PREVVAL FOR fred))	====>	PRV
SELECT *		---
FROM temp1;		<error>
WITH temp1 (nxt) AS (VALUES (NEXTVAL FOR fred))	====>	NXT
SELECT *		---
FROM temp1;		1
WITH temp1 (prv) AS (VALUES (PREVVAL FOR fred))	====>	PRV
SELECT *		---
FROM temp1;		1
WITH temp1 (n1) AS (VALUES 1 UNION ALL SELECT n1 + 1 FROM temp1 WHERE n1 < 5)	====>	NXT PRV
SELECT NEXTVAL FOR fred AS nxt ,PREVVAL FOR fred AS prv		--- ---
FROM temp1;		2 1
		3 1
		4 1
		5 1
		6 1

Figure 803, Use of NEXTVAL and PREVVAL expressions

One does not actually have to fetch a NEXTVAL result in order to increment the underlying sequence. In the next example, some of the rows processed are thrown away halfway thru the query, but their usage still affects the answer (of the subsequent query):

```

CREATE SEQUENCE fred;
COMMIT;

WITH temp1 AS
  (SELECT id
   FROM staff
   WHERE id < 100
  )
SELECT *
FROM temp1
WHERE id = 50 + (nextval FOR fred);

WITH temp1 (nxt, prv) AS
  (VALUES (nextval FOR fred,
           prevval FOR fred))
SELECT *
FROM temp1;

```

		ANSWERS =====
====>	ID NXT	
	-- --	
	50 5	

		NXT PRV --- ---
	---	10 9

Figure 804, NEXTVAL values used but not retrieved

NOTE: The somewhat funky predicate at the end of the first query above prevents DB2 from stopping the nested-table-expression when it gets to "id = 50". If this were to occur, the last query above would get a next value of 6, and a previous value of 5.

Multi-table Usage

Imagine that one wanted to maintain a unique sequence of values over multiple tables. One can do this by creating a before insert trigger on each table that replaces whatever value the user provides with the current one from a common sequence. Below is an example:

```

CREATE SEQUENCE cust#
  START WITH 1
  INCREMENT BY 1
  NO MAXVALUE
  NO CYCLE
  ORDER;

CREATE TABLE us_customer
(cust#      INTEGER      NOT NULL
,cname       CHAR(10)    NOT NULL
,frst_sale   DATE        NOT NULL
,#sales      INTEGER      NOT NULL
,PRIMARY KEY (cust#));

CREATE TRIGGER us_cust_ins
NO CASCADE BEFORE INSERT ON us_customer
REFERENCING NEW AS nnn
FOR EACH ROW MODE DB2SQL
SET nnn.cust# = nextval FOR cust#;

CREATE TABLE intl_customer
(cust#      INTEGER      NOT NULL
,cname       CHAR(10)    NOT NULL
,frst_sale   DATE        NOT NULL
,#sales      INTEGER      NOT NULL
,PRIMARY KEY (cust#));

CREATE TRIGGER intl_cust_ins
NO CASCADE BEFORE INSERT ON intl_customer
REFERENCING NEW AS nnn
FOR EACH ROW MODE DB2SQL
SET nnn.cust# = nextval FOR cust#;

```

Figure 805, Create tables that use a common sequence

If we now insert some rows into the above tables, we shall find that customer numbers are assigned in the correct order, thus:

<pre>SELECT cust# ,cname FROM FINAL TABLE (INSERT INTO us_customer (cname, frst_sale, #sales) VALUES ('FRED','2002-10-22',1) ,('JOHN','2002-10-23',1));</pre>	ANSWERS ===== CUST# CNAME ----- 1 FRED 2 JOHN
<pre>SELECT cust# ,cname FROM FINAL TABLE (INSERT INTO intl_customer (cname, frst_sale, #sales) VALUES ('SUE','2002-11-12',2) ,('DEB','2002-11-13',2));</pre>	CUST# CNAME ----- 3 SUE 4 DEB

Figure 806, Insert into tables with common sequence

One of the advantages of a standalone sequence over a functionally similar identity column is that one can use a PREVVAL expression to get the most recent value assigned (to the user), even if the previous usage was during a multi-row insert. Thus, after doing the above inserts, we can run the following query:

<pre>WITH temp (prev) AS (VALUES (PREVVAL FOR cust#)) SELECT * FROM temp;</pre>	ANSWER ===== PREV ---- 4
---	---

Figure 807, Get previous value - select

The following does the same as the above, but puts the result in a host variable:

```
VALUES PREVVAL FOR CUST# INTO :host-var
```

Figure 808, Get previous value - into host-variable

As with identity columns, the above result will not equal what is actually in the table(s) - if the most recent insert was subsequently rolled back.

Counting Deletes

In the next example, two sequences are created: One records the number of rows deleted from a table, while the other records the number of delete statements run against the same:

```

CREATE SEQUENCE delete_rows
    START WITH 1
    INCREMENT BY 1
    NO MAXVALUE
    NO CYCLE
    ORDER;

CREATE SEQUENCE delete_stmts
    START WITH 1
    INCREMENT BY 1
    NO MAXVALUE
    NO CYCLE
    ORDER;

CREATE TABLE customer
(cust#          INTEGER      NOT NULL
,cname          CHAR(10)    NOT NULL
,frst_sale      DATE        NOT NULL
,#sales         INTEGER      NOT NULL
,PRIMARY KEY    (cust#));

CREATE TRIGGER cust_del_rows
AFTER DELETE ON customer
FOR EACH ROW MODE DB2SQL
    WITH temp1 (n1) AS (VALUES(1))
    SELECT NEXTVAL FOR delete_rows
    FROM   temp1;

CREATE TRIGGER cust_del_stmts
AFTER DELETE ON customer
FOR EACH STATEMENT MODE DB2SQL
    WITH temp1 (n1) AS (VALUES(1))
    SELECT NEXTVAL FOR delete_stmts
    FROM   temp1;

```

Figure 809, Count deletes done to table

Be aware that the second trigger will be run, and thus will update the sequence, regardless of whether a row was found to delete or not.

Identity Columns vs. Sequences - a Comparison

First to compare the two types of sequences:

- Only one identity column is allowed per table, whereas a single table can have multiple sequences and/or multiple references to the same sequence.
- Identity column sequences cannot span multiple tables. Sequences can.
- Sequences require triggers to automatically maintain column values (e.g. during inserts) in tables. Identity columns do not.
- Sequences can be incremented during inserts, updates, deletes (via triggers), or selects, whereas identity columns only get incremented during inserts.
- Sequences can be incremented (via triggers) once per row, or once per statement. Identity columns are always updated per row inserted.
- Sequences can be dropped and created independent of any tables that they might be used to maintain values in. Identity columns are part of the table definition.
- Identity columns are supported by the load utility. Trigger induced sequences are not.

For both types of sequence, one can get the current value by embedding the DML statement inside a select (e.g. see figure 795). Alternatively, one can use the relevant expression to get the current status. These differ as follows:

- The IDENTITY_VAL_LOCAL function returns null if no inserts to tables with identity columns have been done by the current user. In an equivalent situation, the PREVVAL expression gets a nasty SQL error.
- The IDENTITY_VAL_LOCAL function ignores multi-row inserts (without telling you). In a similar situation, the PREVVAL expression returns the last value generated.
- One cannot tell to which table an IDENTITY_VAL_LOCAL function result refers to. This can be a problem in one insert invokes another insert (via a trigger), which puts a row in another table with its own identity column. By contrast, in the PREVVAL function one explicitly identifies the sequence to be read.
- There is no equivalent of the NEXTVAL expression for identity columns.

Roll Your Own

If one really, really, needs to have a sequence of values with no gaps, then one can do it using an insert trigger, but there are costs, in processing time, concurrency, and functionality. To illustrate, consider the following table:

```
CREATE TABLE sales_invoice
  (invoice#      INTEGER          NOT NULL
   ,sale_date     DATE            NOT NULL
   ,customer_id   CHAR(20)        NOT NULL
   ,product_id    INTEGER         NOT NULL
   ,quantity      INTEGER         NOT NULL
   ,price         DECIMAL(18,2)   NOT NULL
   ,PRIMARY KEY   (invoice#));
```

Figure 810, Sample table, roll your own sequence#

The following trigger will be invoked before each row is inserted into the above table. It sets the new invoice# value to be the current highest invoice# value in the table, plus one:

```
CREATE TRIGGER sales_insert
NO CASCADE BEFORE
INSERT ON sales_invoice
REFERENCING NEW AS nnn
FOR EACH ROW
MODE DB2SQL
  SET nnn.invoice# =
    (SELECT COALESCE(MAX(invoice#),0) + 1
     FROM   sales_invoice);
```

Figure 811, Sample trigger, roll your own sequence#

The good news about the above setup is that it will never result in gaps in the sequence of values. In particular, if a newly inserted row is rolled back after the insert is done, the next insert will simply use the same invoice# value. But there is also bad news:

- Only one user can insert at a time, because the select (in the trigger) needs to see the highest invoice# in the table in order to complete.
- Multiple rows cannot be inserted in a single SQL statement (i.e. a mass insert). The trigger is invoked before the rows are actually inserted, one row at a time, for all rows. Each

row would see the same, already existing, high invoice#, so the whole insert would die due to a duplicate row violation.

- There may be a tiny, tiny chance that if two users were to begin an insert at exactly the same time that they would both see the same high invoice# (in the before trigger), and so the last one to complete (i.e. to add a pointer to the unique invoice# index) would get a duplicate-row violation.

Below are some inserts to the above table. Ignore the values provided in the first field - they are replaced in the trigger. And observe that the third insert is rolled out:

```
INSERT INTO sales_invoice VALUES (0,'2001-06-22','ABC',123,10,1);
INSERT INTO sales_invoice VALUES (0,'2001-06-23','DEF',453,10,1);
COMMIT;

INSERT INTO sales_invoice VALUES (0,'2001-06-24','XXX',888,10,1);
ROLLBACK;

INSERT INTO sales_invoice VALUES (0,'2001-06-25','YYY',999,10,1);
COMMIT;
```

ANSWER

INVOICE#	SALE_DATE	CUSTOMER_ID	PRODUCT_ID	QUANTITY	PRICE
1	06/22/2001	ABC	123	10	1.00
2	06/23/2001	DEF	453	10	1.00
3	06/25/2001	YYY	999	10	1.00

Figure 812, Sample inserts, roll your own sequence#

Support Multi-row Inserts

The next design is more powerful in that it supports multi-row inserts, and also more than one table if desired. It requires that there be a central location that holds the current high-value. In the example below, this value will be in a row in a special control table. Every insert into the related data table will, via triggers, first update, and then query, the row in the control table.

Control Table

The following table has one row per sequence of values being maintained:

```
CREATE TABLE control_table
  (table_name      CHAR(18)      NOT NULL
   ,table_nmbr     INTEGER       NOT NULL
   ,PRIMARY KEY (table_name));
```

Figure 813, Control Table, DDL

Now to populate the table with some initial sequence# values:

```
INSERT INTO control_table VALUES ('invoice_table',0);
INSERT INTO control_table VALUES ('2nd_data_tble',0);
INSERT INTO control_table VALUES ('3rd_data_tble',0);
```

Figure 814, Control Table, sample inserts

Data Table

Our sample data table has two fields of interest:

- The UNQVAL column will be populated, using a trigger, with a GENERATE_UNIQUE function output value. This is done before the row is actually inserted. Once the insert has completed, we will no longer care about or refer to the contents of this field.

- The INVOICE# column will be populated, using triggers, during the insert process with a unique ascending value. However, for part of the time during the insert the field will have a null value, which is why it is defined as being both non-unique and allowing nulls.

```
CREATE TABLE invoice_table
(unqval      CHAR(13) FOR BIT DATA      NOT NULL
,invoice#    INTEGER
,sale_date   DATE                      NOT NULL
,customer_id CHAR(20)                  NOT NULL
,product_id  INTEGER                  NOT NULL
,quantity    INTEGER                  NOT NULL
,price       DECIMAL(18,2)             NOT NULL
,PRIMARY KEY(unqval));
```

Figure 815, Sample Data Table, DDL

Two insert triggers are required: The first acts before the insert is done, giving each new row a unique UNQVAL value:

```
CREATE TRIGGER invoice1
NO CASCADE BEFORE INSERT ON invoice_table
REFERENCING NEW AS nnn
FOR EACH ROW MODE DB2SQL
  SET nnn.unqval = GENERATE_UNIQUE()
  ,nnn.invoice# = NULL;
```

Figure 816, Before trigger

The second trigger acts after the row is inserted. It first increments the control table by one, then updates invoice# in the current row with the same value. The UNQVAL field is used to locate the row to be changed in the second update:

```
CREATE TRIGGER invoice2
AFTER INSERT ON invoice_table
REFERENCING NEW AS nnn
FOR EACH ROW MODE DB2SQL
BEGIN ATOMIC
  UPDATE control_table
  SET table_nmbr = table_nmbr + 1
  WHERE table_name = 'invoice_table';
  UPDATE invoice_table
  SET invoice# =
    (SELECT table_nmbr
     FROM control_table
     WHERE table_name = 'invoice_table')
  WHERE unqval = nnn.unqval
    AND invoice# IS NULL;
END
```

Figure 817, After trigger

NOTE: The above two actions must be in a single trigger. If they are in two triggers, mass inserts will not work correctly because the first trigger (i.e. update) would be run (for all rows), followed by the second trigger (for all rows). In the end, every row inserted by the mass-insert would end up with the same invoice# value.

A final update trigger is required to prevent updates to the invoice# column:

```
CREATE TRIGGER invoice3
NO CASCADE BEFORE UPDATE OF invoice# ON invoice_table
REFERENCING OLD AS ooo
          NEW AS nnn
FOR EACH ROW MODE DB2SQL
WHEN (ooo.invoice# <> nnn.invoice#)
  SIGNAL SQLSTATE '71001' ('no updates allowed - you twit');
```

Figure 818, Update trigger

Design Comments

Though the above design works, it has certain practical deficiencies:

- The single row in the control table is a point of contention, because only one user can update it at a time. One must therefore commit often (perhaps more often than one would like to) in order to free up the locks on this row. Therefore, by implication, this design puts one is at the mercy of programmers.
- The two extra updates add a considerable overhead to the cost of the insert.
- The invoice number values generated by AFTER trigger cannot be obtained by selecting from an insert statement (see page 71). In fact, selecting from the FINAL TABLE will result in a SQL error. One has to instead select from the NEW TABLE, which returns the new rows before the AFTER trigger was applied.

As with ordinary sequences, this design enables one to have multiple tables referring to a single row in the control table, and thus using a common sequence.

Temporary Tables

Introduction

How one defines a temporary table depends in part upon how often, and for how long, one intends to use it:

- Within a query, single use.
- Within a query, multiple uses.
- For multiple queries in one unit of work.
- For multiple queries, over multiple units of work, in one thread.

Single Use in Single Statement

If one intends to use a temporary table just once, it can be defined as a nested table expression. In the following example, we use a temporary table to sequence the matching rows in the STAFF table by descending salary. We then select the 2nd through 3rd rows:

```
SELECT      id
           ,salary
  FROM      (SELECT      s.*,
                      ,ROW_NUMBER() OVER(ORDER BY salary DESC) AS sorder
        FROM      staff s
       WHERE      id < 200
    )AS xxx
   WHERE      sorder BETWEEN 2 AND 3
  ORDER BY id;

```

ANSWER	
ID	SALARY
50	20659.80
140	21150.00

Figure 819, Nested Table Expression

NOTE: A fullselect in parenthesis followed by a correlation name (see above) is also called a nested table expression.

Here is another way to express the same:

```
WITH xxx (id, salary, sorder) AS
  (SELECT      ID
           ,salary
           ,ROW_NUMBER() OVER(ORDER BY salary DESC) AS sorder
     FROM      staff
    WHERE      id < 200
  )
SELECT      id
           ,salary
  FROM      xxx
 WHERE      sorder BETWEEN 2 AND 3
  ORDER BY id;
```

ANSWER	
ID	SALARY
50	20659.80
140	21150.00

Figure 820, Common Table Expression

Multiple Use in Single Statement

Imagine that one wanted to get the percentage contribution of the salary in some set of rows in the STAFF table - compared to the total salary for the same. The only way to do this is to access the matching rows twice; Once to get the total salary (i.e. just one row), and then again to join the total salary value to each individual salary - to work out the percentage.

Selecting the same set of rows twice in a single query is generally unwise because repeating the predicates increases the likelihood of typos being made. In the next example, the desired rows are first placed in a temporary table. Then the sum salary is calculated and placed in another temporary table. Finally, the two temporary tables are joined to get the percentage:

```
WITH
  rows_wanted AS
    (SELECT *
     FROM staff
     WHERE id < 100
       AND UCASE(name) LIKE '%T%'
    ),
  sum_salary AS
    (SELECT SUM(salary) AS sum_sal
     FROM rows_wanted)
  SELECT id
    ,name
    ,salary
    ,sum_sal
    ,INT((salary * 100) / sum_sal) AS pct
  FROM rows_wanted
    ,sum_salary
 ORDER BY id;
```

ANSWER				
ID	NAME	SALARY	SUM_SAL	PCT
70	Rothman	16502.83	34504.58	47
90	Koonitz	18001.75	34504.58	52

Figure 821, Common Table Expression

Multiple Use in Multiple Statements

To refer to a temporary table in multiple SQL statements in the same thread, one has to define a declared global temporary table. An example follows:

```
DECLARE GLOBAL TEMPORARY TABLE session.fred
  (dept      SMALLINT      NOT NULL
   ,avg_salary DEC(7,2)      NOT NULL
   ,num_emps   SMALLINT      NOT NULL)
ON COMMIT PRESERVE ROWS;
COMMIT;

INSERT INTO session.fred
SELECT dept
  ,AVG(salary)
  ,COUNT(*)
FROM staff
WHERE id > 200
GROUP BY dept;
COMMIT;

SELECT COUNT(*) AS cnt
FROM session.fred;
```

ANSWER#1

CNT
4

ANSWER#2

DEPT	AVG_SALARY	NUM_EMPS
10	20168.08	3
51	15161.43	3
66	17215.24	5

Figure 822, Declared Global Temporary Table

Unlike an ordinary table, a declared global temporary table is not defined in the DB2 catalogue. Nor is it sharable by other users. It only exists for the duration of the thread (or less) and can only be seen by the person who created it. For more information, see page 306.

Temporary Tables - in Statement

Three general syntaxes are used to define temporary tables in a query:

- Use a WITH phrase at the top of the query to define a common table expression.
- Define a fullselect in the FROM part of the query.
- Define a fullselect in the SELECT part of the query.

The following three queries, which are logically equivalent, illustrate the above syntax styles. Observe that the first two queries are explicitly defined as left outer joins, while the last one is implicitly a left outer join:

```
WITH staff_dept AS
  (SELECT dept AS dept#
   ,MAX(salary) AS max_sal
    FROM staff
   WHERE dept < 50
  GROUP BY dept
  )
  SELECT id
   ,dept
   ,salary
   ,max_sal
  FROM staff
 LEFT OUTER JOIN
   staff_dept
  ON dept = dept#
 WHERE name LIKE 'S%'
 ORDER BY id;
```

ANSWER			
ID	DEPT	SALARY	MAX_SAL
10	20	18357.50	18357.50
190	20	14252.75	18357.50
200	42	11508.60	18352.80
220	51	17654.50	-

Figure 823, Identical query (1 of 3) - using Common Table Expression

```
SELECT id
   ,dept
   ,salary
   ,max_sal
  FROM staff
 LEFT OUTER JOIN
  (SELECT dept AS dept#
   ,MAX(salary) AS max_sal
    FROM staff
   WHERE dept < 50
  GROUP BY dept
  )AS STAFF_dept
  ON dept = dept#
 WHERE name LIKE 'S%'
 ORDER BY id;
```

ANSWER			
ID	DEPT	SALARY	MAX_SAL
10	20	18357.50	18357.50
190	20	14252.75	18357.50
200	42	11508.60	18352.80
220	51	17654.50	-

Figure 824, Identical query (2 of 3) - using fullselect in FROM

```
SELECT id
   ,dept
   ,salary
   ,(SELECT MAX(salary)
    FROM staff s2
   WHERE s1.dept = s2.dept
     AND s2.dept < 50
  GROUP BY dept)
   AS max_sal
  FROM staff s1
 WHERE name LIKE 'S%'
 ORDER BY id;
```

ANSWER			
ID	DEPT	SALARY	MAX_SAL
10	20	18357.50	18357.50
190	20	14252.75	18357.50
200	42	11508.60	18352.80
220	51	17654.50	-

Figure 825, Identical query (3 of 3) - using fullselect in SELECT

Common Table Expression

A common table expression is a named temporary table that is retained for the duration of a SQL statement. There can be many temporary tables in a single SQL statement. Each must have a unique name and be defined only once.

All references to a temporary table (in a given SQL statement run) return the same result. This is unlike tables, views, or aliases, which are derived each time they are called. Also unlike tables, views, or aliases, temporary tables never contain indexes.




Figure 826, Common Table Expression Syntax

Certain rules apply to common table expressions:

- Column names must be specified if the expression is recursive, or if the query invoked returns duplicate column names.
- The number of column names (if any) that are specified must match the number of columns returned.
- If there is more than one common-table-expression, latter ones (only) can refer to the output from prior ones. Cyclic references are not allowed.
- A common table expression with the same name as a real table (or view) will replace the real table for the purposes of the query. The temporary and real tables cannot be referred to in the same query.
- Temporary table names must follow standard DB2 table naming standards.
- Each temporary table name must be unique within a query.
- Temporary tables cannot be used in sub-queries.

Select Examples

In this first query, we don't have to list the field names (at the top) because every field already has a name (given in the SELECT):

```

WITH temp1 AS
  (SELECT MAX(name) AS max_name
   ,MAX(dept) AS max_dept
   FROM staff
  )
SELECT *
  FROM temp1;
  
```

ANSWER	
MAX_NAME	MAX_DEPT
-----	-----
Yamaguchi	84

Figure 827, Common Table Expression, using named fields

In this next example, the fields being selected are unnamed, so names have to be specified in the WITH statement:

```

WITH temp1 (max_name,max_dept) AS
  (SELECT MAX(name)
   ,MAX(dept)
   FROM staff
  )
SELECT *
  FROM temp1;
  
```

ANSWER	
MAX_NAME	MAX_DEPT
-----	-----
Yamaguchi	84

Figure 828, Common Table Expression, using unnamed fields

A single query can have multiple common-table-expressions. In this next example we use two expressions to get the department with the highest average salary:

```
WITH
temp1 AS
  (SELECT    dept
            ,AVG(salary)  AS avg_sal
   FROM      staff
   GROUP BY dept),
temp2 AS
  (SELECT    MAX(avg_sal) AS max_avg
   FROM      temp1)
SELECT *
FROM  temp2;
```

ANSWER
=====
MAX_AVG

20865.8625

Figure 829, Query with two common table expressions

FYI, the exact same query can be written using nested table expressions thus:

```
SELECT *
FROM  (SELECT MAX(avg_sal) AS max_avg
       FROM  (SELECT dept
                  ,AVG(salary)  AS avg_sal
                 FROM  staff
                 GROUP BY dept
                )AS temp1
      )AS temp2;
```

ANSWER
=====
MAX_AVG

20865.8625

Figure 830, Same as prior example, but using nested table expressions

The next query first builds a temporary table, then derives a second temporary table from the first, and then joins the two temporary tables together. The two tables refer to the same set of rows, and so use the same predicates. But because the second table was derived from the first, these predicates only had to be written once. This greatly simplified the code:

```
WITH temp1 AS
  (SELECT    id
            ,name
            ,dept
            ,salary
   FROM      staff
   WHERE     id      <  300
           AND dept    <> 55
           AND name LIKE 'S%'
           AND dept NOT IN
             (SELECT deptnumb
                  FROM org
                  WHERE division = 'SOUTHERN'
                      OR location = 'HARTFORD')
  )
,temp2 AS
  (SELECT    dept
            ,MAX(salary) AS max_sal
   FROM      temp1
   GROUP BY dept
  )
SELECT    t1.id
            ,t1.dept
            ,t1.salary
            ,t2.max_sal
  FROM      temp1 t1
            ,temp2 t2
 WHERE     t1.dept = t2.dept
 ORDER BY t1.id;
```

ANSWER
=====
ID DEPT SALARY MAX_SAL
--- --- ----- -----
10 20 18357.50 18357.50
190 20 14252.75 18357.50
200 42 11508.60 11508.60
220 51 17654.50 17654.50

Figure 831, Deriving second temporary table from first

Insert Usage

A common table expression can be used to an insert-select-from statement to build all or part of the set of rows that are inserted:

```
INSERT INTO staff
WITH temp1 (max1) AS
(SELECT MAX(id) + 1
 FROM staff
)
SELECT max1,'A',1,'B',2,3,4
FROM temp1;
```

Figure 832, Insert using common table expression

As it happens, the above query can be written equally well in the raw:

```
INSERT INTO staff
SELECT MAX(id) + 1
      , 'A', 1, 'B', 2, 3, 4
     FROM staff;
```

Figure 833, Equivalent insert (to above) without common table expression

Full-Select

A fullselect is an alternative way to define a temporary table. Instead of using a WITH clause at the top of the statement, the temporary table definition is embedded in the body of the SQL statement. Certain rules apply:

- When used in a select statement, a fullselect can either be generated in the FROM part of the query - where it will return a temporary table, or in the SELECT part of the query - where it will return a column of data.
- When the result of a fullselect is a temporary table (i.e. in FROM part of a query), the table must be provided with a correlation name.
- When the result of a fullselect is a column of data (i.e. in SELECT part of query), each reference to the temporary table must only return a single value.

Full-Select in FROM Phrase

The following query uses a nested table expression to get the average of an average - in this case the average departmental salary (an average in itself) per division:

```
SELECT    division
        ,DEC(AVG(dept_avg),7,2) AS div_dept
        ,COUNT(*)                 AS #dpts
        ,SUM(#emps)               AS #emps
  FROM    (SELECT    division
          ,dept
          ,AVG(salary)  AS dept_avg
          ,COUNT(*)     AS #emps
        FROM    staff
          ,org
        WHERE   dept = deptnumb
        GROUP BY division
          ,dept
        )AS xxx
  GROUP BY division;
```

ANSWER			
DIVISION	DIV_DEPT	#DPTS	#EMPS
Corporate	20865.86	1	4
Eastern	15670.32	3	13
Midwest	15905.21	2	9
Western	16875.99	2	9

Figure 834, Nested column function usage

The next query illustrates how multiple fullselects can be nested inside each other:

```

SELECT id
FROM  (SELECT *
       FROM  (SELECT id, years, salary
              FROM  (SELECT *
                     FROM   (SELECT *
                             FROM   staff
                             WHERE  dept < 77
                           )AS t1
                             WHERE id < 300
                           )AS t2
                             WHERE job LIKE 'C%'
                           )AS t3
                           WHERE salary < 18000
                         )AS t4
                         WHERE years < 5;

```

Figure 835, Nested fullselects

A very common usage of a fullselect is to join a derived table to a real table. In the following example, the average salary for each department is joined to the individual staff row:

```

SELECT      a.id
            ,a.dept
            ,a.salary
            ,DEC(b.avgsal,7,2) AS avg_dept
  FROM    staff a
  LEFT OUTER JOIN
          (SELECT      dept      AS dept
                    ,AVG(salary) AS avgsal
             FROM    staff
             GROUP BY dept
             HAVING   AVG(salary) > 16000
           )AS b
        ON      a.dept = b.dept
  WHERE      a.id < 40
  ORDER BY a.id;

```

Figure 836, Join fullselect to real table

Table Function Usage

If the fullselect query has a reference to a row in a table that is outside of the fullselect, then it needs to be written as a TABLE function call. In the next example, the preceding "A" table is referenced in the fullselect, and so the TABLE function call is required:

```

SELECT      a.id
            ,a.dept
            ,a.salary
            ,b.deptsal
  FROM    staff a
            ,TABLE
          (SELECT      b.dept
                    ,SUM(b.salary) AS deptsal
             FROM    staff b
             WHERE   b.dept = a.dept
             GROUP BY b.dept
           )AS b
        WHERE      a.id < 40
        ORDER BY a.id;

```

Figure 837, Fullselect with external table reference

Below is the same query written without the reference to the "A" table in the fullselect, and thus without a TABLE function call:

```

SELECT      a.id
            ,a.dept
            ,a.salary
            ,b.deptsal
FROM        staff    a
            ,(SELECT    b.dept
                    ,SUM(b.salary) AS deptsal
                FROM      staff b
                GROUP BY b.dept
            )AS b
WHERE       a.id    < 40
            AND      b.dept = a.dept
ORDER BY   a.id;

```

ANSWER

ID	DEPT	SALARY	DEPTSAL
10	20	18357.50	64286.10
20	20	78171.25	64286.10
30	38	77506.75	77285.55

Figure 838, Fullselect without external table reference

Any externally referenced table in a fullselect must be defined in the query syntax (starting at the first FROM statement) before the fullselect. Thus, in the first example above, if the "A" table had been listed after the "B" table, then the query would have been invalid.

Full-Select in SELECT Phrase

A fullselect that returns a single column and row can be used in the SELECT part of a query:

```

SELECT      id
            ,salary
            ,(SELECT MAX(salary)
                FROM    staff
            ) AS maxsal
FROM        staff    a
WHERE       id    < 60
ORDER BY   id;

```

ANSWER

ID	SALARY	MAXSAL
10	18357.50	22959.20
20	78171.25	22959.20
30	77506.75	22959.20
40	18006.00	22959.20
50	20659.80	22959.20

Figure 839, Use an uncorrelated Full-Select in a SELECT list

A fullselect in the SELECT part of a statement must return only a single row, but it need not always be the same row. In the following example, the ID and SALARY of each employee is obtained - along with the max SALARY for the employee's department.

```

SELECT      id
            ,salary
            ,(SELECT MAX(salary)
                FROM    staff b
                WHERE   a.dept = b.dept
            ) AS maxsal
FROM        staff    a
WHERE       id    < 60
ORDER BY   id;

```

ANSWER

ID	SALARY	MAXSAL
10	18357.50	18357.50
20	78171.25	18357.50
30	77506.75	18006.00
40	18006.00	18006.00
50	20659.80	20659.80

Figure 840, Use a correlated Full-Select in a SELECT list

```

SELECT      id
            ,dept
            ,salary
            ,(SELECT MAX(salary)
                FROM    staff b
                WHERE   b.dept = a.dept
            ) AS maxsal
            ,(SELECT MAX(salary)
                FROM    staff
            ) AS maxsal2
FROM        staff    a
WHERE       id    < 60
ORDER BY   id;

```

ANSWER

ID	DEPT	SALARY	4	5
10	20	18357.50	18357.50	22959.20
20	20	78171.25	18357.50	22959.20
30	38	77506.75	18006.00	22959.20
40	38	18006.00	18006.00	22959.20
50	15	20659.80	20659.80	22959.20

Figure 841, Use correlated and uncorrelated Full>Selects in a SELECT list

INSERT Usage

The following query uses both an uncorrelated and correlated fullselect in the query that builds the set of rows to be inserted:

```

INSERT INTO staff
SELECT id + 1
, (SELECT MIN(name)
   FROM staff)
, (SELECT dept
      FROM staff s2
     WHERE s2.id = s1.id - 100)
, 'A', 1, 2, 3
FROM staff s1
WHERE id =
  (SELECT MAX(id)
   FROM staff);

```

Figure 842, Fullselect in INSERT

UPDATE Usage

The following example uses an uncorrelated fullselect to assign a set of workers the average salary in the company - plus two thousand dollars.

<pre> UPDATE staff a SET salary = (SELECT AVG(salary)+ 2000 FROM staff) WHERE id < 60; </pre>	ANSWER: SALARY ===== ===== ID DEPT BEFORE AFTER -- -- -- -- 10 20 18357.50 18675.64 20 20 78171.25 18675.64 30 38 77506.75 18675.64 40 38 18006.00 18675.64 50 15 20659.80 18675.64
---	--

Figure 843, Use uncorrelated Full-Select to give workers company AVG salary (+\$2000)

The next statement uses a correlated fullselect to assign a set of workers the average salary for their department - plus two thousand dollars. Observe that when there is more than one worker in the same department, that they all get the same new salary. This is because the full-select is resolved before the first update was done, not after each.

<pre> UPDATE staff a SET salary = (SELECT AVG(salary) + 2000 FROM staff b WHERE a.dept = b.dept) WHERE id < 60; </pre>	ANSWER: SALARY ===== ===== ID DEPT BEFORE AFTER -- -- -- -- 10 20 18357.50 18071.52 20 20 78171.25 18071.52 30 38 77506.75 17457.11 40 38 18006.00 17457.11 50 15 20659.80 17482.33
--	--

Figure 844, Use correlated Full-Select to give workers department AVG salary (+\$2000)

NOTE: A fullselect is always resolved just once. If it is queried using a correlated expression, then the data returned each time may differ, but the table remains unchanged.

The next update is the same as the prior, except that two fields are changed:

```

UPDATE staff a
SET (salary,years) =
  (SELECT AVG(salary) + 2000
   ,MAX(years)
   FROM staff b
   WHERE a.dept = b.dept )
WHERE id < 60;

```

Figure 845, Update two fields by referencing Full-Select

Declared Global Temporary Tables

If we want to temporarily retain some rows for processing by subsequent SQL statements, we can use a Declared Global Temporary Table. A temporary table only exists until the thread is terminated (or sooner). It is not defined in the DB2 catalogue, and neither its definition nor its contents are visible to other users. Multiple users can declare the same temporary table at the same time. Each will be independently working with their own copy.




Figure 846, Declared Global Temporary Table syntax

Usage Notes

For a complete description of this feature, see the SQL reference. Below are some key points:

- The temporary table name can be any valid DB2 table name. The table qualifier, if provided, must be SESSION. If the qualifier is not provided, it is assumed to be SESSION.
- If the temporary table has been previously defined in this session, the WITH REPLACE clause can be used to override it. Alternatively, one can DROP the prior instance.
- An index can be defined on a global temporary table. The qualifier (i.e. SESSION) must be explicitly provided.
- Any column type can be used in the table, except for: BLOB, CLOB, DBCLOB, LONG VARCHAR, LONG VARGRAPHIC, DATALINK, reference, and structured data types.
- One can choose to preserve or delete (the default) the rows in the table when a commit occurs. Deleting the rows does not drop the table.
- Standard identity column definitions can be used if desired.
- Changes are not logged.

Sample SQL

Below is an example of declaring a global temporary table by listing the columns:

```
DECLARE GLOBAL TEMPORARY TABLE session.fred
(dept      SMALLINT    NOT NULL
,avg_salary DEC(7,2)   NOT NULL
,num_emps   SMALLINT    NOT NULL)
ON COMMIT DELETE ROWS;
```

Figure 847, Declare Global Temporary Table - define columns

In the next example, the temporary table is defined to have exactly the same columns as the existing STAFF table:

```
DECLARE GLOBAL TEMPORARY TABLE session.fred
LIKE staff INCLUDING COLUMN DEFAULTS
WITH REPLACE
ON COMMIT PRESERVE ROWS;
```

Figure 848, Declare Global Temporary Table - like another table

In the next example, the temporary table is defined to have a set of columns that are returned by a particular select statement. The statement is not actually run at definition time, so any predicates provided are irrelevant:

```
DECLARE GLOBAL TEMPORARY TABLE session.fred AS
(SELECT      dept
            ,MAX(id)      AS max_id
            ,SUM(salary)  AS sum_sal
      FROM      staff
     WHERE      name <> 'IDIOT'
     GROUP BY dept)
DEFINITION ONLY
WITH REPLACE;
```

Figure 849, Declare Global Temporary Table - like query output

Indexes can be added to temporary tables in order to improve performance and/or to enforce uniqueness:

```
DECLARE GLOBAL TEMPORARY TABLE session.fred
LIKE staff INCLUDING COLUMN DEFAULTS
WITH REPLACE ON COMMIT DELETE ROWS;

CREATE UNIQUE INDEX session.fredx ON Session.fred (id);

INSERT INTO session.fred
SELECT      *
FROM        staff
WHERE       id < 200;
SELECT      COUNT(*)
FROM        session.fred;                                ANSWER
=====                                19

COMMIT;                                                 ANSWER
=====                                0

SELECT      COUNT(*)
FROM        session.fred;
```

Figure 850, Temporary table with index

A temporary table has to be dropped to reuse the same name:

```

DECLARE GLOBAL TEMPORARY TABLE session.fred
(dept      SMALLINT    NOT NULL
,avg_salary DEC(7,2)   NOT NULL
,num_emps   SMALLINT    NOT NULL)
ON COMMIT DELETE ROWS;

INSERT INTO session.fred
SELECT   dept
        ,AVG(salary)
        ,COUNT(*)
FROM     staff
GROUP BY dept;

SELECT  COUNT(*)
FROM    session.fred;                                ANSWER
=====          8

DROP TABLE session.fred;

DECLARE GLOBAL TEMPORARY TABLE session.fred
(dept      SMALLINT    NOT NULL)
ON COMMIT DELETE ROWS;

SELECT  COUNT(*)
FROM    session.fred;                                ANSWER
=====          0

```

*Figure 851, Dropping a temporary table***Tablespace**

Before a user can create a declared global temporary table, a USER TEMPORARY table-space that they have access to, has to be created. A typical definition follows:

```

CREATE USER TEMPORARY TABLESPACE FRED
MANAGED BY DATABASE
USING (FILE 'C:\DB2\TEMPFRED\FRED1' 1000
       ,FILE 'C:\DB2\TEMPFRED\FRED2' 1000
       ,FILE 'C:\DB2\TEMPFRED\FRED3' 1000);

```

```
GRANT USE OF TABLESPACE FRED TO PUBLIC;
```

*Figure 852, Create USER TEMPORARY tablespace***Do NOT use to Hold Output**

In general, do not use a Declared Global Temporary Table to hold job output data, especially if the table is defined ON COMMIT PRESERVE ROWS. If the job fails halfway through, the contents of the temporary table will be lost. If, prior to the failure, the job had updated and then committed Production data, it may be impossible to recreate the lost output because the committed rows cannot be updated twice.

Recursive SQL

Recursive SQL enables one to efficiently resolve all manner of complex logical structures that can be really tough to work with using other techniques. On the down side, it is a little tricky to understand at first and it is occasionally expensive. In this chapter we shall first show how recursive SQL works and then illustrate some of the really cute things that one can use it for.

Use Recursion To

- Create sample data.
- Select the first "n" rows.
- Generate a simple parser.
- Resolve a Bill of Materials hierarchy.
- Normalize and/or denormalize data structures.

When (Not) to Use Recursion

A good SQL statement is one that gets the correct answer, is easy to understand, and is efficient. Let us assume that a particular statement is correct. If the statement uses recursive SQL, it is never going to be categorized as easy to understand (though the reading gets much easier with experience). However, given the question being posed, it is possible that a recursive SQL statement is the simplest way to get the required answer.

Recursive SQL statements are neither inherently efficient nor inefficient. Because they often involve a join, it is very important that suitable indexes be provided. Given appropriate indexes, it is quite probable that a recursive SQL statement is the most efficient way to resolve a particular business problem. It all depends upon the nature of the question: If every row processed by the query is required in the answer set (e.g. Find all people who work for Bob), then a recursive statement is likely to be very efficient. If only a few of the rows processed by the query are actually needed (e.g. Find all airline flights from Boston to Dallas, then show only the five fastest) then the cost of resolving a large data hierarchy (or network), most of which is immediately discarded, can be very prohibitive.

If one wants to get only a small subset of rows in a large data structure, it is very important that of the unwanted data is excluded as soon as possible in the processing sequence. Some of the queries illustrated in this chapter have some rather complicated code in them to do just this. Also, always be on the lookout for infinitely looping data structures.

Conclusion

Recursive SQL statements can be very efficient, if coded correctly, and if there are suitable indexes. When either of the above is not true, they can be very slow.

How Recursion Works

Below is a description of a very simple application. The table on the left contains a normalized representation of the hierarchical structure on the right. Each row in the table defines a relationship displayed in the hierarchy. The PKEY field identifies a parent key, the CKEY

field has related child keys, and the NUM field has the number of times the child occurs within the related parent.




Figure 853, Sample Table description - Recursion

List Dependents of AAA

We want to use SQL to get a list of all the dependents of AAA. This list should include not only those items like CCC that are directly related, but also values such as GGG, which are indirectly related. The easiest way to answer this question (in SQL) is to use a recursive SQL statement that goes thus:

```

WITH parent (pkey, ckey) AS
  (SELECT pkey, ckey
   FROM hierarchy
   WHERE pkey = 'AAA'
   UNION ALL
   SELECT C.pkey, C.ckey
   FROM hierarchy C
   ,parent P
   WHERE P.ckey = C.pkey
  )
SELECT pkey, ckey
FROM parent;
  
```

ANSWER		PROCESSING
PKEY	CKEY	SEQUENCE
AAA	BBB	< 1st pass
AAA	CCC	" "
AAA	DDD	" "
CCC	EEE	< 2nd pass
DDD	EEE	< 3rd pass
DDD	FFF	" "
FFF	GGG	< 4th pass

Figure 854, SQL that does Recursion

The above statement is best described by decomposing it into its individual components, and then following of sequence of events that occur:

- The WITH statement at the top defines a temporary table called PARENT.
- The upper part of the UNION ALL is only invoked once. It does an initial population of the PARENT table with the three rows that have an immediate parent key of AAA .
- The lower part of the UNION ALL is run recursively until there are no more matches to the join. In the join, the current child value in the temporary PARENT table is joined to related parent values in the DATA table. Matching rows are placed at the front of the temporary PARENT table. This recursive processing will stop when all of the rows in the PARENT table have been joined to the DATA table.
- The SELECT phrase at the bottom of the statement sends the contents of the PARENT table back to the user's program.

Another way to look at the above process is to think of the temporary PARENT table as a stack of data. This stack is initially populated by the query in the top part of the UNION ALL. Next, a cursor starts from the bottom of the stack and goes up. Each row obtained by the cursor is joined to the DATA table. Any matching rows obtained from the join are added to the top of the stack (i.e. in front of the cursor). When the cursor reaches the top of the stack, the statement is done. The following diagram illustrates this process:




Figure 855, Recursive processing sequence

Notes & Restrictions

- Recursive SQL requires that there be a UNION ALL phrase between the two main parts of the statement. The UNION ALL, unlike the UNION, allows for duplicate output rows, which is what often comes out of recursive processing.
- If done right, recursive SQL is often fairly efficient. When it involves a join similar to the example shown above, it is important to make sure that this join is efficient. To this end, suitable indexes should be provided.
- The output of a recursive SQL is a temporary table (usually). Therefore, all temporary table usage restrictions also apply to recursive SQL output. See the section titled "Common Table Expression" for details.
- The output of one recursive expression can be used as input to another recursive expression in the same SQL statement. This can be very handy if one has multiple logical hierarchies to traverse (e.g. First find all of the states in the USA, then final all of the cities in each state).
- Any recursive coding, in any language, can get into an infinite loop - either because of bad coding, or because the data being processed has a recursive value structure. To prevent your SQL running forever, see the section titled "Halting Recursive Processing" on page 320.

Sample Table DDL & DML

```

CREATE TABLE hierarchy
(pkey      CHAR(03)      NOT NULL
,ckey      CHAR(03)      NOT NULL
,num       SMALLINT      NOT NULL
,PRIMARY KEY(pkey, ckey)
,CONSTRAINT dt1 CHECK (pkey <> ckey)
,CONSTRAINT dt2 CHECK (num    > 0));
COMMIT;

CREATE UNIQUE INDEX hier_x1 ON hierarchy
(ckey, pkey);
COMMIT;

INSERT INTO hierarchy VALUES
('AAA','BBB', 1),
('AAA','CCC', 5),
('AAA','DDD',20),
('CCC','EEE',33),
('DDD','EEE',44),
('DDD','FFF', 5),
('FFF','GGG', 5);
COMMIT;

```

Figure 856, Sample Table DDL - Recursion

Introductory Recursion

This section will use recursive SQL statements to answer a series of simple business questions using the sample HIERARCHY table described on page 311. Be warned that things are going to get decidedly more complex as we proceed.

List all Children #1

Find all the children of AAA. Don't worry about getting rid of duplicates, sorting the data, or any other of the finer details.

```
WITH parent (ckey) AS
  (SELECT ckey
   FROM hierarchy
   WHERE pkey = 'AAA'
  UNION ALL
   SELECT C.ckey
   FROM hierarchy C
   ,parent P
   WHERE P.ckey = C.pkey
  )
SELECT ckey
FROM parent;
```

ANSWER	HIERARCHY		
=====	=====	=====	=====
CKEY	PKEY	CKEY	NUM
BBB	AAA	BBB	1
CCC	AAA	CCC	5
DDD	AAA	DDD	20
EEE	CCC	EEE	33
EEE	DDD	EEE	44
FFF	DDD	FFF	5
GGG	FFF	GGG	5

Figure 857, List of children of AAA

WARNING: Much of the SQL shown in this section will loop forever if the target database has a recursive data structure. See page 320 for details on how to prevent this.

The above SQL statement uses standard recursive processing. The first part of the UNION ALL seeds the temporary table PARENT. The second part recursively joins the temporary table to the source data table until there are no more matches. The final part of the query displays the result set.

Imagine that the HIERARCHY table used above is very large and that we also want the above query to be as efficient as possible. In this case, two indexes are required; The first, on PKEY, enables the initial select to run efficiently. The second, on CKEY, makes the join in the recursive part of the query efficient. The second index is arguably more important than the first because the first is only used once, whereas the second index is used for each child of the top-level parent.

List all Children #2

Find all the children of AAA, include in this list the value AAA itself. To satisfy the latter requirement we will change the first SELECT statement (in the recursive code) to select the parent itself instead of the list of immediate children. A DISTINCT is provided in order to ensure that only one line containing the name of the parent (i.e. "AAA") is placed into the temporary PARENT table.

NOTE: Before the introduction of recursive SQL processing, it often made sense to define the top-most level in a hierarchical data structure as being a parent-child of itself. For example, the HIERARCHY table might contain a row indicating that "AAA" is a child of "AAA". If the target table has data like this, add another predicate: C.PKEY <> C.CKEY to the recursive part of the SQL statement to stop the query from looping forever.

```

WITH parent (ckey) AS
  (SELECT DISTINCT pkey
   FROM hierarchy
   WHERE pkey = 'AAA'
  UNION ALL
   SELECT C.ckey
   FROM hierarchy C
    ,parent P
   WHERE P.ckey = C.pkey
  )
  SELECT ckey
  FROM parent;

```

	ANSWER	HIERARCHY	
CKEY	PKEY	CKEY	NUM
AAA	AAA	BBB	1
BBB	AAA	CCC	5
CCC	AAA	DDD	20
DDD	CCC	EEE	33
EEE	DDD	EEE	44
EEE	DDD	FFF	5
FFF	FFF	GGG	5
GGG			

Figure 858, List all children of AAA

In most, but by no means all, business situations, the above SQL statement is more likely to be what the user really wanted than the SQL before. Ask before you code.

List Distinct Children

Get a distinct list of all the children of AAA. This query differs from the prior only in the use of the DISTINCT phrase in the final select.

```

WITH parent (ckey) AS
  (SELECT DISTINCT pkey
   FROM hierarchy
   WHERE pkey = 'AAA'
  UNION ALL
   SELECT C.ckey
   FROM hierarchy C
    ,parent P
   WHERE P.ckey = C.pkey
  )
  SELECT DISTINCT ckey
  FROM parent;

```

	ANSWER	HIERARCHY	
CKEY	PKEY	CKEY	NUM
AAA	AAA	BBB	1
BBB	AAA	CCC	5
CCC	AAA	DDD	20
DDD	CCC	EEE	33
EEE	DDD	EEE	44
FFF	DDD	FFF	5
GGG	FFF	GGG	5

Figure 859, List distinct children of AAA

The next thing that we want to do is build a distinct list of children of AAA that we can then use to join to other tables. To do this, we simply define two temporary tables. The first does the recursion and is called PARENT. The second, called DISTINCT_PARENT, takes the output from the first and removes duplicates.

```

WITH parent (ckey) AS
  (SELECT DISTINCT pkey
   FROM hierarchy
   WHERE pkey = 'AAA'
  UNION ALL
   SELECT C.ckey
   FROM hierarchy C
    ,parent P
   WHERE P.ckey = C.pkey
  ),
  distinct_parent (ckey) AS
  (SELECT DISTINCT ckey
   FROM parent
  )
  SELECT ckey
  FROM distinct_parent;

```

	ANSWER	HIERARCHY	
CKEY	PKEY	CKEY	NUM
AAA	AAA	BBB	1
BBB	AAA	CCC	5
CCC	AAA	DDD	20
DDD	CCC	EEE	33
EEE	DDD	EEE	44
FFF	DDD	FFF	5
GGG	FFF	GGG	5

Figure 860, List distinct children of AAA

Show Item Level

Get a list of all the children of AAA. For each value returned, show its level in the logical hierarchy relative to AAA.

```

WITH parent (ckey, lvl) AS
  (SELECT DISTINCT pkey, 0
   FROM hierarchy
   WHERE pkey = 'AAA'
   UNION ALL
   SELECT C.ckey, P.lvl +1
   FROM hierarchy C
   ,parent P
   WHERE P.ckey = C.pkey
  )
  SELECT ckey, lvl
  FROM parent;

```

ANSWER	
CKEY	LVL
AAA	0
BBB	1
CCC	1
DDD	1
EEE	2
EEE	2
FFF	2
GGG	3

```

graph TD
    AAA[AAA] --- BBB[BBB]
    AAA --- CCC[CCC]
    AAA --- DDD[DDD]
    CCC --- EEE[EEE]
    CCC --- FFF[FFF]
    FFF --- GGG[GGG]

```

Figure 861, Show item level in hierarchy

The above statement has a derived integer field called LVL. In the initial population of the temporary table this level value is set to zero. When subsequent levels are reached, this value is incremented by one.

Select Certain Levels

Get a list of all the children of AAA that are less than three levels below AAA.

```

WITH parent (ckey, lvl) AS
  (SELECT DISTINCT pkey, 0
   FROM hierarchy
   WHERE pkey = 'AAA'
   UNION ALL
   SELECT C.ckey, P.lvl +1
   FROM hierarchy C
   ,parent P
   WHERE P.ckey = C.pkey
  )
  SELECT ckey, lvl
  FROM parent
  WHERE lvl < 3;

```

ANSWER		HIERARCHY		
CKEY	LVL	PKEY	CKEY	NUM
AAA	0	AAA	BBB	1
BBB	1	AAA	CCC	5
CCC	1	AAA	DDD	20
DDD	1	CCC	EEE	33
EEE	2	DDD	EEE	44
EEE	2	DDD	FFF	5
FFF	2	FFF	GGG	5

Figure 862, Select rows where LEVEL < 3

The above statement has two main deficiencies:

- It will run forever if the database contains an infinite loop.
- It may be inefficient because it resolves the whole hierarchy before discarding those levels that are not required.

To get around both of these problems, we can move the level check up into the body of the recursive statement. This will stop the recursion from continuing as soon as we reach the target level. We will have to add "+ 1" to the check to make it logically equivalent:

```

WITH parent (ckey, lvl) AS
  (SELECT DISTINCT pkey, 0
   FROM hierarchy
   WHERE pkey = 'AAA'
   UNION ALL
   SELECT C.ckey, P.lvl +1
   FROM hierarchy C
   ,parent P
   WHERE P.ckey = C.pkey
   AND P.lvl+1 < 3
  )
  SELECT ckey, lvl
  FROM parent;

```

ANSWER	
CKEY	LVL
AAA	0
BBB	1
CCC	1
DDD	1
EEE	2
EEE	2
FFF	2

```

graph TD
    AAA[AAA] --- BBB[BBB]
    AAA --- CCC[CCC]
    AAA --- DDD[DDD]
    CCC --- EEE[EEE]
    CCC --- FFF[FFF]
    FFF --- GGG[GGG]

```

Figure 863, Select rows where LEVEL < 3

The only difference between this statement and the one before is that the level check is now done in the recursive part of the statement. This new level-check predicate has a dual function: It gives us the answer that we want, and it stops the SQL from running forever if the database happens to contain an infinite loop (e.g. DDD was also a parent of AAA).

One problem with this general statement design is that it can not be used to list only that data which pertains to a certain lower level (e.g. display only level 3 data). To answer this kind of question efficiently we can combine the above two queries, having appropriate predicates in both places (see next).

Select Explicit Level

Get a list of all the children of AAA that are exactly two levels below AAA.

```
WITH parent (ckey, lvl) AS
  (SELECT DISTINCT pkey, 0
   FROM hierarchy
   WHERE pkey = 'AAA'
  UNION ALL
   SELECT C.ckey, P.lvl +1
   FROM hierarchy C
    ,parent P
   WHERE P.ckey = C.pkey
     AND P.lvl+1 < 3
  )
  SELECT ckey, lvl
  FROM parent
  WHERE lvl = 2;
```

ANSWER		HIERARCHY		
CKEY	LVL	PKEY	CKEY	NUM
EEE	2	AAA	BBB	1
EEE	2	AAA	CCC	5
FFF	2	AAA	DDD	20
		CCC	EEE	33
		DDD	EEE	44
		DDD	FFF	5
		FFF	GGG	5

Figure 864, Select rows where LEVEL = 2

In the recursive part of the above statement all of the levels up to and including that which is required are obtained. All undesired lower levels are then removed in the final select.

Trace a Path - Use Multiple Recursions

Multiple recursive joins can be included in a single query. The joins can run independently, or the output from one recursive join can be used as input to a subsequent. Such code enables one to do the following:

- Expand multiple hierarchies in a single query. For example, one might first get a list of all departments (direct and indirect) in a particular organization, and then use the department list as a seed to find all employees (direct and indirect) in each department.
- Go down, and then up, a given hierarchy in a single query. For example, one might want to find all of the children of AAA, and then all of the parents. The combined result is the list of objects that AAA is related to via a direct parent-child path.
- Go down the same hierarchy twice, and then combine the results to find the matches, or the non-matches. This type of query might be used to, for example, see if two companies own shares in the same subsidiary.


The next example recursively searches the HIERARCHY table for all values that are either a child or a parent (direct or indirect) of the object DDD. The first part of the query gets the list of children, the second part gets the list of parents (but never the value DDD itself), and then the results are combined.

```

WITH children (kkey, lvl) AS
  (SELECT ckey, 1
   FROM hierarchy
   WHERE pkey = 'DDD'
   UNION ALL
   SELECT H.ckey, C.lvl + 1
   FROM hierarchy H
   ,children C
   WHERE H.pkey = C.kkey
  )
,parents (kkey, lvl) AS
  (SELECT pkey, -1
   FROM hierarchy
   WHERE ckey = 'DDD'
   UNION ALL
   SELECT H.pkey, P.lvl - 1
   FROM hierarchy H
   ,parents P
   WHERE H.ckey = P.kkey
  )
SELECT kkey ,lvl
FROM children
UNION ALL
SELECT kkey ,lvl
FROM parents;

```

Figure 865, Find all children and parents of DDD



Extraneous Warning Message

Some recursive SQL statements generate the following warning when the DB2 parser has reason to suspect that the statement may run forever:

SQL0347W The recursive common table expression "GRAEME.TEMP1" may contain an infinite loop. SQLSTATE=01605

The text that accompanies this message provides detailed instructions on how to code recursive SQL so as to avoid getting into an infinite loop. The trouble is that even if you do exactly as told you may still get the silly message. To illustrate, the following two SQL statements are almost identical. Yet the first gets a warning and the second does not:

```

WITH templ (n1) AS
  (SELECT id
   FROM staff
   WHERE id = 10
   UNION ALL
   SELECT n1 +10
   FROM templ
   WHERE n1 < 50
  )
SELECT *
FROM templ;

```

ANSWER

N1
--
warn
10
20
30
40
50

Figure 866, Recursion - with warning message

```

WITH templ (n1) AS
  (SELECT INT(id)
   FROM staff
   WHERE id = 10
   UNION ALL
   SELECT n1 +10
   FROM templ
   WHERE n1 < 50
  )
SELECT *
FROM templ;

```

ANSWER

N1
--
10
20
30
40
50

Figure 867, Recursion - without warning message

If you know what you are doing, ignore the message.

Logical Hierarchy Flavours

Before getting into some of the really nasty stuff, we best give a brief overview of the various kinds of logical hierarchy that exist in the real world and how each is best represented in a relational database.

Some typical data hierarchy flavours are shown below. Note that the three on the left form one, mutually exclusive, set and the two on the right another. Therefore, it is possible for a particular hierarchy to be both divergent and unbalanced (or balanced), but not both divergent and convergent.




Figure 868, Hierarchy Flavours

Divergent Hierarchy

In this flavour of hierarchy, no object has more than one parent. Each object can have none, one, or more than one, dependent child objects. Physical objects (e.g. Geographic entities) tend to be represented in this type of hierarchy.

This type of hierarchy will often incorporate the concept of different layers in the hierarchy referring to differing kinds of object - each with its own set of attributes. For example, a Geographic hierarchy might consist of countries, states, cities, and street addresses.

A single table can be used to represent this kind of hierarchy in a fully normalized form. One field in the table will be the unique key, another will point to the related parent. Other fields in the table may pertain either to the object in question, or to the relationship between the object and its parent. For example, in the following table the PRICE field has the price of the object, and the NUM field has the number of times that the object occurs in the parent.

OBJECTS_RELATES			
KEYO	PKEY	NUM	PRICE
AAA			\$10
BBB	AAA	1	\$21
CCC	AAA	5	\$23
DDD	AAA	20	\$25
EEE	DDD	44	\$33
FFF	DDD	5	\$34
GGG	FFF	5	\$44




Figure 869, Divergent Hierarchy - Table and Layout

Some database designers like to make the arbitrary judgment that every object has a parent, and in those cases where there is no "real" parent, the object considered to be a parent of itself. In the above table, this would mean that AAA would be defined as a parent of AAA. Please appreciate that this judgment call does not affect the objects that the database represents, but it can have a dramatic impact on SQL usage and performance.

Prior to the introduction of recursive SQL, defining top level objects as being self-parenting was sometimes a good idea because it enabled one to resolve a hierarchy using a simple join without unions. This same process is now best done with recursive SQL. Furthermore, if objects in the database are defined as self-parenting, the recursive SQL will get into an infinite loop unless extra predicates are provided.

Convergent Hierarchy

NUMBER OF TABLES: A convergent hierarchy has many-to-many relationships that require two tables for normalized data storage. The other hierarchy types require but a single table.

In this flavour of hierarchy, each object can have none, one, or more than one, parent and/or dependent child objects. Convergent hierarchies are often much more difficult to work with than similar divergent hierarchies. Logical entities, or man-made objects, (e.g. Company Divisions) often have this type of hierarchy.

Two tables are required in order to represent this kind of hierarchy in a fully normalized form. One table describes the object, and the other describes the relationships between the objects.

OBJECTS		RELATIONSHIPS			
KEYO	PRICE	PKEY	CKEY	NUM	
AAA	\$10	AAA	BBB	1	
BBB	\$21	AAA	CCC	5	
CCC	\$23	AAA	DDD	20	
DDD	\$25	CCC	EEE	33	
EEE	\$33	DDD	EEE	44	
FFF	\$34	DDD	FFF	5	
GGG	\$44	FFF	GGG	5	

```

graph TD
    AAA[AAA] --- BBB[BBB]
    AAA --- CCC[CCC]
    AAA --- DDD[DDD]
    BBB --- EEE[EEE]
    CCC --- EEE
    DDD --- FFF[FFF]
    EEE --- GGG[GGG]
    FFF --- GGG
  
```

Figure 870, Convergent Hierarchy - Tables and Layout

One has to be very careful when resolving a convergent hierarchy to get the answer that the user actually wanted. To illustrate, if we wanted to know how many children AAA has in the above structure the "correct" answer could be six, seven, or eight. To be precise, we would need to know if EEE should be counted twice and if AAA is considered to be a child of itself.

Recursive Hierarchy

WARNING: Recursive data hierarchies will cause poorly written recursive SQL statements to run forever. See the section titled "Halting Recursive Processing" on page 320 for details on how to prevent this, and how to check that a hierarchy is not recursive.

In this flavour of hierarchy, each object can have none, one, or more than one parent. Also, each object can be a parent and/or a child of itself via another object, or via itself directly. In the business world, this type of hierarchy is almost always wrong. When it does exist, it is often because a standard convergent hierarchy has gone a bit haywire.

This database design is exactly the same as the one for a convergent hierarchy. Two tables are (usually) required in order to represent the hierarchy in a fully normalized form. One table describes the object, and the other describes the relationships between the objects.




Figure 871, Recursive Hierarchy - Tables and Layout

Prior to the introduction of recursive SQL, it took some non-trivial coding root out recursive data structures in convergent hierarchies. Now it is a no-brainer, see page 320 for details.

Balanced & Unbalanced Hierarchies

In some logical hierarchies the distance, in terms of the number of intervening levels, from the top parent entity to its lowest-level child entities is the same for all legs of the hierarchy. Such a hierarchy is considered to be balanced. An unbalanced hierarchy is one where the distance from a top-level parent to a lowest-level child is potentially different for each leg of the hierarchy.




Figure 872, Balanced and Unbalanced Hierarchies

Balanced hierarchies often incorporate the concept of levels, where a level is a subset of the values in the hierarchy that are all of the same time and are also the same distance from the top level parent. For example, in the balanced hierarchy above each of the three levels shown might refer to a different category of object (e.g. country, state, city). By contrast, in the unbalanced hierarchy above is probable that the objects being represented are all of the same general category (e.g. companies that own other companies).

Divergent hierarchies are the most likely to be balanced. Furthermore, balanced and/or divergent hierarchies are the kind that are most often used to do data summation at various intermediate levels. For example, a hierarchy of countries, states, and cities, is likely to be summarized at any level.

Data & Pointer Hierarchies

The difference between a data and a pointer hierarchy is not one of design, but of usage. In a pointer schema, the main application tables do not store a description of the logical hierarchy. Instead, they only store the base data. Separate to the main tables are one, or more, related tables that define which hierarchies each base data row belongs to.

Typically, in a pointer hierarchy, the main data tables are much larger and more active than the hierarchical tables. A banking application is a classic example of this usage pattern. There is often one table that contains core customer information and several related tables that enable one to do analysis by customer category.

A data hierarchy is an altogether different beast. An example would be a set of tables that contain information on all that parts that make up an aircraft. In this kind of application the most important information in the database is often that which pertains to the relationships between objects. These tend to be very complicated often incorporating the attributes: quantity, direction, and version.

Recursive processing of a data hierarchy will often require that one does a lot more than just find all dependent keys. For example, to find the gross weight of an aircraft from such a database one will have to work with both the quantity and weight of all dependent objects. Those objects that span sub-assemblies (e.g. a bolt connecting to engine to the wing) must not be counted twice, missed out, nor assigned to the wrong sub-grouping. As always, such questions are essentially easy to answer, the trick is to get the right answer.

Halting Recursive Processing

One occasionally encounters recursive hierarchical data structures (i.e. where the parent item points to the child, which then points back to the parent). This section describes how to write recursive SQL statements that can process such structures without running forever. There are three general techniques that one can use:

- Stop processing after reaching a certain number of levels.
- Keep a record of where you have been, and if you ever come back, either fail or in some other way stop recursive processing.
- Keep a record of where you have been, and if you ever come back, simply ignore that row and keep on resolving the rest of hierarchy.

Sample Table DDL & DML

The following table is a normalized representation of the recursive hierarchy on the right. Note that AAA and DDD are both a parent and a child of each other.

TROUBLE	
PKEY	CKEY
AAA	BBB
AAA	CCC
AAA	DDD
CCC	EEE
DDD	AAA
DDD	FFF
DDD	EEE
FFF	GGG

<== This row
points back to
the hierarchy
parent.




Figure 873, Recursive Hierarchy - Sample Table and Layout

Below is the DDL and DML that was used to create the above table.

```

CREATE TABLE trouble
(pkey      CHAR(03)      NOT NULL
,ckey      CHAR(03)      NOT NULL);

CREATE UNIQUE INDEX tble_x1 ON trouble (pkey, ckey);
CREATE UNIQUE INDEX tble_x2 ON trouble (ckey, pkey);

INSERT INTO trouble VALUES
('AAA','BBB'),
('AAA','CCC'),
('AAA','DDD'),
('CCC','EEE'),
('DDD','AAA'),
('DDD','EEE'),
('DDD','FFF'),
('FFF','GGG');

```

*Figure 874, Sample Table DDL - Recursive Hierarchy***Other Loop Types**

In the above table, the beginning object (i.e. AAA) is part of the data loop. This type of loop can be detected using simpler SQL than what is given here. But a loop that does not include the beginning object (e.g. AAA points to BBB, which points to CCC, which points back to BBB) requires the somewhat complicated SQL that is used in this section.

Stop After "n" Levels

Find all the children of AAA. In order to avoid running forever, stop after four levels.

```

WITH parent (pkey, ckey, lvl) AS
  (SELECT DISTINCT
    pkey
    ,pkey
    ,0
   FROM trouble
  WHERE pkey = 'AAA'
  UNION ALL
  SELECT C.pkey
    ,C.ckey
    ,P.lvl + 1
   FROM trouble C
    ,parent P
  WHERE P.ckey = C.pkey
    AND P.lvl + 1 < 4
  )
  SELECT *
  FROM parent;

```

ANSWER			TROUBLE	
PKEY	CKEY	LVL	PKEY	CKEY
AAA	AAA	0	AAA	BBB
AAA	BBB	1	AAA	CCC
AAA	CCC	1	AAA	DDD
AAA	DDD	1	CCC	EEE
CCC	EEE	2	DDD	AAA
DDD	AAA	2	DDD	FFF
DDD	EEE	2	DDD	EEE
DDD	FFF	2	FFF	GGG
AAA	BBB	3		
AAA	CCC	3		
AAA	DDD	3		
FFF	GGG	3		

Figure 875, Stop Recursive SQL after "n" levels

In order for the above statement to get the right answer, we need to know before beginning the maximum number of valid dependent levels (i.e. non-looping) there are in the hierarchy. This information is then incorporated into the recursive predicate (see: P.LVL + 1 < 4).

If the number of levels is not known, and we guess wrong, we may not find all the children of AAA. For example, if we had stopped at "2" in the above query, we would not have found the child GGG.

A more specific disadvantage of the above statement is that the list of children contains duplicates. These duplicates include those specific values that compose the infinite loop (i.e. AAA and DDD), and also any children of either of the above.

Stop When Loop Found

A far better way to stop recursive processing is to halt when, and only when, we determine that we have been to the target row previously. To do this, we need to maintain a record of where we have been, and then check this record against the current key value in each row joined to. DB2 does not come with an in-built function that can do this checking, so we shall define our own.

Define Function

Below is the definition code for a user-defined DB2 function that is very similar to the standard LOCATE function. It searches for one string in another, block by block. For example, if one was looking for the string "ABC", this function would search the first three bytes, then the next three bytes, and so on. If a match is found, the function returns the relevant block number, else zero.

```

CREATE FUNCTION LOCATE_BLOCK(searchstr VARCHAR(30000)
                           ,lookinstr VARCHAR(30000))
RETURNS INTEGER
BEGIN ATOMIC
    DECLARE lookinlen, searchlen INT;
    DECLARE locatevar, returnvar INT DEFAULT 0;
    DECLARE beginlook           INT DEFAULT 1;
    SET lookinlen = LENGTH(lookinstr);
    SET searchlen = LENGTH(searchstr);
    WHILE locatevar = 0          AND
          beginlook <= lookinlen DO
        SET locatevar = LOCATE(searchstr,SUBSTR(lookinstr
                                                ,beginlook
                                                ,searchlen));
        SET beginlook = beginlook + searchlen;
        SET returnvar = returnvar + 1;
    END WHILE;
    IF locatevar = 0 THEN
        SET returnvar = 0;
    END IF;
    RETURN returnvar;
END

```

Figure 876, LOCATE_BLOCK user defined function

Below is an example of the function in use. Observe that the function did not find the string "th" in the name "Smith" because the two characters did not start in an position that was some multiple of the length of the test string:

<pre> SELECT id ,name ,LOCATE('th',name) AS l1 ,LOCATE_BLOCK('th',name) AS l2 FROM staff WHERE LOCATE('th',name) > 1; </pre>	ANSWER <hr/> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>ID</th> <th>NAME</th> <th>L1</th> <th>L2</th> </tr> </thead> <tbody> <tr> <td>70</td> <td>Rothman</td> <td>3</td> <td>2</td> </tr> <tr> <td>220</td> <td>Smith</td> <td>4</td> <td>0</td> </tr> </tbody> </table>	ID	NAME	L1	L2	70	Rothman	3	2	220	Smith	4	0
ID	NAME	L1	L2										
70	Rothman	3	2										
220	Smith	4	0										

Figure 877, LOCATE_BLOCK function example

NOTE: The LOCATE_BLOCK function shown above is the minimalist version, without any error checking. If it were used in a Production environment, it would have checks for nulls, and for various invalid input values.

Use Function

Now all we need to do is build a string, as we do the recursion, that holds every key value that has previously been accessed. This can be done using simple concatenation:

```

WITH parent (pkey, ckey, lvl, path, loop) AS
  (SELECT DISTINCT
    pkey
    ,pkey
    ,0
    ,VARCHAR(pkey,20)
    ,0
   FROM trouble
  WHERE pkey = 'AAA'
 UNION ALL
  SELECT C.pkey
    ,C.ckey
    ,P.lvl + 1
    ,P.path || C.ckey
    ,LOCATE_BLOCK(C.ckey,P.path)
   FROM trouble C
   ,parent P
  WHERE P.ckey = C.pkey
    AND P.lvl + 1 < 4
  )
  SELECT *
  FROM parent;

```

ANSWER

PKEY	CKEY	LVL	PATH	LOOP
AAA	AAA	0	AAA	0
AAA	BBB	1	AAABBB	0
AAA	CCC	1	AAACCC	0
AAA	DDD	1	AAADDD	0
CCC	EEE	2	AAACCCEEE	0
DDD	AAA	2	AAADDDAAA	1
DDD	EEE	2	AAADDDEEE	0
DDD	FFF	2	AAADDDFFF	0
AAA	BBB	3	AAADDDAAABB	0
AAA	CCC	3	AAADDDAAACCC	0
AAA	DDD	3	AAADDDAAADD	2
FFF	GGG	3	AAADDDFFFGGG	0

TROUBLE

PKEY	CKEY
AAA	BBB
AAA	CCC
AAA	DDD
CCC	EEE
DDD	AAA
DDD	FFF
DDD	EEE
FFF	GGG

This row ==>
points back to
the hierarchy
parent.

Figure 878, Show path, and rows in loop

Now we can get rid of the level check, and instead use the LOCATE_BLOCK function to avoid loops in the data:

```

WITH parent (pkey, ckey, lvl, path, loop) AS
  (SELECT DISTINCT
    pkey
    ,pkey
    ,0
    ,VARCHAR(pkey,20)
   FROM trouble
  WHERE pkey = 'AAA'
 UNION ALL
  SELECT C.pkey
    ,C.ckey
    ,P.lvl + 1
    ,P.path || C.ckey
    ,LOCATE_BLOCK(C.ckey,P.path) = 0
   FROM trouble C
   ,parent P
  WHERE P.ckey = C.pkey
    AND LOCATE_BLOCK(C.ckey,P.path) = 0
  )
  SELECT *
  FROM parent;

```

Figure 879, Use LOCATE_BLOCK function to stop recursion

The next query is the same as the previous, except that instead of excluding all loops from the answer-set, it marks them as such, and gets the first item, but goes no further;

```

WITH parent (pkey, ckey, lvl, path, loop) AS
  (SELECT DISTINCT
    pkey
    ,pkey
    ,0
    ,VARCHAR(pkey,20)
    ,0
    FROM trouble
    WHERE pkey = 'AAA'
    UNION ALL
    SELECT C.pkey
      ,C.ckey
      ,P.lvl + 1
      ,P.path || C.ckey
      ,LOCATE_BLOCK(C.ckey,P.path)
    FROM trouble C
    ,parent P
    WHERE P.ckey = C.pkey
      AND P.loop = 0
  )
  SELECT *
  FROM parent;

```

Figure 880, Use LOCATE_BLOCK function to stop recursion

The next query tosses in another predicate (in the final select) to only list those rows that point back to a previously processed parent:

```

WITH parent (pkey, ckey, lvl, path, loop) AS
  (SELECT DISTINCT
    pkey
    ,pkey
    ,0
    ,VARCHAR(pkey,20)
    ,0
    FROM trouble
    WHERE pkey = 'AAA'
    UNION ALL
    SELECT C.pkey
      ,C.ckey
      ,P.lvl + 1
      ,P.path || C.ckey
      ,LOCATE_BLOCK(C.ckey,P.path)
    FROM trouble C
    ,parent P
    WHERE P.ckey = C.pkey
      AND P.loop = 0
  )
  SELECT pkey
    ,ckey
  FROM parent
  WHERE loop > 0;

```

TROUBLE	
PKEY	CKEY
AAA	BBB
AAA	CCC
AAA	DDD
CCC	EEE
DDD	AAA
DDD	FFF
DDD	EEE
FFF	GGG

ANSWER
=====

PKEY	CKEY
DDD	AAA

This row ==>
points back to
the hierarchy
parent.

Figure 881, List rows that point back to a parent

To delete the offending rows from the table, all one has to do is insert the above values into a temporary table, then delete those rows in the TROUBLE table that match. However, before one does this, one has decide which rows are the ones that should not be there.

In the above query, we started processing at AAA, and then said that any row that points back to AAA, or to some child of AAA, is causing a loop. We thus identified the row from DDD to AAA as being a problem. But if we had started at the value DDD, we would have said instead that the row from AAA to DDD was the problem. The point to remember here is that the row you decide to delete is a consequence of the row that you decided to define as your starting point.

```

DECLARE GLOBAL TEMPORARY TABLE SESSION.del_list
(pkey CHAR(03) NOT NULL
,ckey CHAR(03) NOT NULL)
ON COMMIT PRESERVE ROWS;

INSERT INTO SESSION.del_list
WITH parent (pkey, ckey, lvl, path, loop) AS
  (SELECT DISTINCT
    pkey
    ,pkey
    ,0
    ,VARCHAR(pkey,20)
    ,0
   FROM trouble
  WHERE pkey = 'AAA'
 UNION ALL
  SELECT C.pkey
    ,C.ckey
    ,P.lvl + 1
    ,P.path || C.ckey
    ,LOCATE_BLOCK(C.ckey,P.path)
   FROM trouble C
   ,parent P
  WHERE P.ckey = C.pkey
    AND P.loop = 0
)
  SELECT pkey
    ,ckey
   FROM parent
  WHERE loop > 0;

DELETE
  FROM trouble
 WHERE (pkey,ckey) IN
  (SELECT pkey, ckey
   FROM SESSION.del_list);

```




Figure 882, Delete rows that loop back to a parent

Working with Other Key Types

The LOCATE_BLOCK solution shown above works fine, as long as the key in question is a fixed length character field. If it isn't, it can be converted to one, depending on what it is:

- Cast VARCHAR columns as type CHAR.
- Convert other field types to character using the HEX function.

Keeping the Hierarchy Clean

Rather than go searching for loops, one can toss in a couple of triggers that will prevent the table from every getting data loops in the first place. There will be one trigger for inserts, and another for updates. Both will have the same general logic:

- For each row inserted/updated, retain the new PKEY value.
- Recursively scan the existing rows, starting with the new CKEY value.
- Compare each existing CKEY value retrieved to the new PKEY value. If it matches, the changed row will cause a loop, so flag an error.
- If no match is found, allow the change.

Here is the insert trigger:

```

CREATE TRIGGER TBL_INS
NO CASCADE BEFORE INSERT ON trouble
REFERENCING NEW AS NNN
FOR EACH ROW MODE DB2SQL
    WITH temp (pkey, ckey) AS
        (VALUES (NNN.pkey
                 ,NNN.ckey)
    UNION ALL
    SELECT TTT.pkey
    ,CASE
        WHEN TTT.ckey = TBL.pkey
        THEN RAISE_ERROR('70001', 'LOOP FOUND')
        ELSE TBL.ckey
    END
    FROM trouble TBL
    ,temp TTT
    WHERE TTT.ckey = TBL.pkey
)
SELECT *
FROM temp;

```

This trigger would reject insertion of this row.

TROUBLE	
PKEY	CKEY
AAA	BBB
AAA	CCC
AAA	DDD
CCC	EEE
DDD	AAA
DDD	FFF
DDD	EEE
FFF	GGG

Figure 883, INSERT trigger

Here is the update trigger:

```

CREATE TRIGGER TBL_UPD
NO CASCADE BEFORE UPDATE OF pkey, ckey ON trouble
REFERENCING NEW AS NNN
FOR EACH ROW MODE DB2SQL
    WITH temp (pkey, ckey) AS
        (VALUES (NNN.pkey
                 ,NNN.ckey)
    UNION ALL
    SELECT TTT.pkey
    ,CASE
        WHEN TTT.ckey = TBL.pkey
        THEN RAISE_ERROR('70001', 'LOOP FOUND')
        ELSE TBL.ckey
    END
    FROM trouble TBL
    ,temp TTT
    WHERE TTT.ckey = TBL.pkey
)
SELECT *
FROM temp;

```

Figure 884, UPDATE trigger

Given the above preexisting TROUBLE data (absent the DDD to AAA row), the following statements would be rejected by the above triggers:

```

INSERT INTO trouble VALUES('GGG', 'AAA');

UPDATE trouble SET ckey = 'AAA' WHERE pkey = 'FFF';
UPDATE trouble SET pkey = 'GGG' WHERE ckey = 'DDD';

```

Figure 885, Invalid DML statements

Observe that neither of the above triggers use the LOCATE_BLOCK function to find a loop. This is because these triggers are written assuming that the table is currently loop free. If this is not the case, they may run forever.

The LOCATE_BLOCK function enables one to check every row processed, to see if one has been to that row before. In the above triggers, only the start position is checked for loops. So if there was a loop that did not encompass the start position, the LOCATE_BLOCK check would find it, but the code used in the triggers would not.

Clean Hierarchies and Efficient Joins

Introduction

One of the more difficult problems in any relational database system involves joining across multiple hierarchical data structures. The task is doubly difficult when one or more of the hierarchies involved is a data structure that has to be resolved using recursive processing. In this section, we will describe how one can use a mixture of tables and triggers to answer this kind of query very efficiently.

A typical question might go as follows: Find all matching rows where the customer is in some geographic region, and the item sold is in some product category, and person who made the sale is in some company sub-structure. If each of these qualifications involves expanding a hierarchy of object relationships of indeterminate and/or nontrivial depth, then a simple join or standard data denormalization will not work.

In DB2, one can answer this kind of question by using recursion to expand each of the data hierarchies. Then the query would join (sans indexes) the various temporary tables created by the recursive code to whatever other data tables needed to be accessed. Unfortunately, the performance will probably be lousy.

Alternatively, one can often efficiently answer this general question using a set of suitably indexed summary tables that are an expanded representation of each data hierarchy. With these tables, the DB2 optimizer can much more efficiently join to other data tables, and so deliver suitable performance.

In this section, we will show how to make these summary tables and, because it is a prerequisite, also show how to ensure that the related base tables do not have recursive data structures. Two solutions will be described: One that is simple and efficient, but which stops updates to key values. And another that imposes fewer constraints, but which is a bit more complicated.

Limited Update Solution

Below on the left is a hierarchy of data items. This is a typical unbalanced, non-recursive data hierarchy. In the center is a normalized representation of this hierarchy. The only thing that is perhaps a little unusual here is that an item at the top of a hierarchy (e.g. AAA) is deemed to be a parent of itself. On the right is an exploded representation of the same hierarchy.

HIERARCHY#1				EXPLODED#1		
AAA	KEYY	PKEY	DATA	PKEY	CKEY	LVL
	AAA	AAA	SOME DATA	AAA	AAA	0
	BBB	AAA	MORE DATA	AAA	BBB	1
+-----+	CCC	BBB	MORE JUNK	AAA	CCC	2
	DDD	CCC	MORE JUNK	AAA	DDD	3
	EEE	BBB	JUNK DATA	AAA	EEE	2
				BBB	BBB	0
				BBB	CCC	1
				BBB	DDD	2
				BBB	EEE	1
				CCC	CCC	0
				CCC	DDD	1
				DDD	DDD	0
				EEE	EEE	0

Figure 886, Data Hierarchy, with normalized and exploded representations

Below is the CREATE code for the above normalized table and a dependent trigger:

```

CREATE TABLE hierarchy#1
(keyy    CHAR(3) NOT NULL
,pkey   CHAR(3) NOT NULL
,data   VARCHAR(10)
,CONSTRAINT hierarchy11 PRIMARY KEY(keyy)
,CONSTRAINT hierarchy12 FOREIGN KEY(pkey)
  REFERENCES hierarchy#1 (keyy) ON DELETE CASCADE);

CREATE TRIGGER HIR#1_UPD
NO CASCADE BEFORE UPDATE OF pkey ON hierarchy#1
REFERENCING NEW AS NNN
          OLD AS OOO
FOR EACH ROW MODE DB2SQL
WHEN (NNN.pkey <> OOO.pkey)
  SIGNAL SQLSTATE '70001' ('CAN NOT UPDATE pkey');

```

Figure 887, Hierarchy table that does not allow updates to PKEY

Note the following:

- The KEYY column is the primary key, which ensures that each value must be unique, and that this field can not be updated.
- The PKEY column is a foreign key of the KEYY column. This means that this field must always refer to a valid KEYY value. This value can either be in another row (if the new row is being inserted at the bottom of an existing hierarchy), or in the new row itself (if a new independent data hierarchy is being established).
- The ON DELETE CASCADE referential integrity rule ensures that when a row is deleted, all dependent rows are also deleted.
- The TRIGGER prevents any updates to the PKEY column. This is a BEFORE trigger, which means that it stops the update before it is applied to the database.

All of the above rules and restrictions act to prevent either an insert or an update for ever acting on any row that is not at the bottom of a hierarchy. Consequently, it is not possible for a hierarchy to ever exist that contains a loop of multiple data items.

Creating an Exploded Equivalent

Once we have ensured that the above table can never have recursive data structures, we can define a dependent table that holds an exploded version of the same hierarchy. Triggers will be used to keep the two tables in sync. Here is the CREATE code for the table:

```

CREATE TABLE exploded#1
(pkey  CHAR(4)  NOT NULL
,ckey  CHAR(4)  NOT NULL
,lvl   SMALLINT NOT NULL
,PRIMARY KEY(pkey,ckey));

```

Figure 888, Exploded table CREATE statement

The following trigger deletes all dependent rows from the exploded table whenever a row is deleted from the hierarchy table:

```

CREATE TRIGGER EXP#1_DEL
AFTER DELETE ON hierarchy#1
REFERENCING OLD AS OOO
FOR EACH ROW MODE DB2SQL
  DELETE
    FROM exploded#1
    WHERE ckey = OOO.keyy;

```

Figure 889, Trigger to maintain exploded table after delete in hierarchy table

The next trigger is run every time a row is inserted into the hierarchy table. It uses recursive code to scan the hierarchy table upwards, looking for all parents of the new row. The result-set is then inserted into the exploded table:

```

CREATE TRIGGER EXP#1_INS
AFTER INSERT ON hierarchy#1
REFERENCING NEW AS NNN
FOR EACH ROW MODE DB2SQL
    INSERT
        INTO exploded#1
        WITH temp(pkey, ckey, lvl) AS
            (VALUES (NNN.keyy
                    ,NNN.keyy
                    ,0)
                UNION ALL
                SELECT N.pkey
                    ,NNN.keyy
                    ,T.lvl +1
                FROM temp T
                ,hierarchy#1 N
                WHERE N.keyy = T.pkey
                    AND N.keyy > N.pkey
            )
        SELECT *
        FROM temp;
    
```

HIERARCHY#1			EXPLODED#1		
KEYY	PKEY	DATA	PKEY	CKEY	LVL
AAA	AAA	S...	AAA	AAA	0
BBB	AAA	M...	AAA	BBB	1
CCC	BBB	M...	AAA	CCC	2
DDD	CCC	M...	AAA	DDD	3
EEE	BBB	J...	AAA	EEE	2
			BBB	BBB	0
			BBB	CCC	1
			BBB	DDD	2
			BBB	EEE	1
			CCC	CCC	0
			CCC	DDD	1
			DDD	DDD	0
			EEE	EEE	0

Figure 890, Trigger to maintain exploded table after insert in hierarchy table

There is no update trigger because updates are not allowed to the hierarchy table.

Querying the Exploded Table

Once supplied with suitable indexes, the exploded table can be queried like any other table. It will always return the current state of the data in the related hierarchy table.

```

SELECT *
FROM exploded#1
WHERE pkey = :host-var
ORDER BY pkey
    ,ckey
    ,lvl;
    
```

Figure 891, Querying the exploded table

Full Update Solution

Not all applications want to limit updates to the data hierarchy as was done above. In particular, they may want the user to be able to move an object, and all its dependents, from one valid point (in a data hierarchy) to another. This means that we cannot prevent valid updates to the PKEY value.

Below is the CREATE statement for a second hierarchy table. The only difference between this table and the previous one is that there is now an ON UPDATE RESTRICT clause. This prevents updates to PKEY that do not point to a valid KEYY value – either in another row, or in the row being updated:

```

CREATE TABLE hierarchy#2
(keyy CHAR(3) NOT NULL
,pkey CHAR(3) NOT NULL
,data VARCHAR(10)
,CONSTRAINT NO_loopS21 PRIMARY KEY(keyy)
,CONSTRAINT NO_loopS22 FOREIGN KEY(pkey)
    REFERENCES hierarchy#2 (keyy) ON DELETE CASCADE
    ON UPDATE RESTRICT);
    
```

Figure 892, Hierarchy table that allows updates to PKEY

The previous hierarchy table came with a trigger that prevented all updates to the PKEY field. This table comes instead with a trigger than checks to see that such updates do not result in a recursive data structure. It starts out at the changed row, then works upwards through the chain of PKEY values. If it ever comes back to the original row, it flags an error:

```

CREATE TRIGGER HIR#2_UPD
NO CASCADE BEFORE UPDATE OF pkey ON hierarchy#2
REFERENCING NEW AS NNN
          OLD AS OOO
FOR EACH ROW MODE DB2SQL
WHEN (NNN.pkey <> OOO.pkey
      AND NNN.pkey <> NNN.keyy)
      WITH temp (keyy, pkey) AS
          (VALUES (NNN.keyy
                  ,NNN.pkey)
UNION ALL
SELECT LP2.keyy
CASE
    WHEN LP2.keyy = NNN.keyy
        THEN RAISE_ERROR('70001','LOOP FOUND')
    ELSE LP2.pkey
END
FROM hierarchy#2 LP2
      ,temp      TMP
WHERE TMP.pkey = LP2.keyy
      AND TMP.keyy <> TMP.pkey
)
SELECT *
  FROM temp;

```

HIERARCHY#2		
KEYY	PKEY	DATA
AAA	AAA	S...
BBB	AAA	M...
CCC	BBB	M...
DDD	CCC	M...
EEE	BBB	J...

Figure 893, Trigger to check for recursive data structures before update of PKEY

NOTE: The above is a BEFORE trigger, which means that it gets run before the change is applied to the database. By contrast, the triggers that maintain the exploded table are all AFTER triggers. In general, one uses before triggers check for data validity, while after triggers are used to propagate changes.

Creating an Exploded Equivalent

The following exploded table is exactly the same as the previous. It will be maintained in sync with changes to the related hierarchy table:

```

CREATE TABLE exploded#2
(pkey CHAR(4) NOT NULL
,ckey CHAR(4) NOT NULL
,lvl SMALLINT NOT NULL
,PRIMARY KEY(pkey,ckey));

```

Figure 894, Exploded table CREATE statement

Three triggers are required to maintain the exploded table in sync with the related hierarchy table. The first two, which handle deletes and inserts, are the same as what were used previously. The last, which handles updates, is new (and quite tricky).

The following trigger deletes all dependent rows from the exploded table whenever a row is deleted from the hierarchy table:

```

CREATE TRIGGER EXP#2_DEL
AFTER DELETE ON hierarchy#2
REFERENCING OLD AS OOO
FOR EACH ROW MODE DB2SQL
DELETE
  FROM exploded#2
 WHERE ckey = OOO.keyy;

```

Figure 895, Trigger to maintain exploded table after delete in hierarchy table

The next trigger is run every time a row is inserted into the hierarchy table. It uses recursive code to scan the hierarchy table upwards, looking for all parents of the new row. The result-set is then inserted into the exploded table:

```

CREATE TRIGGER EXP#2_INS
AFTER INSERT ON hierarchy#2
REFERENCING NEW AS NNN
FOR EACH ROW MODE DB2SQL
  INSERT
    INTO exploded#2
    WITH temp(pkey, ckey, lvl) AS
      (SELECT NNN.keyy
       ,NNN.keyy
       ,0
      FROM hierarchy#2
      WHERE keyy = NNN.keyy
      UNION ALL
      SELECT N.pkey
       ,NNN.keyy
       ,T.lvl +1
      FROM temp T
      ,hierarchy#2 N
      WHERE N.keyy = T.pkey
      AND N.keyy <> N.pkey
    )
    SELECT *
    FROM temp;

```

HIERARCHY#2			EXPLODED#2		
KEYY	PKEY	DATA	PKEY	CKEY	LVL
AAA	AAA	S...	AAA	AAA	0
BBB	AAA	M...	AAA	BBB	1
CCC	BBB	M...	AAA	CCC	2
DDD	CCC	M...	AAA	DDD	3
EEE	BBB	J...	AAA	EEE	2

BBB	BBB	0	BBB	CCC	1
BBB	DDD	2	BBB	EEE	1
CCC	CCC	0	CCC	DDD	1
DDD	DDD	0	EEE	EEE	0

Figure 896, Trigger to maintain exploded table after insert in hierarchy table

The next trigger is run every time a PKEY value is updated in the hierarchy table. It deletes and then reinserts all rows pertaining to the updated object, and all its dependents. The code goes as follows:

Delete all rows that point to children of the row being updated. The row being updated is also considered to be a child.

In the following insert, first use recursion to get a list of all of the children of the row that has been updated. Then work out the relationships between all of these children and all of their parents. Insert this second result-set back into the exploded table.

```

CREATE TRIGGER EXP#2_UPD
AFTER UPDATE OF pkey ON hierarchy#2
REFERENCING OLD AS OOO
          NEW AS NNN
FOR EACH ROW MODE DB2SQL
BEGIN ATOMIC
  DELETE
  FROM exploded#2
  WHERE ckey IN
    (SELECT ckey
     FROM exploded#2
     WHERE pkey = OOO.keyy);
  INSERT
  INTO exploded#2
  WITH temp1(ckey) AS
    (VALUES (NNN.keyy)
    UNION ALL
    SELECT N.keyy
    FROM temp1 T
    ,hierarchy#2 N
    WHERE N.pkey = T.ckey
    AND N.pkey <> N.keyy
  )

```

Figure 897, Trigger to run after update of PKEY in hierarchy table (part 1 of 2)

```

,temp2(pkey, ckey, lvl) AS
  (SELECT ckey
   ,ckey
   ,0
  FROM temp1
 UNION ALL
  SELECT N.pkey
   ,T.ckey
   ,T.lvl +1
  FROM temp2      T
   ,hierarchy#2 N
 WHERE N.keyy = T.pkey
   AND N.keyy <> N.pkey
  )
SELECT *
  FROM temp2;
END

```

Figure 898, Trigger to run after update of PKEY in hierarchy table (part 2 of 2)

NOTE: The above trigger lacks a statement terminator because it contains atomic SQL, which means that the semi-colon can not be used. Choose anything you like.

Querying the Exploded Table

Once supplied with suitable indexes, the exploded table can be queried like any other table. It will always return the current state of the data in the related hierarchy table.

```

SELECT *
  FROM exploded#2
 WHERE pkey = :host-var
 ORDER BY pkey
   ,ckey
   ,lvl;

```

Figure 899, Querying the exploded table

Below are some suggested indexes:

- PKEY, CKEY (already defined as part of the primary key).
- CKEY, PKEY (useful when joining to this table).

Triggers

A trigger initiates an action whenever a row, or set of rows, is changed. The change can be either an insert, update or delete.

NOTE. The *DB2 Application Development Guide: Programming Server Applications* is an excellent source of information on using triggers. The *SQL Reference* has all the basics.

Trigger Syntax




Figure 900, Create Trigger syntax

Usage Notes

Trigger Types

- A BEFORE trigger is run before the row is changed. It is typically used to change the values being entered (e.g. set a field to the current date), or to flag an error. It cannot be used to initiate changes in other tables.
- An AFTER trigger is run after the row is changed. It can do everything a before trigger can do, plus modify data in other tables or systems (e.g. it can insert a row into an audit table after an update).
- An INSTEAD OF trigger is used in a view to do something instead of the action that the user intended (e.g. do an insert instead of an update). There can be only one instead of trigger per possible DML type on a given view.

NOTE: See the chapter titled "Retaining a Record" on page 351 for a sample application that uses INSTEAD OF triggers to record all changes to the data in a set of tables.

Action Type

- Each trigger applies to a single kind of DML action (i.e. insert, update, or delete). With the exception of instead of triggers, there can be as many triggers per action and per table as desired. An update trigger can be limited to changes to certain columns.

Object Type

- A table can have both BEFORE and AFTER triggers. The former have to be defined FOR EACH ROW.
- A view can have INSTEAD OF triggers (up to three - one per DML type).

Referencing

In the body of the trigger the object being changed can be referenced using a set of optional correlation names:

- OLD refers to each individual row before the change (does not apply to an insert).
- NEW refers to each individual row after the change (does not apply to a delete).
- OLD_TABLE refers to the set of rows before the change (does not apply to an insert).
- NEW_TABLE refers to the set of rows after the change (does not apply to a delete).

Application Scope

- A trigger defined FOR EACH STATEMENT is invoked once per statement.
- A trigger defined FOR EACH ROW is invoked once per individual row changed.

NOTE: If one defines two FOR EACH ROW triggers, the first is applied for all rows before the second is run. To do two separate actions per row, one at a time, one has to define a single trigger that includes the two actions in a single compound SQL statement.

When Check

One can optionally include some predicates so that the body of the trigger is only invoked when certain conditions are true.

Trigger Usage

A trigger can be invoked whenever one of the following occurs:

- A row in a table is inserted, updated, or deleted.
- An (implied) row in a view is inserted, updated, or deleted.
- A referential integrity rule on a related table causes a cascading change (i.e. delete or set null) to the triggered table.
- A trigger on an unrelated table or view is invoked - and that trigger changes rows in the triggered table.

If no rows are changed, a trigger defined FOR EACH ROW is not run, while a trigger defined FOR EACH STATEMENT is still run. To prevent the latter from doing anything when this happens, add a suitable WHEN check.

Trigger Examples

This section uses a set of simple sample tables to illustrate general trigger usage.

Sample Tables

```

CREATE TABLE cust_balance
(cust#      INTEGER          NOT NULL
,           GENERATED ALWAYS AS IDENTITY
,status     CHAR(2)          NOT NULL
,balance    DECIMAL(18,2)    NOT NULL
,num_trans  INTEGER          NOT NULL
,cur_ts    TIMESTAMP         NOT NULL
,PRIMARY KEY (cust#));

CREATE TABLE cust_history
(cust#      INTEGER          NOT NULL
,trans#    INTEGER          NOT NULL
,balance   DECIMAL(18,2)    NOT NULL
,bgn_ts    TIMESTAMP        NOT NULL
,end_ts   TIMESTAMP        NOT NULL
,PRIMARY KEY (cust#, bgn_ts));

CREATE TABLE cust_trans
(min_cust#  INTEGER          NOT NULL
,max_cust#  INTEGER          NOT NULL
,rows_tot   INTEGER          NOT NULL
,change_val  DECIMAL(18,2)
,change_type CHAR(1)          NOT NULL
,cur_ts    TIMESTAMP         NOT NULL
,PRIMARY KEY (cur_ts));

```

Figure 901, Sample Tables

Every state of a row in the balance table will be recorded in the history table.

Every valid change to the balance table will be recorded in the transaction table.

Before Row Triggers - Set Values

The first trigger below overrides whatever the user enters during the insert, and before the row is inserted, sets both the cur-ts and number-of-trans columns to their correct values:

```

CREATE TRIGGER cust_bal_ins1
NO CASCADE BEFORE INSERT
ON cust_balance
REFERENCING NEW AS nnn
FOR EACH ROW
MODE DB2SQL
    SET nnn.cur_ts    = CURRENT TIMESTAMP
    ,nnn.num_trans = 1;

```

Figure 902, Before insert trigger - set values

The following trigger does the same before an update:

```

CREATE TRIGGER cust_bal_upd1
NO CASCADE BEFORE UPDATE
ON cust_balance
REFERENCING NEW AS nnn
          OLD AS ooo
FOR EACH ROW
MODE DB2SQL
    SET nnn.cur_ts    = CURRENT TIMESTAMP
    ,nnn.num_trans = ooo.num_trans + 1;

```

Figure 903, Before update trigger - set values

Before Row Trigger - Signal Error

The next trigger will flag an error (and thus fail the update) if the customer balance is reduced by too large a value:

```
CREATE TRIGGER cust_bal_upd2
NO CASCADE BEFORE UPDATE OF balance
ON cust_balance
REFERENCING NEW AS nnn
          OLD AS ooo
FOR EACH ROW
MODE DB2SQL
WHEN (ooo.balance - nnn.balance > 1000)
      SIGNAL SQLSTATE VALUE '71001'
      SET MESSAGE_TEXT = 'Cannot withdraw > 1000';
```

Figure 904, Before Trigger - flag error

After Row Triggers - Record Data States

The three triggers in this section record the state of the data in the customer table. The first is invoked after each insert. It records the new data in the customer-history table:

```
CREATE TRIGGER cust_his_ins1
AFTER INSERT
ON cust_balance
REFERENCING NEW AS nnn
FOR EACH ROW
MODE DB2SQL
INSERT INTO cust_history VALUES
(nn.nnn.cust#
,nnn.num_trans
,nnn.balance
,nnn.cur_ts
,'9999-12-31-24.00.00');
```

Figure 905, After Trigger - record insert

The next trigger is invoked after every update of a row in the customer table. It first runs an update (of the old history row), and then does an insert. Because this trigger uses a compound SQL statement, it cannot use the semi-colon as the statement delimiter:

```
CREATE TRIGGER cust_his_upd1
AFTER UPDATE
ON cust_balance
REFERENCING OLD AS ooo
          NEW AS nnn
FOR EACH ROW
MODE DB2SQL
BEGIN ATOMIC
    UPDATE cust_history
    SET end_ts = CURRENT TIMESTAMP
    WHERE cust# = ooo.cust#
      AND bgn_ts = ooo.cur_ts;
    INSERT INTO cust_history VALUES
(nn.nnn.cust#
,nnn.num_trans
,nnn.balance
,nnn.cur_ts
,'9999-12-31-24.00.00');
END
```

Figure 906, After Trigger - record update

Notes

- The above trigger relies on the fact that the customer-number cannot change (note: it is generated always) to link the two rows in the history table together. In other words, the old row will always have the same customer-number as the new row.
- The above also trigger relies on the presence of the cust_bal_upd1 before trigger (see page 335) to set the nnn.cur_ts value to the current timestamp.

The final trigger records a delete by doing an update to the history table:

```
CREATE TRIGGER cust_his_dell
AFTER DELETE
ON cust_balance
REFERENCING OLD AS ooo
FOR EACH ROW
MODE DB2SQL
    UPDATE cust_history
    SET end_ts = CURRENT TIMESTAMP
    WHERE cust# = ooo.cust#
        AND bgn_ts = ooo.cur_ts;
```

Figure 907, After Trigger - record delete

After Statement Triggers - Record Changes

The following three triggers record every type of change (i.e. insert, update, or delete) to any row, or set of rows (including an empty set) in the customer table. They all run an insert that records the type and number of rows changed:

```
CREATE TRIGGER trans_his_ins1
AFTER INSERT
ON cust_balance
REFERENCING NEW_TABLE AS newtab
FOR EACH STATEMENT
MODE DB2SQL
    INSERT INTO cust_trans
    SELECT MIN(cust#)
        ,MAX(cust#)
        ,COUNT(*)
        ,SUM(balance)
        , 'I'
        ,CURRENT TIMESTAMP
    FROM newtab;
```

Figure 908, After Trigger - record insert

```
CREATE TRIGGER trans_his_upd1
AFTER UPDATE
ON cust_balance
REFERENCING OLD_TABLE AS oldtab
    NEW_TABLE AS newtab
FOR EACH STATEMENT
MODE DB2SQL
    INSERT INTO cust_trans
    SELECT MIN(nt.cust#)
        ,MAX(nt.cust#)
        ,COUNT(*)
        ,SUM(nt.balance - ot.balance)
        , 'U'
        ,CURRENT TIMESTAMP
    FROM oldtab ot
        ,newtab nt
    WHERE ot.cust# = nt.cust#;
```

Figure 909, After Trigger - record update

```

CREATE TRIGGER trans_his_dell
AFTER DELETE
ON cust_balance
REFERENCING OLD_TABLE AS oldtab
FOR EACH STATEMENT
MODE DB2SQL
    INSERT INTO cust_trans
    SELECT  MIN(cust#)
           ,MAX(cust#)
           ,COUNT(*)
           ,SUM(balance)
           ,'D'
           ,CURRENT TIMESTAMP
    FROM    oldtab;

```

*Figure 910, After Trigger - record delete***Notes**

- If the DML statement changes no rows, the OLD or NEW table referenced by the trigger will be empty, but still exist, and a SELECT COUNT(*) on the (empty) table will return a zero, which will then be inserted.
- Any DML statements that failed (e.g. stopped by the before trigger), or that were subsequently rolled back, will not be recorded in the transaction table.

Examples of Usage

The following DML statements were run against the customer table:

```

INSERT INTO cust_balance (status, balance) VALUES ('C',123.45);
INSERT INTO cust_balance (status, balance) VALUES ('C',000.00);
INSERT INTO cust_balance (status, balance) VALUES ('D', -1.00);

UPDATE cust_balance
SET    balance = balance + 123
WHERE   cust#  <= 2;

UPDATE cust_balance
SET    balance = balance * -1
WHERE   cust#  = -1;

UPDATE cust_balance
SET    balance = balance - 123
WHERE   cust#  = 1;

DELETE
FROM   cust_balance
WHERE  cust# = 3;

```

*Figure 911, Sample DML statements***Tables After DML**

At the end of the above, the three tables had the following data:

CUST#	STATUS	BALANCE	NUM_TRANS	CUR_TS
1	C	123.45	3	2005-05-31-19.58.46.096000
2	C	123.00	2	2005-05-31-19.58.46.034000

Figure 912, Customer-balance table rows

CUST#	TRANS#	BALANCE	BGN_TS	END_TS
1	1	123.45	2005-05-31-19.58.45.971000	2005-05-31-19.58.46.034000
1	2	246.45	2005-05-31-19.58.46.034000	2005-05-31-19.58.46.096000
1	3	123.45	2005-05-31-19.58.46.096000	9999-12-31-24.00.00.000000
2	1	0.00	2005-05-31-19.58.45.987000	2005-05-31-19.58.46.034000
2	2	123.00	2005-05-31-19.58.46.034000	9999-12-31-24.00.00.000000
3	1	-1.00	2005-05-31-19.58.46.003000	2005-05-31-19.58.46.096003

Figure 913, Customer-history table rows

MIN_CUST#	MAX_CUST#	ROWS	CHANGE_VAL	CHANGE_TYPE	CUR_TS
1	1	1	123.45	I	2005-05-31-19.58.45.971000
2	2	1	0.00	I	2005-05-31-19.58.45.987000
3	3	1	-1.00	I	2005-05-31-19.58.46.003000
1	2	2	246.00	U	2005-05-31-19.58.46.034000
-	-	0	-	U	2005-05-31-19.58.46.065000
1	1	1	-123.00	U	2005-05-31-19.58.46.096000
3	3	1	1.00	D	2005-05-31-19.58.46.096003

Figure 914, Customer-transaction table rows

Protecting Your Data

There is no use having a database if the data in it is not valid. This chapter introduces some of the tools that exist in DB2 to enable one to ensure the validity of the data in your application.

Issues Covered

- Enforcing field uniqueness.
- Enforcing field value ranges.
- Generating key and values.
- Maintaining summary columns.
- Enforcing relationships between and within tables.
- Creating columns that have current timestamp of last change.

Issues Not Covered

- Data access authorization.
- Recovery and backup.

Sample Application

Consider the following two tables, which make up a very simple application:

```
CREATE TABLE customer_balance
(cust_id          INTEGER
,cust_name        VARCHAR(20)
,cust_sex         CHAR(1)
,num_sales       SMALLINT
,total_sales     DECIMAL(12, 2)
,master_cust_id  INTEGER
,cust_insert_ts   TIMESTAMP
,cust_update_ts   TIMESTAMP);

CREATE TABLE us_sales
(invoice#        INTEGER
,cust_id          INTEGER
,sale_value       DECIMAL(18, 2)
,sale_insert_ts   TIMESTAMP
,sale_update_ts   TIMESTAMP);
```

Figure 915, Sample application tables

Customer Balance Table

We want DB2 to enforce the following business rules:

- CUST_ID will be a unique positive integer value, always ascending, never reused, and automatically generated by DB2. This field cannot be updated by a user.
- CUST_NAME has the customer name. It can be anything, but not blank.
- CUST_SEX must be either "M" or "F".

- NUM_SALES will have a count of the sales (for the customer), as recorded in the related US-sales table. The value will be automatically maintained by DB2. It cannot be updated directly by a user.
- TOTAL_SALES will have the sum sales (in US dollars) for the customer. The value will be automatically updated by DB2. It cannot be updated directly by a user.
- MASTER_CUST_ID will have, if there exists, the customer-ID of the customer that this customer is a dependent of. If there is no master customer, the value is null. If the master customer is deleted, this row will also be deleted (if possible).
- CUST_INSERT_TS has the timestamp when the row was inserted. The value is automatically generated by DB2. Any attempt to change will induce an error.
- CUST_UPDATE_TS has the timestamp when the row, or a dependent US_SALES row, was last updated by a user. The value is automatically generated by DB2. Any attempt to change directly will induce an error.
- A row can only be deleted when there are no corresponding rows in the US-sales table (i.e. for the same customer).

US Sales Table

We want DB2 to enforce the following business rules:

- INVOICE#: will be a unique ascending integer value. The uniqueness will apply to the US-sales table, plus any international sales tables (i.e. to more than one table).
- CUST_ID is the customer ID, as recorded in the customer-balance table. No row can be inserted into the US-sales table except that there is a corresponding row in the customer-balance table. Once inserted, this value cannot be updated.
- SALE_VALUE is the value of the sale, in US dollars. When a row is inserted, this value is added to the related total-sales value in the customer-balance table. If the value is subsequently updated, the total-sales value is maintained in sync.
- SALE_INSERT_TS has the timestamp when the row was inserted. The value is automatically generated by DB2. Any attempt to change will induce an error.
- SALE_UPDATE_TS has the timestamp when the row was last updated. The value is automatically generated by DB2. Any attempt to change will induce an error.
- Deleting a row from the US-sales table has no impact on the customer-balance table (i.e. the total-sales is not decremented). But a row can only be deleted from the latter when there are no more related rows in the US-sales table.

Enforcement Tools

To enforce the above business rules, we are going to have to use:

- Unique indexes.
- Secondary non-unique indexes (needed for performance).
- Primary and foreign key definitions.
- User-defined distinct data types.
- Nulls-allowed and not-null columns.

- Column value constraint rules.
- Before and after triggers.
- Generated row change timestamps.

Distinct Data Types

Two of the fields are to contain US dollars, the implication being the data in these columns should not be combined with columns that contain Euros, or Japanese Yen, or my shoe size. To this end, we will define a distinct data type for US dollars:

```
CREATE DISTINCT TYPE us_dollars AS decimal(18,2) WITH COMPARISONS;
```

Figure 916, Create US-dollars data type

See page 31 for a more detailed discussion of this topic.

Customer-Balance Table

Now that we have defined the data type, we can create our first table:

```
CREATE TABLE customer_balance
(cust_id          INTEGER      NOT NULL
             GENERATED ALWAYS AS IDENTITY
               (START WITH 1
                ,INCREMENT BY 1
                ,NO CYCLE
                ,NO CACHE)
,cust_name        VARCHAR(20)   NOT NULL
,cust_sex         CHAR(1)       NOT NULL
,num_sales        SMALLINT     NOT NULL
,total_sales      us_dollars   NOT NULL
,master_cust_id  INTEGER      NOT NULL
,cust_insert_ts   TIMESTAMP    NOT NULL
,cust_update_ts   TIMESTAMP    NOT NULL
,PRIMARY KEY      (cust_id)
,CONSTRAINT c1 CHECK (cust_name    <> '')
,CONSTRAINT c2 CHECK (cust_sex     = 'F'
                      OR cust_sex     = 'M')
,CONSTRAINT c3 FOREIGN KEY (master_cust_id)
                      REFERENCES customer_balance (cust_id)
                      ON DELETE CASCADE);
```

Figure 917, Customer-Balance table DDL

The following business rules are enforced above:

- The customer-ID is defined as an identity column (see page 277), which means that the value is automatically generated by DB2 using the rules given. The field cannot be updated by the user.
- The customer-ID is defined as the primary key, which automatically generates a unique index on the field, and also enables us to reference the field using a referential integrity rule. Being a primary key prevents updates, but we had already prevented them because the field is an identity column.
- The total-sales column uses the type us-dollars.
- Constraints C1 and C2 enforce two data validation rules.
- Constraint C3 relates the current row to a master customer, if one exists. Furthermore, if the master customer is deleted, this row is also deleted.

- All of the columns, except for the master-customer-id, are defined as NOT NULL, which means that a value must be provided.

We still have several more business rules to enforce - relating to automatically updating fields and/or preventing user updates. These will be enforced using triggers.

US-Sales Table

Now for the related US-sales table:

```

CREATE TABLE us_sales
  (invoice#           INTEGER      NOT NULL
   ,cust_id            INTEGER      NOT NULL
   ,sale_value          us_dollars  NOT NULL
   ,sale_insert_ts     TIMESTAMP    NOT NULL
   ,sale_update_ts     TIMESTAMP    NOT NULL
                                GENERATED ALWAYS
                                FOR EACH ROW ON UPDATE
                                AS ROW CHANGE TIMESTAMP
   ,PRIMARY KEY        (invoice#)
   ,CONSTRAINT u1 CHECK (sale_value > us_dollars(0))
   ,CONSTRAINT u2 FOREIGN KEY (cust_id)
                                REFERENCES customer_balance
                                ON DELETE RESTRICT);
COMMIT;

CREATE INDEX us_sales_cust ON us_sales (cust_id);

```

Figure 918, US-Sales table DDL

The following business rules are enforced above:

- The invoice# is defined as the primary key, which automatically generates a unique index on the field, and also prevents updates.
- The sale-value uses the type us-dollars.
- Constraint U1 checks that the sale-value is always greater than zero.
- Constraint U2 checks that the customer-ID exists in the customer-balance table, and also prevents rows from being deleted from the latter if there is a related row in this table.
- All of the columns are defined as NOT NULL, so a value must be provided for each.
- A secondary non-unique index is defined on customer-ID, so that deletes to the customer-balance table (which require checking this table for related customer-ID rows) are as efficient as possible.
- The CUST_UPDATE_TS column is generated always (by DB2) and gets a unique value that is the current timestamp.

Generated Always Timestamp Columns

A TIMESTAMP column that is defined as GENERATED ALWAYS will get a value that is unique for all rows in the table. This value will usually be the CURRENT TIMESTAMP of the last insert or update of the row. However, if more than row was inserted or updated in a single stmt, the secondary rows (updated) will get a value that is equal to the CURRENT TIMESTAMP special register, plus "n" microseconds, where "n" goes up in steps of 1.

One consequence of the above logic is that some rows changed will get a timestamp value that is ahead of the CURRENT TIMESTAMP special register. This can cause problems if one is relying on this value to find all rows that were changed before the start of the query. To illus-

trate, imagine that one inserted multiple rows (in a single insert) into the US_SALES table, and then immediately ran the following query:

```
SELECT      *
FROM        us_sales
WHERE       sale_update_ts <= CURRENT TIMESTAMP;
```

Figure 919, Select run after multi-row insert

In some environments (e.g. Windows) the CURRENT TIMESTAMP special register value may be the same from one stmt to the next. If this happens, the above query will find the first row just inserted, but not any subsequent rows, because their SALE_UPDATE_TS value will be greater than the CURRENT TIMESTAMP special register.

Certain restrictions apply:

- Only one TIMESTAMP column can be defined GENERATED ALWAYS per table. The column must be defined NOT NULL.
- The TIMESTAMP column is updated, even if no other value in the row changes. So if one does an update that sets SALE_VALUE = SALE_VALUE + 0, the SALE_UPDATE_TS column will be updated on all matching rows.

The ROW CHANGE TIMESTAMP special register can be used get the last time that the row was updated, even when one does not know the name of the column that holds this data:

```
SELECT      ROW CHANGE TIMESTAMP FOR us_sales
FROM        us_sales
WHERE       invoice# = 5;
```

Figure 920, Row change timestamp usage

The (unique) TIMESTAMP value obtained above can be used to validate that the target row has not been updated when a subsequent UPDATE is done:

```
UPDATE      us_sales
SET         sale_value = DECIMAL(sale_value) + 1
WHERE       invoice#   = 5
AND        ROW CHANGE TIMESTAMP for us_sales = '2007-11-10-01.02.03';
```

Figure 921, Update that checks for intervening updates

Triggers

Triggers can sometimes be quite complex little programs. If coded incorrectly, they can do an amazing amount of damage. As such, it pays to learn quite a lot before using them. Below are some very brief notes, but please refer to the official DB2 documentation for a more detailed description. See also page 333 for a brief chapter on triggers.

Individual triggers are defined on a table, and for a particular type of DML statement:

- Insert.
- Update.
- Delete.

A trigger can be invoked once per:

- Row changed.
- Statement run.

A trigger can be invoked:

- Before the change is made.
- After the change is made.

Before triggers change input values before they are entered into the table and/or flag an error. After triggers do things after the row is changed. They may make more changes (to the target table, or to other tables), induce an error, or invoke an external program. SQL statements that select the changes made by DML (see page 71) cannot see the changes made by an after trigger if those changes impact the rows just changed.

The action of one "after" trigger can invoke other triggers, which may then invoke other triggers, and so on. Before triggers cannot do this because they can only act upon the input values of the DML statement that invoked them.

When there are multiple triggers for a single table/action, each trigger is run for all rows before the next trigger is invoked - even if defined "for each row". Triggers are invoked in the order that they were created.

Customer-Balance - Insert Trigger

For each row inserted into the Customer-Balance table we need to do the following:

- Set the num-sales to zero.
- Set the total-sales to zero.
- Set the update-timestamp to the current timestamp.
- Set the insert-timestamp to the current timestamp.

All of this can be done using a simple before trigger:

```
CREATE TRIGGER cust_balance_ins1
NO CASCADE BEFORE INSERT
ON customer_balance
REFERENCING NEW AS nnn
FOR EACH ROW
MODE DB2SQL
SET nnn.num_sales      = 0
,nnn.total_sales     = 0
,nnn.cust_insert_ts = CURRENT TIMESTAMP
,nnn.cust_update_ts = CURRENT TIMESTAMP;
```

Figure 922, Set values during insert

Customer-Balance - Update Triggers

For each row updated in the Customer-Balance table we need to do:

- Set the update-timestamp to the current timestamp.
- Prevent updates to the insert-timestamp, or sales fields.

We can use the following trigger to maintain the update-timestamp:

```
CREATE TRIGGER cust_balance_upd1
NO CASCADE BEFORE UPDATE OF cust_update_ts
ON customer_balance
REFERENCING NEW AS nnn
FOR EACH ROW
MODE DB2SQL
SET nnn.cust_update_ts = CURRENT TIMESTAMP;
```

Figure 923, Set update-timestamp during update

We can prevent updates to the insert-timestamp with the following trigger:

```

CREATE TRIGGER cust_balance_upd2
NO CASCADE BEFORE UPDATE OF cust_insert_ts
ON customer_balance
FOR EACH ROW
MODE DB2SQL
SIGNAL SQLSTATE VALUE '71001'
      SET MESSAGE_TEXT = 'Cannot update CUST insert-ts';

```

Figure 924, Prevent update of insert-timestamp

We don't want users to update the two sales counters directly. But the two fields do have to be updated (by a trigger) whenever there is a change to the us-sales table. The solution is to have a trigger that prevents updates if there is no corresponding row in the us-sales table where the update-timestamp is greater than or equal to the current timestamp:

```

CREATE TRIGGER cust_balance_upd3
NO CASCADE BEFORE UPDATE OF num_sales, total_sales
ON customer_balance
REFERENCING NEW AS nnn
FOR EACH ROW
MODE DB2SQL
WHEN (CURRENT TIMESTAMP >
      (SELECT MAX(sss.sale_update_ts)
       FROM us_sales sss
       WHERE nnn.cust_id = sss.cust_id))
SIGNAL SQLSTATE VALUE '71001'
      SET MESSAGE_TEXT = 'Fields only updated via US-Sales';

```

Figure 925, Prevent update of sales fields

US-Sales - Insert Triggers

For each row inserted into the US-sales table we need to do the following:

- Determine the invoice-number, which is unique over multiple tables.
- Set the update-timestamp to the current timestamp.
- Set the insert-timestamp to the current timestamp.
- Add the sale-value to the existing total-sales in the customer-balance table.
- Increment the num-sales counter in the customer-balance table.

The invoice-number is supposed to be unique over several tables, so we cannot generate it using an identity column. Instead, we have to call the following external sequence:

```

CREATE SEQUENCE us_sales_seq
AS INTEGER
START WITH 1
INCREMENT BY 1
NO CYCLE
NO CACHE
ORDER;

```

Figure 926, Define sequence

Once we have the above, the following trigger will take care of the first three items:

```

CREATE TRIGGER us_sales_ins1
NO CASCADE BEFORE INSERT
ON us_sales
REFERENCING NEW AS nnn
FOR EACH ROW
MODE DB2SQL
SET nnn.invoice#      = NEXTVAL FOR us_sales_seq
,nnn.sale_insert_ts = CURRENT TIMESTAMP;

```

Figure 927, Insert trigger

We need to use an "after" trigger to maintain the two related values in the Customer-Balance table. This will invoke an update to change the target row:

```
CREATE TRIGGER sales_to_cust_ins1
AFTER INSERT
ON us_sales
REFERENCING NEW AS nnn
FOR EACH ROW
MODE DB2SQL
UPDATE customer_balance ccc
SET    ccc.num_sales      = ccc.num_sales + 1
       ,ccc.total_sales   = DECIMAL(ccc.total_sales) +
                           DECIMAL(nnn.sale_value)
WHERE  ccc.cust_id        = nnn.cust_id;
```

Figure 928, Propagate change to Customer-Balance table

US-Sales - Update Triggers

For each row updated in the US-sales table we need to do the following:

- Prevent the customer-ID or insert-timestamp from being updated.
- Propagate the change to the sale-value to the total-sales in the customer-balance table.

The next trigger prevents updates to the Customer-ID and insert-timestamp:

```
CREATE TRIGGER us_sales_upd2
NO CASCADE BEFORE UPDATE OF cust_id, sale_insert_ts
ON us_sales
FOR EACH ROW
MODE DB2SQL
SIGNAL SQLSTATE VALUE '71001'
      SET MESSAGE_TEXT = 'Can only update sale_value';
```

Figure 929, Prevent updates to selected columns

We need to use an "after" trigger to maintain sales values in the Customer-Balance table:

```
CREATE TRIGGER sales_to_cust_upd1
AFTER UPDATE OF sale_value
ON us_sales
REFERENCING NEW AS nnn
          OLD AS ooo
FOR EACH ROW
MODE DB2SQL
UPDATE customer_balance ccc
SET    ccc.total_sales = DECIMAL(ccc.total_sales) -
                           DECIMAL(ooo.sale_value) +
                           DECIMAL(nnn.sale_value)
WHERE  ccc.cust_id      = nnn.cust_id;
```

Figure 930, Propagate change to Customer-Balance table

Conclusion

The above application will now have logically consistent data. There is, of course, nothing to prevent an authorized user from deleting all rows, but whatever rows are in the two tables will obey the business rules that we specified at the start.

Tools Used

- Primary key - to enforce uniqueness, prevent updates, enable referential integrity.
- Unique index - to enforce uniqueness.
- Non-unique index - for performance during referential integrity check.

- Sequence object - to automatically generate key values for multiple tables.
- Identity column - to automatically generate key values for 1 table.
- Not-null columns - to prevent use of null values.
- Column constraints - to enforce basic domain-range rules.
- Distinct types - to prevent one type of data from being combined with another type.
- Referential integrity - to enforce relationships between rows/tables, and to enable cascading deletes when needed.
- Before triggers - to prevent unwanted changes and set certain values.
- After triggers - to propagate valid changes.
- Automatically generated timestamp value that is always the current timestamp or (in the case of a multi-row update), the current timestamp plus a few microseconds.

Retaining a Record

This chapter will describe a rather complex table/view/trigger schema that will enable us to offer several features that are often asked for:

- Record every change to the data in an application (auditing).
- Show the state of the data, as it was, at any point in the past (historical analysis).
- Follow the sequence of changes to any item (e.g. customer) in the database.
- Do "what if" analysis by creating virtual copies of the real world, and then changing them as desired, without affecting the real-world data.

Some sample code to illustrate the above concepts will be described below. A more complete example is available from my website.

Schema Design

Recording Changes

Below is a very simple table that records relevant customer data:

```
CREATE TABLE customer
(cust#      INTEGER      NOT NULL
,cust_name   CHAR(10)
,cust_mgr    CHAR(10)
,PRIMARY KEY(cust#));
```

Figure 931, Customer table

One can insert, update, and delete rows in the above table. The latter two actions destroy data, and so are incompatible with using this table to see all (prior) states of the data.

One way to record all states of the above table is to create a related customer-history table, and then to use triggers to copy all changes in the main table to the history table. Below is one example of such a history table:

```
CREATE TABLE customer_his
(cust#      INTEGER      NOT NULL
,cust_name   CHAR(10)
,cust_mgr    CHAR(10)
,cur_ts     TIMESTAMP    NOT NULL
,cur_actn   CHAR(1)
,cur_user   VARCHAR(10)  NOT NULL
,prv_cust#  INTEGER
,prv_ts     TIMESTAMP
,PRIMARY KEY(cust#,cur_ts));

CREATE UNIQUE INDEX customer_his_x1 ON customer_his
(cust#, prv_ts, cur_ts);
```

Figure 932, Customer-history table

NOTE: The secondary index shown above will make the following view processing, which looks for a row that replaces the current, much more efficient.

Table Design

The history table has the same fields as the original Customer table, plus the following:

- CUR-TS: The current timestamp of the change.
- CUR-ACTN: The type of change (i.e. insert, update, or delete).
- CUR-USER: The user who made the change (for auditing purposes).
- PRV-CUST#: The previous customer number. This field enables one follow the sequence of changes for a given customer. The value is null if the action is an insert.
- PRV-TS: The timestamp of the last time the row was changed (null for inserts).

Observe that this history table does not have an end-timestamp. Rather, each row points back to the one that it (optionally) replaces. One advantage of such a schema is that there can be a many-to-one relationship between any given row, and the row, or rows, that replace it. When we add versions into the mix, this will become important.

Triggers

Below is the relevant insert trigger. It replicates the new customer row in the history table, along with the new fields. Observe that the two "previous" fields are set to null:

```
CREATE TRIGGER customer_ins
AFTER
INSERT ON customer
REFERENCING NEW AS nnn
FOR EACH ROW
MODE DB2SQL
    INSERT INTO customer_his VALUES
    (nnn.cust#
     ,nnn.cust_name
     ,nnn.cust_mgr
     ,CURRENT_TIMESTAMP
     ,'I'
     ,USER
     ,NULL
     ,NULL);
```

Figure 933, Insert trigger

Below is the update trigger. Because the customer table does not have a record of when it was last changed, we have to get this value from the history table - using a sub-query to find the most recent row:

```
CREATE TRIGGER customer_upd
AFTER
UPDATE ON customer
REFERENCING NEW AS nnn
          OLD AS ooo
FOR EACH ROW
MODE DB2SQL
    INSERT INTO customer_his VALUES
    (nnn.cust#
     ,nnn.cust_name
     ,nnn.cust_mgr
     ,CURRENT_TIMESTAMP
     ,'U'
     ,USER
     ,ooo.cust#
     ,(SELECT MAX(cur_ts)
        FROM   customer_his hhh
        WHERE  ooo.cust# = hhh.cust#));
```

Figure 934, Update trigger

Below is the delete trigger. It is similar to the update trigger, except that the action is different and we are under no obligation to copy over the old non-key-data columns - but we can if we wish:

```
CREATE TRIGGER customer_del
AFTER
DELETE ON customer
REFERENCING OLD AS ooo
FOR EACH ROW
MODE DB2SQL
    INSERT INTO customer_his VALUES
    (ooo.cust#
     ,NULL
     ,NULL
     ,CURRENT TIMESTAMP
     ,'D'
     ,USER
     ,ooo.cust#
     ,(SELECT MAX(cur_ts)
        FROM customer_his hhh
        WHERE ooo.cust# = hhh.cust#));
;
```

Figure 935, Delete trigger

Views

We are now going to define a view that will let the user query the customer-history table - as if it were the ordinary customer table, but to look at the data as it was at any point in the past. To enable us to hide all the nasty SQL that is required to do this, we are going to ask that the user first enter a row into a profile table that has two columns:

- The user's DB2 USER value.
- The point in time at which the user wants to see the customer data.

Here is the profile table definition:

```
CREATE TABLE profile
(user_id      VARCHAR(10)    NOT NULL
,bgn_ts       TIMESTAMP      NOT NULL DEFAULT '9999-12-31-24.00.00'
,PRIMARY KEY(user_id));
```

Figure 936, Profile table

Below is a view that displays the customer data, as it was at the point in time represented by the timestamp in the profile table. The view shows all customer-history rows, as long as:

- The action was not a delete.
- The current-timestamp is \leq the profile timestamp.
- There does not exist any row that "replaces" the current row (and that row has a current timestamp that is \leq to the profile timestamp).

Now for the code:

```

CREATE VIEW customer_vw AS
SELECT hhh.*,
       ,ppp.bgn_ts
  FROM   customer_his hhh
         ,profile      ppp
 WHERE  ppp.user_id    = USER
    AND hhh.cur_ts     <= ppp.bgn_ts
    AND hhh.cur_actn  <> 'D'
    AND NOT EXISTS
        (SELECT *
           FROM   customer_his nnn
          WHERE  nnn.prv_cust# = hhh.cust#
                 AND nnn.prv_ts    = hhh.cur_ts
                 AND nnn.cur_ts    <= ppp.bgn_ts);

```

Figure 937, View of Customer history

The above sample schema shows just one table, but it can easily be extended to support every table in a very large application. One could even write some scripts to make the creation of the history tables, triggers, and views, all but automatic.

Limitations

The above schema has the following limitations:

- Every data table has to have a unique key.
- The cost of every insert, update, and delete, is essentially doubled.
- Data items that are updated very frequently (e.g. customer daily balance) may perform poorly when queried because many rows will have to be processed in order to find the one that has not been replaced.
- The view uses the USER special register, which may not be unique per actual user.

Multiple Versions of the World

The next design is similar to the previous, but we are also going to allow users to both see and change the world - as it was in the past, and as it is now, without affecting the real-world data. These extra features require a much more complex design:

- We cannot use a base table and a related history table, as we did above. Instead we have just the latter, and use both views and INSTEAD OF triggers to make the users think that they are really seeing and/or changing the former.
- We need a version table - to record when the data in each version (i.e. virtual copy of the real world) separates from the real world data.
- Data integrity features, like referential integrity rules, have to be hand-coded in triggers, rather than written using standard DB2 code.

Version Table

The following table has one row per version created:

```

CREATE TABLE version
  (vrsn          INTEGER      NOT NULL
   ,vrsn_bgn_ts  TIMESTAMP    NOT NULL
   ,CONSTRAINT version1 CHECK(vrsn >= 0)
   ,CONSTRAINT version2 CHECK(vrsn < 10000000000)
   ,PRIMARY KEY(vrsn));

```

Figure 938, Version table

The following rules apply to the above:

- Each version has a unique number. Up to one billion can be created.
- Each version must have a begin-timestamp, which records at what point in time it separates from the real world. This value must be \leq the current time.
- Rows cannot be updated or deleted in this table - only inserted. This rule is necessary to ensure that we can always trace all changes - in every version.
- The real-world is deemed to have a version number of zero, and a begin-timestamp value of high-values.

Profile Table

The following profile table has one row per user (i.e. USER special register) that reads from or changes the data tables. It records what version the user is currently using (note: the version timestamp data is maintained using triggers):

```
CREATE TABLE profile
  (user_id      VARCHAR(10)    NOT NULL
   ,vrsn        INTEGER        NOT NULL
   ,vrsn_bgn_ts TIMESTAMP      NOT NULL
   ,CONSTRAINT profile1 FOREIGN KEY(vrsn)
                                REFERENCES version(vrsn)
                                ON DELETE RESTRICT
   ,PRIMARY KEY(user_id));
```

Figure 939, Profile table

Customer (data) Table

Below is a typical data table. This one holds customer data:

```
CREATE TABLE customer_his
  (cust#       INTEGER        NOT NULL
   ,cust_name   CHAR(10)      NOT NULL
   ,cust_mgr    CHAR(10)      NOT NULL
   ,cur_ts      TIMESTAMP     NOT NULL
   ,cur_vrsn   INTEGER        NOT NULL
   ,cur_actn   CHAR(1)       NOT NULL
   ,cur_user   VARCHAR(10)    NOT NULL
   ,prv_cust#  INTEGER
   ,prv_ts     TIMESTAMP
   ,prv_vrsn  INTEGER
   ,CONSTRAINT customer1 FOREIGN KEY(cur_vrsn)
                                REFERENCES version(vrsn)
                                ON DELETE RESTRICT
   ,CONSTRAINT customer2 CHECK(cur_actn IN ('I','U','D'))
   ,PRIMARY KEY(cust#,cur_vrsn,cur_ts));

CREATE INDEX customer_x2 ON customer_his
  (prv_cust#
   ,prv_ts
   ,prv_vrsn);
```

Figure 940, Customer table

Note the following:

- The first three fields are the only ones that the user will see.
- The users will never update this table directly. They will make changes to a view of the table, which will then invoke INSTEAD OF triggers.
- The foreign key check (on version) can be removed - if it is forbidden to ever delete any version. This check stops the removal of versions that have changed data.

- The constraint on CUR_ACTN is just a double-check - to make sure that the triggers that will maintain this table do not have an error. It can be removed, if desired.
- The secondary index will make the following view more efficient.

The above table has the following hidden fields:

- CUR-TS: The current timestamp of the change.
- CUR-VRSN: The version in which change occurred. Zero implies reality.
- CUR-ACTN: The type of change (i.e. insert, update, or delete).
- CUR-USER: The user who made the change (for auditing purposes).
- PRV-CUST#: The previous customer number. This field enables one follow the sequence of changes for a given customer. The value is null if the action is an insert.
- PRV-TS: The timestamp of the last time the row was changed (null for inserts).
- PRV-VRNS: The version of the row being replaced (null for inserts).

Views

The following view displays the current state of the data in the above customer table - based on the version that the user is currently using:

```

CREATE VIEW customer_vw AS
SELECT *
FROM   customer_his hhh
       ,profile     ppp
WHERE  ppp.user_id    =  USER
       AND hhh.cur_actn <> 'D'
       AND ((ppp.vrsn      =  0
              AND hhh.cur_vrsn =  0)
              OR (ppp.vrsn      >  0
                  AND hhh.cur_vrsn =  0
                  AND hhh.cur_ts   <  ppp.vrsn_bgn_ts)
              OR (ppp.vrsn      >  0
                  AND hhh.cur_vrsn =  ppp.vrsn))
       AND NOT EXISTS
          (SELECT *
           FROM   customer_his nnn
           WHERE  nnn.prv_cust# =  hhh.cust#
                  AND nnn.prv_ts   =  hhh.cur_ts
                  AND nnn.prv_vrsn =  hhh.cur_vrsn
                  AND ((ppp.vrsn      =  0
                         AND nnn.cur_vrsn =  0)
                         OR (ppp.vrsn      >  0
                             AND nnn.cur_vrsn =  0
                             AND nnn.cur_ts   <  ppp.vrsn_bgn_ts)
                         OR (ppp.vrsn      >  0
                             AND nnn.cur_vrsn =  ppp.vrsn)));

```

Figure 941, Customer view - 1 of 2

The above view shows all customer rows, as long as:

- The action was not a delete.
- The version is either zero (i.e. reality), or the user's current version.
- If the version is reality, then the current timestamp is < the version begin-timestamp (as duplicated in the profile table).

- There does not exist any row that "replaces" the current row (and that row has a current timestamp that is <= to the profile (version) timestamp).

To make things easier for the users, we will create another view that sits on top of the above view. This one only shows the business fields:

```
CREATE VIEW customer AS
SELECT cust#
      ,cust_name
      ,cust_mgr
   FROM customer_vw;
```

Figure 942, Customer view - 2 of 2

All inserts, updates, and deletes, are done against the above view, which then propagates down to the first view, whereupon they are trapped by INSTEAD OF triggers. The changes are then applied (via the triggers) to the underlying tables.

Insert Trigger

The following INSTEAD OF trigger traps all inserts to the first view above, and then applies the insert to the underlying table - with suitable modifications:

```
CREATE TRIGGER customer_ins
INSTEAD OF
INSERT ON customer_vw
REFERENCING NEW AS nnn
FOR EACH ROW
MODE DB2SQL
  INSERT INTO customer_his VALUES
  (nnn.cust#
   ,nnn.cust_name
   ,nnn.cust_mgr
   ,CURRENT TIMESTAMP
   ,(SELECT vrsn
      FROM profile
      WHERE user_id = USER)
   ,CASE
     WHEN 0 < (SELECT COUNT(*)
                 FROM customer
                 WHERE cust# = nnn.cust#)
     THEN RAISE_ERROR('71001','ERROR: Duplicate cust#')
     ELSE 'I'
   END
   ,USER
   ,NULL
   ,NULL
   ,NULL);
```

Figure 943, Insert trigger

Observe the following:

- The basic customer data is passed straight through.
- The current timestamp is obtained from DB2.
- The current version is obtained from the user's profile-table row.
- A check is done to see if the customer number is unique. One cannot use indexes to enforce such rules in this schema, so one has to code accordingly.
- The previous fields are all set to null.

Update Trigger

The following INSTEAD OF trigger traps all updates to the first view above, and turns them into an insert to the underlying table - with suitable modifications:

```
CREATE TRIGGER customer_upd
INSTEAD OF
UPDATE ON customer_vw
REFERENCING NEW AS nnn
          OLD AS ooo
FOR EACH ROW
MODE DB2SQL
    INSERT INTO customer_his VALUES
    (nnn.cust#
     ,nnn.cust_name
     ,nnn.cust_mgr
     ,CURRENT TIMESTAMP
     ,ooo.vrsn
     ,CASE
        WHEN nnn.cust# <> ooo.cust#
        THEN RAISE_ERROR('72001','ERROR: Cannot change cust#')
        ELSE 'U'
     END
     ,ooo.user_id
     ,ooo.cust#
     ,ooo.cur_ts
     ,ooo.cur_vrsn);
```

Figure 944, Update trigger

In this particular trigger, updates to the customer number (i.e. business key column) are not allowed. This rule is not necessary, it simply illustrates how one would write such code if one so desired.

Delete Trigger

The following INSTEAD OF trigger traps all deletes to the first view above, and turns them into an insert to the underlying table - with suitable modifications:

```
CREATE TRIGGER customer_del
INSTEAD OF
DELETE ON customer_vw
REFERENCING OLD AS ooo
FOR EACH ROW
MODE DB2SQL
    INSERT INTO customer_his VALUES
    (ooo.cust#
     ,ooo.cust_name
     ,ooo.cust_mgr
     ,CURRENT TIMESTAMP
     ,ooo.vrsn
     ,'D'
     ,ooo.user_id
     ,ooo.cust#
     ,ooo.cur_ts
     ,ooo.cur_vrsn);
```

Figure 945, Delete trigger

Summary

The only thing that the user need see in the above schema in the simplified (second) view that lists the business data columns. They would insert, update, and delete the rows in this view as if they were working on a real table. Under the covers, the relevant INSTEAD OF trigger would convert whatever they did into a suitable insert to the underlying table.

This schema supports the following:

- To do "what if" analysis, all one need do is insert a new row into the version table - with a begin timestamp that is the current time. This insert creates a virtual copy of every table in the application, which one can then update as desired.
- To do historical analysis, one simply creates a version with a begin-timestamp that is at some point in the past. Up to one billion versions are currently supported.
- To switch between versions, all one need do is update one's row in the profile table.
- One can use recursive SQL (not shown here) to follow the sequence of changes to any particular item, in any particular version.

This schema has the following limitations:

- Every data table has to have a unique (business) key.
- Data items that are updated very frequently (e.g. customer daily balance) may perform poorly when queried because many rows will have to be processed in order to find the one that has not been replaced.
- The views use the USER special register, which may not be unique per actual user.
- Data integrity features, like referential integrity rules, cascading deletes, and unique key checks, have to be hand-coded in the INSTEAD OF triggers.
- Getting the triggers right is quite hard. If the target application has many tables, it might be worthwhile to first create a suitable data-dictionary, and then write a script that generates as much of the code as possible.

Sample Code

See my website for more detailed sample code using the above schema.

Using SQL to Make SQL

This chapter describes how to use SQL to make SQL. For example, one might want to make DDL statements to create views on a set of tables.

Export Command

The following query will generate a set of queries that will count the rows in each of the selected DB2 catalogue views:

```

SELECT  'SELECT COUNT(*) FROM ' CONCAT
        RTRIM(tabname)          CONCAT
        '.'                     CONCAT
        tabname                 CONCAT
        ';'                     ''
FROM    syscat.tables
WHERE   tabschema    = 'SYSCAT'
        AND tabname    LIKE 'N%'
ORDER BY tabschema
        ,tabname;           ====== ANSWER
                               ======
                               SELECT COUNT(*) FROM SYSCAT.NAMEMAPPINGS;
                               SELECT COUNT(*) FROM SYSCAT.NODEGROUPDEF;
                               SELECT COUNT(*) FROM SYSCAT.NODEGROUPS;

```

Figure 946, Generate SQL to count rows

If we wrap the above inside an EXPORT statement, and define no character delimiter, we will be able to create a file with the above answer - and nothing else. This could in turn be run as if were some SQL statement that we had written:

```

EXPORT TO C:\FRED.TXT OF DEL
MODIFIED BY NOCHARDEL
SELECT  'SELECT COUNT(*) FROM ' CONCAT
        RTRIM(tabname)          CONCAT
        '.'                     CONCAT
        tabname                 CONCAT
        ';'                     ''
FROM    syscat.tables
WHERE   tabschema    = 'SYSCAT'
        AND tabname    LIKE 'N%'
ORDER BY tabschema
        ,tabname;

```

Figure 947, Export generated SQL statements

Export Command Notes

The key EXPORT options used above are:

- The file name is "C\FRED.TXT".
- The data is sent to a delimited (i.e. DEL) file.
- The delimited output file uses no character delimiter (i.e. NOCHARDEL).

The remainder of this chapter will assume that we are using the EXPORT command, and will describe various ways to generate more elaborate SQL statements.

SQL to Make SQL

The next query is the same as the prior two, except that we have added the table name to each row of output:

```

SELECT  'SELECT   ''          CONCAT
        tablename      CONCAT
        ''' , COUNT(*) FROM  '    CONCAT
        RTRIM(tablename)  CONCAT
        '.'           CONCAT
        tablename      CONCAT
        '';'          CONCAT
FROM    syscat.tables
WHERE   tabschema  = 'SYSCAT'
        AND  tablename  LIKE 'N%'
ORDER BY tabschema
        ,tablename;
                                            ANSWER
=====
SELECT  'NAMEMAPPINGS' , COUNT(*) FROM SYSCAT.NAMEMAPPINGS;
SELECT  'NODEGROUPDEF' , COUNT(*) FROM SYSCAT.NODEGROUPDEF;
SELECT  'NODEGROUPS' , COUNT(*) FROM SYSCAT.NODEGROUPS;

```

Figure 948, Generate SQL to count rows

We can make more readable output by joining the result set to four numbered rows, and then breaking the generated query down into four lines:

```

WITH temp1 (num) AS
        (VALUES (1),(2),(3),(4))
SELECT  CASE num
        WHEN 1 THEN 'SELECT   ''          CONCAT
                    tablename      CONCAT
                    ''' , COUNT(*) FROM  '    CONCAT
                    RTRIM(tablename)  CONCAT
                    '.'           CONCAT
                    tablename      CONCAT
                    '';'          CONCAT
        WHEN 2 THEN '                ,COUNT(*)'          AS #rows'
        WHEN 3 THEN 'FROM   '                         AS tname
                    RTRIM(tablename)
                    '.'           AS tname
                    ';'          AS tname
        WHEN 4 THEN ''
END
FROM    syscat.tables
        ,temp1
WHERE   tabschema  = 'SYSCAT'
        AND  tablename  LIKE 'N%'
ORDER BY tabschema
        ,tablename
        ,num;
                                            ANSWER
=====
SELECT  'NAMEMAPPINGS' AS tname
        ,COUNT(*) AS #rows
FROM    SYSCAT.NAMEMAPPINGS;
SELECT  'NODEGROUPDEF' AS tname
        ,COUNT(*) AS #rows
FROM    SYSCAT.NODEGROUPDEF;
SELECT  'NODEGROUPS' AS tname
        ,COUNT(*) AS #rows
FROM    SYSCAT.NODEGROUPS;

```

Figure 949, Generate SQL to count rows

So far we have generated separate SQL statements for each table that matches. But imagine that instead we wanted to create a single statement that processed all tables. For example, we might want to know the sum of the rows in all of the matching tables. There are two ways to do this, but neither of them are very good:

- We can generate a single large query that touches all of the matching tables. A query can be up to 2MB long, so we could reliably use this technique as long as we had less than about 5,000 tables to process.
- We can declare a global temporary table, then generate insert statements (one per matching table) that insert a count of the rows in the table. After running the inserts, we can sum the counts in the temporary table.

The next example generates a single query that counts all of the rows in the matching tables:

```

WITH temp1 (num) AS
  (VALUES (1),(2),(3),(4))
SELECT  CASE num
          WHEN 1 THEN  'SELECT SUM(C1)'
          when 2 then  'FROM ('
          WHEN 3 THEN  '      SELECT COUNT(*) AS C1 FROM '  CONCAT
                         RTRIM(tablename)           CONCAT
                         ' '                          CONCAT
                         tablename                     CONCAT
          CASE dd
            WHEN 1 THEN  ''
            ELSE          ' UNION ALL'
          END
          WHEN 4 THEN ') AS xxx;'
        END
  FROM  (SELECT  tab.*,
                ,ROW_NUMBER() OVER(ORDER BY tabschema ASC
                                     ,tablename ASC)  AS aa
                ,ROW_NUMBER() OVER(ORDER BY tabschema DESC
                                     ,tablename DESC) AS dd
    FROM    syscat.tables tab
   WHERE    tabschema     = 'SYSCAT'
          AND    tablename    LIKE 'N%'
  )AS xxx
  ,temp1
WHERE   (num <= 2  AND  aa = 1)
      OR  (num  = 3)
      OR  (num  = 4  AND  dd = 1)
ORDER BY tabschema ASC
        ,tablename ASC
        ,num       ASC;

ANSWER
=====
SELECT SUM(C1)
FROM (
    SELECT COUNT(*) AS C1 FROM SYSCAT.NAMEMAPPINGS UNION ALL
    SELECT COUNT(*) AS C1 FROM SYSCAT.NODEGROUPDEF UNION ALL
    SELECT COUNT(*) AS C1 FROM SYSCAT.NODEGROUPS
) AS xxxx;

```

Figure 950, Generate SQL to count rows (all tables)

The above query works as follows:

- A temporary table (i.e. temp1) is generated with one column and four rows.
- A nested table expression (i.e. xxx) is created with the set of matching rows (tables).
- Within the nested table expression the ROW_NUMBER function is used to define two new columns. The first will have the value 1 for the first matching row, and the second will have the value 1 for the last matching row.
- The xxx and temp1 tables are joined. Two new rows (i.e. num <= 2) are added to the front, and one new row (i.e. num = 4) is added to the back.
- The first two new rows (i.e. num = 1 and 2) are used to make the first part of the generated query.
- The last new row (i.e. num = 4) is used to make the tail end of the generated query.
- All other rows (i.e. num = 3) are used to create the core of the generated query.

In the above query no SQL is generated if no rows (tables) match. Alternatively, we might want to generate a query that returns zero if no rows match.

Running SQL Within SQL

This chapter describes how to generate and run SQL statements within SQL statements.

Introduction

Consider the following query:

```
SELECT      empno
           ,lastname
           ,workdept
           ,salary
  FROM      employee
 WHERE     empno = '000250';
```

Figure 951, Sample query

The above query exhibits all the usual strengths and weaknesses of the SQL language. It is easy to understand, simple to write, and assuming suitable indexes, efficient to run. But the query is annoyingly rigid in the sense that both the internal query logic (i.e. which rows to fetch from what tables), and the set of columns to be returned, are fixed in the query syntax.

Reasonably intelligent programs accessing suitably well-structured data might want to run queries like the following:

```
SELECT      all-columns
  FROM      all-relevant-tables
 WHERE     all-predicates-are-true
```

Figure 952, Sample pseudo-query

It would of course be possible to compose the required query in the program and then run it. But there are some situations where it would be nice if we could also generate and then run the above pseudo-query inside the SQL language itself. This can be done, if there are two simple enhancements to the language:

- The ability to generate and run SQL within SQL.
- A way to make the query output-column-independent.

Generate SQL within SQL

To test the first concept above I wrote some very simple user-defined scalar functions (see pages: 368 and 372) that enable one to generate and run SQL within SQL. In these functions the first row/column value fetched is returned. To illustrate, consider the following pseudo-query:

```
SELECT      COUNT(*)
  FROM      all-relevant-tables
 WHERE     empno = '000250';
```

Figure 953, Sample pseudo-query

In the above pseudo-query we want to count all matching rows in all matching tables where the EMPNO is a given value. If we use the DB2 catalogue tables as a source dictionary, and we call a user-defined scalar function that can run SQL within SQL (see page: 372 for the function definition), we can write the following query:

```

SELECT    CHAR(tabname,15)      AS tablename
, get_INTEGER(
      ' SELECT  COUNT(*)' || 
      ' FROM ' || tabschema || '.' || tablename || 
      ' WHERE ' || colname || '=' || '000250' '''
) AS num_rows
FROM      syscat.columns
WHERE     tabschema = USER
        AND colname = 'EMPNO'
        AND typename = 'CHARACTER'
ORDER BY  tablename;

```

ANSWER	
TABNAME	NUM_ROWS
EMP_PHOTO	0
VEMP	1
VEMPDPT1	1
VEMPPROJACT	9
VSTAFAC2	9

Figure 954, Count matching rows in all matching tables

Make Query Column-Independent

The second issue to address was how to make the SQL language output-column-independent. This capability is needed in order to support the following type of pseudo-query:

```

SELECT    all-columns
FROM      all-relevant-tables
WHERE     empno = '000250';

```

Figure 955, Sample pseudo-query

The above query cannot be written in SQL because the set of columns to be returned can not be determined until the set of matching tables are identified. To get around this constraint, I wrote a very simple DB2 table function in Java (see page: 376) that accepts any valid query as input, runs it, and then returns all of the rows and columns fetched. But before returning anything, the function transposes each row/column instance into a single row – with a set of fixed columns returned that describe each row/column data instance (see page: 377).

The function is used below to run the above pseudo-query:

```

WITH temp1 AS
  (SELECT    tablename
   ,VARCHAR(
      ' SELECT  *' || 
      ' FROM ' || tabschema || '.' || tablename || 
      ' WHERE ' || colname || '=' || '000250' ''
   ) AS SQL_text
  FROM      syscat.columns
  WHERE     tabschema = USER
        AND colname = 'EMPNO'
        AND typename = 'CHARACTER'
  )
SELECT    CHAR(t1.tabname,10)      AS tablename
        ,t2.row_number          AS row#
        ,t2.col_num              AS col#
        ,CHAR(t2.col_name,15)    AS colname
        ,CHAR(t2.col_type,15)    AS coltype
        ,CHAR(t2.col_value,20)   AS colvalue
  FROM      temp1 t1
        ,TABLE(tab_transpose(sql_text)) AS t2
  ORDER BY t1.tabname
        ,t2.row_number
        ,t2.col_num;

```

Figure 956, Select all matching columns/rows in all matching tables

Below are the first three "rows" of the answer:

TABNAME	ROW#	COL#	COLNAME	COLTYPE	COLVALUE
EMPLOYEE	1	1	EMPNO	CHAR	000250
EMPLOYEE	1	2	FIRSTNME	VARCHAR	DANIEL
EMPLOYEE	1	3	MIDINIT	CHAR	S
EMPLOYEE	1	4	LASTNAME	VARCHAR	SMITH
EMPLOYEE	1	5	WORKDEPT	CHAR	D21
EMPLOYEE	1	6	PHONENO	CHAR	0961
EMPLOYEE	1	7	HIREDATE	DATE	1999-10-30
EMPLOYEE	1	8	JOB	CHAR	CLERK
EMPLOYEE	1	9	EDLEVEL	SMALLINT	15
EMPLOYEE	1	10	SEX	CHAR	M
EMPLOYEE	1	11	BIRTHDATE	DATE	1969-11-12
EMPLOYEE	1	12	SALARY	DECIMAL	49180.00
EMPLOYEE	1	13	BONUS	DECIMAL	400.00
EMPLOYEE	1	14	COMM	DECIMAL	1534.00
EMPPROJECT	1	1	EMPNO	CHAR	000250
EMPPROJECT	1	2	PROJNO	CHAR	AD3112
EMPPROJECT	1	3	ACTNO	SMALLINT	60
EMPPROJECT	1	4	EMPTIME	DECIMAL	1.00
EMPPROJECT	1	5	EMSTDATE	DATE	2002-01-01
EMPPROJECT	1	6	EMENDATE	DATE	2002-02-01
EMPPROJECT	2	1	EMPNO	CHAR	000250
EMPPROJECT	2	2	PROJNO	CHAR	AD3112
EMPPROJECT	2	3	ACTNO	SMALLINT	60
EMPPROJECT	2	4	EMPTIME	DECIMAL	0.50
EMPPROJECT	2	5	EMSTDATE	DATE	2002-02-01
EMPPROJECT	2	6	EMENDATE	DATE	2002-03-15

Figure 957, Transpose query output

Business Uses

At this point, I've got an interesting technical solution looking for a valid business problem. Some possible uses follow:

Frictionless Query

Imagine a relational database application where the table definitions are constantly changing. The programs using the data are able adapt accordingly, in which case the intermediate SQL queries have to also be equally adaptable. The application could maintain a data dictionary that was updated in sync with the table changes. Each query would reference the dictionary at the start of its processing, and then build the main body of the query (i.e. that which obtains the desired application data) as needed.

I did some simple experiments using this concept. It worked, but I could see no overwhelming reason why one would use it, as opposed to building the query external to DB2, and then running it.

Adaptive Query

One could write a query where the internal query logic changed – depending on what data was encountered along the way. I tested this concept, and found that it works, but one still needs to define the general processing logic of the query somewhere. It was often easier to code a series of optional joins (in the query) to get the same result.

Meta-Data to Real-Data Join

A meta-data to real-data join can only be done using the SQL enhancements described above. Some examples of such a join include:

- List all tables containing a row where EMPID = '123'.
- List all rows (in any table) that duplicate a given row.

- Confirm that two "sets of tables" have identical data.
- Scan all plan-tables looking for specific access paths.
- Find the largest application table that has no index.

These types of query are relatively rare, but they certainly do exist, and they are legitimate business queries.

Meta Data Dictionaries

In the above examples the DB2 catalogue was used as the source of meta-data that describes the relationships between the tables accessed by the query. This works up to a point, but the DB2 catalogue is not really designed for this task. Thus it would probably be better to use a purpose-built meta-data dictionary. Whenever application tables were changed, the meta-data dictionary would be updated accordingly - or might in fact be the source of the change. SQL queries generated using the meta-data dictionary would automatically adjust as the table changes were implemented.

DB2 SQL Functions

This section describes how to join **meta-data** to **real data** in a single query. In other words, a query will begin by selecting a list of tables from the DB2 catalogue. It will then access each table in the list. Such a query cannot be written using ordinary SQL, because the set of tables to be accessed is not known to the statement. But it can be written if the query references a very simple user-defined scalar function and related stored procedure.

To illustrate, the following query will select a list of tables, and for each matching table get a count of the rows in the same:

```

SELECT  CHAR(tabschema,8)  AS schema
       ,CHAR(tabname,20)   AS tabname
       ,return_INTEGER
          ('SELECT COUNT(*) '
           'FROM ' || tabschema || '.' || tabname
           )AS #rows
  FROM  syscat.tables
 WHERE  tabschema    = 'SYSCAT'
        AND tabname     LIKE 'RO%'
 ORDER BY tabschema
        ,tabname
 FOR FETCH ONLY
 WITH UR;

```

	ANSWER	
SCHEMA	TABNAME	#ROWS
SYSCAT	ROUTINEAUTH	168
SYSCAT	ROUTINEDEP	41
SYSCAT	ROUTINEPARMS	2035
SYSCAT	ROUTINES	314

Figure 958, List tables, and count rows in same

Function and Stored Procedure Used

The above query calls a user-defined scalar function called `return_INTEGER` that accepts as input any valid single-column query and returns (you guessed it) an integer value that is the first row fetched by the query. The function is actually nothing more than a stub:

```

CREATE FUNCTION return_INTEGER (in_stmt VARCHAR(4000))
RETURNS INTEGER
LANGUAGE SQL
READS SQL DATA
NO EXTERNAL ACTION
BEGIN ATOMIC
    DECLARE out_val INTEGER;
    CALL    return_INTEGER(in_stmt,out_val);
    RETURN  out_val;
END

```

Figure 959, return_INTEGER function

The real work is done by a stored procedure that is called by the function:

```

CREATE PROCEDURE return_INTEGER (IN  in_stmt VARCHAR(4000)
                                ,OUT out_val INTEGER)
LANGUAGE SQL
READS SQL DATA
NO EXTERNAL ACTION
BEGIN
    DECLARE c1 CURSOR FOR s1;
    PREPARE s1 FROM in_stmt;
    OPEN   c1;
    FETCH  c1 INTO out_val;
    CLOSE  c1;
    RETURN;
END

```

Figure 960, return_INTEGER stored procedure

The combined function and stored-procedure logic goes as follow:

- Main query calls function - sends query text.
- Function calls stored-procedure - sends query text.
- Stored-procedure prepares, opens, fetches first row, and then closes query.
- Stored procedure returns result of first fetch back to the function
- Function returns the result back to the main query.

Different Data Types

One needs to have a function and related stored-procedure for each column type that can be returned. Below is a DECIMAL example:

```

CREATE PROCEDURE return_DECIMAL (IN  in_stmt VARCHAR(4000)
                                ,OUT out_val DECIMAL(31,6))
LANGUAGE SQL
READS SQL DATA
NO EXTERNAL ACTION
BEGIN
    DECLARE c1 CURSOR FOR s1;
    PREPARE s1 FROM in_stmt;
    OPEN   c1;
    FETCH  c1 INTO out_val;
    CLOSE  c1;
    RETURN;
END

```

Figure 961, return_DECIMAL function

```

CREATE FUNCTION return_DECIMAL (in_stmt VARCHAR(4000))
RETURNS DECIMAL(31,6)
LANGUAGE SQL
READS SQL DATA
NO EXTERNAL ACTION
BEGIN ATOMIC
    DECLARE out_val DECIMAL(31,6);
    CALL    return_DECIMAL(in_stmt,out_val);
    RETURN  out_val;
END

```

Figure 962, return_DECIMAL stored procedure

I have posted suitable examples for the following data types on my personal website:

- BIGINT
- INTEGER
- SMALLINT
- DECIMAL(31,6)
- FLOAT
- DATE
- TIME
- TIMESTAMP
- VARCHAR(4000)

Usage Examples

The query below lists those tables that have never had RUNSTATS run (i.e. the stats-time is null), and that currently have more than 1,000 rows:

```

SELECT      CHAR(tabschema,8)   AS schema
            ,CHAR(tabname,20)    AS tabname
            ,#rows
FROM        (SELECT      tabschema
            ,tabname
            ,return_INTEGER(
                ' SELECT COUNT(*)' ||
                ' FROM ' || tabschema || '.' || tabname || ''
                ' FOR FETCH ONLY WITH UR'
            ) AS #rows
            FROM      syscat.tables tab
            WHERE     tabschema  LIKE  'SYS%'
                    AND      type      =  'T'
                    AND      stats_time IS NULL
            ) AS xxx
WHERE      #rows > 1000
ORDER BY  #rows DESC
FOR FETCH ONLY
WITH UR;

```

ANSWER
=====
SCHEMA TABNAME #ROWS

SYSIBM SYSCOLUMNS 3518
SYSIBM SYSROUTINEPARMS 2035

Figure 963, List tables never had RUNSTATS

Efficient Queries

The query shown above would typically process lots of rows, but this need not be the case. The next example lists all tables with a department column and at least one row for the 'A00'

department. Only a single matching row is fetched from each table, so as long as there is a suitable index on the department column, the query should fly:

```

SELECT  CHAR(tab.tabname,15)    AS tabname
       ,CHAR(col.colname,10)   AS colname
       ,CHAR(COALESCE(return_VARCHAR(
          ' SELECT ''Y''' || 
          ' FROM ' || tab.tabschema || '.' || tab.tabname ||
          ' WHERE ' || col.colname || '=' || 'A00' || |
          ' FETCH FIRST 1 ROWS ONLY ' ||
          ' OPTIMIZE FOR 1 ROW ' ||
          ' WITH UR'
       ),'N'),1) AS has_dept
  FROM  syscat.columns col
       ,syscat.tables tab
 WHERE  col.tabschema = USER
 AND   col.colname IN ('DEPTNO','WORKDEPT')
 AND   col.tabschema = tab.tabschema
 AND   col.tabname = tab.tabname
 AND   tab.type = 'T'
FOR FETCH ONLY
WITH UR;

```

ANSWER		
TABNAME	COLNAME	HAS_DEPT
DEPARTMENT	DEPTNO	Y
EMPLOYEE	WORKDEPT	Y
PROJECT	DEPTNO	N

Figure 964, List tables with a row for A00 department

The next query is the same as the previous, except that it only searches those matching tables that have a suitable index on the department field:

```

SELECT  CHAR(tab.tabname,15)    AS tabname
       ,CHAR(col.colname,10)   AS colname
       ,CHAR(COALESCE(return_VARCHAR(
          ' SELECT ''Y''' || 
          ' FROM ' || tab.tabschema || '.' || tab.tabname ||
          ' WHERE ' || col.colname || '=' || 'A00' || |
          ' FETCH FIRST 1 ROWS ONLY ' ||
          ' OPTIMIZE FOR 1 ROW ' ||
          ' WITH UR'
       ),'N'),1) AS has_dept
  FROM  syscat.columns col
       ,syscat.tables tab
 WHERE  col.tabschema = USER
 AND   col.colname IN ('DEPTNO','WORKDEPT')
 AND   col.tabschema = tab.tabschema
 AND   col.tabname = tab.tabname
 AND   tab.type = 'T'
 AND   col.colname IN
        (SELECT SUBSTR(idx.colnames,2,LENGTH(col.colname))
         FROM syscat.indexes idx
         WHERE tab.tabschema = idx.tabschema
           AND tab.tabname = idx.tabname)
FOR FETCH ONLY
WITH UR;

```

ANSWER		
TABNAME	COLNAME	HAS_DEPT
DEPARTMENT	DEPTNO	Y

Figure 965, List suitably-indexed tables with a row for A00 department

Using logic very similar to the above, one can efficiently ask questions like: "list all tables in the application that have references to customer-number 1234 in indexed fields". Even if the

query has to process hundreds of tables, each with billions of rows, it should return an answer in less than ten seconds.

In the above examples we knew what columns we wanted to process, but not the tables. But for some questions we don't even need to know the column name. For example, we could scan all indexed DATE columns in an application - looking for date values that are more than five years old. Once again, such a query should run in seconds.

Java Functions

We can do the same as the above by calling a user-defined-function that invokes a java program, but we can also do much more. This section will cover the basics.

Scalar Functions

The following code creates a user-defined scalar function that sends a query to a java program, and gets back the first row/column fetched when the query is run:

```
CREATE FUNCTION get_Integer(VARCHAR(4000))
RETURNS INTEGER
LANGUAGE JAVA
EXTERNAL NAME 'Graeme2!get_Integer'
PARAMETER STYLE DB2GENERAL
NO EXTERNAL ACTION
NOT DETERMINISTIC
READS SQL DATA
FENCED;
```

Figure 966, CREATE FUNCTION code

Below is the corresponding java code:

```
import java.lang.*;
import COM.ibm.db2.app.*;
import java.sql.*;
import java.math.*;
import java.io.*;

public class Graeme2 extends UDF {
    public void get_Integer(String inStmt,
                           int      outValue)
    throws Exception {
        try {
            Connection      con = DriverManager.getConnection
                ("jdbc:default:connection");
            PreparedStatement stmt = con.prepareStatement(inStmt);
            ResultSet       rs = stmt.executeQuery();
            if (rs.next() == true && rs.getString(1) != null) {
                set(2, rs.getInt(1));
            }
            rs.close();
            stmt.close();
            con.close();
        }
        catch (SQLException sqle) {
            setSQLstate("38999");
            setSQLmessage("SQLCODE = " + sqle.getSQLState());
            return;
        }
    }
}
```

Figure 967, CREATE FUNCTION java code

Java Logic

- Establish connection.
- Prepare the SQL statement (i.e. input string).
- Execute the SQL statement (i.e. open cursor).
- If a row is found, and the value (of the first column) is not null, return value.
- Close cursor.
- Return.

Usage Example

```

SELECT      workdept AS dept
           ,empno
           ,salary
           ,get_Integer(
               ' SELECT count(*)'
               ' FROM employee'
               ' where workdept = ''  || workdept || '' ')
           AS #rows
FROM        employee
WHERE       salary < 35500
ORDER BY    workdept
           ,empno;

```

ANSWER			
DEPT	EMPNO	SALARY	#ROWS
E11	000290	35340.00	7
E21	200330	35370.00	6
E21	200340	31840.00	6

Figure 968, Java function usage example

I have posted suitable examples (i.e. java code, plus related CREATE FUNCTION code) for the following data types on my personal website:

- BIGINT
- INTEGER
- SMALLINT
- DOUBLE
- DECIMAL(31,6)
- VARCHAR(254)

Tabular Functions

So far, all we have done in this chapter is get single values from tables. Now we will retrieve sets of rows from tables. To do this we need to define a tabular function:

```

CREATE FUNCTION tab_Varchar (VARCHAR(4000))
RETURNS TABLE (row_number INTEGER
               ,row_value VARCHAR(254))
LANGUAGE JAVA
EXTERNAL NAME 'Graeme2!tab_Varchar'
PARAMETER STYLE DB2GENERAL
NO EXTERNAL ACTION
NOT DETERMINISTIC
DISALLOW PARALLEL
READS SQL DATA
FINAL CALL
FENCED;

```

Figure 969, CREATE FUNCTION code

Below is the corresponding java code. Observe that two columns are returned – a row-number and the value fetched:

```

import java.lang.*;
import COM.ibm.db2.app.*;
import java.sql.*;
import java.math.*;
import java.io.*;

public class Graeme2 extends UDF {
    Connection          con;
    Statement          stmt;
    ResultSet          rs;
    int                rowNum;
    public void tab_Varchar(String inStmt,
                           int     outNumber,
                           String  outValue)
throws Exception {
    switch (getCallType()) {
        case SQLUDF_TF_FIRST:
            break;
        case SQLUDF_TF_OPEN:
            rowNum = 1;
            try {
                con  = DriverManager.getConnection
                      ("jdbc:default:connection");
                stmt = con.createStatement();
                rs   = stmt.executeQuery(inStmt);
            }
            catch(SQLException sqle) {
                setSQLstate("38999");
                setSQLmessage("SQLCODE = " + sqle.getSQLState());
                return;
            }
            break;
        case SQLUDF_TF_FETCH:
            if (rs.next() == true) {
                set(2, rowNum);
                if (rs.getString(1) != null) {
                    set(3, rs.getString(1));
                }
                rowNum++;
            }
            else {
                setSQLstate ("02000");
            }
            break;
        case SQLUDF_TF_CLOSE:
            rs.close();
            stmt.close();
            con.close();
            break;
        case SQLUDF_TF_FINAL:
            break;
    }
}
}

```

Figure 970, CREATE FUNCTION java code

Java Logic

Java programs that send data to DB2 table functions use a particular type of CASE logic to return the output data. In particular, a row is returned at the end of every FETCH process.

OPEN:

- Establish connection.

- Prepare the SQL statement (i.e. input string).
- Execute the SQL statement (i.e. open cursor).
- Set row-number variable to one.

FETCH:

- If row exists, set row-number output value.
- If value fetched is not null, set output value.
- Increment row-number variable.

CLOSE:

- Close cursor.
- Return.

Usage Example

The following query lists all EMPNO values that exist in more than four tables:

```

WITH
make_queries AS
  (SELECT      tab.tabschema
   ,tab.tabname
   ,` ' SELECT EMPNO ' ||
   ,` ' FROM ' || tab.tabschema || '.' || tab.tabname
   AS sql_text
  FROM        syscat.tables tab
   ,syscat.columns col
 WHERE       tab.tabschema = USER
   AND      tab.type = 'T'
   AND      col.tabschema = tab.tabschema
   AND      col.tabname = tab.tabname
   AND      col.colname = 'EMPNO'
   AND      col.typename = 'CHARACTER'
   AND      col.length = 6
  ),
run_queries AS
  (SELECT      qqq.*
   ,ttt.*
  FROM        make_queries qqq
   ,TABLE(tab_Varchar(sql_text)) AS ttt
  )
SELECT      CHAR(row_value,10)                      AS empno
   ,COUNT(*)                                     AS #rows
   ,COUNT(DISTINCT tabschema || tabname)          AS #tabs
   ,CHAR(MIN(tabname),18)                         AS min_tab
   ,CHAR(MAX(tabname),18)                         AS max_tab
  FROM        run_queries
 GROUP BY    row_value
 HAVING     COUNT(DISTINCT tabschema || tabname) > 3
 ORDER BY    row_value
FOR FETCH ONLY
WITH UR;
===== ANSWER =====
EMPNO  #ROWS#TABS MIN_TAB MAX_TAB
----- -----
000130    7      4 EMP_PHOTO EMPPROJECT
000140   10      4 EMP_PHOTO EMPPROJECT
000150    7      4 EMP_PHOTO EMPPROJECT
000190    7      4 EMP_PHOTO EMPPROJECT

```

Figure 971, Use Tabular Function

Transpose Function

Below is some pseudo-code for a really cool query:

```
SELECT    all columns
FROM      unknown tables
WHERE     any unknown columns = '%ABC%'
```

Figure 972, Cool query pseudo-code

In the above query we want to retrieve an unknown number of unknown types of columns (i.e. all columns in each matching row) from an unknown set of tables where any unknown column in the row equals 'ABC'. Needless to say, the various (unknown) tables will have differing types and numbers of columns.

The above query is remarkably easy to write in SQL (see page: 379) and reasonably efficient to run, if we invoke a cute little java program that transposes columns into rows. The act of transposition means that each row/column instance retrieved becomes a separate row. So the following result:

```
SELECT    *
FROM      empproject
WHERE     empno   = '000150';

ANSWER
=====
EMPNO  PROJNO ACTNO EMPTIME EMSTDATE  EMENDATE
-----  -----  -----  -----  -----  -----
000150  MA2112    60    1.00  01/01/2002 07/15/2002
000150  MA2112   180    1.00  07/15/2002 02/01/2003
```

Figure 973, Select rows

Becomes this result:

```
SELECT    SMALLINT(row_number)          AS row#
        ,col_num                      AS col#
        ,CHAR(col_name,13)            AS col_name
        ,CHAR(col_type,10)           AS col_type
        ,col_length                   AS col_len
        ,SMALLINT(LENGTH(col_value)) AS val_len
        ,SUBSTR(col_value,1,20)       AS col_value
FROM      TABLE(tab_Transpose(
        'SELECT  *'
        'FROM    empproject'
        'WHERE   empno   = ''000150''' || ''
        )) AS ttt
ORDER BY 1,2;

ANSWER
=====
ROW# COL# COL_NAME COL_TYPE COL_LEN VAL_LEN COL_VALUE
-----  -----  -----  -----  -----  -----  -----
1     1   EMPNO   CHAR      6      6  000150
1     2   PROJNO  CHAR      6      6  MA2112
1     3   ACTNO   SMALLINT  6      2  60
1     4   EMPTIME DECIMAL   7      4  1.00
1     5   EMSTDATE DATE     10     10  2002-01-01
1     6   EMENDATE DATE     10     10  2002-07-15
2     1   EMPNO   CHAR      6      6  000150
2     2   PROJNO  CHAR      6      6  MA2112
2     3   ACTNO   SMALLINT  6      3  180
2     4   EMPTIME DECIMAL   7      4  1.00
2     5   EMSTDATE DATE     10     10  2002-07-15
2     6   EMENDATE DATE     10     10  2003-02-01
```

Figure 974, Select rows – then transpose

The user-defined transpose function invoked above accepts a query as input. It executes the query then returns the query result as one row per row/column instance found. The function output table has the following columns:

- ROW_NUMBER: The number of the row fetched.
- NUM_COLS: The number of columns fetched per row.
- COL_NUM: The column-number for the current row. This value, in combination with the prior row-number value, identifies a unique output row.
- COL_NAME: The name of the data column - as given in the query. If there is no name, the value is the column number.
- COL_TYPE: The DB2 column-type for the value.
- COL_LENGTH: The DB2 column-length (note: not data item length) for the value.
- COL_VALUE: The row/column instance value itself. If the data column is too long, or of an unsupported type (e.g. CLOB, DBCLOB, or XML), null is returned.

The transpose function always returns the same set of columns, regardless of which table is being accessed. So we can use it to write a query where we don't know which tables we want to select from. In the next example, we select all columns from all rows in all tables where the EMPNO column has a certain value:

```

WITH
make_queries AS
  (SELECT  tab.tabschema
   ,tab.tabname
   ,` SELECT * ` || tab.tabname ||
   ' FROM '
   ' WHERE empno = ''000150''
   AS sql_text
  FROM syscat.tables tab
   ,syscat.columns col
 WHERE tab.tabschema = 'USER'
   AND tab.type = 'T'
   AND col.tabschema = tab.tabschema
   AND col.tabname = tab.tabname
   AND col.colname = 'EMPNO'
   AND col.typename = 'CHARACTER'
   AND col.length = 6
  ),
run_queries AS
  (SELECT  qqq.*
   ,ttt.*
  FROM    make_queries qqq
   ,TABLE(tab_Transpose(sql_text)) AS ttt
  )
SELECT  SUBSTR(tabname,1,11)          AS tab_name
   ,SMALLINT(row_number)           AS row#
   ,col_num                       AS col#
   ,CHAR(col_name,13)              AS col_name
   ,CHAR(col_type,10)              AS col_type
   ,col_length                     AS col_len
   ,SMALLINT(LENGTH(col_value))   AS val_len
   ,SUBSTR(col_value,1,20)         AS col_value
  FROM run_queries
 ORDER BY 1,2,3;

```

Figure 975, Select rows in any table – then transpose

When we run the above, we get the following answer:

TAB_NAME	ROW#	COL#	COL_NAME	COL_TYPE	COL_LEN	VAL_LEN	COL_VALUE
EMP_PHOTO	1	1	EMPNO	CHAR	6	6	000150
EMP_PHOTO	1	2	PHOTO_FORMAT	VARCHAR	10	6	bitmap
EMP_PHOTO	1	3	PICTURE	BLOB	204800	-	-
EMP_PHOTO	1	4	EMP_ROWID	CHAR	40	40	
EMP_PHOTO	2	1	EMPNO	CHAR	6	6	000150
EMP_PHOTO	2	2	PHOTO_FORMAT	VARCHAR	10	3	gif
EMP_PHOTO	2	3	PICTURE	BLOB	204800	-	-
EMP_PHOTO	2	4	EMP_ROWID	CHAR	40	40	
EMP_RESUME	1	1	EMPNO	CHAR	6	6	000150
EMP_RESUME	1	2	RESUME_FORMAT	VARCHAR	10	5	ascii
EMP_RESUME	1	3	RESUME	CLOB	5120	-	-
EMP_RESUME	1	4	EMP_ROWID	CHAR	40	40	
EMP_RESUME	2	1	EMPNO	CHAR	6	6	000150
EMP_RESUME	2	2	RESUME_FORMAT	VARCHAR	10	4	html
EMP_RESUME	2	3	RESUME	CLOB	5120	-	-
EMP_RESUME	2	4	EMP_ROWID	CHAR	40	40	
EMPLOYEE	1	1	EMPNO	CHAR	6	6	000150
EMPLOYEE	1	2	FIRSTNME	VARCHAR	12	5	BRUCE
EMPLOYEE	1	3	MIDINIT	CHAR	1	1	
EMPLOYEE	1	4	LASTNAME	VARCHAR	15	7	ADAMSON
EMPLOYEE	1	5	WORKDEPT	CHAR	3	3	D11
EMPLOYEE	1	6	PHONENO	CHAR	4	4	4510
EMPLOYEE	1	7	HIREDATE	DATE	10	10	2002-02-12
EMPLOYEE	1	8	JOB	CHAR	8	8	DESIGNER
EMPLOYEE	1	9	EDLEVEL	SMALLINT	6	2	16
EMPLOYEE	1	10	SEX	CHAR	1	1	M
EMPLOYEE	1	11	BIRTHDATE	DATE	10	10	1977-05-17
EMPLOYEE	1	12	SALARY	DECIMAL	11	8	55280.00
EMPLOYEE	1	13	BONUS	DECIMAL	11	6	500.00
EMPLOYEE	1	14	COMM	DECIMAL	11	7	2022.00
EMPPROJECT	1	1	EMPNO	CHAR	6	6	000150
EMPPROJECT	1	2	PROJNO	CHAR	6	6	MA2112
EMPPROJECT	1	3	ACTNO	SMALLINT	6	2	60
EMPPROJECT	1	4	EMPTIME	DECIMAL	7	4	1.00
EMPPROJECT	1	5	EMSTDATE	DATE	10	10	2002-01-01
EMPPROJECT	1	6	EMENDATE	DATE	10	10	2002-07-15
EMPPROJECT	2	1	EMPNO	CHAR	6	6	000150
EMPPROJECT	2	2	PROJNO	CHAR	6	6	MA2112
EMPPROJECT	2	3	ACTNO	SMALLINT	6	3	180
EMPPROJECT	2	4	EMPTIME	DECIMAL	7	4	1.00
EMPPROJECT	2	5	EMSTDATE	DATE	10	10	2002-07-15
EMPPROJECT	2	6	EMENDATE	DATE	10	10	2003-02-01

Figure 976, Select rows in any table – answer

We are obviously on a roll, so now we will write the pseudo-query that we began this chapter with (see page: 376). We will fetch every row/column instance in all matching tables where any qualifying column in the row is a particular value.

Query Logic

- Define the search parameters.
- Get the list of matching tables and columns to search.
- Recursively work through the list of columns to search (for each table), building a search query with multiple EQUAL predicates – one per searchable column (see page: 381).
- Run the generated queries (i.e. the final line of generated query for each table).
- Select the output.

Now for the query:

```

WITH
search_values (search_type,search_length,search_value) AS
  (VALUES      ('CHARACTER',6,'000150')
  ),
list_columns AS
  (SELECT    val.search_value
   ,tab.tabschema
   ,tab.tabname
   ,col.colname
   ,ROW_NUMBER() OVER(PARTITION BY val.search_value
                      ,tab.tabschema
                      ,tab.tabname
                      ORDER BY col.colname ASC) AS col_a
   ,ROW_NUMBER() OVER(PARTITION BY val.search_value
                      ,tab.tabschema
                      ,tab.tabname
                      ORDER BY col.colname DESC) AS col_d
  FROM      search_values  val
            ,syscat.tables  tab
            ,syscat.columns col
  WHERE     tab.tabschema = USER
    AND    tab.type      = 'T'
    AND    tab.tabschema = col.tabschema
    AND    tab.tabname   = col.tabname
    AND    col.typename  = val.search_type
    AND    col.length    = val.search_length
  ) ,
make_queries (search_value
              ,tabschema
              ,tablename
              ,colname
              ,col_a
              ,col_d
              ,sql_text) AS
  (SELECT    tb1.*
   ,VARCHAR(' SELECT * ' || ' FROM ' || ' WHERE ' || tablename || colname || ' = ' || search_value || ' '
   ,4000)
  FROM      list_columns tb1
  WHERE     col_a = 1
  UNION ALL
  SELECT    tb2.*
   ,moy.sql_text ||
   ' OR ' || tb2.colname || ' = ' || tb2.search_value || ' '
  FROM      list_columns tb2
   ,make_queries moy
  WHERE     tb2.search_value = moy.search_value
    AND    tb2.tabschema = moy.tabschema
    AND    tb2.tabname  = moy.tabname
    AND    tb2.col_a   = moy.col_a + 1
  ) ,
run_queries AS
  (SELECT    qqq.*
   ,ttt.*
  FROM      make_queries qqq
   ,TABLE(tab_Transpose_4K(sql_text)) AS ttt
  WHERE     col_d = 1
  )

```

Figure 977, Select rows in any table – then transpose (part 1 of 2)

```

SELECT      SUBSTR(tabname,1,11)          AS tab_name
           , SMALLINT(row_number)        AS row#
           , col_num                   AS col#
           , CHAR(col_name,13)          AS col_name
           , CHAR(col_type,10)          AS col_type
           , col_length                AS col_len
           , SMALLINT(LENGTH(col_value)) AS val_len
           , SUBSTR(col_value,1,20)       AS col_value
  FROM run_queries
 ORDER BY 1,2,3;

```

Figure 978, Select rows in any table – then transpose (part 2 of 2)

Below is the answer (with a few values truncated to fit):

TAB_NAME	ROW#	COL#	COL_NAME	COL_TYPE	COL_LEN	VAL_LEN	COL_VALUE
EMP_PHOTO	1	1	EMPNO	CHAR	6	6	000150
EMP_PHOTO	1	2	PHOTO_FORMAT	VARCHAR	10	6	bitmap
EMP_PHOTO	1	3	PICTURE	BLOB	204800	-	-
EMP_PHOTO	1	4	EMP_ROWID	CHAR	40	40	
EMP_PHOTO	2	1	EMPNO	CHAR	6	6	000150
EMP_PHOTO	2	2	PHOTO_FORMAT	VARCHAR	10	3	gif
EMP_PHOTO	2	3	PICTURE	BLOB	204800	-	-
EMP_PHOTO	2	4	EMP_ROWID	CHAR	40	40	
EMP_RESUME	1	1	EMPNO	CHAR	6	6	000150
EMP_RESUME	1	2	RESUME_FORMAT	VARCHAR	10	5	ascii
EMP_RESUME	1	3	RESUME	CLOB	5120	-	-
EMP_RESUME	1	4	EMP_ROWID	CHAR	40	40	
EMP_RESUME	2	1	EMPNO	CHAR	6	6	000150
EMP_RESUME	2	2	RESUME_FORMAT	VARCHAR	10	4	html
EMP_RESUME	2	3	RESUME	CLOB	5120	-	-
EMP_RESUME	2	4	EMP_ROWID	CHAR	40	40	
EMPLOYEE	1	1	EMPNO	CHAR	6	6	000150
EMPLOYEE	1	2	FIRSTNAME	VARCHAR	12	5	BRUCE
EMPLOYEE	1	3	MIDINIT	CHAR	1	1	
EMPLOYEE	1	4	LASTNAME	VARCHAR	15	7	ADAMSON
EMPLOYEE	1	5	WORKDEPT	CHAR	3	3	D11
EMPLOYEE	1	6	PHONENO	CHAR	4	4	4510
EMPLOYEE	1	7	HIREDATE	DATE	10	10	2002-02-12
EMPLOYEE	1	8	JOB	CHAR	8	8	DESIGNER
EMPLOYEE	1	9	EDLEVEL	SMALLINT	6	2	16
EMPLOYEE	1	10	SEX	CHAR	1	1	M
EMPLOYEE	1	11	BIRTHDATE	DATE	10	10	1977-05-17
EMPLOYEE	1	12	SALARY	DECIMAL	11	8	55280.00
EMPLOYEE	1	13	BONUS	DECIMAL	11	6	500.00
EMPLOYEE	1	14	COMM	DECIMAL	11	7	2022.00
EMPPROJECT	1	1	EMPNO	CHAR	6	6	000150
EMPPROJECT	1	2	PROJNO	CHAR	6	6	MA2112
EMPPROJECT	1	3	ACTNO	SMALLINT	6	2	60
EMPPROJECT	1	4	EMPTIME	DECIMAL	7	4	1.00
EMPPROJECT	1	5	EMSTDATE	DATE	10	10	2002-01-01
EMPPROJECT	1	6	EMENDATE	DATE	10	10	2002-07-15
EMPPROJECT	2	1	EMPNO	CHAR	6	6	000150
EMPPROJECT	2	2	PROJNO	CHAR	6	6	MA2112
EMPPROJECT	2	3	ACTNO	SMALLINT	6	3	180
EMPPROJECT	2	4	EMPTIME	DECIMAL	7	4	1.00
EMPPROJECT	2	5	EMSTDATE	DATE	10	10	2002-07-15
EMPPROJECT	2	6	EMENDATE	DATE	10	10	2003-02-01
PROJECT	1	1	PROJNO	CHAR	6	6	MA2112
PROJECT	1	2	PROJNAME	VARCHAR	24	16	W L ROBOT
PROJECT	1	3	DEPTNO	CHAR	3	3	D11
PROJECT	1	4	RESPEMP	CHAR	6	6	000150
PROJECT	1	5	PRSTAFF	DECIMAL	7	4	3.00
PROJECT	1	6	PRSTDATE	DATE	10	10	2002-01-01
PROJECT	1	7	PRENDATE	DATE	10	10	1982-12-01
PROJECT	1	8	MAJPROJ	CHAR	6	6	MA2110

Figure 979, Select rows in any table – answer

Below are the queries that were generated and run to get the above answer:

```

SELECT * FROM ACT WHERE ACTKWD = '000150'
SELECT * FROM DEPARTMENT WHERE MGRNO = '000150'
SELECT * FROM EMP_PHOTO WHERE EMPNO = '000150'
SELECT * FROM EMP_RESUME WHERE EMPNO = '000150'
SELECT * FROM EMPLOYEE WHERE EMPNO = '000150'
SELECT * FROM EXPLAIN_OPERATOR WHERE OPERATOR_TYPE = '000150'
SELECT * FROM PROJACT WHERE PROJNO = '000150'
SELECT * FROM EMPPROJACT WHERE EMPNO = '000150' OR PROJNO = '000150'
SELECT * FROM PROJECT WHERE MAJPROJ = '000150' OR PROJNO = '000150' OR
      RESPEMP = '000150'
```

Figure 980, Queries generated above

Function Definition

The DB2 user-defined tabular function that does the transposing is defined thus:

```

CREATE FUNCTION tab_Transpose (VARCHAR(4000))
RETURNS TABLE (row_number          INTEGER
               ,num_cols           SMALLINT
               ,col_num            SMALLINT
               ,col_name           VARCHAR(128)
               ,col_type           VARCHAR(128)
               ,col_length         INTEGER
               ,col_value          VARCHAR(254))
LANGUAGE JAVA
EXTERNAL NAME 'Graeme2!tab_Transpose'
PARAMETER STYLE DB2GENERAL
NO EXTERNAL ACTION
NOT DETERMINISTIC
DISALLOW PARALLEL
READS SQL DATA
FINAL CALL
FENCED;
```

Figure 981, Create transpose function

Java Code

```

import java.lang.*;
import COM.ibm.db2.app.*;
import java.sql.*;
import java.math.*;
import java.io.*;

public class Graeme2 extends UDF {

    Connection          con;
    Statement          stmt;
    ResultSet          rs;
    ResultSetMetaData rsmtadta;
    int                rowNum;
    int                i;
    int                outLength;
    short              colNum;
    int                colCount;
    String[] colName   = new String[1100];
    String[] colType   = new String[1100];
    int[]   colSize    = new int[1100];
    public void writeRow()
    throws Exception {
        set(2, rowNum);
        set(3, (short) colCount);
        set(4, colNum);
        set(5, colName[colNum]);
        set(6, colType[colNum]);
```

Figure 982, CREATE FUNCTION java code (part 1 of 3)

```

        set(7, colSize[colNum]);
        if (colType[colNum].equals("XML"))
            colType[colNum].equals("BLOB")
            colType[colNum].equals("CLOB")
            colType[colNum].equals("DBLOB")
            colType[colNum].equals("GRAPHIC")
            colType[colNum].equals("VARGRAPHIC")
            colSize[colNum] > outLength) {
                // DON'T DISPLAY THIS VALUE
                return;
            }
        else if (rs.getString(colNum) != null) {
            // DISPLAY THIS COLUMN VALUE
            set(8, rs.getString(colNum));
        }
    }

    public void tab_Transpose(String inStmt
                               ,int      rowNum
                               ,short   numColumns
                               ,short   outColNumber
                               ,String  outColName
                               ,String  outColtype
                               ,int      outColSize
                               ,String  outColValue)
throws Exception {
    switch (getCallType()) {
        case SQLUDF_TF_FIRST:
            break;
        case SQLUDF_TF_OPEN:
            try {
                con      = DriverManager.getConnection
                        ("jdbc:default:connection");
                stmt     = con.createStatement();
                rs       = stmt.executeQuery(inStmt);
                // GET COLUMN NAMES
                rsmtadta = rs.getMetaData();
                colCount = rsmtadta.getColumnCount();
                for (i=1; i <= colCount; i++) {
                    colName[i] = rsmtadta.getColumnName(i);
                    colType[i] = rsmtadta.getColumnTypeName(i);
                    colSize[i] = rsmtadta.getColumnDisplaySize(i);
                }
                rowNum    = 1;
                colNum    = 1;
                outLength = 254;
            }
            catch(SQLException sqle) {
                setSQLstate("38999");
                setSQLmessage("SQLCODE = " + sqle.getSQLState());
                return;
            }
            break;
        case SQLUDF_TF_FETCH:
            if (colNum == 1 && rs.next() == true) {
                writeRow();
                colNum++;
                if (colNum > colCount) {
                    colNum = 1;
                    rowNum++;
                }
            }
    }
}

```

Figure 983, CREATE FUNCTION java code (part 2 of 3)

```

        else if (colNum > 1 && colNum <= colCount) {
            writeRow();
            colNum++;
            if (colNum > colCount) {
                colNum = 1;
                rowNum++;
            }
        }
        else {
            setSQLstate ("02000");
        }
        break;
    case SQLUDF_TF_CLOSE:
        rs.close();
        stmt.close();
        con.close();
        break;
    case SQLUDF_TF_FINAL:
        break;
    }
}
}

```

Figure 984, CREATE FUNCTION java code (part 3 of 3)

Java Logic

OPEN (run once):

- Establish connection.
- Prepare the SQL statement (i.e. input string).
- Execute the SQL statement (i.e. open cursor).
- Get meta-data for each column returned by query.
- Set row-number and column-number variables to one.
- Set the maximum output length accepted to 254.

FETCH (run for each row/column instance):

- If row exists and column-number is 1, fetch row.
- For value is not null and of valid DB2 type, return row.
- Increment row-number and column-number variables.

CLOSE (run once):

- Close the cursor.
- Return.

Update Real Data using Meta-Data

DB2 does not allow one to do DML or DDL using a scalar function, but one can do something similar by calling a table function. Thus if the table function defined below is joined to in a query, the following happens:

- User query joins to table function - sends DML or DDL statement to be executed.
- Table function calls stored procedure - sends statement to be executed.

- Stored procedure executes statement.
- Stored procedure returns SQLCODE of statement to the table function.
- Table function joins back to the user query a single-row table with two columns: The SQLCODE and the original input statement.

Now for the code:

```

CREATE PROCEDURE execute_immediate (IN in_stmt      VARCHAR(1000)
                                    ,OUT out_sqlcode INTEGER)
LANGUAGE SQL
MODIFIES SQL DATA
BEGIN
    DECLARE sqlcode INTEGER;
    DECLARE EXIT HANDLER FOR sqlexception
        SET out_sqlcode = sqlcode;
    EXECUTE IMMEDIATE in_stmt;
    SET out_sqlcode = sqlcode;
    RETURN;
END!

CREATE FUNCTION execute_immediate (in_stmt VARCHAR(1000))
RETURNS TABLE (sqltext VARCHAR(1000)
               ,sqlcode INTEGER)
LANGUAGE SQL
MODIFIES SQL DATA
BEGIN ATOMIC
    DECLARE out_sqlcode INTEGER;
    CALL execute_immediate(in_stmt, out_sqlcode);
    RETURN VALUES (in_stmt, out_sqlcode);
END!

```

IMPORTANT
=====This example uses an "!" as the stmt delimiter.

Figure 985, Define function and stored-procedure

WARNING: This code is extremely dangerous! Use with care. As we shall see, it is very easy for the above code to do some quite unexpected.

Usage Examples

The following query gets a list of materialized query tables for a given table-schema that need to be refreshed, and then refreshes the table:

```

WITH templ AS
    (SELECT tabschema
     ,tabname
     FROM syscat.tables
     WHERE tabschema = 'FRED'
     AND type = 'S'
     AND status = 'C'
     AND tabname LIKE '%DEPT%'
    )
SELECT CHAR(tab.tabname,20) AS tabname
     ,stm.sqlcode AS sqlcode
     ,CHAR(stm.sqltext,100) AS sqltext
FROM templ AS tab
     ,TABLE(execute_immediate(
        'REFRESH TABLE ' ||
        RTRIM(tab.tabschema) || '.' || tab.tabname
     )) AS stm
ORDER BY tab.tabname
WITH UR;

```

Figure 986, Refresh matching tables

I had two matching tables that needed to be refreshed, so I got the following answer:

TABNAME	SQLCODE	SQLTEXT
STAFF_DEPT1	0	REFRESH TABLE FRED.STAFF_DEPT1
STAFF_DEPT2	0	REFRESH TABLE FRED.STAFF_DEPT2

Figure 987, Refresh matching tables - answer

Observe above that the set of matching tables to be refreshed was defined in a common-table expression, and then joined to the table function. It is very important that one always code thus, because in an ordinary join it is possible for the table function to be called before all of the predicates have been applied. To illustrate this concept, the next query is supposed to make a copy of two matching tables. The answer indicates that it did just this. But what it actually did was make copies of many more tables - because the table function was called before all of the predicates on SYSCAT.TABLES were applied. The other tables that were created don't show up in the query output, because they were filtered out later in the query processing:

```

SELECT    CHAR(tab.tabname,20)      AS tabname
          ,stm.sqlcode           AS sqlcode
          ,CHAR(stm.sqltext,100)   AS sqltext
FROM      syscat.tables AS tab
          ,TABLE(execute_immediate(
                  'CREATE TABLE ' ||
                  RTRIM(tab.tabschema) || '.' || tab.tabname || '_C1' ||
                  ' LIKE ' || RTRIM(tab.tabschema) || '.' || tab.tabname
          ))AS stm
WHERE     tab.tabschema      =  USER
          AND tab.tabname        LIKE  'S%'
ORDER BY tab.tabname
FOR FETCH ONLY
WITH UR;                                              ANSWER
=====
TABNAME SQLCODE SQLTEXT
-----
SALES      0 CREATE TABLE FRED.SALES_C1 LIKE FRED.SALES
STAFF      0 CREATE TABLE FRED.STAFF_C1 LIKE FRED.STAFF

```

Figure 988, Create copies of tables - wrong

The above is bad enough, but I once managed to do much worse. In a variation of the above code, the query created a copy, of a copy, of a copy, etc. The table function kept finding the table just created, and making a copy of it - until the TABNAME reached the length limit.

The correct way to create a copy of a set of tables is shown below. In this query, the list of tables to be copied is identified in a common table expression before the table function is called:

```

WITH temp1 AS
  (SELECT tabschema
   ,tabname
   FROM syscat.tables
  WHERE tabschema = USER
    AND tabname LIKE 'S%'
  )
SELECT CHAR(tab.tabname,20) AS tablename
      ,stm.sqlcode AS sqlcode
      ,CHAR(stm.sqltext,100) AS sqltext
FROM temp1 tab
  ,TABLE(execute_immediate(
    'CREATE TABLE ' ||
    RTRIM(tab.tabschema) || '.' || tab.tabname || '_C1' ||
    ' LIKE ' || RTRIM(tab.tabschema) || '.' || tab.tabname
  )) AS stm
ORDER BY tab.tabname
FOR FETCH ONLY
WITH UR;                                              ANSWER
=====
TABNAME SQLCODE SQLTEXT
-----
SALES      0 CREATE TABLE FRED.SALES_C1 LIKE FRED.SALES
STAFF      0 CREATE TABLE FRED.STAFF_C1 LIKE FRED.STAFF

```

Figure 989, Create copies of tables - right

The next example is similar to the previous, except that it creates a copy, and then populates the new table with the contents of the original table:

```

WITH
temp0 AS
  (SELECT RTRIM(tablename) AS schema
   ,tablename AS old_tabname
   ,tablename || '_C2' AS new_tabname
   FROM syscat.tables
  WHERE tabschema = USER
    AND tabname LIKE 'S%'
  ),
temp1 AS
  (SELECT tab.*
   ,stm.sqlcode AS sqlcode1
   ,CHAR(stm.sqltext,200) AS sqltext1
   FROM temp0 AS tab
  ,TABLE(execute_immediate(
    'CREATE TABLE ' || schema || '.' || new_tabname ||
    ' LIKE ' || schema || '.' || old_tabname
  )) AS stm
  ),
temp2 AS
  (SELECT tab.*
   ,stm.sqlcode AS sqlcode2
   ,CHAR(stm.sqltext,200) AS sqltext2
   FROM temp1 AS tab
  ,TABLE(execute_immediate(
    'INSERT INTO ' || schema || '.' || new_tabname ||
    ' SELECT * FROM ' || schema || '.' || old_tabname
  )) AS stm
  )
SELECT CHAR(old_tabname,20) AS tablename
      ,sqlcode1
      ,sqlcode2
FROM temp2
ORDER BY old_tabname
FOR FETCH ONLY
WITH UR;                                              ANSWER
=====
TABNAME SQLCODE1 SQLCODE2
-----
SALES      0      0
STAFF      0      0

```

Figure 990, Create copies of tables, then populate

Query Processing Sequence

In order to explain the above, we need to understand in what sequence the various parts of a query are executed in order to avoid semantic ambiguity:

```
FROM      clause
JOIN ON   clause
WHERE     clause
GROUP BY  and aggregate
HAVING    clause
SELECT    list
ORDER BY  clause
FETCH FIRST
```

Figure 991, Query Processing Sequence

Observe above that the FROM clause is resolved before any WHERE predicates are applied. This is why the query in figure 988 did the wrong thing.

Fun with SQL

In this chapter will shall cover some of the fun things that one can and, perhaps, should not do, using DB2 SQL. Read on at your own risk.

Creating Sample Data

If every application worked exactly as intended from the first, we would never have any need for test databases. Unfortunately, one often needs to builds test systems in order to both tune the application SQL, and to do capacity planning. In this section we shall illustrate how very large volumes of extremely complex test data can be created using relatively simple SQL statements.

Good Sample Data is

- Reproducible.
- Easy to make.
- Similar to Production:
- Same data volumes (if needed).
- Same data distribution characteristics.

Data Generation

Create the set of integers between zero and one hundred. In this statement we shall use recursive coding to expand a single value into many more.

<pre>WITH temp1 (col1) AS (VALUES 0 UNION ALL SELECT col1 + 1 FROM temp1 WHERE col1 + 1 < 100) SELECT * FROM temp1;</pre>	ANSWER ===== COL1 ---- 0 1 2 3 etc
--	---

Figure 992, Use recursion to get list of 100 numbers

Instead of coding a recursion join every time, we use the table function described on page 196 to create the required rows. Assuming that the function exists, one would write the following:

```
SELECT *
  FROM TABLE(NumList(100)) AS xxx;
```

Figure 993, Use user-defined-function to get list of 100 numbers

Make Reproducible Random Data

So far, all we have done is create sets of fixed values. These are usually not suitable for testing purposes because they are too consistent. To mess things up a bit we need to use the RAND function, which generates random numbers in the range of zero to one inclusive. In the next example we will get a (reproducible) list of five random numeric values:

```

WITH temp1 (s1, r1) AS
VALUES (0, RAND(1))
UNION ALL
SELECT s1+1, RAND()
FROM temp1
WHERE s1+1 < 5
)
SELECT SMALLINT(s1) AS seq#
,DECIMAL(r1,5,3) AS ran1
FROM temp1;

```

ANSWER	
SEQ#	RAN1
0	0.001
1	0.563
2	0.193
3	0.808
4	0.585

Figure 994, Use RAND to create pseudo-random numbers

The initial invocation of the RAND function above is seeded with the value 1. Subsequent invocations of the same function (in the recursive part of the statement) use the initial value to generate a reproducible set of pseudo-random numbers.

Using the GENERATE_UNIQUE function

With a bit of data manipulation, the GENERATE_UNIQUE function can be used (instead of the RAND function) to make suitably random test data. There are advantages and disadvantages to using both functions:

- The GENERATE_UNIQUE function makes data that is always unique. The RAND function only outputs one of 32,000 distinct values.
- The RAND function can make reproducible random data, while the GENERATE_UNIQUE function can not.

See the description of the GENERATE_UNIQUE function (see page 147) for an example of how to use it to make random data.

Make Random Data - Different Ranges

There are several ways to mess around with the output from the RAND function: We can use simple arithmetic to alter the range of numbers generated (e.g. convert from 0 to 10 to 0 to 10,000). We can alter the format (e.g. from FLOAT to DECIMAL). Lastly, we can make fewer, or more, distinct random values (e.g. from 32K distinct values down to just 10). All of this is done below:

```

WITH temp1 (s1, r1) AS
VALUES (0, RAND(2))
UNION ALL
SELECT s1+1, RAND()
FROM temp1
WHERE s1+1 < 5
)
SELECT SMALLINT(s1) AS seq#
,SMALLINT(r1*10000) AS ran2
,DECIMAL(r1,6,4) AS ran1
,SMALLINT(r1*10) AS ran3
FROM temp1;

```

ANSWER			
SEQ#	RAN2	RAN1	RAN3
0	13	0.0013	0
1	8916	0.8916	8
2	7384	0.7384	7
3	5430	0.5430	5
4	8998	0.8998	8

Figure 995, Make differing ranges of random numbers

Make Random Data - Varying Distribution

In the real world, there is a tendency for certain data values to show up much more frequently than others. Likewise, separate fields in a table usually have independent semi-random data distribution patterns. In the next statement we create three independently random fields. The first has the usual 32K distinct values evenly distributed in the range of zero to one. The sec-

ond and third have random numbers that are skewed towards the low end of the range, and have many more distinct values:

```

ANSWER
=====
S#    RAN1    RAN2    RAN3
---  -----  -----  -----
0     1251   365370  114753
1     350291  280730  88106
2     710501   149549  550422
3     147312   33311   2339
4      8911     556   73091

WITH
temp1 (s1) AS
  (VALUES (0)
  UNION ALL
  SELECT s1 + 1
  FROM temp1
  WHERE s1 + 1 < 5
)
SELECT SMALLINT(s1)          AS s#
  , INTEGER((RAND(1)) * 1E6) AS ran1
  , INTEGER((RAND() * RAND()) * 1E6) AS ran2
  , INTEGER((RAND() * RAND() * RAND()) * 1E6) AS ran3
FROM temp1;

```

Figure 996, Create RAND data with different distributions

Make Random Data - Different Flavours

The RAND function generates random numbers. To get random character data one has to convert the RAND output into a character. There are several ways to do this. The first method shown below uses the CHR function to convert a number in the range: 65 to 90 into the ASCII equivalent: "A" to "Z". The second method uses the CHAR function to translate a number into the character equivalent.

```

ANSWER
=====
SEQ#  RAN2  RAN3  RAN4
---  ----  ----  -----
0     65    A     65
1     88    X     88
2     84    T     84
3     79    O     79
4     88    X     88

WITH temp1 (s1, r1) AS
  (VALUES (0, RAND(2))
  UNION ALL
  SELECT s1+1, RAND()
  FROM temp1
  WHERE s1+1 < 5
)
SELECT SMALLINT(s1)          AS seq#
  , SMALLINT(r1*26+65)      AS ran2
  , CHR(SMALLINT(r1*26+65)) AS ran3
  , CHAR(SMALLINT(r1*26)+65) AS ran4
FROM temp1;

```

Figure 997, Converting RAND output from number to character

Make Test Table & Data

So far, all we have done in this chapter is use SQL to select sets of rows. Now we shall create a Production-like table for performance testing purposes. We will then insert 10,000 rows of suitably lifelike test data into the table. The DDL, with constraints and index definitions, follows. The important things to note are:

- The EMP# and the SOCSEC# must both be unique.
- The JOB_FTN, FST_NAME, and LST_NAME fields must all be non-blank.
- The SOCSEC# must have a special format.
- The DATE_BN must be greater than 1900.

Several other fields must be within certain numeric ranges.

```

CREATE TABLE personnel
(emp#      INTEGER      NOT NULL
,socsec#    CHAR(11)    NOT NULL
,job_ftn   CHAR(4)     NOT NULL
,dept      SMALLINT    NOT NULL
,salary     DECIMAL(7,2) NOT NULL
,date_bn   DATE        NOT NULL WITH DEFAULT
,fst_name   VARCHAR(20)
,lst_name   VARCHAR(20)
,CONSTRAINT pex1 PRIMARY KEY (emp#)
,CONSTRAINT pe01 CHECK (emp#           > 0)
,CONSTRAINT pe02 CHECK (LOCATE(' ',socsec#) = 0)
,CONSTRAINT pe03 CHECK (LOCATE('-',socsec#,1) = 4)
,CONSTRAINT pe04 CHECK (LOCATE('-',socsec#,5) = 7)
,CONSTRAINT pe05 CHECK (job_ftn      <> '')
,CONSTRAINT pe06 CHECK (dept      BETWEEN 1 AND 99)
,CONSTRAINT pe07 CHECK (salary     BETWEEN 0 AND 99999)
,CONSTRAINT pe08 CHECK (fst_name   <> '')
,CONSTRAINT pe09 CHECK (lst_name   <> '')
,CONSTRAINT pe10 CHECK (date_bn   >= '1900-01-01' ));

CREATE UNIQUE INDEX PEX2 ON PERSONNEL (SOCSEC#);
CREATE UNIQUE INDEX PEX3 ON PERSONNEL (DEPT, EMP#);

```

Figure 998, Production-like test table DDL

Now we shall populate the table. The SQL shall be described in detail latter. For the moment, note the four RAND fields. These contain, independently generated, random numbers which are used to populate the other data fields.

```

INSERT INTO personnel
WITH temp1 (s1,r1,r2,r3,r4) AS
  (VALUES (0
           ,RAND(2)
           ,RAND()+(RAND()/1E5)
           ,RAND()* RAND()
           ,RAND()* RAND()* RAND())
 UNION ALL
  SELECT s1 + 1
           ,RAND()
           ,RAND()+(RAND()/1E5)
           ,RAND()* RAND()
           ,RAND()* RAND()* RAND()
  FROM temp1
  WHERE s1 < 10000)
SELECT 100000 + s1
           ,SUBSTR(DIGITS(INT(r2*988+10)),8) || '-' ||
           SUBSTR(DIGITS(INT(r1*88+10)),9) || '-' ||
           TRANSLATE(SUBSTR(DIGITS(s1),7),'9873450126','0123456789')
           ,CASE
             WHEN INT(r4*9) > 7 THEN 'MGR'
             WHEN INT(r4*9) > 5 THEN 'SUPR'
             WHEN INT(r4*9) > 3 THEN 'PGMR'
             WHEN INT(R4*9) > 1 THEN 'SEC'
             ELSE 'WKR'
           END
           ,INT(r3*98+1)
           ,DECIMAL(r4*99999,7,2)
           ,DATE('1930-01-01') + INT(50-(r4*50)) YEARS
             + INT(r4*11) MONTHS
             + INT(r4*27) DAYS
           ,CHR(INT(r1*26+65)) || CHR(INT(r2*26+97)) || CHR(INT(r3*26+97)) ||
           CHR(INT(r4*26+97)) || CHR(INT(r3*10+97)) || CHR(INT(r3*11+97))
           ,CHR(INT(r2*26+65)) || TRANSLATE(CHAR(INT(r2*1E7)),'aaeeeibmty','0123456789')
  FROM temp1;

```

Figure 999, Production-like test table INSERT

Some sample data follows:

EMP#	SOCSEC#	JOB_	DEPT	SALARY	DATE_BN	F_NME	L_NME
100000	484-10-9999	WKR	47	13.63	1979-01-01	Ammaef	Mimytmibi
100001	449-38-9998	SEC	53	35758.87	1962-04-10	Ilojff	Liiiemea
100002	979-90-9997	WKR	1	8155.23	1975-01-03	Xzacaa	Zytaebma
100003	580-50-9993	WKR	31	16643.50	1971-02-05	Lpiedd	Pimmeeat
100004	264-87-9994	WKR	21	962.87	1979-01-01	Wgfacc	Geimteei
100005	661-84-9995	WKR	19	4648.38	1977-01-02	Wrebbc	Rbiybeet
100006	554-53-9990	WKR	8	375.42	1979-01-01	Mobaaa	Oiliaiaia
100007	482-23-9991	SEC	36	23170.09	1968-03-07	Emjgdd	Mimtmamb
100008	536-41-9992	WKR	6	10514.11	1974-02-03	Jnbcaa	Nieebayt

Figure 1000, Production-like test table, Sample Output

In order to illustrate some of the tricks that one can use when creating such data, each field above was calculated using a different schema:

- The EMP# is a simple ascending number.
- The SOCSEC# field presented three problems: It had to be unique, it had to be random with respect to the current employee number, and it is a character field with special layout constraints (see the DDL on page 392).
- To make it random, the first five digits were defined using two of the temporary random number fields. To try and ensure that it was unique, the last four digits contain part of the employee number with some digit-flipping done to hide things. Also, the first random number used is the one with lots of unique values. The special formatting that this field required is addressed by making everything in pieces and then concatenating.
- The JOB FUNCTION is determined using the fourth (highly skewed) random number. This ensures that we get many more workers than managers.
- The DEPT is derived from another, somewhat skewed, random number with a range of values from one to ninety nine.
- The SALARY is derived using the same, highly skewed, random number that was used for the job function calculation. This ensures that these two fields have related values.
- The BIRTH DATE is a random date value somewhere between 1930 and 1981.
- The FIRST NAME is derived using seven independent invocation of the CHR function, each of which is going to give a somewhat different result.
- The LAST NAME is (mostly) made by using the TRANSLATE function to convert a large random number into a corresponding character value. The output is skewed towards some of the vowels and the lower-range characters during the translation.

Time-Series Processing

The following table holds data for a typical time-series application. Observe is that each row has both a beginning and ending date, and that there are three cases where there is a gap between the end-date of one row and the begin-date of the next (with the same key).

```

CREATE TABLE time_series
(KYY      CHAR(03)      NOT NULL
,bgn_dt   DATE          NOT NULL
,end_dt   DATE          NOT NULL
,CONSTRAINT tsc1 CHECK (kyy <> '')
,CONSTRAINT tsc2 CHECK (bgn_dt <= end_dt));
COMMIT;

INSERT INTO TIME_series values
('AAA','1995-10-01','1995-10-04'),
('AAA','1995-10-06','1995-10-06'),
('AAA','1995-10-07','1995-10-07'),
('AAA','1995-10-15','1995-10-19'),
('BBB','1995-10-01','1995-10-01'),
('BBB','1995-10-03','1995-10-03');

```

Figure 1001, Sample Table DDL - Time Series

Find Overlapping Rows

We want to find any cases where the begin-to-end date range of one row overlaps another with the same KYY value. The following diagram illustrates our task. The bold line at the top represents the begin and end date for a row. This row is overlapped (in time) by the six lower rows, but the nature of the overlap differs in each case.




Figure 1002, Overlapping Time-Series rows - Definition

The general types of overlap are:

- The related row has identical date ranges.
- The related row begins before the start-date and ends after the same.
- The row begins and ends between the start and finish dates.

WARNING: When writing SQL to check overlapping data ranges, make sure that all possible types of overlap (see diagram above) are tested. Some SQL statements work with some flavors of overlap, but not with others.

The relevant SQL follows. When reading it, think of the "A" table as being the bold line above and "B" table as being the four overlapping rows shown as single lines.

```

SELECT kyy
      ,bgn_dt
      ,end_dt
  FROM time_series a
 WHERE EXISTS
    (SELECT *
     FROM time_series b
     WHERE a.kyy      = b.kyy
       AND a.bgn_dt <> b.bgn_dt
       AND (a.bgn_dt BETWEEN b.bgn_dt AND b.end_dt
            OR b.bgn_dt BETWEEN a.bgn_dt AND a.end_dt))
 ORDER BY 1,2;

```

ANSWER	=====
	<no rows>

Figure 1003, Find overlapping rows in time-series

The first predicate in the above sub-query joins the rows together by matching key value. The second predicate makes sure that one row does not match against itself. The final two predicates look for overlapping date ranges.

The above query relies on the sample table data being valid (as defined by the CHECK constraints in the DDL on page 394). This means that the END_DT is always greater than or equal to the BGN_DT, and each KYY, BGN_DT combination is unique.

Find Gaps in Time-Series

We want to find all those cases in the TIME_SERIES table when the ending of one row is not exactly one day less than the beginning of the next (if there is a next). The following query will answer this question. It consists of both a join and a sub-query. In the join (which is done first), we match each row with every other row that has the same key and a BGN_DT that is more than one day greater than the current END_DT. Next, the sub-query excludes from the result those join-rows where there is an intermediate third row.

TIME_SERIES					
KYY	BGN_DT	END_DT			
AAA	1995-10-01	1995-10-04			
AAA	1995-10-06	1995-10-06			
AAA	1995-10-07	1995-10-07			
AAA	1995-10-15	1995-10-19			
BBB	1995-10-01	1995-10-01			
BBB	1995-10-03	1995-10-03			


```

SELECT a.kyy
      ,a.bgn_dt
      ,a.end_dt
      ,b.bgn_dt
      ,b.end_dt
      ,DAYS(b.bgn_dt) -
      DAYS(A.end_dt)
      as diff
  FROM time_series a
       ,time_series b
 WHERE a.kyy      = b.kyy
   AND a.end_dt < b.bgn_dt - 1 DAY
   AND NOT EXISTS
     (SELECT *
      FROM time_series z
     WHERE z.kyy      = a.kyy
       AND z.kyy      = b.kyy
       AND z.bgn_dt > a.bgn_dt
       AND z.bgn_dt < b.bgn_dt)
 ORDER BY 1,2;

```

Figure 1004, Find gap in Time-Series, SQL

KEYCOL	BGN_DT	END_DT	BGN_DT	END_DT	DIFF
AAA	1995-10-01	1995-10-04	1995-10-06	1995-10-06	2
AAA	1995-10-07	1995-10-07	1995-10-15	1995-10-19	8
BBB	1995-10-01	1995-10-01	1995-10-03	1995-10-03	2

Figure 1005, Find gap in Time-Series, Answer

WARNING: If there are many rows per key value, the above SQL will be very inefficient.

This is because the join (done first) does a form of Cartesian Product (by key value) making an internal result table that can be very large. The sub-query then cuts this temporary table down to size by removing results-rows that have other intermediate rows.

Instead of looking at those rows that encompass a gap in the data, we may want to look at the actual gap itself. To this end, the following SQL differs from the prior in that the SELECT list has been modified to get the start, end, and duration, of each gap.

```

SELECT a.kyy          AS kyy
      ,a.end_dt + 1 DAY   AS bgn_gap
      ,b.bgn_dt - 1 DAY   AS end_gap
      ,(DAYS(b.bgn_dt) -
        DAYS(a.end_dt) - 1) AS sz
  FROM time_series a
       ,time_series b
 WHERE a.kyy = b.kyy
   AND a.end_dt < b.bgn_dt - 1 DAY
   AND NOT EXISTS
     (SELECT *
      FROM time_series z
      WHERE z.kyy = a.kyy
        AND z.kyy = b.kyy
        AND z.bgn_dt > a.bgn_dt
        AND z.bgn_dt < b.bgn_dt)
 ORDER BY 1,2;

TIME_SERIES
+-----+
| KYY | BGN_DT    | END_DT   |
+-----+
| AAA | 1995-10-01 | 1995-10-04 |
| AAA | 1995-10-06 | 1995-10-06 |
| AAA | 1995-10-07 | 1995-10-07 |
| AAA | 1995-10-15 | 1995-10-19 |
| BBB | 1995-10-01 | 1995-10-01 |
| BBB | 1995-10-03 | 1995-10-03 |
+-----+


ANSWER
=====
KYY BGN_GAP    END_GAP   SZ
--- ----- - - - - -
AAA 1995-10-05 1995-10-05 1
AAA 1995-10-08 1995-10-14 7
BBB 1995-10-02 1995-10-02 1

```

Figure 1006, Find gap in Time-Series

Show Each Day in Gap

Imagine that we wanted to see each individual day in a gap. The following statement does this by taking the result obtained above and passing it into a recursive SQL statement which then generates additional rows - one for each day in the gap after the first.

```

WITH temp
(kyy, gap_dt, gsize) AS
(SELECT a.kyy
      ,a.end_dt + 1 DAY
      ,(DAYS(b.bgn_dt) -
        DAYS(a.end_dt) - 1)
  FROM time_series a
       ,time_series b
 WHERE a.kyy = b.kyy
   AND a.end_dt < b.bgn_dt - 1 DAY
   AND NOT EXISTS
     (SELECT *
      FROM time_series z
      WHERE z.kyy = a.kyy
        AND z.kyy = b.kyy
        AND z.bgn_dt > a.bgn_dt
        AND z.bgn_dt < b.bgn_dt)
 UNION ALL
 SELECT kyy
      ,gap_dt + 1 DAY
      ,gsize - 1
  FROM temp
 WHERE gsize > 1
)
SELECT *
  FROM temp
 ORDER BY 1,2;

TIME_SERIES
+-----+
| KYY | BGN_DT    | END_DT   |
+-----+
| AAA | 1995-10-01 | 1995-10-04 |
| AAA | 1995-10-06 | 1995-10-06 |
| AAA | 1995-10-07 | 1995-10-07 |
| AAA | 1995-10-15 | 1995-10-19 |
| BBB | 1995-10-01 | 1995-10-01 |
| BBB | 1995-10-03 | 1995-10-03 |
+-----+


ANSWER
=====
KEYCOL GAP_DT    GSIZ
----- -
AAA 1995-10-05 1
AAA 1995-10-08 7
AAA 1995-10-09 6
AAA 1995-10-10 5
AAA 1995-10-11 4
AAA 1995-10-12 3
AAA 1995-10-13 2
AAA 1995-10-14 1
BBB 1995-10-02 1

```

Figure 1007, Show each day in Time-Series gap

Other Fun Things

Randomly Sample Data

One can use the TABLESAMPLE schema to randomly sample rows for subsequent analysis.




Figure 1008, TABLESAMPLE Syntax

Notes

- The table-name must refer to a real table. This can include a declared global temporary table, or a materialized query table. It cannot be a nested table expression.
- The sampling is an addition to any predicates specified in the where clause. Under the covers, sampling occurs before any other query processing, such as applying predicates or doing a join.
- The BERNOULI option checks each row individually.
- The SYSTEM option lets DB2 find the most efficient way to sample the data. This may mean that all rows on each page that qualifies are included. For small tables, this method often results in an misleading percentage of rows selected.
- The "percent" number must be equal to or less than 100, and greater than zero. It determines what percentage of the rows processed are returns.
- The REPEATABLE option and number is used if one wants to get the same result every time the query is run (assuming no data changes). Without this option, each run will be both random and different.

Examples

Sample 5% of the rows in the staff table. Get the same result each time:

```
SELECT *
  FROM staff TABLESAMPLE BERNOULLI(5) REPEATABLE(1234)
  ORDER BY id;
```

Figure 1009, Sample rows in STAFF table

Sample 18% of the rows in the employee table and 25% of the rows in the employee-activity table, then join the two tables together. Because each table is sampled independently, the fraction of rows that join will be much less either sampling rate:

```
SELECT *
  FROM employee ee TABLESAMPLE BERNOULLI(18)
       ,emp_act ea TABLESAMPLE BERNOULLI(25)
 WHERE ee.empno = ea.empno
  ORDER BY ee.empno;
```

Figure 1010, Sample rows in two tables

Sample a declared global temporary table, and also apply other predicates:

```
DECLARE GLOBAL TEMPORARY TABLE session.nyc_staff
  LIKE staff;

SELECT *
  FROM session.nyc_staff TABLESAMPLE SYSTEM(34.55)
 WHERE id < 100
   AND salary > 100
  ORDER BY id;
```

Figure 1011, Sample Views used in Join Examples

Convert Character to Numeric

The DOUBLE, DECIMAL, INTEGER, SMALLINT, and BIGINT functions can all be used to convert a character field into its numeric equivalent:

```
WITH temp1 (c1) AS
  (VALUES '123 ',' 345 ',' 567 ')
SELECT c1
      ,DOUBLE(c1)    AS dbl
      ,DECIMAL(c1,3) AS dec
      ,SMALLINT(c1)  AS sml
      ,INTEGER(c1)   AS int
  FROM temp1;
```

ANSWER (numbers shortened)				
C1	DBL	DEC	SML	INT
123	+1.2300E+2	123.	123	123
345	+3.4500E+2	345.	345	345
567	+5.6700E+2	567.	567	567

Figure 1012, Convert Character to Numeric - SQL

Not all numeric functions support all character representations of a number. The following table illustrates what's allowed and what's not:

INPUT STRING	COMPATIBLE FUNCTIONS
" 1234 "	DOUBLE, DECIMAL, INTEGER, SMALLINT, BIGINT
" 12.4 "	DOUBLE, DECIMAL
" 12E4 "	DOUBLE

Figure 1013, Acceptable conversion values

Checking the Input

There are several ways to check that the input character string is a valid representation of a number - before doing the conversion. One simple solution involves converting all digits to blank, then removing the blanks. If the result is not a zero length string, then the input must have had a character other than a digit:

```
WITH temp1 (c1) AS (VALUES ' 123','456 ',' 1 2',' 33%',NULL)
SELECT c1
      ,TRANSLATE(c1,'          ','1234567890')           AS c2
      ,LENGTH(LTRIM(TRANSLATE(c1,'          ','1234567890'))) AS c3
  FROM temp1;
```

ANSWER		
C1	C2	C3
123	0	-
456	0	-
1 2	0	-
33%	%	1
-	-	-

Figure 1014, Checking for non-digits

One can also write a user-defined scalar function to check for non-numeric input, which is what is done below. This function returns "Y" if the following is true:

- The input is not null.
- There are no non-numeric characters in the input.
- The only blanks in the input are to the left of the digits.
- There is only one "+" or "-" sign, and it is next to the left-side blanks, if any.
- There is at least one digit in the input.

Now for the code:

```
--#SET DELIMITER !
CREATE FUNCTION isnumeric(instr VARCHAR(40))
RETURNS CHAR(1)
BEGIN ATOMIC
    DECLARE is_number CHAR(1) DEFAULT 'Y';
    DECLARE bgn_blank CHAR(1) DEFAULT 'Y';
    DECLARE found_num CHAR(1) DEFAULT 'N';
    DECLARE found_pos CHAR(1) DEFAULT 'N';
    DECLARE found_neg CHAR(1) DEFAULT 'N';
    DECLARE found_dot CHAR(1) DEFAULT 'N';
    DECLARE ctr      SMALLINT DEFAULT 1;
    IF instr IS NULL THEN
        RETURN NULL;
    END IF;
    wloop:
    WHILE ctr      <= LENGTH(instr) AND
         is_number = 'Y'
    DO
        -----
        --- ERROR CHECKS
        -----
        IF SUBSTR(instr,ctr,1) NOT IN (' ', '.', '+', '-', '0', '1', '2',
                                       '3', '4', '5', '6', '7', '8', '9') THEN
            SET is_number = 'N';
            ITERATE wloop;
        END IF;
        IF SUBSTR(instr,ctr,1) = ' ' AND
           bgn_blank = 'N' THEN
            SET is_number = 'N';
            ITERATE wloop;
        END IF;
        IF SUBSTR(instr,ctr,1) = '.' AND
           found_dot = 'Y' THEN
            SET is_number = 'N';
            ITERATE wloop;
        END IF;
        IF SUBSTR(instr,ctr,1) = '+' AND
           (found_neg = 'Y' OR
            bgn_blank = 'N') THEN
            SET is_number = 'N';
            ITERATE wloop;
        END IF;
        IF SUBSTR(instr,ctr,1) = '-' AND
           (found_neg = 'Y' OR
            bgn_blank = 'N') THEN
            SET is_number = 'N';
            ITERATE wloop;
        END IF;
        -----
        --- MAINTAIN FLAGS & CTR
        -----
        IF SUBSTR(instr,ctr,1) IN ('0', '1', '2', '3', '4',
                                   '5', '6', '7', '8', '9') THEN
            SET found_num = 'Y';
        END IF;
        IF SUBSTR(instr,ctr,1) = '.' THEN
            SET found_dot = 'Y';
        END IF;
        IF SUBSTR(instr,ctr,1) = '+' THEN
            SET found_pos = 'Y';
        END IF;
        IF SUBSTR(instr,ctr,1) = '-' THEN
            SET found_neg = 'Y';
        END IF;
    END DO;
END FUNCTION;
```

IMPORTANT
=====This example uses an "!" as the stmt delimiter.

Figure 1015, Check Numeric function, part 1 of 2

```

        IF SUBSTR(instr,ctr,1) <> ' ' THEN
            SET bgn_blank = 'N';
        END IF;
        SET ctr = ctr + 1;
    END WHILE wloop;
    IF found_num = 'N' THEN
        SET is_number = 'N';
    END IF;
    RETURN is_number;
END!

WITH TEMP1 (C1) AS
VALUES      '123'
            ,'+123.45'
            ,'456'
            , '10 2 '
            , ' -.23'
            , '++12356'
            , '.012349'
            , ' 33%'
            , ''
            ,NULL)
SELECT      C1          AS C1
            ,isnumeric(C1) AS C2
            ,CASE
                WHEN isnumeric(C1) = 'Y'
                THEN DECIMAL(C1,10,6)
                ELSE NULL
            END          AS C3
FROM       TEMP1!

```

ANSWER			
C1	C2	C3	
123	Y	123.00000	
+123.45	Y	123.45000	
456	N	-	
10 2	N	-	
-.23	Y	-0.23000	
++12356	N	-	
.012349	Y	0.01234	
33%	N	-	
	N	-	
-	-	-	-

Figure 1016, Check Numeric function, part 2 of 2

NOTE: See page 198 for a much simpler function that is similar to the above.

Convert Number to Character

The CHAR and DIGITS functions can be used to convert a DB2 numeric field to a character representation of the same, but as the following example demonstrates, both functions return problematic output:

```

SELECT      d_sal
            ,CHAR(d_sal)   AS d_chr
            ,DIGITS(d_sal) AS d_dgt
            ,i_sal
            ,CHAR(i_sal)   AS i_chr
            ,DIGITS(i_sal) AS i_dgt
FROM       (SELECT  DEC(salary - 11000,6,2)  AS d_sal
            ,SMALLINT(salary - 11000) AS i_sal
            FROM    staff
            WHERE   salary > 10000
                    AND salary < 12200
            )AS xxx
ORDER BY d_sal;

```

ANSWER					
D_SAL	D_CHR	D_DGT	I_SAL	I_CHR	I_DGT
-494.10	-0494.10	049410	-494	-494	00494
-12.00	-0012.00	001200	-12	-12	00012
508.60	0508.60	050860	508	508	00508
1009.75	1009.75	100975	1009	1009	01009

Figure 1017, CHAR and DIGITS function usage

The DIGITS function discards both the sign indicator and the decimal point, while the CHAR function output is (annoyingly) left-justified, and (for decimal data) has leading zeros. We can do better.

Below are three user-defined functions that convert integer data from numeric to character, displaying the output right-justified, and with a sign indicator if negative. There is one function for each flavor of integer that is supported in DB2:

```

CREATE FUNCTION char_right(inval SMALLINT)
RETURNS CHAR(06)
RETURN  RIGHT(CHAR(' ',06) CONCAT RTRIM(CHAR(inval)),06);

CREATE FUNCTION char_right(inval INTEGER)
RETURNS CHAR(11)
RETURN  RIGHT(CHAR(' ',11) CONCAT RTRIM(CHAR(inval)),11);

CREATE FUNCTION char_right(inval BIGINT)
RETURNS CHAR(20)
RETURN  RIGHT(CHAR(' ',20) CONCAT RTRIM(CHAR(inval)),20);

```

Figure 1018, User-defined functions - convert integer to character

Each of the above functions works the same way (working from right to left):

- First, convert the input number to character using the CHAR function.
- Next, use the RTRIM function to remove the right-most blanks.
- Then, concatenate a set number of blanks to the left of the value. The number of blanks appended depends upon the input type, which is why there are three separate functions.
- Finally, use the RIGHT function to get the right-most "n" characters, where "n" is the maximum number of digits (plus the sign indicator) supported by the input type.

The next example uses the first of the above functions:

<pre> SELECT i_sal ,char_right(i_sal) AS i_chr FROM (SELECT SMALLINT(salary - 11000) AS i_sal FROM staff WHERE salary > 10000 AND salary < 12200)AS xxx ORDER BY i_sal; </pre>	ANSWER ===== I_SAL I_CHR ----- ----- -494 -494 -12 -12 508 508 1009 1009
--	---

Figure 1019, Convert SMALLINT to CHAR

Decimal Input

Creating a similar function to handle decimal input is a little more tricky. One problem is that the CHAR function adds leading zeros to decimal data, which we don't want. A more serious problem is that there are many sizes and scales of decimal data, but we can only create one function (with a given name) for a particular input data type.

Decimal values can range in both length and scale from 1 to 31 digits. This makes it impossible to define a single function to convert any possible decimal value to character with possibly running out of digits, or losing some precision.

NOTE: The fact that one can only have one user-defined function, with a given name, per DB2 data type, presents a problem for all variable-length data types - notably character, varchar, and decimal. For character and varchar data, one can address the problem, to some extent, by using maximum length input and output fields. But decimal data has both a scale and a length, so there is no way to make an all-purpose decimal function.

Despite the above, below is a function that converts decimal data to character. It compromises by assuming an input of type decimal(22,2), which should handle most monetary values:

```

CREATE FUNCTION char_right(inval DECIMAL(20,2))
RETURNS CHAR(22)
RETURN  RIGHT(CHAR('' ,19)           CONCAT
              REPLACE(SUBSTR(CHAR(inval*1),1,1),'0','')) CONCAT
              STRIP(CHAR(ABS(BIGINT(inval))))    CONCAT
              '.'                                CONCAT
              SUBSTR(DIGITS(inval),19,2),22);

```

Figure 1020, User-defined function - convert decimal to character

The function works as follows:

- The input value is converted to CHAR and the first byte obtained. This will be a minus sign if the number is negative, else blank.
- The non-fractional part of the number is converted to BIGINT then to CHAR.
- A period (dot) is included.
- The fractional digits (converted to character using the DIGITS function) are appended to the back of the output.
- All of the above is concatenation together, along with some leading blanks. Finally, the 22 right-most characters are returned.

Below is the function in action:

ANSWER		
NUM	TST	TCHAR
1	0.01	0.01
2	-0.03	-0.03
3	0.09	0.09
4	-0.28	-0.28
5	0.89	0.89
6	-2.85	-2.85
7	9.14	9.14
8	-29.33	-29.33

```

WITH
temp1 (num, tst) AS
  (VALUES  (1
            ,DEC(0.01 ,20,2))
UNION ALL
  SELECT num + 1
         ,tst * -3.21
  FROM   temp1
  WHERE   num < 8)
select  num
        ,tst
        ,char_right(tst) AS tchar
  FROM   temp1;

```

Figure 1021, Convert DECIMAL to CHAR

Floating point data can be processed using the above function, as long as it is first converted to decimal using the standard DECIMAL function.

Adding Commas

The next function converts decimal input to character, with embedded commas. It first converts the value to character - as per the above function. It then steps though the output string, three bytes at a time, from right to left, checking to see if the next-left character is a number. If it is, it inserts a comma, else it adds a blank byte to the front of the string:

```

CREATE FUNCTION comma_right(inval DECIMAL(20,2))
RETURNS CHAR(27)
LANGUAGE SQL
DETERMINISTIC
NO EXTERNAL ACTION
BEGIN ATOMIC
    DECLARE i INTEGER DEFAULT 17;
    DECLARE abs_inval BIGINT;
    DECLARE out_value CHAR(27);
    SET abs_inval = ABS(BIGINT(inval));
    SET out_value = RIGHT(CHAR('',19)  CONCAT
                           RTRIM(CHAR(BIGINT(inval))),19)
                  CONCAT '.'
                  CONCAT SUBSTR(DIGITS(inval),19,2);
    WHILE i > 2 DO
        IF SUBSTR(out_value,i-1,1) BETWEEN '0' AND '9' THEN
            SET out_value = SUBSTR(out_value,1,i-1) CONCAT
                           ',' CONCAT
                           SUBSTR(out_value,i);
        ELSE
            SET out_value = ' ' CONCAT out_value;
        END IF;
        SET i = i - 3;
    END WHILE;
    RETURN out_value;
END

```

Figure 1022, User-defined function - convert decimal to character - with commas

Below is an example of the above function in use:

WITH	ANSWER
temp1 (num) AS	=====
(VALUES (DEC(+1,20,2))	INPUT
,(DEC(-1,20,2))	OUTPUT
UNION ALL	-----
SELECT num * 987654.12	-975460660753.97
FROM temp1	-987655.12
WHERE ABS(num) < 1E10),	-2.00
temp2 (num) AS	0.00
(SELECT num - 1	987653.12
FROM temp1)	987,653.12
SELECT num	975460660751.97
,comma_right(num) AS output	975,460,660,751.97
FROM temp2	
ORDER BY num;	

Figure 1023, Convert DECIMAL to CHAR with commas

Convert Timestamp to Numeric

There is absolutely no sane reason why anyone would want to convert a date, time, or timestamp value directly to a number. The only correct way to manipulate such data is to use the provided date/time functions. But having said that, here is how one does it:

```

WITH tab1(ts1) AS
    (VALUES CAST('1998-11-22-03.44.55.123456' AS TIMESTAMP))

SELECT          ts1          => 1998-11-22-03.44.55.123456
               ,HEX(ts1)      => 19981122034455123456
               ,DEC(HEX(ts1),20) => 19981122034455123456.
               ,FLOAT(DEC(HEX(ts1),20)) => 1.99811220344551e+019
               ,REAL (DEC(HEX(ts1),20)) => 1.998112e+019
FROM tab1;

```

Figure 1024, Convert Timestamp to number

Selective Column Output

There is no way in static SQL to vary the number of columns returned by a select statement. In order to change the number of columns you have to write a new SQL statement and then rebind. But one can use CASE logic to control whether or not a column returns any data.

Imagine that you are forced to use static SQL. Furthermore, imagine that you do not always want to retrieve the data from all columns, and that you also do not want to transmit data over the network that you do not need. For character columns, we can address this problem by retrieving the data only if it is wanted, and otherwise returning to a zero-length string. To illustrate, here is an ordinary SQL statement:

```
SELECT      empno
           ,firstnme
           ,lastname
           ,job
  FROM        employee
 WHERE       empno < '000100'
 ORDER BY    empno;
```

Figure 1025, Sample query with no column control

Here is the same SQL statement with each character column being checked against a host-variable. If the host-variable is 1, the data is returned, otherwise a zero-length string:

```
SELECT      empno
           ,CASE :host-var-1
             WHEN 1 THEN firstnme
             ELSE      ''
           END          AS firstnme
           ,CASE :host-var-2
             WHEN 1 THEN lastname
             ELSE      ''
           END          AS lastname
           ,CASE :host-var-3
             WHEN 1 THEN VARCHAR(job)
             ELSE      ''
           END          AS job
  FROM        employee
 WHERE       empno < '000100'
 ORDER BY    empno;
```

Figure 1026, Sample query with column control

Making Charts Using SQL

Imagine that one had a string of numeric values that one wants to display as a line-bar chart. With a little coding, this is easy to do in SQL:

```
SELECT      id
           ,salary
           ,INT(salary / 1500)          AS len
           ,REPEAT('*',INT(salary / 1500)) AS salary_chart
  FROM        staff
 WHERE       id > 120
           AND      id < 190
 ORDER BY    id;
```

ID	SALARY	LEN	SALARY_CHART
130	10505.90	7	*****
140	21150.00	14	*****
150	19456.50	12	*****
160	22959.20	15	*****
170	12258.50	8	*****
180	12009.75	8	*****

Figure 1027, Make chart using SQL

To create the above graph we first converted the column of interest to an integer field of a manageable length, and then used this value to repeat a single "*" character a set number of times.

One problem with the above query is that we won't know how long the chart will be until we run the statement. This may cause problems if we guess wrongly and we are tight for space. The next query addresses this issue by creating a chart of known length. It does it by dividing the row value by the maximum value for the selected rows (all divided by 20). The result is used to repeat the "*" character "n" times:

```

ANSWER
=====
DEPT ID      SALARY CHART
-----
10 160    82959.20 *****
10 210    90010.00 *****
10 240    79260.25 *****
10 260    81234.00 *****
15 110    42508.20 *****
15 170    42258.50 *****

SELECT    dept
          ,id
          ,salary
          ,VARCHAR(REPEAT('*',INT(salary / (MAX(salary) OVER() / 20))),20) AS chart
FROM      staff
WHERE     dept <= 15
          AND id   >= 100
ORDER BY 1,2;

```

Figure 1028, Make chart of fixed length

The above code can be enhanced to have two charts in the same column. To illustrate, the next query expresses the salary as a chart, but separately by department. This can be useful to do when the two departments have very different values and one wants to analyze the data in each department independently:

```

ANSWER
=====
DEPT ID      SALARY CHART
-----
10 160    82959.20 *****
10 210    90010.00 *****
10 240    79260.25 *****
10 260    81234.00 *****
15 110    42508.20 *****
15 170    42258.50 *****

SELECT    dept
          ,id
          ,salary
          ,VARCHAR(REPEAT('*',INT(salary /
          (MAX(salary) OVER(PARTITION BY dept) / 20))),20) AS chart
FROM      staff
WHERE     dept <= 15
          AND id   >= 100
ORDER BY 1,2;

```

Figure 1029, Make two fixed length charts in the same column

Multiple Counts in One Pass

The STATS table that is defined on page 116 has a SEX field with just two values, 'F' (for female) and 'M' (for male). To get a count of the rows by sex we can write the following:

```
SELECT      sex
           ,COUNT(*) AS num
  FROM      stats
 GROUP BY  sex
 ORDER BY  sex;
```

ANSWER >>	SEX	NUM
	---	---
	F	595
	M	405

Figure 1030, Use GROUP BY to get counts

Imagine now that we wanted to get a count of the different sexes on the same line of output. One, not very efficient, way to get this answer is shown below. It involves scanning the data table twice (once for males, and once for females) then joining the result.

```
WITH f (f) AS (SELECT COUNT(*) FROM stats WHERE sex = 'F')
           ,m (m) AS (SELECT COUNT(*) FROM stats WHERE sex = 'M')
SELECT  f , m
  FROM  f , m;
```

Figure 1031, Use Common Table Expression to get counts

It would be more efficient if we answered the question with a single scan of the data table. This we can do using a CASE statement and a SUM function:

```
SELECT  SUM(CASE sex WHEN 'F' THEN 1 ELSE 0 END) AS female
           ,SUM(CASE sex WHEN 'M' THEN 1 ELSE 0 END) AS male
  FROM    stats;
```

Figure 1032, Use CASE and SUM to get counts

We can now go one step further and also count something else as we pass down the data. In the following example we get the count of all the rows at the same time as we get the individual sex counts.

```
SELECT  COUNT(*) AS total
           ,SUM(CASE sex WHEN 'F' THEN 1 ELSE 0 END) AS female
           ,SUM(CASE sex WHEN 'M' THEN 1 ELSE 0 END) AS male
  FROM    stats;
```

Figure 1033, Use CASE and SUM to get counts

Find Missing Rows in Series / Count all Values

One often has a sequence of values (e.g. invoice numbers) from which one needs both found and not-found rows. This cannot be done using a simple SELECT statement because some of rows being selected may not actually exist. For example, the following query lists the number of staff that have worked for the firm for "n" years, but it misses those years during which no staff joined:

```
SELECT      years
           ,COUNT(*) AS #staff
  FROM      staff
 WHERE     UCASE(name)  LIKE '%E%'
   AND     years          <= 5
 GROUP BY  years;
```

ANSWER	=====
YEARS	#STAFF
1	1
4	2
5	3

Figure 1034, Count staff joined per year

The simplest way to address this problem is to create a complete set of target values, then do an outer join to the data table. This is what the following example does:

```

WITH list_years (year#) AS
  (VALUES (0),(1),(2),(3),(4),(5)
  )
  SELECT year#           AS years
        ,COALESCE(#stff,0) AS #staff
  FROM   list_years
  LEFT OUTER JOIN
    (SELECT   years
             ,COUNT(*) AS #stff
      FROM     staff
      WHERE    UCASE(name) LIKE '%E%'
              AND years          <= 5
      GROUP BY years
    )AS xxx
  ON      year# = years
  ORDER BY 1;

```

ANSWER	
=====	
YEARS	#STAFF
-----	-----
0	0
1	1
2	0
3	0
4	2
5	3

Figure 1035, Count staff joined per year, all years

The use of the VALUES syntax to create the set of target rows, as shown above, gets to be tedious if the number of values to be made is large. To address this issue, the following example uses recursion to make the set of target values:

```

WITH list_years (year#) AS
  (VALUES  SMALLINT(0)
  UNION ALL
  SELECT  year# + 1
  FROM    list_years
  WHERE   year# < 5)
  SELECT  year#           AS years
        ,COALESCE(#stff,0) AS #staff
  FROM   list_years
  LEFT OUTER JOIN
    (SELECT   years
             ,COUNT(*) AS #stff
      FROM     staff
      WHERE    UCASE(name) LIKE '%E%'
              AND years          <= 5
      GROUP BY years
    )AS xxx
  ON      year# = years
  ORDER BY 1;

```

ANSWER	
=====	
YEARS	#STAFF
-----	-----
0	0
1	1
2	0
3	0
4	2
5	3

Figure 1036, Count staff joined per year, all years

If one turns the final outer join into a (negative) sub-query, one can use the same general logic to list those years when no staff joined:

```

WITH list_years (year#) AS
  (VALUES  SMALLINT(0)
  UNION ALL
  SELECT  year# + 1
  FROM    list_years
  WHERE   year# < 5)
  SELECT  year#
  FROM    list_years y
  WHERE   NOT EXISTS
  (SELECT *
   FROM   staff s
   WHERE  UCASE(s.name) LIKE '%E%'
          AND s.years          = y.year#)
  ORDER BY 1;

```

ANSWER	
=====	
YEAR#	-----
-----	-----
0	
2	
3	

Figure 1037, List years when no staff joined

Multiple Counts from the Same Row

Imagine that we want to select from the EMPLOYEE table the following counts presented in a tabular list with one line per item. In each case, if nothing matches we want to get a zero:

- Those with a salary greater than \$20,000
- Those whose first name begins 'ABC%'
- Those who are male.
- Employees per department.
- A count of all rows.

Note that a given row in the EMPLOYEE table may match more than one of the above criteria. If this were not the case, a simple nested table expression could be used. Instead we will do the following:

```

WITH category (cat,subcat,dept) AS
  (VALUES ('1ST','ROWS IN TABLE','','')
    ,('2ND','SALARY > $20K','','')
    ,('3RD','NAME LIKE ABC%','','')
    ,('4TH','NUMBER MALES','',''))
  UNION
  SELECT '5TH',deptname,deptno
  FROM   department
)
SELECT   xxx.cat      AS "category"
        ,xxx.subcat  AS "subcategory/dept"
        ,SUM(xxx.found) AS "#rows"
  FROM   (SELECT   cat.cat
          ,cat.subcat
          ,CASE
              WHEN emp.empno IS NULL THEN 0
              ELSE 1
            END AS found
        FROM   category cat
        LEFT OUTER JOIN
              employee emp
        ON     cat.subcat      = 'ROWS IN TABLE'
        OR     (cat.subcat      = 'NUMBER MALES'
        AND    emp.sex         = 'M')
        OR     (cat.subcat      = 'SALARY > $20K'
        AND    emp.salary      > 20000)
        OR     (cat.subcat      = 'NAME LIKE ABC%'
        AND    emp.firstnm LIKE 'ABC%')
        OR     (cat.dept        <> ''
        AND    cat.dept        = emp.workdept)
      )AS xxx
  GROUP BY xxx.cat
        ,xxx.subcat
  ORDER BY 1,2;

```

Figure 1038, Multiple counts in one pass, SQL

In the above query, a temporary table is defined and then populated with all of the summation types. This table is then joined (using a left outer join) to the EMPLOYEE table. Any matches (i.e. where EMPNO is not null) are given a FOUND value of 1. The output of the join is then feed into a GROUP BY to get the required counts.

CATEGORY	SUBCATEGORY/DEPT	#ROWS
1ST	ROWS IN TABLE	32
2ND	SALARY > \$20K	25
3RD	NAME LIKE ABC%	0
4TH	NUMBER MALES	19
5TH	ADMINISTRATION SYSTEMS	6
5TH	DEVELOPMENT CENTER	0
5TH	INFORMATION CENTER	3
5TH	MANUFACTURING SYSTEMS	9
5TH	OPERATIONS	5
5TH	PLANNING	1
5TH	SOFTWARE SUPPORT	4
5TH	SPIFFY COMPUTER SERVICE DIV.	3
5TH	SUPPORT SERVICES	1

Figure 1039, Multiple counts in one pass, Answer

Normalize Denormalized Data

Imagine that one has a string of text that one wants to break up into individual words. As long as the word delimiter is fairly basic (e.g. a blank space), one can use recursive SQL to do this task. One recursively divides the text into two parts (working from left to right). The first part is the word found, and the second part is the remainder of the text:

```

WITH
temp1 (id, data) AS
  (VALUES (01,'SOME TEXT TO PARSE.')
        ,(02,'MORE SAMPLE TEXT.')
        ,(03,'ONE-WORD.')
        ,(04,'')
      ),
temp2 (id, word#, word, data_left) AS
  (SELECT id
   ,SMALLINT(1)
   ,SUBSTR(data,1,
    CASE LOCATE(' ',data)
      WHEN 0 THEN LENGTH(data)
      ELSE LOCATE(' ',data)
    END)
   ,LTrim(SUBSTR(data,
    CASE LOCATE(' ',data)
      WHEN 0 THEN LENGTH(data) + 1
      ELSE LOCATE(' ',data)
    END))
  FROM temp1
  WHERE data <> ''
  UNION ALL
  SELECT id
   ,word# + 1
   ,SUBSTR(data_left,1,
    CASE LOCATE(' ',data_left)
      WHEN 0 THEN LENGTH(data_left)
      ELSE LOCATE(' ',data_left)
    END)
   ,LTrim(SUBSTR(data_left,
    CASE LOCATE(' ',data_left)
      WHEN 0 THEN LENGTH(data_left) + 1
      ELSE LOCATE(' ',data_left)
    END))
  FROM temp2
  WHERE data_left <> ''
 )
SELECT *
FROM temp2
ORDER BY 1,2;

```

Figure 1040, Break text into words - SQL

The SUBSTR function is used above to extract both the next word in the string, and the remainder of the text. If there is a blank byte in the string, the SUBSTR stops (or begins, when getting the remainder) at it. If not, it goes to (or begins at) the end of the string. CASE logic is used to decide what to do.

ID	WORD#	WORD	DATA_LEFT
1	1	SOME	TEXT TO PARSE.
1	2	TEXT	TO PARSE.
1	3	TO	PARSE.
1	4	PARSE.	
2	1	MORE	SAMPLE TEXT.
2	2	SAMPLE	TEXT.
2	3	TEXT.	
3	1	ONE-WORD.	

Figure 1041, Break text into words - Answer

Denormalize Normalized Data

The SUM function can be used to accumulate numeric values. To accumulate character values (i.e. to string the individual values from multiple lines into a single long value) is a little harder, but it can also be done.

The following example uses the XMLAGG column function to aggregate multiple values into one. The processing goes as follows:

- The XMLTEXT scalar function converts each character value into XML. A space is put at the end of the each name, so there is a gap before the next.
- The XMLAGG column function aggregates the individual XML values in name order.
- The XMLSERIALIZE scalar function converts the aggregated XML value into a CLOB.
- The SUBSTR scalar function converts the CLOB to a CHAR.

Now for the code:

```
SELECT    dept
        ,SMALLINT(COUNT(*)) AS #w
        ,MAX(name)          AS max_name
        ,SUBSTR(
            XMLSERIALIZE(
                XMLAGG(
                    XMLTEXT(name || ' ')
                    ORDER BY name)
                AS CLOB(1M))
            ,1,50)             AS all_names
FROM      staff
GROUP BY dept
ORDER BY dept;
```

Figure 1042, Denormalize Normalized Data - SQL

Here is the answer:

DEPT	W#	MAX_NAME	ALL_NAMES
10	4	Molinare	Daniels Jones Lu Molinare
15	4	Rothman	Hanes Kermisch Ngan Rothman
20	4	Sneider	James Pernal Sanders Sneider
38	5	Quigley	Abrahams Marenghi Naughton O'Brien Quigley
42	4	Yamaguchi	Koonitz Plotz Scoutten Yamaguchi
51	5	Williams	Fraye Lundquist Smith Wheeler Williams
66	5	Wilson	Burke Gonzales Graham Lea Wilson
84	4	Quill	Davis Edwards Gafney Quill

Figure 1043, Denormalize Normalized Data - Answer

The next example uses recursion to do exactly the same thing. It begins by getting the minimum name in each department. It then recursively gets the next to lowest name, then the next, and so on. As the query progresses, it maintains a count of names added, stores the current name in the temporary NAME field, and appends the same to the end of the ALL_NAMES field. Once all of the names have been processed, the final SELECT eliminates from the answer-set all rows, except the last for each department:

```
WITH temp1 (dept,w#,name,all_names) AS
  (SELECT   dept
            ,SMALLINT(1)
            ,MIN(name)
            ,VARCHAR(MIN(name),50)
  FROM     staff a
  GROUP BY dept
  UNION ALL
  SELECT   a.dept
            ,SMALLINT(b.w#+1)
            ,a.name
            ,b.all_names || ' ' || a.name
  FROM     staff a
            ,temp1 b
  WHERE    a.dept = b.dept
  AND      a.name > b.name
  AND      a.name =
            (SELECT MIN(c.name)
  FROM     staff c
  WHERE    c.dept = b.dept
          AND c.name > b.name)
  )
  SELECT   dept
            ,w#
            ,name AS max_name
            ,all_names
  FROM     temp1 d
  WHERE    w# =
            (SELECT MAX(w#)
  FROM     temp1 e
  WHERE    d.dept = e.dept)
  ORDER BY dept;
```

Figure 1044, Denormalize Normalized Data - SQL

If there are no suitable indexes, the above query may be horribly inefficient. If this is the case, one can create a user-defined function to string together the names in a department:

```

CREATE FUNCTION list_names(indept SMALLINT)
RETURNS VARCHAR(50)
BEGIN ATOMIC
    DECLARE outstr VARCHAR(50) DEFAULT '';
    FOR list_names AS
        SELECT name
        FROM staff
        WHERE dept = indept
        ORDER BY name
    DO
        SET outstr = outstr || name || ' ';
    END FOR;
    SET outstr = rtrim(outstr);
    RETURN outstr;
END!

SELECT      dept          AS DEPT
            ,SMALLINT(cnt)   AS W#
            ,mxx             AS MAX_NAME
            ,list_names(dept) AS ALL_NAMES
FROM        (SELECT      dept
            ,COUNT(*)   as cnt
            ,MAX(name)  AS mxx
            FROM staff
            GROUP BY dept
            )as ddd
ORDER BY dept!

```

IMPORTANT
=====This example uses an "!" as the stmt delimiter.

Figure 1045, Creating a function to denormalize names

Even the above might have unsatisfactory performance - if there is no index on department. If adding an index to the STAFF table is not an option, it might be faster to insert all of the rows into a declared temporary table, and then add an index to that.

Transpose Numeric Data

In this section we will turn rows of numeric data into columns. This cannot be done directly in SQL because the language does not support queries where the output columns are unknown at query start. We will get around this limitation by sending the transposed output to a suitably long VARCHAR field.

Imagine that we want to group the data in the STAFF sample table by DEPT and JOB to get the SUM salary for each instance, but not in the usual sense with one output row per DEPT and JOB value. Instead, we want to generate one row per DEPT, with a set of "columns" (in a VARCHAR field) that hold the SUM salary values for each JOB in the department. We will also put column titles on the first line of output.

To make the following query simpler, three simple scalar functions will be used to convert data from one type to another:

- Convert decimal data to character - similar to the one on page 401.
- Convert smallint data to character - same as the one page 401.
- Right justify and add leading blanks to character data.

Now for the functions:

```

CREATE FUNCTION num_to_char(inval SMALLINT)
RETURNS CHAR(06)
RETURN RIGHT(CHAR(' ',06) CONCAT RTRIM(CHAR(inval)),06);

CREATE FUNCTION num_to_char(inval DECIMAL(9,2))
RETURNS CHAR(10)
RETURN RIGHT(CHAR(' ',7) CONCAT RTRIM(CHAR(BIGINT(inval))),7)
    CONCAT '.'
    CONCAT SUBSTR(DIGITS(inval),8,2);

CREATE FUNCTION right_justify(inval CHAR(5))
RETURNS CHAR(10)
RETURN RIGHT(CHAR(' ',10) || RTRIM(inval),10);

```

Figure 1046, Data Transformation Functions

The query consists of lots of little steps that are best explained by describing each temporary table built:

- DATA_INPUT: This table holds the set of matching rows in the STAFF table, grouped by DEPT and JOB as per a typical query (see page 415 for the contents). This is the only time that we touch the original STAFF table. All subsequent queries directly or indirectly reference this table.
- JOBS_LIST: The list of distinct jobs in all matching rows. Each job is assigned two row-numbers, one ascending, and one descending.
- DEPT_LIST: The list of distinct departments in all matching rows.
- DEPT_JOB_LIST: The list of all matching department/job combinations. We need this table because not all departments have all jobs.
- DATA_ALL_JOBS: The DEPT_JOB_LIST table joined to the original DATA_INPUT table using a left outer join, so we now have one row with a sum-salary value for every JOB and DEPT instance.
- DATA_TRANSFORM: Recursively go through the DATA_ALL_JOBS table (for each department), adding the a character representation of the current sum-salary value to the back of a VARCHAR column.
- DATA_LAST_ROW: For each department, get the row with the highest ascending JOB# value. This row has the concatenated string of sum-salary values.

At this point we are done, except that we don't have any column headings in our output. The rest of the query gets these.

- JOBS_TRANSFORM: Recursively go through the list of distinct jobs, building a VARCHAR string of JOB names. The job names are right justified - to match the sum-salary values, and have the same output length.
- JOBS_LAST_ROW: Get the one row with the lowest descending job number. This row has the complete string of concatenated job names.
- DATA_AND_JOBS: Use a UNION ALL to vertically combine the JOBS_LAST_ROW and DATA_LAST_ROW tables. The result is a new table with both column titles and sum-salary values.

Finally, we select the list of column names and sum-salary values. The output is ordered so that the column names are on the first line fetched.

Now for the query:

```

WITH
data_input AS
  (SELECT dept
   ,job
   ,SUM(salary) AS sum_sal
  FROM staff
  WHERE id      < 200
    AND name    <> 'Sue'
    AND salary   > 10000
  GROUP BY dept
   ,job),
jobs_list AS
  (SELECT job
   ,ROW_NUMBER() OVER(ORDER BY job ASC)  AS job#A
   ,ROW_NUMBER() OVER(ORDER BY job DESC) AS job#D
  FROM data_input
  GROUP BY job),
dept_list AS
  (SELECT dept
  FROM data_input
  GROUP BY dept),
dept_jobs_list AS
  (SELECT dpt.dept
   ,job.job
   ,job.job#A
   ,job.job#D
  FROM jobs_list job
  FULL OUTER JOIN
   dept_list dpt
  ON 1 = 1),
data_all_jobs AS
  (SELECT djb.dept
   ,djb.job
   ,djb.job#A
   ,djb.job#D
   ,COALESCE(dat.sum_sal,0) AS sum_sal
  FROM dept_jobs_list djb
  LEFT OUTER JOIN
   data_input dat
  ON djb.dept = dat.dept
  AND djb.job  = dat.job),
data_transform(dept, job#A, job#D, outvalue) AS
  (SELECT dept
   ,job#A
   ,job#D
   ,VARCHAR(num_to_char(sum_sal),250)
  FROM data_all_jobs
  WHERE job#A = 1
  UNION ALL
  SELECT dat.dept
   ,dat.job#A
   ,dat.job#D
   ,trn.outvalue || ',' || num_to_char(dat.sum_sal)
  FROM data_transform trn
   ,data_all_jobs dat
  WHERE trn.dept = dat.dept
    AND trn.job#A = dat.job#A - 1),
data_last_row AS
  (SELECT dept
   ,num_to_char(dept) AS dept_char
   ,outvalue
  FROM data_transform
  WHERE job#D = 1),

```

Figure 1047, Transform numeric data - part 1 of 2

```

jobs_transform (job#A, job#D, outvalue) AS
  (SELECT    job#A
   ,job#D
   ,VARCHAR(right_justify(job),250)
  FROM      jobs_list
  WHERE     job#A = 1
  UNION ALL
  SELECT    job.job#A
   ,job.job#D
   ,trn.outvalue || ',' || right_justify(job.job)
  FROM      jobs_transform trn
   ,jobs_list      job
  WHERE     trn.job#A = job.job#A - 1),
jobs_last_row AS
  (SELECT    0          AS dept
   ,DEPT' AS dept_char
   ,outvalue
  FROM      jobs_transform
  WHERE     job#D = 1),
data_and_jobs AS
  (SELECT    dept
   ,dept_char
   ,outvalue
  FROM      jobs_last_row
  UNION ALL
  SELECT    dept
   ,dept_char
   ,outvalue
  FROM      data_last_row)
SELECT    dept_char || ',' ||
           outvalue AS output
  FROM      data_and_jobs
 ORDER BY dept;

```

Figure 1048, Transform numeric data - part 2 of 2

For comparison, below are the contents of the first temporary table, and the final output:

DATA_INPUT			OUTPUT			
DEPT	JOB	SUM_SAL	DEPT,	Clerk,	Mgr,	Sales
10	Mgr	22959.20	10,	0.00,	22959.20,	0.00
15	Clerk	24766.70	15,	24766.70,	20659.80,	16502.83
15	Mgr	20659.80	20,	27757.35,	18357.50,	78171.25
15	Sales	16502.83	38,	24964.50,	77506.75,	34814.30
20	Clerk	27757.35	42,	10505.90,	18352.80,	18001.75
20	Mgr	18357.50	51,	0.00,	21150.00,	19456.50
20	Sales	78171.25				
38	Clerk	24964.50				
38	Mgr	77506.75				
38	Sales	34814.30				
42	Clerk	10505.90				
42	Mgr	18352.80				
42	Sales	18001.75				
51	Mgr	21150.00				
51	Sales	19456.50				

Figure 1049, Contents of first temporary table and final output

Reversing Field Contents

DB2 lacks a simple function for reversing the contents of a data field. Fortunately, we can create a function to do it ourselves.

Input vs. Output

Before we do any data reversing, we have to define what the reversed output should look like relative to a given input value. For example, if we have a four-digit numeric field, the reverse of the number 123 could be 321, or it could be 3210. The latter value implies that the input has a leading zero. It also assumes that we really are working with a four digit field. Likewise, the reverse of the number 123.45 might be 54.321, or 543.21.

Another interesting problem involves reversing negative numbers. If the value "-123" is a string, then the reverse is probably "321-". If it is a number, then the desired reverse is more likely to be "-321".

Trailing blanks in character strings are a similar problem. Obviously, the reverse of "ABC" is "CBA", but what is the reverse of "ABC "? There is no general technical answer to any of these questions. The correct answer depends upon the business needs of the application.

Below is a user defined function that can reverse the contents of a character field:

```
--#SET DELIMITER !
CREATE FUNCTION reverse(instr VARCHAR(50))
RETURNS VARCHAR(50)
BEGIN ATOMIC
    DECLARE outstr  VARCHAR(50) DEFAULT '';
    DECLARE curbyte SMALLINT      DEFAULT 0;
    SET curbyte = LENGTH(RTRIM(instr));
    WHILE curbyte >= 1 DO
        SET outstr = outstr || SUBSTR(instr,curbyte,1);
        SET curbyte = curbyte - 1;
    END WHILE;
    RETURN outstr;
END!
SELECT id          AS ID
       ,name        AS NAME1
       ,reverse(name) AS NAME2
FROM staff
WHERE id < 40
ORDER BY id;
```

IMPORTANT
=====This example uses an "!" as the stmt delimiter.

ANSWER	
ID	NAME1
10	Sanders
20	Pernal
30	Marenghi
	srednaS
	lanreP
	ihgneraM

Figure 1050, Reversing character field

The same function can be used to reverse numeric values, as long as they are positive:

```
SELECT id          AS ID
       ,salary      AS SALARY1
       ,DEC(reverse(CHAR(salary)),7,4) AS SALARY2
FROM staff
WHERE id < 40
ORDER BY id;
```

ANSWER	
ID	SALARY1
10	18357.50
20	78171.25
30	77506.75
	5.7538
	52.1718
	57.6057

Figure 1051, Reversing numeric field

Simple CASE logic can be used to deal with negative values (i.e. to move the sign to the front of the string, before converting back to numeric), if they exist.

Fibonacci Series

A Fibonacci Series is a series of numbers where each value is the sum of the previous two. Regardless of the two initial (seed) values, if run for long enough, the division of any two adjacent numbers will give the value 0.618 or inversely 1.618.

The following user defined function generates a Fibonacci series using three input values:

- First seed value.
- Second seed value.
- Number values to generate in series.

Observe that that the function code contains a check to stop series generation if there is not enough space in the output field for more numbers:

```
--#SET DELIMITER !
CREATE FUNCTION Fibonacci (inval1 INTEGER
                           ,inval2 INTEGER
                           ,loopno INTEGER)
RETURNS VARCHAR(500)
BEGIN ATOMIC
    DECLARE loopctr INTEGER DEFAULT 0;
    DECLARE tempval1 BIGINT;
    DECLARE tempval2 BIGINT;
    DECLARE tempval3 BIGINT;
    DECLARE outvalue VARCHAR(500);
    SET tempval1 = inval1;
    SET tempval2 = inval2;
    SET outvalue = RTRIM(LTRIM(CHAR(tempval1))) || ', ' ||
                  RTRIM(LTRIM(CHAR(tempval2)));
    calc: WHILE loopctr < loopno DO
        SET tempval3 = tempval1 + tempval2;
        SET tempval1 = tempval2;
        SET tempval2 = tempval3;
        SET outvalue = outvalue || ', ' || RTRIM(LTRIM(CHAR(tempval3)));
        SET loopctr = loopctr + 1;
        IF LENGTH(outvalue) > 480 THEN
            SET outvalue = outvalue || ' etc...';
            LEAVE calc;
        END IF;
    END WHILE;
    RETURN outvalue;
END!
```

IMPORTANT
=====This example uses an "!" as the stmt delimiter.

Figure 1052, Fibonacci Series function

The following query references the function:

```
WITH temp1 (v1,v2,lp) AS
  (VALUES (00,01,11)
          ,(12,61,10)
          ,(02,05,09)
          ,(01,-1,08))
SELECT   t1.*
          ,Fibonacci(v1,v2,lp) AS sequence
FROM     temp1 t1;
=====
V1  V2  LP  SEQUENCE
-----
0  1  11  0, 1, 1, 2, 3, 5, 8, 13, 21, 34, 55, 89, 144
12 61 10  12, 61, 73, 134, 207, 341, 548, 889, 1437, 2326, 3763, 6089
2  5  9  2, 5, 7, 12, 19, 31, 50, 81, 131, 212, 343
1 -1  8  1, -1, 0, -1, -2, -3, -5, -8, -13
ANSWER
```

Figure 1053, Fibonacci Series generation

The above example generates the complete series of values. If needed, the code could easily be simplified to simply return only the last value in the series. Likewise, a recursive join can be used to create a set of rows that are a Fibonacci series.

Business Day Calculation

The following function will calculate the number of business days (i.e. Monday to Friday) between to two dates:

```

CREATE FUNCTION business_days (lo_date DATE, hi_date DATE)
RETURNS INTEGER
BEGIN ATOMIC
    DECLARE bus_days INTEGER DEFAULT 0;
    DECLARE cur_date DATE;
    SET cur_date = lo_date;
    WHILE cur_date < hi_date DO
        IF DAYOFWEEK(cur_date) IN (2,3,4,5,6) THEN
            SET bus_days = bus_days + 1;
        END IF;
        SET cur_date = cur_date + 1 DAY;
    END WHILE;
    RETURN bus_days;
END!

```

IMPORTANT
=====This example uses an "!" as the stmt delimiter.

Figure 1054, Calculate number of business days between two dates

Below is an example of the function in use:

```

WITH temp1 (ld, hd) AS
    (VALUES (DATE('2006-01-10'),DATE('2007-01-01'))
            ,(DATE('2007-01-01'),DATE('2007-01-01'))
            ,(DATE('2007-02-10'),DATE('2007-01-01')))
SELECT t1.*,
       ,DAYS(hd) - DAYS(ld) AS diff
       ,business_days(ld,hd) AS bdays
FROM   temp1 t1;

```

ANSWER			
LD	HD	DIFF	BDAYS
2006-01-10	2007-01-01	356	254
2007-01-01	2007-01-01	0	0
2007-02-10	2007-01-01	-40	0

Figure 1055, Use business-day function

Query Runs for "n" Seconds

Imagine that one wanted some query to take exactly four seconds to run. The following query does just this - by looping (using recursion) until such time as the current system timestamp is four seconds greater than the system timestamp obtained at the beginning of the query:

```

WITH temp1 (num,ts1,ts2) AS
    (VALUES (INT(1)
            ,TIMESTAMP(GENERATE_UNIQUE())
            ,TIMESTAMP(GENERATE_UNIQUE())))
UNION ALL
SELECT num + 1
      ,ts1
      ,TIMESTAMP(GENERATE_UNIQUE())
FROM temp1
WHERE TIMESTAMPDIFF(2,CHAR(ts2-ts1)) < 4
)
SELECT MAX(num) AS #loops
      ,MIN(ts2) AS bgn_timestamp
      ,MAX(ts2) AS end_timestamp
FROM temp1;

```

ANSWER		
#LOOPS	BGN_TIMESTAMP	END_TIMESTAMP
58327	2001-08-09-22.58.12.754579	2001-08-09-22.58.16.754634

Figure 1056, Run query for four seconds

Observe that the CURRENT TIMESTAMP special register is not used above. It is not appropriate for this situation, because it always returns the same value for each invocation within a single query.

Function to Pause for "n" Seconds

We can take the above query and convert it into a user-defined function that will loop for "n" seconds, where "n" is the value passed to the function. However, there are several caveats:

- Looping in SQL is a "really stupid" way to hang around for a couple of seconds. A far better solution would be to call a stored procedure written in an external language that has a true pause command.
- The number of times that the function is invoked may differ, depending on the access path used to run the query.
- The recursive looping is going to result in the calling query getting a warning message.

Now for the code:

```
CREATE FUNCTION pause(inval INT)
RETURNS INTEGER
NOT DETERMINISTIC
EXTERNAL ACTION
RETURN
WITH ttt (num, strt, stop) AS
  (VALUES (1
           ,TIMESTAMP(GENERATE_UNIQUE())
           ,TIMESTAMP(GENERATE_UNIQUE()))
    UNION ALL
    SELECT num + 1
           ,strt
           ,TIMESTAMP(GENERATE_UNIQUE())
    FROM ttt
    WHERE TIMESTAMPDIFF(2,CHAR(stop - strt)) < inval
  )
SELECT MAX(num)
FROM ttt;
```

Figure 1057, Function that pauses for "n" seconds

Below is a query that calls the above function:

```
SELECT id
      ,SUBSTR(CHAR(TIMESTAMP(GENERATE_UNIQUE())),18) AS ss_mmmmmmm
      ,pause(id / 10)                                AS #loops
      ,SUBSTR(CHAR(TIMESTAMP(GENERATE_UNIQUE())),18) AS ss_mmmmmmm
  FROM staff
 WHERE id < 31;
ANSWER
=====
ID SS_MMMMMMM #LOOPS SS_MMMMMMM
-- -----
10 50.068593 76386 50.068587
20 52.068744 144089 52.068737
30 55.068930 206101 55.068923
```

Figure 1058, Query that uses pause function

Sort Character Field Contents

The following user-defined scalar function will sort the contents of a character field in either ascending or descending order. There are two input parameters:

- The input string: As written, the input can be up to 20 bytes long. To sort longer fields, change the input, output, and OUT-VAL (variable) lengths as desired.

- The sort order (i.e. 'A' or 'D').

The function uses a very simple, and not very efficient, bubble-sort. In other words, the input string is scanned from left to right, comparing two adjacent characters at a time. If they are not in sequence, they are swapped - and flag indicating this is set on. The scans are repeated until all of the characters in the string are in order:

```
--#SET DELIMITER !

CREATE FUNCTION sort_char(in_val VARCHAR(20),sort_dir VARCHAR(1))
RETURNS VARCHAR(20)
BEGIN ATOMIC
    DECLARE cur_pos SMALLINT;
    DECLARE do_sort CHAR(1);
    DECLARE out_val VARCHAR(20);
    IF UCASE(sort_dir) NOT IN ('A','D') THEN
        SIGNAL SQLSTATE '75001'
        SET MESSAGE_TEXT = 'Sort order not ''A'' or ''D'''';
    END IF;
    SET out_val = in_val;
    SET do_sort = 'Y';
    WHILE do_sort = 'Y' DO
        SET do_sort = 'N';
        SET cur_pos = 1;
        WHILE cur_pos < length(in_val) DO
            IF (UCASE(sort_dir) = 'A'
                AND SUBSTR(out_val,cur_pos+1,1) <
                    SUBSTR(out_val,cur_pos,1))
            OR (UCASE(sort_dir) = 'D'
                AND SUBSTR(out_val,cur_pos+1,1) >
                    SUBSTR(out_val,cur_pos,1)) THEN
                SET do_sort = 'Y';
                SET out_val = CASE
                    WHEN cur_pos = 1
                    THEN ''
                    ELSE SUBSTR(out_val,1,cur_pos-1)
                END
                CONCAT SUBSTR(out_val,cur_pos+1,1)
                CONCAT SUBSTR(out_val,cur_pos ,1)
                CONCAT
                CASE
                    WHEN cur_pos = length(in_val) - 1
                    THEN ''
                    ELSE SUBSTR(out_val,cur_pos+2)
                END;
            END IF;
            SET cur_pos = cur_pos + 1;
        END WHILE;
    END WHILE;
    RETURN out_val;
END!
```

IMPORTANT
=====

This example
uses an "!"
as the stmt
delimiter.

Figure 1059, Define sort-char function

Here is the function in action:

```

WITH word1 (w#, word_val) AS
  (VALUES(1,'12345678')
   ,(2,'ABCDEFG')
   ,(3,'AaBbCc')
   ,(4,'abccb')
   ,(5,'%#.')
   ,(6,'bB')
   ,(7,'a')
   ,(8,''))
SELECT w#
  ,word_val
  ,sort_char(word_val,'a') sa
  ,sort_char(word_val,'D') sd
FROM word1
ORDER BY w#;

```

Figure 1060, Use sort-char function

ANSWER			
W#	WORD_VAL	SA	SD
1	12345678	12345678	87654321
2	ABCDEFG	ABCDEFG	GFEDCBA
3	AaBbCc	aAbBcC	CcBbAa
4	abccb	abbcc	ccbba
5	'%#.'	'.#%	%#.'
6	bB	bB	Bb
7	a	a	a
8			

Calculating the Median

The median is defined at that value in a series of values where half of the values are higher to it and the other half are lower. The median is a useful number to get when the data has a few very extreme values that skew the average.

If there are an odd number of values in the list, then the median value is the one in the middle (e.g. if 7 values, the median value is #4). If there is an even number of matching values, there are two formulas that one can use:

- The most commonly used definition is that the median equals the sum of the two middle values, divided by two.
- A less often used definition is that the median is the smaller of the two middle values.

DB2 does not come with a function for calculating the median, but it can be obtained using the ROW_NUMBER function. This function is used to assign a row number to every matching row, and then one searches for the row with the middle row number.

Using Formula #1

Below is some sample code that gets the median SALARY, by JOB, for some set of rows in the STAFF table. Two JOB values are referenced - one with seven matching rows, and one with four. The query logic goes as follows:

- Get the matching set of rows from the STAFF table, and give each row a row-number, within each JOB value.
- Using the set of rows retrieved above, get the maximum row-number, per JOB value, then add 1.0, then divide by 2, then add or subtract 0.6. This will give one two values that encompass a single row-number, if an odd number of rows match, and two row-numbers, if an even number of rows match.
- Finally, join the one row per JOB obtained in step 2 above to the set of rows retrieved in step 1 - by common JOB value, and where the row-number is within the high/low range. The average salary of whatever is retrieved is the median.

Now for the code:

```

WITH numbered_rows AS
  (SELECT s.*,
          ROW_NUMBER() OVER(PARTITION BY job
                             ORDER BY salary, id) AS row#
   FROM staff s
   WHERE comm > 0
     AND name LIKE '%e%'),
median_row_num AS
  (SELECT job
     , (MAX(row# + 1.0) / 2) - 0.5 AS med_lo
     , (MAX(row# + 1.0) / 2) + 0.5 AS med_hi
   FROM numbered_rows
   GROUP BY job)
SELECT nn.job
     , DEC(DEC(AVG(nn.salary), 7, 2)) AS med_sal
  FROM numbered_rows nn
     , median_row_num mr
 WHERE nn.job = mr.job
   AND nn.row# BETWEEN mr.med_lo AND mr.med_hi
 GROUP BY nn.job
 ORDER BY nn.job;

```

	ANSWER
=====	=====
JOB	MED_SAL
Clerk	13030.50
Sales	17432.10

Figure 1061, Calculating the median

IMPORTANT: To get consistent results when using the ROW_NUMBER function, one must ensure that the ORDER BY column list encompasses the unique key of the table. Otherwise the row-number values will be assigned randomly - if there are multiple rows with the same value. In this particular case, the ID has been included in the ORDER BY list, to address duplicate SALARY values.

The next example is the essentially the same as the prior, but there is additional code that gets the average SALARY, and a count of the number of matching rows per JOB value. Observe that all this extra code went in the second step:

```

WITH numbered_rows AS
  (SELECT s.*,
          ROW_NUMBER() OVER(PARTITION BY job
                             ORDER BY salary, id) AS row#
   FROM staff s
   WHERE comm > 0
     AND name LIKE '%e%'),
median_row_num AS
  (SELECT job
     , (MAX(row# + 1.0) / 2) - 0.5 AS med_lo
     , (MAX(row# + 1.0) / 2) + 0.5 AS med_hi
     , DEC(DEC(AVG(salary), 7, 2)) AS avg_sal
     , COUNT(*) AS #rows
   FROM numbered_rows
   GROUP BY job)
SELECT nn.job
     , DEC(DEC(AVG(nn.salary), 7, 2)) AS med_sal
     , MAX(mr.avg_sal) AS avg_sal
     , MAX(mr.#rows) AS #r
  FROM numbered_rows nn
     , median_row_num mr
 WHERE nn.job = mr.job
   AND nn.row# BETWEEN mr.med_lo
                           AND mr.med_hi
 GROUP BY nn.job
 ORDER BY nn.job;

```

	ANSWER
=====	=====
JOB	MED_SAL AVG_SAL #R
Clerk	13030.50 12857.56 7
Sales	17432.10 17460.93 4

Figure 1062, Get median plus average

Using Formula #2

Once again, the following sample code gets the median SALARY, by JOB, for some set of rows in the STAFF table. Two JOB values are referenced - one with seven matching rows, the

other with four. In this case, when there is an even number of matching rows, the smaller of the two middle values is chosen. The logic goes as follows:

- Get the matching set of rows from the STAFF table, and give each row a row-number, within each JOB value.
- Using the set of rows retrieved above, get the maximum row-number per JOB, then add 1, then divide by 2. This will get the row-number for the row with the median value.
- Finally, join the one row per JOB obtained in step 2 above to the set of rows retrieved in step 1 - by common JOB and row-number value.

```
WITH numbered_rows AS
  (SELECT s.*,
          ,ROW_NUMBER() OVER(PARTITION BY job
                             ORDER BY salary, id) AS row#
   FROM staff s
   WHERE comm > 0
     AND name LIKE '%e%'),
median_row_num AS
  (SELECT job
          ,MAX(row# + 1) / 2 AS med_row#
   FROM numbered_rows
   GROUP BY job)
SELECT nn.job
      ,nn.salary AS med_sal
  FROM numbered_rows nn
      ,median_row_num mr
 WHERE nn.job = mr.job
   AND nn.row# = mr.med_row#
 ORDER BY nn.job;
ANSWER
=====
JOB MED_SAL
-----
Clerk 13030.50
Sales 16858.20
```

Figure 1063, Calculating the median

The next query is the same as the prior, but it uses a sub-query, instead of creating and then joining to a second temporary table:

```
WITH numbered_rows AS
  (SELECT s.*,
          ,ROW_NUMBER() OVER(PARTITION BY job
                             ORDER BY salary, id) AS row#
   FROM staff s
   WHERE comm > 0
     AND name LIKE '%e%')
SELECT job
      ,salary AS med_sal
  FROM numbered_rows
 WHERE (job,row#) IN
  (SELECT job
          ,MAX(row# + 1) / 2
   FROM numbered_rows
   GROUP BY job)
 ORDER BY job;
ANSWER
=====
JOB MED_SAL
-----
Clerk 13030.50
Sales 16858.20
```

Figure 1064, Calculating the median

The next query lists every matching row in the STAFF table (per JOB), and on each line of output, shows the median salary:

```

WITH numbered_rows AS
  (SELECT s.*,
          ROW_NUMBER() OVER(PARTITION BY job
                             ORDER BY salary, id) AS row#
   FROM staff s
   WHERE comm > 0
     AND name LIKE '%e%')
SELECT r1.*,
       (SELECT r2.salary
        FROM numbered_rows r2
        WHERE r2.job = r1.job
          AND r2.row# = (SELECT MAX(r3.row# + 1) / 2
                          FROM numbered_rows r3
                          WHERE r2.job = r3.job)) AS med_sal
  FROM numbered_rows r1
 ORDER BY job
       ,salary;

```

Figure 1065, List matching rows and median

Converting HEX Data to Number

The following trigger accepts as input a hexadecimal representation of an integer value, and returns a BIGINT number. It works for any integer type:

```

CREATE FUNCTION hex_to_int(input_val VARCHAR(16))
RETURNS BIGINT
BEGIN ATOMIC
    DECLARE parse_val VARCHAR(16) DEFAULT '';
    DECLARE sign_val BIGINT      DEFAULT 1;
    DECLARE out_val  BIGINT      DEFAULT 0;
    DECLARE cur_exp  BIGINT      DEFAULT 1;
    DECLARE input_len SMALLINT   DEFAULT 0;
    DECLARE cur_byte  SMALLINT   DEFAULT 1;
    IF LENGTH(input_val) NOT IN (4,8,16) THEN
        SIGNAL SQLSTATE VALUE '70001' SET MESSAGE_TEXT = 'Length wrong';
    END IF;
    SET input_len = LENGTH(input_val);
    WHILE cur_byte <= input_len DO
        SET parse_val = parse_val
                      SUBSTR(input_val,cur_byte + 1,1) || --|
                      SUBSTR(input_val,cur_byte + 0,1);
        SET cur_byte = cur_byte + 2;
    END WHILE;
    IF SUBSTR(parse_val,input_len,1) BETWEEN '8' AND 'F' THEN
        SET sign_val = -1;
        SET out_val = -1;
        SET parse_val = TRANSLATE(parse_val
                                  , '0123456789ABCDEF'
                                  , 'FEDCBA9876543210');
    END IF;
    SET cur_byte = 1;
    WHILE cur_byte <= input_len DO
        SET out_val = out_val +
                      (cur_exp *
                       sign_val *
                       CASE SUBSTR(parse_val,cur_byte,1)
                           WHEN '0' THEN 00      WHEN '1' THEN 01
                           WHEN '2' THEN 02      WHEN '3' THEN 03
                           WHEN '4' THEN 04      WHEN '5' THEN 05
                           WHEN '6' THEN 06      WHEN '7' THEN 07
                           WHEN '8' THEN 08      WHEN '9' THEN 09
                           WHEN 'A' THEN 10      WHEN 'B' THEN 11
                           WHEN 'C' THEN 12      WHEN 'D' THEN 13
                           WHEN 'E' THEN 14      WHEN 'F' THEN 15
                       END);
        IF cur_byte < input_len THEN
            SET cur_exp = cur_exp * 16;
        END IF;
        SET cur_byte = cur_byte + 1;
    END WHILE;
    RETURN out_val;
END

```

Figure 1066, Trigger to convert HEX value to integer

Trigger Logic

The trigger does the following:

- Check that the input value is the correct length for an integer value. If not, flag an error.
- Transpose every second byte in the input value. This is done because the HEX representation of an integer does not show the data as it really is.
- Check the high-order bit of what is now the last byte. If it is a "1", the value is a negative number, so the processing will be slightly different.
- Starting with the first byte in the (transposed) input, convert each byte to a integer value using CASE logic. Multiply each digit obtained by the (next) power of sixteen.
- Return the final result.

Usage Examples

```

WITH temp1 (num) AS
  (VALUES  (SMALLINT(+0))
   ,(SMALLINT(+1))
   ,(SMALLINT(-1))
   ,(SMALLINT(+32767))
   ,(SMALLINT(-32768)))
SELECT  num
       ,HEX(num)          AS hex
       ,hex_to_int(HEX(num)) AS h2i
FROM    temp1;

```

ANSWER
=====
NUM HEX H2I

0 0000 0
1 0100 1
-1 FFFF -1
32767 FF7F 32767
-32768 0080 -32768

Figure 1067, Using trigger to convert data

```

WITH
temp1 (num) AS
  (VALUES (INTEGER(0))
UNION ALL
  SELECT (num + 1) * 7
  FROM temp1
  WHERE num < 1E6),
temp2 (sgn) AS
  (VALUES (+1)
   ,(-13)),
temp3 (num) AS
  (SELECT DISTINCT
           num * sgn
  FROM temp1
   ,temp2)
SELECT  num
       ,HEX(num)          AS hex
       ,hex_to_int(HEX(num)) AS h2i
FROM    temp3
ORDER BY num;

```

ANSWER
=====
NUM HEX H2I

-87432800 A0E1C9FA -87432800
-12490387 6D6941FF -12490387
-1784328 F8C5E4FF -1784328
-254891 551CFCFF -254891
-36400 D071FFFF -36400
-5187 BDEBFFFF -5187
-728 28FDFFFF -728
-91 A5FFFFFF -91
0 00000000 0
7 07000000 7
56 38000000 56
399 8F010000 399
2800 F00A0000 2800
19607 974C0000 19607
137256 28180200 137256
960799 1FA90E00 960799
6725600 E09F6600 6725600

Figure 1068, Using trigger to convert data

Usage Notes

- The above function won't work on the mainframe because the internal representation of an integer value is different (see below). The modifications required to make it work are minor.
- The above function won't work on the HEX representation of packed-decimal or floating-point data.
- One could have three different flavors of the above function - one for each type of integer value. The input value length would determine the output type.

Endianness

Most computers use one of two internal formats to store binary data. In big-endian, which is used on z/OS, the internal representation equals the HEX value. So the four-byte integer value 1,234,567,890 is stored as "49 96 02 D2". In little-endian, which is used on all Intel chips, the bytes are reversed, so the above value is stored internally as "D2 02 96 49". This is why the above trigger transposed every two-byte block before converting the HEX value to numeric.

Quirks in SQL

One might have noticed by now that not all SQL statements are easy to comprehend. Unfortunately, the situation is perhaps a little worse than you think. In this section we will discuss some SQL statements that are correct, but which act just a little funny.

Trouble with Timestamps

When does one timestamp not equal another with the same value? The answer is, when one value uses a 24 hour notation to represent midnight and the other does not. To illustrate, the following two timestamp values represent the same point in time, but not according to DB2:

```
WITH temp1 (c1,t1,t2) AS (VALUES
    ('A'
     ,TIMESTAMP('1996-05-01-24.00.00.000000')
     ,TIMESTAMP('1996-05-02-00.00.00.000000') ))
SELECT c1
FROM   temp1
WHERE  t1 = t2;
```

ANSWER
=====

<no rows>

Figure 1069, Timestamp comparison - Incorrect

To make DB2 think that both timestamps are actually equal (which they are), all we have to do is fiddle around with them a bit:

```
WITH temp1 (c1,t1,t2) AS (VALUES
    ('A'
     ,TIMESTAMP('1996-05-01-24.00.00.000000')
     ,TIMESTAMP('1996-05-02-00.00.00.000000') ))
SELECT c1
FROM   temp1
WHERE  t1 + 0 MICROSECOND = t2 + 0 MICROSECOND;
```

ANSWER
=====

C1

--

A

Figure 1070, Timestamp comparison - Correct

Be aware that, as with everything else in this section, what is shown above is not a bug. It is the way that it is because it makes perfect sense, even if it is not intuitive.

Using 24 Hour Notation

One might have to use the 24-hour notation, if one needs to record (in DB2) external actions that happen just before midnight - with the correct date value. To illustrate, imagine that we have the following table, which records supermarket sales:

```
CREATE TABLE supermarket_sales
(sales_ts  TIMESTAMP      NOT NULL
,sales_val DECIMAL(8,2)   NOT NULL
,PRIMARY KEY(sales_ts));
```

Figure 1071, Sample Table

In this application, anything that happens before midnight, no matter how close, is deemed to have happened on the specified day. So if a transaction comes in with a timestamp value that is a tiny fraction of a microsecond before midnight, we should record it thus:

```
INSERT INTO supermarket_sales VALUES
('2003-08-01-24.00.00.000000',123.45);
```

Figure 1072, Insert row

Now, if we want to select all of the rows that are for a given day, we can write this:

```
SELECT      *
FROM        supermarket_sales
WHERE       DATE(sales_ts) = '2003-08-01'
ORDER BY    sales_ts;
```

Figure 1073, Select rows for given date

Or this:

```
SELECT      *
FROM        supermarket_sales
WHERE       sales_ts BETWEEN '2003-08-01-00.00.00'
                           AND '2003-08-01-24.00.00'
ORDER BY    sales_ts;
```

Figure 1074, Select rows for given date

DB2 will never internally generate a timestamp value that uses the 24 hour notation. But it is provided so that you can use it yourself, if you need to.

No Rows Match

How many rows to are returned by a query when no rows match the provided predicates? The answer is that sometimes you get none, and sometimes you get one:

```
SELECT      creator
FROM        sysibm.systables
WHERE       creator = 'ZZZ';
```

ANSWER
=====

<no row>

Figure 1075, Query with no matching rows (1 of 8)

```
SELECT      MAX(creator)
FROM        sysibm.systables
WHERE       creator = 'ZZZ';
```

ANSWER
=====

<null>

Figure 1076, Query with no matching rows (2 of 8)

```
SELECT      MAX(creator)
FROM        sysibm.systables
WHERE       creator = 'ZZZ'
HAVING     MAX(creator) IS NOT NULL;
```

ANSWER
=====

<no row>

Figure 1077, Query with no matching rows (3 of 8)

```
SELECT      MAX(creator)
FROM        sysibm.systables
WHERE       creator      = 'ZZZ'
HAVING     MAX(creator) = 'ZZZ';
```

ANSWER
=====

<no row>

Figure 1078, Query with no matching rows (4 of 8)

```
SELECT      MAX(creator)
FROM        sysibm.systables
WHERE       creator      = 'ZZZ'
GROUP BY   creator;
```

ANSWER
=====

<no row>

Figure 1079, Query with no matching rows (5 of 8)

```
SELECT      creator
FROM        sysibm.systables
WHERE       creator = 'ZZZ'
GROUP BY   creator;
```

ANSWER
=====

<no row>

Figure 1080, Query with no matching rows (6 of 8)

```
SELECT      COUNT(*)
FROM        sysibm.systables
WHERE       creator = 'ZZZ'
GROUP BY   creator;
```

ANSWER
=====

<no row>

Figure 1081, Query with no matching rows (7 of 8)

```

SELECT      COUNT(*)          ANSWER
FROM        sysibm.systables
WHERE       creator = 'ZZZ';
=====          0

```

Figure 1082, Query with no matching rows (8 of 8)

There is a pattern to the above, and it goes thus:

- When there is no column function (e.g. MAX, COUNT) in the SELECT then, if there are no matching rows, no row is returned.
- If there is a column function in the SELECT, but nothing else, then the query will always return a row - with zero if the function is a COUNT, and null if it is something else.
- If there is a column function in the SELECT, and also a HAVING phrase in the query, a row will only be returned if the HAVING predicate is true.
- If there is a column function in the SELECT, and also a GROUP BY phrase in the query, a row will only be returned if there was one that matched.

Imagine that one wants to retrieve a list of names from the STAFF table, but when no names match, one wants to get a row/column with the phrase "NO NAMES", rather than zero rows. The next query does this by first generating a "not found" row using the SYSDUMMY1 table, and then left-outer-joining to the set of matching rows in the STAFF table. The COALESCE function will return the STAFF data, if there is any, else the not-found data:

```

SELECT      COALESCE(name,noname)  AS nme          ANSWER
           ,COALESCE(salary,nosal) AS sal
FROM        (SELECT      'NO NAME' AS noname
           ,0                   AS nosal
           FROM        sysibm.sysdummy1
           )AS nnn
LEFT OUTER JOIN
           (SELECT      *
           FROM        staff
           WHERE       id < 5
           )AS xxx
ON         1 = 1
ORDER BY   name;
=====          NME      SAL
-----          NO NAME 0.00

```

Figure 1083, Always get a row, example 1 of 2

The next query is logically the same as the prior, but it uses the WITH phrase to generate the "not found" row in the SQL statement:

```

WITH nnn (noname, nosal) AS
  (VALUES ('NO NAME',0))
SELECT      COALESCE(name,noname)  AS nme          ANSWER
           ,COALESCE(salary,nosal) AS sal
FROM        nnn
LEFT OUTER JOIN
           (SELECT      *
           FROM        staff
           WHERE       id < 5
           )AS xxx
ON         1 = 1
ORDER BY   NAME;
=====          NME      SAL
-----          NO NAME 0.00

```

Figure 1084, Always get a row, example 2 of 2

Dumb Date Usage

Imagine that you have some character value that you convert to a DB2 date. The correct way to do it is given below:

```

SELECT      DATE('2001-09-22')
FROM        sysibm.sysdummy1;

```

	ANSWER
	=====
	2001-09-22

Figure 1085, Convert value to DB2 date, right

What happens if you accidentally leave out the quotes in the DATE function? The function still works, but the result is not correct:

```

SELECT      DATE(2001-09-22)
FROM        sysibm.sysdummy1;

```

	ANSWER
	=====
	0006-05-24

Figure 1086, Convert value to DB2 date, wrong

Why the 2,000 year difference in the above results? When the DATE function gets a character string as input, it assumes that it is valid character representation of a DB2 date, and converts it accordingly. By contrast, when the input is numeric, the function assumes that it represents the number of days minus one from the start of the current era (i.e. 0001-01-01). In the above query the input was 2001-09-22, which equals (2001-9)-22, which equals 1970 days.

RAND in Predicate

The following query was written with intentions of getting a single random row out of the matching set in the STAFF table. Unfortunately, it returned two rows:

```

SELECT      id
            ,name
            ,staff
            WHERE     id    <= 100
                    AND    id    = (INT(RAND()* 10) * 10) + 10
            ORDER BY id;

```

	ANSWER
	=====
	ID NAME
	-- -----
	30 Marenghi
	60 Quigley

Figure 1087, Get random rows - Incorrect

The above SQL returned more than one row because the RAND function was reevaluated for each matching row. Thus the RAND predicate was being dynamically altered as rows were being fetched.

To illustrate what is going on above, consider the following query. The results of the RAND function are displayed in the output. Observe that there are multiple rows where the function output (suitably massaged) matched the ID value. In theory, anywhere between zero and all rows could match:

```

WITH temp AS
  (SELECT      id
            ,name
            ,(INT(RAND(0)* 10) * 10) + 10 AS ran
            FROM        staff
            WHERE     id    <= 100
  )
SELECT      t.*,
            CASE id
                WHEN ran THEN 'Y'
                ELSE
            END AS eql
            FROM        temp t
            ORDER BY id;

```

	ANSWER
	=====
	ID NAME RAN EQL
	--- --- --- ---
	10 Sanders 10 Y
	20 Pernal 30
	30 Marenghi 70
	40 O'Brien 10
	50 Hanes 30
	60 Quigley 40
	70 Rothman 30
	80 James 100
	90 Koonitz 40
	100 Plotz 100 Y

Figure 1088, Get random rows - Explanation

NOTE: To randomly select some fraction of the rows in a table efficiently and consistently, use the TABLESAMPLE feature. See page 396 for more details.

Getting "n" Random Rows

There are several ways to always get exactly "n" random rows from a set of matching rows. In the following example, three rows are required:

```

WITH
  staff_numbered AS
    (SELECT s.*,
            ,ROW_NUMBER() OVER() AS row#
     FROM staff s
    WHERE id <= 100
   ),
  count_rows AS
    (SELECT MAX(row#) AS #rows
     FROM staff_numbered
    ),
  random_values (RAN#) AS
    (VALUES (RAND())
            ,(RAND())
            ,(RAND())
           ),
  rows_t0_get AS
    (SELECT INT(ran# * #rows) + 1 AS get_row
     FROM random_values
     ,count_rows
    )
  SELECT id
        ,name
     FROM staff_numbered
     ,rows_t0_get
    WHERE row# = get_row
  ORDER BY id;

```

ANSWER	
=====	
ID	NAME
---	---
10	Sanders
20	Pernal
90	Koonitz

Figure 1089, Get random rows - Non-distinct

The above query works as follows:

- First, the matching rows in the STAFF table are assigned a row number.
- Second, a count of the total number of matching rows is obtained.
- Third, a temporary table with three random values is generated.
- Fourth, the three random values are joined to the row-count value, resulting in three new row-number values (of type integer) within the correct range.
- Finally, the three row-number values are joined to the original temporary table.

There are some problems with the above query:

- If more than a small number of random rows are required, the random values cannot be defined using the VALUES phrase. Some recursive code can do the job.
- In the extremely unlikely event that the RAND function returns the value "one", no row will match. CASE logic can be used to address this issue.
- Ignoring the problem just mentioned, the above query will always return three rows, but the rows may not be different rows. Depending on what the three RAND calls generate, the query may even return just one row - repeated three times.

In contrast to the above query, the following will always return three different random rows:

```

SELECT      id
            ,name
FROM        (SELECT      s2.*,
                      ,ROW_NUMBER() OVER(ORDER BY r1) AS r2
              FROM        (SELECT      s1.*,
                                      ,RAND() AS r1
                  FROM        staff s1
                  WHERE       id <= 100
              )AS s2
            )as s3
WHERE       r2 <= 3
ORDER BY    id;

```

ANSWER	
=====	
ID	NAME
--	-----
10	Sanders
40	O'Brien
60	Quigley

Figure 1090, Get random rows - Distinct

In this query, the matching rows are first numbered in random order, and then the three rows with the lowest row number are selected.

Summary of Issues

The lesson to be learnt here is that one must consider exactly how random one wants to be when one goes searching for a set of random rows:

- Does one want the number of rows returned to be also somewhat random?
- Does one want exactly "n" rows, but it is OK to get the same row twice?
- Does one want exactly "n" distinct (i.e. different) random rows?

Date/Time Manipulation

I once had a table that contained two fields - the timestamp when an event began, and the elapsed time of the event. To get the end-time of the event, I added the elapsed time to the begin-timestamp - as in the following SQL:

```

WITH temp1 (bgn_tstamp, elp_sec) AS
  (VALUES (TIMESTAMP('2001-01-15-01.02.03.000000'), 1.234)
           ,(TIMESTAMP('2001-01-15-01.02.03.123456'), 1.234)
  )
SELECT      bgn_tstamp
            ,elp_sec
            ,bgn_tstamp + elp_sec SECONDS AS end_tstamp
FROM        temp1;

```

ANSWER		
=====		
BGN_TSTAMP	ELP_SEC	END_TSTAMP
-----	-----	-----
2001-01-15-01.02.03.000000	1.234	2001-01-15-01.02.04.000000
2001-01-15-01.02.03.123456	1.234	2001-01-15-01.02.04.123456

Figure 1091, Date/Time manipulation - wrong

As you can see, my end-time is incorrect. In particular, the fractional part of the elapsed time has not been used in the addition. I subsequently found out that DB2 never uses the fractional part of a number in date/time calculations. So to get the right answer I multiplied my elapsed time by one million and added microseconds:

```

WITH temp1 (bgn_tstamp, elp_sec) AS
  (VALUES (TIMESTAMP('2001-01-15.01.02.03.000000'), 1.234)
           ,(TIMESTAMP('2001-01-15.01.02.03.123456'), 1.234)
  )
SELECT   bgn_tstamp
          ,elp_sec
          ,bgn_tstamp + (elp_sec *1E6) MICROSECONDS AS end_tstamp
FROM      temp1;

```

ANSWER =====	BGN_TSTAMP	ELP_SEC	END_TSTAMP
	-----	-----	-----
	2001-01-15-01.02.03.000000	1.234	2001-01-15-01.02.04.234000
	2001-01-15-01.02.03.123456	1.234	2001-01-15-01.02.04.357456

Figure 1092, Date/Time manipulation - right

DB2 doesn't use the fractional part of a number in date/time calculations because such a value often makes no sense. For example, 3.3 months or 2.2 years are meaningless values - given that neither a month nor a year has a fixed length.

The Solution

When one has a fractional date/time value (e.g. 5.1 days, 4.2 hours, or 3.1 seconds) that is for a period of fixed length that one wants to use in a date/time calculation, one has to convert the value into some whole number of a more precise time period. For example:

- 5.1 days times 86,400 returns the equivalent number of seconds.
- 6.2 seconds times 1,000,000 returns the equivalent number of microseconds.

Use of LIKE on VARCHAR

Sometimes one value can be EQUAL to another, but is not LIKE the same. To illustrate, the following SQL refers to two fields of interest, one CHAR, and the other VARCHAR. Observe below that both rows in these two fields are seemingly equal:

```

WITH temp1 (c0,c1,v1) AS (VALUES
  ('A',CHAR(' ',1),VARCHAR(' ',1)),
  ('B',CHAR(' ',1),VARCHAR(' ',1)))
SELECT c0
FROM   temp1
WHERE  c1 = v1
  AND  c1 LIKE ' ';

```

ANSWER =====
C0
--
A
B

Figure 1093, Use LIKE on CHAR field

Look what happens when we change the final predicate from matching on C1 to V1. Now only one row matches our search criteria.

```

WITH temp1 (c0,c1,v1) AS (VALUES
  ('A',CHAR(' ',1),VARCHAR(' ',1)),
  ('B',CHAR(' ',1),VARCHAR(' ',1)))
SELECT c0
FROM   temp1
WHERE  c1 = v1
  AND  v1 LIKE ' ';

```

ANSWER =====
C0
--
A

Figure 1094, Use LIKE on VARCHAR field

To explain, observe that one of the VARCHAR rows above has one blank byte, while the other has no data. When an EQUAL check is done on a VARCHAR field, the value is padded with blanks (if needed) before the match. This is why C1 equals C2 for both rows. However,

the LIKE check does not pad VARCHAR fields with blanks. So the LIKE test in the second SQL statement only matched on one row.

The RTRIM function can be used to remove all trailing blanks and so get around this problem:

```
WITH temp1 (c0,c1,v1) AS (VALUES
    ('A',CHAR(' ',1),VARCHAR(' ',1)),
    ('B',CHAR(' ',1),VARCHAR(' ',1)))
SELECT c0
FROM temp1
WHERE c1 = v1
    AND RTRIM(v1) LIKE '';
ANSWER
=====
C0
-- 
A
B
```

Figure 1095, Use RTRIM to remove trailing blanks

Comparing Weeks

One often wants to compare what happened in part of one year against the same period in another year. For example, one might compare January sales over a decade period. This may be a perfectly valid thing to do when comparing whole months, but it rarely makes sense when comparing weeks or individual days.

The problem with comparing weeks from one year to the next is that the same week (as defined by DB2) rarely encompasses the same set of days. The following query illustrates this point by showing the set of days that make up week 33 over a ten-year period. Observe that some years have almost no overlap with the next:

```
WITH temp1 (yymmdd) AS
  (VALUES DATE('2000-01-01')
  UNION ALL
  SELECT yymmdd + 1 DAY
  FROM temp1
  WHERE yymmdd < '2010-12-31'
)
SELECT      YY                      AS year
            ,CHAR(MIN(yymmdd),ISO) AS min_dt
            ,CHAR(MAX(yymmdd),ISO) AS max_dt
  FROM (SELECT yymmdd
          ,YEAR(yymmdd) yy
          ,WEEK(yymmdd) wk
         FROM temp1
        WHERE WEEK(yymmdd) = 33
       ) AS xxx
 GROUP BY yy
        ,wk;
ANSWER
=====
YEAR MIN_DT      MAX_DT
---- ----- -----
2000 2000-08-06 2000-08-12
2001 2001-08-12 2001-08-18
2002 2002-08-11 2002-08-17
2003 2003-08-10 2003-08-16
2004 2004-08-08 2004-08-14
2005 2005-08-07 2005-08-13
2006 2006-08-13 2006-08-19
2007 2007-08-12 2007-08-18
2008 2008-08-10 2008-08-16
2009 2009-08-09 2009-08-15
2010 2010-08-08 2010-08-14
```

Figure 1096, Comparing week 33 over 10 years

DB2 Truncates, not Rounds

When converting from one numeric type to another where there is a loss of precision, DB2 always truncates not rounds. For this reason, the S1 result below is not equal to the S2 result:

```
SELECT  SUM(INTEGER(salary)) AS s1
        ,INTEGER(SUM(salary)) AS s2
  FROM staff;
ANSWER
=====
S1      S2
----- 
583633 583647
```

Figure 1097, DB2 data truncation

If one must do scalar conversions before the column function, use the ROUND function to improve the accuracy of the result:

```

SELECT  SUM( INTEGER(ROUND(salary,-1))) AS s1
        , INTEGER(SUM(salary)) AS s2
FROM    staff;

```

ANSWER	
=====	
S1	S2
-----	-----
583640	583647

Figure 1098, DB2 data rounding

CASE Checks in Wrong Sequence

The case WHEN checks are processed in the order that they are found. The first one that matches is the one used. To illustrate, the following statement will always return the value 'FEM' in the SX field:

```

SELECT  lastname
        ,sex
        ,CASE
            WHEN sex >= 'F' THEN 'FEM'
            WHEN sex >= 'M' THEN 'MAL'
        END AS sx
FROM    employee
WHERE   lastname LIKE 'J%'
ORDER BY 1;

```

ANSWER	
=====	
LASTNAME	SX SX
-----	---
JEFFERSON	M FEM
JOHNSON	F FEM
JONES	M FEM

Figure 1099, Case WHEN Processing - Incorrect

By contrast, in the next statement, the SX value will reflect the related SEX value:

```

SELECT  lastname
        ,sex
        ,CASE
            WHEN sex >= 'M' THEN 'MAL'
            WHEN sex >= 'F' THEN 'FEM'
        END AS sx
FROM    employee
WHERE   lastname LIKE 'J%'
ORDER BY 1;

```

ANSWER	
=====	
LASTNAME	SX SX
-----	---
JEFFERSON	M MAL
JOHNSON	F FEM
JONES	M MAL

Figure 1100, Case WHEN Processing - Correct

NOTE: See page 32 for more information on this subject.

Division and Average

The following statement gets two results, which is correct?

```

SELECT  AVG(salary) / AVG(comm) AS a1
        ,AVG(salary / comm)      AS a2
FROM    staff;

```

ANSWER >>> A1 A2	
-- -----	
32	61.98

Figure 1101, Division and Average

Arguably, either answer could be correct - depending upon what the user wants. In practice, the first answer is almost always what they intended. The second answer is somewhat flawed because it gives no weighting to the absolute size of the values in each row (i.e. a big SALARY divided by a big COMM is the same as a small divided by a small).

Date Output Order

DB2 has a bind option (called DATETIME) that specifies the default output format of date-time data. This bind option has no impact on the sequence with which date-time data is presented. It simply defines the output template used. To illustrate, the plan that was used to run the following SQL defaults to the USA date-time-format bind option. Observe that the month is the first field printed, but the rows are sequenced by year:

```

SELECT    hiredate
FROM      employee
WHERE     hiredate < '1960-01-01'
ORDER BY  1;

```

ANSWER
=====
1947-05-05
1949-08-17
1958-05-16

Figure 1102, DATE output in year, month, day order

When the CHAR function is used to convert the date-time value into a character value, the sort order is now a function of the display sequence, not the internal date-time order:

```

SELECT    CHAR(hiredate,USA)
FROM      employee
WHERE     hiredate < '1960-01-01'
ORDER BY  1;

```

ANSWER
=====
05/05/1947
05/16/1958
08/17/1949

Figure 1103, DATE output in month, day, year order

In general, always bind plans so that date-time values are displayed in the preferred format. Using the CHAR function to change the format can be unwise.

Ambiguous Cursors

The following pseudo-code will fetch all of the rows in the STAFF table (which has ID's ranging from 10 to 350) and, then while still fetching, insert new rows into the same STAFF table that are the same as those already there, but with ID's that are 500 larger.

```

EXEC-SQL
  DECLARE fred CURSOR FOR
  SELECT    *
  FROM      staff
  WHERE     id < 1000
  ORDER BY id;
END-EXEC;

EXEC-SQL
  OPEN fred
END-EXEC;

DO UNTIL SQLCODE = 100;

  EXEC-SQL
    FETCH fred
    INTO  :HOST-VARS
  END-EXEC;

  IF SQLCODE <> 100 THEN DO;
    SET HOST-VAR.ID = HOST-VAR.ID + 500;
    EXEC-SQL
      INSERT INTO staff VALUES (:HOST-VARS)
    END-EXEC;
  END-DO;

  END-DO;

  EXEC-SQL
    CLOSE fred
  END-EXEC;

```

Figure 1104, Ambiguous Cursor

We want to know how many rows will be fetched, and so inserted? The answer is that it depends upon the indexes available. If there is an index on ID, and the cursor uses that index for the ORDER BY, there will 70 rows fetched and inserted. If the ORDER BY is done using a row sort (i.e. at OPEN CURSOR time) only 35 rows will be fetched and inserted.

Be aware that DB2, unlike some other database products, does NOT (always) retrieve all of the matching rows at OPEN CURSOR time. Furthermore, understand that this is a good thing for it means that DB2 (usually) does not process any row that you do not need.

DB2 is very good at always returning the same answer, regardless of the access path used. It is equally good at giving consistent results when the same logical statement is written in a different manner (e.g. A=B vs. B=A). What it has never done consistently (and never will) is guarantee that concurrent read and write statements (being run by the same user) will always give the same results.

Multiple User Interactions

There was once a mythical company that wrote a query to list all orders in the ORDER table for a particular DATE, with the output sequenced by REGION and STATUS. To make the query fly, there was a secondary index on the DATE, REGION, and STATUS columns, in addition to the primary unique index on the ORDER-NUMBER column:

```
SELECT      region_code    AS region
            ,order_status   AS status
            ,order_number   AS order#
            ,order_value    AS value
  FROM        order_table
 WHERE       order_date   =  '2006-03-12'
 ORDER BY    region_code
            ,order_status
            ,order_value
 WITH CS;
```

Figure 1105, Select from ORDER table

When the users ran the above query, they found that some orders were seemingly listed twice:

REGION	STATUS	ORDER#	VALUE	
EAST	PAID	111	4.66	<----- Same ORDER#
EAST	PAID	222	6.33	
EAST	PAID	333	123.45	
EAST	SHIPPED	111	4.66	<---+
EAST	SHIPPED	444	123.45	

Figure 1106, Sample query output

While the above query was running (i.e. traversing the secondary index) another user had come along and updated the STATUS for ORDER# 111 from PAID to SHIPPED, and then committed the change. This update moved the pointer for the row down the secondary index, so that the query subsequently fetched the same row twice.

Explanation

In the above query, DB2 is working exactly as intended. Because the result may seem a little odd, a simple example will be used to explain what is going on:

Imagine that one wants to count the number of cars parked on a busy street by walking down the road from one end to the other, counting each parked car as you walk past. By the time you get to the end of the street, you will have a number, but that number will not represent the number of cars parked on the street at any point in time. And if a car that you counted at the start of the street was moved to the end of the street while you were walking, you will have counted that particular car twice. Likewise, a car that was moved from the end of the street to the start of the street while you were walking in the middle of the street would not have been counted by you, even though it never left the street during your walk.

One way to get a true count of cars on the street is to prevent car movement while you do your walk. This can be unpopular, but it works. The same can be done in DB2 by changing the WITH phrase (i.e. isolation level) at the bottom of the above query:

WITH RR - Repeatable Read

A query defined with repeatable read can be run multiple times and will always return the same result, with the following qualifications:

- References to special registers, like CURRENT TIMESTAMP, may differ.
- Rows changed by the user will show in the query results.

No row will ever be seen twice with this solution, because once a row is read it cannot be changed. And the query result is a valid representation of the state of the table, or at least of the matching rows, as of when the query finished.

In the car-counting analogy described above, this solution is akin to locking down sections of the street as you walk past, regardless of whether there is a car parked there or not. As long as you do not move a car yourself, each traverse of the street will always get the same count, and no car will ever be counted more than once.

In many cases, defining a query with repeatable read will block all changes by other users to the target table for the duration. In theory, rows can be changed if they are outside the range of the query predicates, but this is not always true. In the case of the order system described above, it was not possible to use this solution because orders were coming in all the time.

WITH RS - Read Stability

A query defined with read-stability can be run multiple times, and each row processed previously will always look the same the next time that the query is run - with the qualifications listed above. But rows can be inserted into the table that match the query predicates. These will show in the next run. No row will ever be inadvertently read twice.

In our car-counting analogy, this solution is akin to putting a wheel-lock on each parked car as you walk past. The car can't move, but new cars can be parked in the street while you are counting. The new cars can also leave subsequently, as long as you don't lock them in your next walk down the street. No car will ever be counted more than once in a single pass, but nor will your count ever represent the true state of the street.

As with repeatable read, defining a query with read stability will often block all updates by other users to the target table for the duration. It is not a great way to win friends.

WITH CS - Cursor Stability

A query defined with cursor stability will read every committed matching row, occasionally more than once. If the query is run multiple times, it may get a different result each time.

In our car-counting analogy, this solution is akin to putting a wheel-lock on each parked car as you count it, but then removing the lock as soon as you move on to the next car. A car that you are not currently counting can be moved anywhere in the street, including to where you have yet to count. In the latter case, you will count it again. This is what happened during our mythical query of the ORDER table.

Queries defined with cursor stability still need to take locks, and thus can be delayed if another user has updated a matching row, but not yet done a commit. In extreme cases, the query may get a timeout or deadlock.

WITH UR - Uncommitted Read

A query defined with uncommitted read will read every matching row, including those that have not yet been committed. Rows may occasionally be read more than once. If the query is run multiple times, it may get a different result each time.

In our car-counting analogy, this solution is akin to counting each stationary car as one walks past, regardless of whether or not the car is permanently parked.

Queries defined with uncommitted read do not take locks, and thus are not delayed by other users who have changed rows, but not yet committed. But some of the rows read may be subsequently rolled back, and so were never valid.

Below is a summary of the above options:

CURSOR "WITH" OPTION	SAME RESULT IF RUN TWICE	FETCH SAME ROW > ONCE	UNCOMMITTED ROWS SEEN	ROWS LOCKED
RR - Repeatable Read	Yes	Never	Never	Many/All
RS - Read Stability	No (inserts)	Never	Never	Many/All
CS - Cursor Stability	No (all DML)	Maybe	Never	Current
UR - Uncommitted Read	No (all DML)	Maybe	Yes	None

Figure 1107, WITH Option vs. Actions

Check for Changes, Using Trigger

The target table can have a column of type timestamp that is set to the current timestamp value (using triggers) every time a row is inserted or updated. The query scanning the table can have a predicate (see below) so it only fetches those rows that were updated before the current timestamp, which is the time when the query was opened:

```

SELECT  region_code  AS region
       ,order_status AS status
       ,order_number  AS order#
       ,order_value   AS value
  FROM    order_table
 WHERE   order_date  =  '2006-03-12'
        AND update_ts  <  CURRENT TIMESTAMP    <= New predicate
 ORDER BY region_code
         ,order_status
 WITH CS;

```

Figure 1108, Select from ORDER table

This solution is almost certainly going to do the job, but it is not quite perfect. There is a very small chance that one can still fetch the same row twice. To illustrate, imagine the following admittedly very improbable sequence of events:

```

#1 UPDATE statement begins (will run for a long time).
#2 QUERY begins (will also run for a long time).
#3 QUERY fetches target row (via secondary index).
#4 QUERY moves on to the next row, etc...
#5 UPDATE changes target row - moves it down index.
#6 UPDATE statement finishes, and commits.
#7 QUERY fetches target row again (bother).

```

Figure 1109, Sequence of events required to fetch same row twice

Check for Changes, Using Generated TS

A similar solution that will not suffer from the above problem involves adding a timestamp column to the table that is defined GENERATED ALWAYS. This column will be assigned the latest timestamp value (sort of) every time a row is inserted or updated – on a row-by-row basis. Below is an example of a table with this column type:

```

CREATE TABLE order_table
  (order#      SMALLINT    NOT NULL
   ,order_date   DATE       NOT NULL
   ,order_status CHAR(1)    NOT NULL
   ,order_value  DEC(7,2)   NOT NULL
   ,order_rct    TIMESTAMP  NOT NULL
   GENERATED ALWAYS
   FOR EACH ROW ON UPDATE
   AS ROW CHANGE TIMESTAMP
   ,PRIMARY KEY (order#));

```

Figure 1110, Table with ROW CHANGE TIMESTAMP column

A query accessing this table that wants to ensure that it does not select the same row twice will include a predicate to check that the order_rct column value is less than or equal to the current timestamp:

```

SELECT  region_code  AS region
       ,order_status AS status
       ,order_number  AS order#
       ,order_value   AS value
  FROM   order_table
 WHERE  order_date   =  '2006-03-12'
    AND  order_rct   <=  CURRENT TIMESTAMP  <= New predicate
 ORDER BY region_code
        ,order_status
  WITH CS;

```

Figure 1111, Select from ORDER table

There is just one minor problem with this solution: The generated timestamp value is not always exactly the current timestamp. Sometimes it is every so slightly higher. If this occurs, the above query will not retrieve the affected rows.

This problem only occurs during a multi-row insert or update. The generated timestamp value is always unique. To enforce uniqueness, the first row (in a multi-row insert or update) gets the current timestamp special register value. Subsequent rows get the same value, plus "n" microseconds, where "n" incremented by one for each row changed.

To illustrate this problem, consider the following statement, which inserts three rows into the above table, but only returns one row- because only the first row inserted has an order_rct value that is equal to or less than the current timestamp special register:

SELECT order# FROM FINAL TABLE (INSERT INTO order_table (order#, order_date, order_status, order_value) VALUES (1,'2007-11-22','A',123.45) ,(2,'2007-11-22','A',123.99) ,(3,'2007-11-22','A',123.99)) WHERE order_rct <= CURRENT TIMESTAMP;	ANSWER =====
	order#----- 1

Figure 1112, SELECT from INSERT

The same problem can occur when a query is run immediately after the above insert (i.e. before a commit is done). Occasionally, but by no means always, this query will be use the same current timestamp special register value as the previous insert. If this happens, only the first row inserted will show.

NOTE: This problem arises in DB2 running on Windows, which has a somewhat imprecise current timestamp value. It should not occur in environments where DB2 references a system clock with microsecond, or sub-microsecond precision.

Other Solutions - Good and Bad

Below are some alternatives to the above:

- **Lock Table:** If one wanted to see the state of the table as it was at the start of the query, one could use a LOCK TABLE command - in share or exclusive mode. Doing this may not win you many friends with other users.
- **Drop Secondary Indexes:** The problem described above does not occur if one accesses the table using a tablespace scan, or via the primary index. However, if the table is large, secondary indexes will probably be needed to get the job done.
- **Two-part Query:** One can do the query in two parts: First get a list of DISTINCT primary key values, then join back to the original table using the primary unique index to get the rest of the row:

```

SELECT    region_code    AS region
          ,order_status  AS status
          ,order_number   AS order#
          ,order_value    AS value
FROM      (SELECT    DISTINCT
                      order_number AS distinct_order#
                  FROM      order_table
                  WHERE     order_date   =  '2006-03-12'
                )AS xxx
          ,order_table
WHERE    order_number   =  distinct_order#
ORDER BY region_code
          ,order_status
WITH CS;

```

Figure 1113, Two-part query

This solution will do the job, but it is probably going to take about twice as long to complete as the original query.

- **Use Versions:** See the chapter titled "Retaining a Record" for a schema that uses lots of complex triggers and views, and that lets one see consistent views of the rows in the table as of any point in time.

What Time is It

The CURRENT TIMESTAMP special register returns the current time – in local time. There are two other ways to get something similar to the current timestamp. This section discusses the differences:

- **Current Timestamp Special Register:** As its name implies, this special register returns the current timestamp. The value will be the same for all references within a single SQL statement, and possibly between SQL statements and/or between users.
- **Generate Unique Scalar Function:** With a bit of fudging, this scalar function will return a timestamp value that is unique for every invocation. The value will be close to the current timestamp, but may be a few seconds behind.
- **Generate Always Column Type:** This timestamp value will be unique (within a table) for every row changed. In a multi-row insert or update, the first row changed will get the current timestamp. Subsequent rows get the same value, plus "n" microseconds, where "n" incremented by one for each row changed.

The following table will hold the above three values:

```
CREATE TABLE test_table
(test#      SMALLINT    NOT NULL
,current_ts  TIMESTAMP   NOT NULL
,generate_u  TIMESTAMP   NOT NULL
,generate_a  TIMESTAMP   NOT NULL
                           GENERATED ALWAYS
                           FOR EACH ROW ON UPDATE
                           AS ROW CHANGE TIMESTAMP);
```

Figure 1114, Create table to hold timestamp values

The next statement will insert four rows into the above table:

```
INSERT INTO test_table (test#, current_ts, generate_u)
WITH
temp1 (t1) AS
  (VALUES (1),(2),(3),(4)),
temp2 (t1, ts1, ts2) AS
  (SELECT t1
   ,CURRENT_TIMESTAMP
   ,TIMESTAMP(GENERATE_UNIQUE()) + CURRENT TIMEZONE
  FROM temp1)
SELECT *
FROM temp2;
```

Figure 1115, Insert four rows

Below are the contents of the table after the above insert. Observe the different values:

TEST#	CURRENT_TS	GENERATE_U	GENERATE_A
1	2007-11-13-19.12.43.139000	2007-11-13-19.12.42.973805	2007-11-13-19.12.43.139000
2	2007-11-13-19.12.43.139000	2007-11-13-19.12.42.974254	2007-11-13-19.12.43.154000
3	2007-11-13-19.12.43.139000	2007-11-13-19.12.42.974267	2007-11-13-19.12.43.154001
4	2007-11-13-19.12.43.139000	2007-11-13-19.12.42.974279	2007-11-13-19.12.43.154002

Figure 1116, Table after insert

Floating Point Numbers

The following SQL repetitively multiplies a floating-point number by ten:

```
WITH temp (f1) AS
(VALUES FLOAT(1.23456789)
UNION ALL
SELECT f1 * 10
FROM temp
WHERE f1 < 1E18
)
SELECT f1          AS float1
,DEC(f1,31,8)    AS decimal1
,BIGINT(f1)      AS bigint1
FROM temp;
```

Figure 1117, Multiply floating-point number by ten, SQL

After a while, things get interesting:

FLOAT1	DECIMAL1	BIGINT1
+1.23456789000000E+000	1.23456789	1
+1.23456789000000E+001	12.34567890	12
+1.23456789000000E+002	123.45678900	123
+1.23456789000000E+003	1234.56789000	1234
+1.23456789000000E+004	12345.67890000	12345
+1.23456789000000E+005	123456.78900000	123456
+1.23456789000000E+006	1234567.89000000	1234567
+1.23456789000000E+007	12345678.90000000	12345678
+1.23456789000000E+008	123456789.00000000	123456788
+1.23456789000000E+009	1234567890.00000000	1234567889
+1.23456789000000E+010	12345678900.00000000	12345678899
+1.23456789000000E+011	123456789000.00000000	123456788999
+1.23456789000000E+012	1234567890000.00000000	1234567889999
+1.23456789000000E+013	12345678900000.00000000	12345678899999
+1.23456789000000E+014	1234567890000000.00000000	123456788999999
+1.23456789000000E+015	12345678900000000.00000000	1234567889999999
+1.23456789000000E+016	123456789000000000.00000000	12345678899999998
+1.23456789000000E+017	1234567890000000000.00000000	123456788999999984
+1.23456789000000E+018	12345678900000000000.00000000	123456788999999974

Figure 1118, Multiply floating-point number by ten, answer

Why do the BIGINT values differ from the original float values? The answer is that they don't, it is the decimal values that differ. Because this is not what you see in front of your eyes, we need to explain. Note that there are no bugs here, everything is working fine.

Perhaps the most insidious problem involved with using floating point numbers is that the number you see is not always the number that you have. DB2 stores the value internally in binary format, and when it displays it, it shows a decimal approximation of the underlying binary value. This can cause you to get very strange results like the following:

```
WITH temp (f1,f2) AS
  (VALUES (FLOAT(1.23456789E1 * 10 * 10 * 10 * 10 * 10 * 10 * 10)
           ,FLOAT(1.23456789E8)))
SELECT f1
      ,f2
  FROM  temp
 WHERE f1 <> f2;
          ANSWER
=====
F1                  F2
-----
+1.23456789000000E+008 +1.23456789000000E+008
```

Figure 1119, Two numbers that look equal, but aren't equal

We can use the HEX function to show that, internally, the two numbers being compared above are not equal:

```
WITH temp (f1,f2) AS
  (VALUES (FLOAT(1.23456789E1 * 10 * 10 * 10 * 10 * 10 * 10 * 10)
           ,FLOAT(1.23456789E8)))
SELECT HEX(f1) AS hex_f1
      ,HEX(f2) AS hex_f2
  FROM  temp
 WHERE f1 <> f2;
          ANSWER
=====
HEX_F1            HEX_F2
-----
FFFFFFFFFF53346F9D41 00000054346F9D41
```

Figure 1120, Two numbers that look equal, but aren't equal, shown in HEX

Now we can explain what is going on in the recursive code shown at the start of this section. The same value is being displayed using three different methods:

- The floating-point representation (on the left) is really a decimal approximation (done using rounding) of the underlying binary value.

- When the floating-point data was converted to decimal (in the middle), it was rounded using the same method that is used when it is displayed directly.
- When the floating-point data was converted to BIGINT (on the right), no rounding was done because both formats hold binary values.

In any computer-based number system, when you do division, you can get imprecise results due to rounding. For example, when you divide 1 by 3 you get "one third", which can not be stored accurately in either a decimal or a binary number system. Because they store numbers internally differently, dividing the same number in floating-point vs. decimal can result in different results. Here is an example:

```
WITH
    temp1 (dec1, dbl1) AS
        (VALUES (DECIMAL(1),DOUBLE(1)))
    ,temp2 (dec1, dec2, dbl1, dbl2) AS
        (SELECT dec1
            ,dec1 / 3 AS dec2
            ,dbl1
            ,dbl1 / 3 AS dbl2
        FROM temp1)
    SELECT *
    FROM temp2
    WHERE dbl2 <> dec2;
ANSWER (1 row returned)
=====
DEC1 = 1.0
DEC2 = 0.33333333333333333333
DBL1 = +1.000000000000000E+000
DBL2 = +3.333333333333333E-001
```

Figure 1121, Comparing float and decimal division

When you do multiplication of a fractional floating-point number, you can also encounter rounding differences with respect to decimal. To illustrate this, the following SQL starts with two numbers that are the same, and then keeps multiplying them by ten:

```
WITH temp (f1, d1) AS
    (VALUES (FLOAT(1.23456789)
            ,DEC(1.23456789,20,10))
    UNION ALL
    SELECT f1 * 10
            ,d1 * 10
    FROM temp
    WHERE f1 < 1E9
    )
SELECT f1
    ,d1
    ,CASE
        WHEN d1 = f1 THEN 'SAME'
        ELSE 'DIFF'
    END AS compare
FROM temp;
```

Figure 1122, Comparing float and decimal multiplication, SQL

Here is the answer:

F1	D1	COMPARE
+1.23456789000000E+000	1.2345678900	SAME
+1.23456789000000E+001	12.3456789000	SAME
+1.23456789000000E+002	123.4567890000	DIFF
+1.23456789000000E+003	1234.5678900000	DIFF
+1.23456789000000E+004	12345.6789000000	DIFF
+1.23456789000000E+005	123456.7890000000	DIFF
+1.23456789000000E+006	1234567.8900000000	SAME
+1.23456789000000E+007	12345678.9000000000	DIFF
+1.23456789000000E+008	123456789.0000000000	DIFF
+1.23456789000000E+009	1234567890.0000000000	DIFF

Figure 1123, Comparing float and decimal multiplication, answer

As we mentioned earlier, both floating-point and decimal fields have trouble accurately storing certain fractional values. For example, neither can store "one third". There are also some numbers that can be stored in decimal, but not in floating-point. One common value is "one tenth", which as the following SQL shows, is approximated in floating-point:

```
WITH temp (f1) AS
  (VALUES FLOAT(0.1))
SELECT f1
      ,HEX(f1) AS hex_f1
  FROM temp
 WHERE f1 <> 1.0;
```

	ANSWER
F1	HEX_F1
+1.000000000000E-001	9A999999999B93F

Figure 1124, Internal representation of "one tenth" in floating-point

In conclusion, a floating-point number is, in many ways, only an approximation of a true integer or decimal value. For this reason, this field type should not be used for monetary data, nor for other data where exact precision is required.

DECFLOAT Usage

We can avoid the problems described above if we use a DECFLOAT value. To illustrate, the following query is exactly the same as that shown on page 442, except that base value is now of type DECFLOAT:

```
WITH temp (f1) AS
  (VALUES DECFLOAT(1.23456789)
 UNION ALL
  SELECT f1 * 10
  FROM temp
 WHERE f1 < 1E18
 )
SELECT f1          AS float1
      ,DEC(f1,31,8) AS decimal1
      ,BIGINT(f1)    AS bigint1
  FROM temp;
```

Figure 1125, Multiply DECFLOAT number by ten, SQL

Now we get the result that we expect:

FLOAT1	DECIMAL1	BIGINT1
+1.2345678900000E+000	1.23456789	1
+1.2345678900000E+001	12.34567890	12
+1.2345678900000E+002	123.45678900	123
+1.2345678900000E+003	1234.56789000	1234
+1.2345678900000E+004	12345.67890000	12345
+1.2345678900000E+005	123456.78900000	123456
+1.2345678900000E+006	1234567.89000000	1234567
+1.2345678900000E+007	12345678.90000000	12345678
+1.2345678900000E+008	123456789.00000000	123456789
+1.2345678900000E+009	1234567890.00000000	1234567890
+1.2345678900000E+010	12345678900.00000000	12345678900
+1.2345678900000E+011	123456789000.00000000	123456789000
+1.2345678900000E+012	1234567890000.00000000	1234567890000
+1.2345678900000E+013	12345678900000.00000000	12345678900000
+1.2345678900000E+014	123456789000000.00000000	123456789000000
+1.2345678900000E+015	1234567890000000.00000000	1234567890000000
+1.2345678900000E+016	12345678900000000.00000000	12345678900000000
+1.2345678900000E+017	123456789000000000.00000000	123456789000000000
+1.2345678900000E+018	1234567890000000000.00000000	1234567890000000000

Figure 1126, Multiply DECFLOAT number by ten, answer

Appendix

DB2 Sample Tables

Sample table DDL follows. A text file containing the same can be found on my website.

ACT

```

CREATE TABLE ACT
  (ACTNO          SMALLINT        NOT NULL
   ,ACTKWD         CHARACTER( 6 )  NOT NULL
   ,ACTDESC        VARCHAR( 20 )   NOT NULL)
IN USERSPACE1;

ALTER TABLE ACT
ADD CONSTRAINT PK_ACT PRIMARY KEY
  (ACTNO);

CREATE UNIQUE INDEX XACT2 ON ACT
  (ACTNO          ASC
   ,ACTKWD         ASC)
ALLOW REVERSE SCANS;

```

Figure 1127, ACT sample table – DDL

ACTNO	ACTKWD	ACTDESC
10	MANAGE	MANAGE/ADVISE
20	ECOST	ESTIMATE COST
30	DEFINE	DEFINE SPECS
40	LEADPR	LEAD PROGRAM/DESIGN
50	SPECS	WRITE SPECS
60	LOGIC	DESCRIBE LOGIC
70	CODE	CODE PROGRAMS
80	TEST	TEST PROGRAMS
90	ADMQS	ADM QUERY SYSTEM
100	TEACH	TEACH CLASSES
110	COURSE	DEVELOP COURSES
120	STAFF	PERS AND STAFFING
130	OPERAT	OPER COMPUTER SYS
140	MAINT	MAINT SOFTWARE SYS
150	ADMSYS	ADM OPERATING SYS
160	ADMDB	ADM DATA BASES
170	ADMDC	ADM DATA COMM
180	DOC	DOCUMENT

Figure 1128, ACT sample table – data

CATALOG

```

CREATE TABLE CATALOG
  (NAME          VARCHAR(128)    NOT NULL
   ,CATLOG        XML)
IN IBMDB2SAMPLEXML;

ALTER TABLE CATALOG
ADD CONSTRAINT PK_CATALOG PRIMARY KEY
  (NAME);

```

Figure 1129, CATALOG sample table – DDL

There is no data in this table.

CL_SCHED

```
CREATE TABLE CL_SCHED
(CLASS_CODE      CHARACTER(7)
,DAY            SMALLINT
,STARTING      TIME
,ENDING        TIME)
IN USERSPACE1;
```

Figure 1130, CL_SCHED sample table – DDL

CLASS_CODE	DAY	STARTING	ENDING
042:BF	4	12:10:00	14:00:00
553:MJA	1	10:30:00	11:00:00
543:CWM	3	09:10:00	10:30:00
778:RES	2	12:10:00	14:00:00
044:HD	3	17:12:30	18:00:00

*Figure 1131, CL_SCHED sample table – data***CUSTOMER**

```
CREATE TABLE CUSTOMER
(CID          BIGINT           NOT NULL
,INFO         XML
,HISTORY      XML)
IN IBMDB2SAMPLEXML;
```

```
ALTER TABLE CUSTOMER
ADD CONSTRAINT PK_CUSTOMER PRIMARY KEY
(CID);
```

Figure 1132, CUSTOMER sample table – DDL

CID	INFO	HISTORY
1000	<<xml>>	<<xml>>
1001	<<xml>>	<<xml>>
1002	<<xml>>	<<xml>>
1003	<<xml>>	<<xml>>
1004	<<xml>>	<<xml>>
1005	<<xml>>	<<xml>>

*Figure 1133, CUSTOMER sample table – data***DATA_FILE_NAMES**

```
CREATE TABLE DATA_FILE_NAMES
(DATA_FILE_NAME  VARCHAR(40)      NOT NULL
,DB2_TABLE_NAME VARCHAR(40)      NOT NULL
,EXPORT_FILE_NAM CHARACTER(8)    NOT NULL)
IN IBMDB2SAMPLEREL;
```

Figure 1134, DATA_FILE_NAMES sample table – DDL

DATA_FILE_NAME	DB2_TABLE_NAME	EXPRT_FN
MFD_ROLLUP_REPORT_EXCLUDE_ENTITIES	MFD_ROLLUP_REPORT_EXCLUDE_ENTITIES	MFDZR103
SCOPE_FIELDS	SCOPE_FIELDS	SCOPE105
FMR_SECTOR_HIST	FMR_SECTOR_HIST	FMRZS091
LOOKUP_LIST_HIST	LOOKUP_LIST_HIST	LOOKU101
TRADE_TYPE_HIST	TRADE_TYPE_HIST	TRADE114
SOURCE_SYSTEM_HIST	SOURCE_SYSTEM_HIST	SOURC107
GL_PRODUCT	GL_PRODUCT	GLZPR095
GL_TRANS_CODE_HIST	GL_TRANS_CODE_HIST	GLZTR097
FMR_MAJOR_PRODUCT_HIST	FMR_MAJOR_PRODUCT_HIST	FMRZM090
FEED_HIST_DATA	FEED_HIST_DATA	FEEDZ087
FEED_TRADE_TYPE_VIEW	FEED_TRADE_TYPE_TO_VIEW	FEEDZ088
GL_SUB_PRODUCT	GL_SUB_PRODUCT	GLZSU096
LEGAL_COPER_HIST	LEGAL_COPER_HIST	LEGAL098
LEGAL_ENTITY_HIST	LEGAL_ENTITY_HIST	LEGAL099
WS_USER_LIST	WS_USER_LIST	WSZUS118
LEGAL_ORACLE_HIST	LEGAL_ORACLE_HIST	LEGAL100

Figure 1135, DATA_FILE_NAMES sample table – data

DATA_FILE_NAME	DB2_TABLE_NAME	EXPRT_FN
FMR_BUSINESS_UNIT_HIST	FMR_BUSINESS_UNIT_HIST	FMRZB089
GL_NATURAL_ACCOUNT_HIST	GL_NATURAL_ACCOUNT_HIST	GLZNA094
COST_CENTER_HIST	COST_CENTER_HIST	COSTZ082
TBXFSWAP	TBXFSWAP	TBXFS142
DEAL_SUMMARY	DEAL_SUMMARY	DEALZ086
TRADES	TRADES	TRADE115
TRADE_PROFILE	TRADE_PROFILE	TRADE113
PORTFOLIO_PROFILE	PORTFOLIO_PROFILE	PORTF104
DEAL_EXPOSURE	DEAL_EXPOSURE	DEALZ085
TRADE_EXPOSURE	TRADE_EXPOSURE	TRADE110
V1EMPLOY_ARC_HR_DATA	V1EMPLOY_ARC_HR_DATA	V1EMP117
TBCPTRTG_HIST_DATA	TBCPTRTG_HIST_DATA	TBCPT108
CPT_FUNCTION_RATINGS_HIST	CPT_FUNCTION_RATINGS_HIST	CPTZF084
PROCESSING_STACK	PROCESSING_STACK	PROCE140
COUNTERPARTY_HIST	COUNTERPARTY_HIST	COUNT083
BOOK_HIST	BOOK_HIST	BOOKZ081
MFD_MARKING	MFD_MARKING	MFDZM102
GL_ARCTIC_SCOPE	GL_ARCTIC_SCOPE	GLZAR093
TRADE_INDICATIVES_HIST	TRADE_INDICATIVES_HIST	TRADE111
GL_ACCOUNT_BALANCE_HIST		
BALANCEHIST	BALANCE_HIST	BALAN121
TBSECDT		
XREF_TRADE_HIST	XREF_TRADE_HIST	XREFZ119
TRADE_INDICATIVES_SEARCH_HIST	TRADE_INDICATIVES_SEARCH_HIST	TRADE112
REPOSITORY		
SNAPSHOT_IMPORT	SNAPSHOT_IMPORT	SNAPS106
TRADES_GLACIER_HIST	TRADES_GLACIER_HIST	TRADE116

Figure 1136, DATAFILE NAMES sample table – data

DEPARTMENT

```

CREATE TABLE DEPARTMENT
(DEPTNO          CHARACTER( 3 )           NOT NULL
,DEPTNAME        VARCHAR(36)            NOT NULL
,MGRNO           CHARACTER( 6 )
,ADMRDEPT        CHARACTER( 3 )           NOT NULL
,LOCATION         CHARACTER(16)          NOT NULL
IN USERSPACE1;

ALTER TABLE DEPARTMENT
ADD CONSTRAINT PK_DEPARTMENT PRIMARY KEY
(DEPTNO);

CREATE INDEX XDEPT2 ON DEPARTMENT
(MGRNO          ASC)
ALLOW REVERSE SCANS;

CREATE INDEX XDEPT3 ON DEPARTMENT
(ADMRDEPT        ASC)
ALLOW REVERSE SCANS;

CREATE ALIAS DEPT FOR DEPARTMENT;

```

Figure 1137, DEPARTMENT sample table – DDL

DEPTNO	DEPTNAME	MGRNO	ADMRDEPT	LOCATION
A00	SPIFFY COMPUTER SERVICE DIV.	000010	A00	-
B01	PLANNING	000020	A00	-
C01	INFORMATION CENTER	000030	A00	-
D01	DEVELOPMENT CENTER	-	A00	-
D11	MANUFACTURING SYSTEMS	000060	D01	-
D21	ADMINISTRATION SYSTEMS	000070	D01	-
E01	SUPPORT SERVICES	000050	A00	-
E11	OPERATIONS	000090	E01	-
E21	SOFTWARE SUPPORT	000100	E01	-
F22	BRANCH OFFICE F2	-	E01	-
G22	BRANCH OFFICE G2	-	E01	-

Figure 1138, DEPARTMENT sample table – data (part 1 of 2)

DEPTNO	DEPTNAME	MGRNO	ADMRDEPT	LOCATION
H22	BRANCH OFFICE H2	-	E01	-
I22	BRANCH OFFICE I2	-	E01	-
J22	BRANCH OFFICE J2	-	E01	-

Figure 1139, DEPARTMENT sample table – data (part 1 of 2)

EMPLOYEE

```

CREATE TABLE EMPLOYEE
(EMPNO          CHARACTER(6)      NOT NULL
,FIRSTNAME      VARCHAR(12)       NOT NULL
,MIDINIT        CHARACTER(1)
,LASTNAME       VARCHAR(15)       NOT NULL
,WORKDEPT       CHARACTER(3)
,PHONEENO      CHARACTER(4)
,HIREDATE       DATE
,JOB            CHARACTER(8)
,EDLEVEL        SMALLINT        NOT NULL
,SEX             CHARACTER(1)
,BIRTHDATE      DATE
,SALARY          DECIMAL(9,2)
,BONUS           DECIMAL(9,2)
,COMM            DECIMAL(9,2))
IN USERSPACE1;

```

```

ALTER TABLE EMPLOYEE
ADD CONSTRAINT PK_EMPLOYEE PRIMARY KEY
(EMPNO);

```

```

CREATE INDEX XEMP2 ON EMPLOYEE
(WORKDEPT      ASC)
ALLOW REVERSE SCANS;

```

```
CREATE ALIAS EMP FOR EMPLOYEE;
```

Figure 1140, EMPLOYEE sample table – DDL

Some of the columns are excluded below – due to lack of space:

EMPNO	FIRSTNAME	M	LASTNAME	DPT	PH#	HIREDATE	SX	ED	BIRTHDATE	SALARY	COMM
000010	CHRISTINE	I	HAAS	A00	3978	1995-01-01	F	18	1963-08-24	152750	4220
000020	MICHAEL	L	THOMPSON	B01	3476	2003-10-10	M	18	1978-02-02	94250	3300
000030	SALLY	A	KWAN	C01	4738	2005-04-05	F	20	1971-05-11	98250	3060
000050	JOHN	B	GEYER	E01	6789	1979-08-17	M	16	1955-09-15	80175	3214
000060	IRVING	F	STERN	D11	6423	2003-09-14	M	16	1975-07-07	72250	2580
000070	EVA	D	PULASKI	D21	7831	2005-09-30	F	16	2003-05-26	96170	2893
000090	EILEEN	W	HENDERSON	E11	5498	2000-08-15	F	16	1971-05-15	89750	2380
000100	THEODORE	Q	SPENSER	E21	0972	2000-06-19	M	14	1980-12-18	86150	2092
000110	VINCENZO	G	LUCCHESI	A00	3490	1988-05-16	M	19	1959-11-05	66500	3720
000120	SEAN	O	CONNELL	A00	2167	1993-12-05	M	14	1972-10-18	49250	2340
000130	DELORES	M	QUINTANA	C01	4578	2001-07-28	F	16	1955-09-15	73800	1904
000140	HEATHER	A	NICHOLLS	C01	1793	2006-12-15	F	18	1976-01-19	68420	2274
000150	BRUCE		ADAMSON	D11	4510	2002-02-12	M	16	1977-05-17	55280	2022
000160	ELIZABETH	R	PIANKA	D11	3782	2006-10-11	F	17	1980-04-12	62250	1780
000170	MASATOSHI	J	YOSHIMURA	D11	2890	1999-09-15	M	16	1981-01-05	44680	1974
000180	MARILYN	S	SCOUTTEN	D11	1682	2003-07-07	F	17	1979-02-21	51340	1707
000190	JAMES	H	WALKER	D11	2986	2004-07-26	M	16	1982-06-25	50450	1636
000200	DAVID		BROWN	D11	4501	2002-03-03	M	16	1971-05-29	57740	2217
000210	WILLIAM	T	JONES	D11	0942	1998-04-11	M	17	2003-02-23	68270	1462
000220	JENNIFER	K	LUTZ	D11	0672	1998-08-29	F	18	1978-03-19	49840	2387
000230	JAMES	J	JEFFERSON	D21	2094	1996-11-21	M	14	1980-05-30	42180	1774
000240	SALVATORE	M	MARINO	D21	3780	2004-12-05	M	17	2002-03-31	48760	2301
000250	DANIEL	S	SMITH	D21	0961	1999-10-30	M	15	1969-11-12	49180	1534
000260	SYBIL	P	JOHNSON	D21	8953	2005-09-11	F	16	1976-10-05	47250	1380
000270	MARIA	L	PEREZ	D21	9001	2006-09-30	F	15	2003-05-26	37380	2190
000280	ETHEL	R	SCHNEIDER	E11	8997	1997-03-24	F	17	1976-03-28	36250	2100
000290	JOHN	R	PARKER	E11	4502	2006-05-30	M	12	1985-07-09	35340	1227

Figure 1141, EMPLOYEE sample table – data

EMPNO	FIRSTNME	M	LASTNAME	DPT	PH#	HIREDATE	SX	ED	BIRTHDATE	SALARY	COMM
000300	PHILIP	X	SMITH	E11	2095	2002-06-19	M	14	1976-10-27	37750	1420
000310	MAUDE	F	SETRIGHT	E11	3332	1994-09-12	F	12	1961-04-21	35900	1272
000320	RAMILAL	V	MEHTA	E21	9990	1995-07-07	M	16	1962-08-11	39950	1596
000330	WING	L	LEE	E21	2103	2006-02-23	M	14	1971-07-18	45370	2030
000340	JASON	R	GOUNOT	E21	5698	1977-05-05	M	16	1956-05-17	43840	1907
200010	DIAN	J	HEMMINGER	A00	3978	1995-01-01	F	18	1973-08-14	46500	4220
200120	GREG		ORLANDO	A00	2167	2002-05-05	M	14	1972-10-18	39250	2340
200140	KIM	N	NATZ	C01	1793	2006-12-15	F	18	1976-01-19	68420	2274
200170	KIYOSHI		YAMAMOTO	D11	2890	2005-09-15	M	16	1981-01-05	64680	1974
200220	REBA	K	JOHN	D11	0672	2005-08-29	F	18	1978-03-19	69840	2387
200240	ROBERT	M	MONTEVERDE	D21	3780	2004-12-05	M	17	1984-03-31	37760	2301
200280	EILEEN	R	SCHWARTZ	E11	8997	1997-03-24	F	17	1966-03-28	46250	2100
200310	MICHELLE	F	SPRINGER	E11	3332	1994-09-12	F	12	1961-04-21	35900	1272
200330	HELENA		WONG	E21	2103	2006-02-23	F	14	1971-07-18	35370	2030
200340	ROY	R	ALONZO	E21	5698	1997-07-05	M	16	1956-05-17	31840	1907

Figure 1142, EMPLOYEE sample table – data

EMPMDC

```
CREATE TABLE EMPMDC
(EMPNO          INTEGER
,DEPT           INTEGER
,DIV            INTEGER)
IN IBMDB2SAMPLEREL;
```

Figure 1143, EMPMDC sample table – DDL

This table has 10,000 rows. The first twenty are shown below:

EMPNO	DEPT	DIV
0	1	1
10	1	1
20	1	1
30	1	1
40	1	1
50	1	1
60	1	1
70	1	1
80	1	1
90	1	1
100	1	1
110	1	1
120	1	1
130	1	1
140	1	1
150	1	1
160	1	1
170	1	1
180	1	1
190	1	1

Figure 1144, EMPMDC sample table – data

EMPPROJACT

```
CREATE TABLE EMPPROJACT
(EMPNO          CHARACTER(6)          NOT NULL
,PROJNO         CHARACTER(6)          NOT NULL
,ACTNO          SMALLINT             NOT NULL
,EMPTIME        DECIMAL(5,2)
,EMSTDATE      DATE
,EMENDATE      DATE)
IN USERSPACE1;

CREATE ALIAS EMP_ACT FOR EMPPROJACT;
```

```
CREATE ALIAS EMPIACT FOR EMPPROJACT;
```

Figure 1145, EMPPROJACT sample table – DDL

EMPNO	PROJNO	ACTNO	EMPTIME	EMSTDATE	EMENDATE
000010	AD3100	10	0.50	2002-01-01	2002-07-01
000070	AD3110	10	1.00	2002-01-01	2003-02-01
000230	AD3111	60	1.00	2002-01-01	2002-03-15
000230	AD3111	60	0.50	2002-03-15	2002-04-15
000230	AD3111	70	0.50	2002-03-15	2002-10-15
000230	AD3111	80	0.50	2002-04-15	2002-10-15
000230	AD3111	180	0.50	2002-10-15	2003-01-01
000240	AD3111	70	1.00	2002-02-15	2002-09-15
000240	AD3111	80	1.00	2002-09-15	2003-01-01
000250	AD3112	60	1.00	2002-01-01	2002-02-01
000250	AD3112	60	0.50	2002-02-01	2002-03-15
000250	AD3112	60	1.00	2003-01-01	2003-02-01
000250	AD3112	70	0.50	2002-02-01	2002-03-15
000250	AD3112	70	1.00	2002-03-15	2002-08-15
000250	AD3112	70	0.25	2002-08-15	2002-10-15
000250	AD3112	80	0.25	2002-08-15	2002-10-15
000250	AD3112	80	0.50	2002-10-15	2002-12-01
000250	AD3112	180	0.50	2002-08-15	2003-01-01
000260	AD3113	70	0.50	2002-06-15	2002-07-01
000260	AD3113	70	1.00	2002-07-01	2003-02-01
000260	AD3113	80	1.00	2002-01-01	2002-03-01
000260	AD3113	80	0.50	2002-03-01	2002-04-15
000260	AD3113	180	0.50	2002-03-01	2002-04-15
000260	AD3113	180	1.00	2002-04-15	2002-06-01
000260	AD3113	180	1.00	2002-06-01	2002-07-01
000270	AD3113	60	0.50	2002-03-01	2002-04-01
000270	AD3113	60	1.00	2002-04-01	2002-09-01
000270	AD3113	60	0.25	2002-09-01	2002-10-15
000270	AD3113	70	0.75	2002-09-01	2002-10-15
000270	AD3113	70	1.00	2002-10-15	2003-02-01
000270	AD3113	80	1.00	2002-01-01	2002-03-01
000270	AD3113	80	0.50	2002-03-01	2002-04-01
000030	IF1000	10	0.50	2002-06-01	2003-01-01
000130	IF1000	90	1.00	2002-10-01	2003-01-01
000130	IF1000	100	0.50	2002-10-01	2003-01-01
000140	IF1000	90	0.50	2002-10-01	2003-01-01
000030	IF2000	10	0.50	2002-01-01	2003-01-01
000140	IF2000	100	1.00	2002-01-01	2002-03-01
000140	IF2000	100	0.50	2002-01-01	2002-03-01
000140	IF2000	100	0.50	2002-01-01	2002-03-01
000140	IF2000	110	0.50	2002-03-01	2002-07-01
000140	IF2000	110	0.50	2002-10-01	2003-01-01
000010	MA2100	10	0.50	2002-01-01	2002-11-01
000110	MA2100	20	1.00	2002-01-01	2003-03-01
000010	MA2110	10	1.00	2002-01-01	2003-02-01
000200	MA2111	50	1.00	2002-01-01	2002-06-15
000200	MA2111	60	1.00	2002-06-15	2003-02-01
000220	MA2111	40	1.00	2002-01-01	2003-02-01
000150	MA2112	60	1.00	2002-01-01	2002-07-15
000150	MA2112	180	1.00	2002-07-15	2003-02-01
000170	MA2112	60	1.00	2002-01-01	2003-06-01
000170	MA2112	70	1.00	2002-06-01	2003-02-01
000190	MA2112	70	1.00	2002-01-01	2002-10-01
000190	MA2112	80	1.00	2002-10-01	2003-10-01
000160	MA2113	60	1.00	2002-07-15	2003-02-01
000170	MA2113	80	1.00	2002-01-01	2003-02-01
000180	MA2113	70	1.00	2002-04-01	2002-06-15
000210	MA2113	80	0.50	2002-10-01	2003-02-01
000210	MA2113	180	0.50	2002-10-01	2003-02-01
000050	OP1000	10	0.25	2002-01-01	2003-02-01
000090	OP1010	10	1.00	2002-01-01	2003-02-01
000280	OP1010	130	1.00	2002-01-01	2003-02-01
000290	OP1010	130	1.00	2002-01-01	2003-02-01
000300	OP1010	130	1.00	2002-01-01	2003-02-01
000310	OP1010	130	1.00	2002-01-01	2003-02-01
000050	OP2010	10	0.75	2002-01-01	2003-02-01
000100	OP2010	10	1.00	2002-01-01	2003-02-01
000320	OP2011	140	0.75	2002-01-01	2003-02-01
000320	OP2011	150	0.25	2002-01-01	2003-02-01
000330	OP2012	140	0.25	2002-01-01	2003-02-01

Figure 1146, EMPPROJECT sample table – data (part 1 of 2)

EMPNO	PROJNO	ACTNO	EMPTIME	EMSTDATE	EMENDATE
000330	OP2012	160	0.75	2002-01-01	2003-02-01
000340	OP2013	140	0.50	2002-01-01	2003-02-01
000340	OP2013	170	0.50	2002-01-01	2003-02-01
00020	PL2100	30	1.00	2002-01-01	2002-09-15

*Figure 1147, EMPPROJECT sample table – data (part 2 of 2)***EMP_PHOTO**

```
CREATE TABLE EMP_PHOTO
(EMPNO          CHARACTER(6)      NOT NULL
,PHOTO_FORMAT   VARCHAR(10)       NOT NULL
,PICTURE        BLOB(102400)
,EMP_ROWID      CHARACTER(40)     NOT NULL)
IN USERSPACE1;

ALTER TABLE EMP_PHOTO
ADD CONSTRAINT PK_EMP_PHOTO PRIMARY KEY
(EMPNO
,PHOTO_FORMAT);
```

Figure 1148, EMP_PHOTO sample table – DDL

EMPNO	PHOTO_FORMAT	PICTURE
000130	bitmap	<<photo>>
000130	gif	<<photo>>
000140	bitmap	<<photo>>
000140	gif	<<photo>>
000150	bitmap	<<photo>>
000150	gif	<<photo>>
000190	bitmap	<<photo>>
000190	gif	<<photo>>

*Figure 1149, EMP_PHOTO sample table – data***EMP_RESUME**

```
CREATE TABLE EMP_RESUME
(EMPNO          CHARACTER(6)      NOT NULL
,RESUME_FORMAT  VARCHAR(10)       NOT NULL
,RESUME         CLOB(5120)
,EMP_ROWID      CHARACTER(40)     NOT NULL)
IN USERSPACE1;

ALTER TABLE EMP_RESUME
ADD CONSTRAINT PK_EMP_RESUME PRIMARY KEY
(EMPNO
,RESUME_FORMAT);
```

Figure 1150, EMP_RESUME sample table – DDL

EMPNO	RESUME_FORMAT	RESUME
000130	ascii	<<clob>>
000130	html	<<clob>>
000140	ascii	<<clob>>
000140	html	<<clob>>
000150	ascii	<<clob>>
000150	html	<<clob>>
000190	ascii	<<clob>>
000190	html	<<clob>>

Figure 1151, EMP_RESUME sample table – data

IN_TRAY

```
CREATE TABLE IN_TRAY
  (RECEIVED          TIMESTAMP
   ,SOURCE           CHARACTER(8)
   ,SUBJECT          CHARACTER(64)
   ,NOTE_TEXT        VARCHAR(3000))
  IN USERSPACE1;
```

Figure 1152, IN_TRAY sample table – DDL

The data values in the last two columns below have been truncated:

RECEIVED	SOURCE	SUBJECT	NOTE_TEXT
1988-12-25-17.12.30.000000	BADAMSON	FWD: Fantastic	To: JWALKER Cc: QU
1988-12-23-08.53.58.000000	ISTERN	FWD: Fantastic	To: Dept_D11 Con
1988-12-22-14.07.21.136421	CHAAS	Fantastic year	To: All_Managers

*Figure 1153, IN_TRAY sample table – data***INVENTORY**

```
CREATE TABLE INVENTORY
  (PID            VARCHAR(10)      NOT NULL
   ,QUANTITY       INTEGER
   ,LOCATION        VARCHAR(128))
  IN IBMDB2SAMPLEXML;
```

```
ALTER TABLE INVENTORY
ADD CONSTRAINT PK_INVENTORY PRIMARY KEY
(PID);
```

Figure 1154, INVENTORY sample table – DDL

PID	QUANTITY	LOCATION
100-100-01	5	-
100-101-01	25	Store
100-103-01	55	Store
100-201-01	99	Warehouse

*Figure 1155, INVENTORY sample table – data***ORG**

```
CREATE TABLE ORG
  (DEPTNUMB        SMALLINT      NOT NULL
   ,DEPTNAME        VARCHAR(14)
   ,MANAGER          SMALLINT
   ,DIVISION         VARCHAR(10)
   ,LOCATION         VARCHAR(13))
  IN USERSPACE1;
```

Figure 1156, ORG sample table – DDL

DEPTNUMB	DEPTNAME	MANAGER	DIVISION	LOCATION
10	Head Office	160	Corporate	New York
15	New England	50	Eastern	Boston
20	Mid Atlantic	10	Eastern	Washington
38	South Atlantic	30	Eastern	Atlanta
42	Great Lakes	100	Midwest	Chicago
51	Plains	140	Midwest	Dallas
66	Pacific	270	Western	San Francisco
84	Mountain	290	Western	Denver

Figure 1157, ORG sample table – data

PRODUCT

```
CREATE TABLE PRODUCT
(PID          VARCHAR(10)      NOT NULL
,NAME        VARCHAR(128)
,PRICE       DECIMAL(30,2)
,PROMOPRICE  DECIMAL(30,2)
,PROMOSTART  DATE
,PROMOEND    DATE
,DESCRIPTION XML)
IN IBMDB2SAMPLEXML;
```

```
ALTER TABLE PRODUCT
ADD CONSTRAINT PK_PRODUCT PRIMARY KEY
(PID);
```

Figure 1158, PRODUCT sample table – DDL

The NAME column below has been truncated:

PID	NAME	PRICE	PROMOPRICE	PROMOSTART	PROMOEND
100-100-01	Snow Shovel, Ba	9.99	7.25	2004-11-19	2004-12-19
100-101-01	Snow Shovel, De	19.99	15.99	2005-12-18	2006-02-28
100-103-01	Snow Shovel, Su	49.99	39.99	2005-12-22	2006-02-22
100-201-01	Ice Scraper, Wi	3.99	-	-	-

Figure 1159, PRODUCT sample table – data

PRODUCTSUPPLIER

```
CREATE TABLE PRODUCTSUPPLIER
(PID          VARCHAR(10)      NOT NULL
,SID          VARCHAR(10)      NOT NULL
)
IN IBMDB2SAMPLEXML;
```

Figure 1160, PRODUCTSUPPLIER sample table – DDL

There is no data in this table.

PROJECT

```
CREATE TABLE PROJACT
(PROJNO        CHARACTER(6)      NOT NULL
,ACTNO         SMALLINT        NOT NULL
,ACSTAFF       DECIMAL(5,2)
,ACSTDATET    DATE           NOT NULL
,ACENDATE     DATE)
IN USERSPACE1;
```

```
ALTER TABLE PROJACT
ADD CONSTRAINT PK_PROJECT PRIMARY KEY
(PROJNO
,ACTNO
,ACSTDATET);
```

Figure 1161, PROJACT sample table – DDL

PROJNO	ACTNO	ACSTAFF	ACSTDATET	ACENDATE
AD3100	10	-	2002-01-01	-
AD3110	10	-	2002-01-01	-
AD3111	60	-	2002-01-01	-
AD3111	60	-	2002-03-15	-
AD3111	70	-	2002-03-15	-
AD3111	80	-	2002-04-15	-
AD3111	180	-	2002-10-15	-
AD3111	70	-	2002-02-15	-
AD3111	80	-	2002-09-15	-
AD3112	60	-	2002-01-01	-

Figure 1162, PROJACT sample table – data (part 1 of 2)

PROJNO	ACTNO	ACSTAFF	ACSTDAT	ACENDATE
AD3112	60		- 2002-02-01	-
AD3112	60		- 2003-01-01	-
AD3112	70		- 2002-02-01	-
AD3112	70		- 2002-03-15	-
AD3112	70		- 2002-08-15	-
AD3112	80		- 2002-08-15	-
AD3112	80		- 2002-10-15	-
AD3112	180		- 2002-08-15	-
AD3113	70		- 2002-06-15	-
AD3113	70		- 2002-07-01	-
AD3113	80		- 2002-01-01	-
AD3113	80		- 2002-03-01	-
AD3113	180		- 2002-03-01	-
AD3113	180		- 2002-04-15	-
AD3113	180		- 2002-06-01	-
AD3113	60		- 2002-03-01	-
AD3113	60		- 2002-04-01	-
AD3113	60		- 2002-09-01	-
AD3113	70		- 2002-09-01	-
AD3113	70		- 2002-10-15	-
IF1000	10		- 2002-06-01	-
IF1000	90		- 2002-10-01	-
IF1000	100		- 2002-10-01	-
IF2000	10		- 2002-01-01	-
IF2000	100		- 2002-01-01	-
IF2000	100		- 2002-03-01	-
IF2000	110		- 2002-03-01	-
IF2000	110		- 2002-10-01	-
MA2100	10		- 2002-01-01	-
MA2100	20		- 2002-01-01	-
MA2110	10		- 2002-01-01	-
MA2111	50		- 2002-01-01	-
MA2111	60		- 2002-06-15	-
MA2111	40		- 2002-01-01	-
MA2112	60		- 2002-01-01	-
MA2112	180		- 2002-07-15	-
MA2112	70		- 2002-06-01	-
MA2112	70		- 2002-01-01	-
MA2112	80		- 2002-10-01	-
MA2113	60		- 2002-07-15	-
MA2113	80		- 2002-01-01	-
MA2113	70		- 2002-04-01	-
MA2113	80		- 2002-10-01	-
MA2113	180		- 2002-10-01	-
OP1000	10		- 2002-01-01	-
OP1010	10		- 2002-01-01	-
OP1010	130		- 2002-01-01	-
OP2010	10		- 2002-01-01	-
OP2011	140		- 2002-01-01	-
OP2011	150		- 2002-01-01	-
OP2012	140		- 2002-01-01	-
OP2012	160		- 2002-01-01	-
OP2013	140		- 2002-01-01	-
OP2013	170		- 2002-01-01	-
PL2100	30		- 2002-01-01	-

Figure 1163, PROJACT sample table – data (part 2 of 2)

PROJECT

```

CREATE TABLE PROJECT
( PROJNO          CHARACTER(6)      NOT NULL
, PROJNAME        VARCHAR(24)       NOT NULL
, DEPTNO          CHARACTER(3)      NOT NULL
, RESPEMP         CHARACTER(6)      NOT NULL
, PRSTAFF         DECIMAL(5,2)
, PRSTDATE        DATE
, PRENDATE        DATE
, MAJPROJ         CHARACTER(6) )
IN USERSPACE1;

ALTER TABLE PROJECT
ADD CONSTRAINT PK_PROJECT PRIMARY KEY
( PROJNO );

CREATE INDEX XPROJ2 ON PROJECT
( RESPEMP          ASC)
ALLOW REVERSE SCANS;

CREATE ALIAS PROJ FOR PROJECT;

```

Figure 1164, PROJECT sample table – DDL

PROJNO	PROJNAME	DEP	RESPEMP	PRSTAFF	PRSTDATE	PRENDATE	MAJPROJ
AD3100	ADMIN SERVICES	D01	000010	6.50	2002-01-01	2003-02-01	-
AD3110	GENERAL ADMIN SYSTEMS	D21	000070	6.00	2002-01-01	2003-02-01	AD3100
AD3111	PAYROLL PROGRAMMING	D21	000230	2.00	2002-01-01	2003-02-01	AD3110
AD3112	PERSONNEL PROGRAMMING	D21	000250	1.00	2002-01-01	2003-02-01	AD3110
AD3113	ACCOUNT PROGRAMMING	D21	000270	2.00	2002-01-01	2003-02-01	AD3110
IF1000	QUERY SERVICES	C01	000030	2.00	2002-01-01	2003-02-01	-
IF2000	USER EDUCATION	C01	000030	1.00	2002-01-01	2003-02-01	-
MA2100	WELD LINE AUTOMATION	D01	000010	12.00	2002-01-01	2003-02-01	-
MA2110	W L PROGRAMMING	D11	000060	9.00	2002-01-01	2003-02-01	MA2100
MA2111	W L PROGRAM DESIGN	D11	000220	2.00	2002-01-01	1982-12-01	MA2110
MA2112	W L ROBOT DESIGN	D11	000150	3.00	2002-01-01	1982-12-01	MA2110
MA2113	W L PROD CONT PROGS	D11	000160	3.00	2002-02-15	1982-12-01	MA2110
OP1000	OPERATION SUPPORT	E01	000050	6.00	2002-01-01	2003-02-01	-
OP1010	OPERATION	E11	000090	5.00	2002-01-01	2003-02-01	OP1000
OP2000	GEN SYSTEMS SERVICES	E01	000050	5.00	2002-01-01	2003-02-01	-
OP2010	SYSTEMS SUPPORT	E21	000100	4.00	2002-01-01	2003-02-01	OP2000
OP2011	SCP SYSTEMS SUPPORT	E21	000320	1.00	2002-01-01	2003-02-01	OP2010
OP2012	APPLICATIONS SUPPORT	E21	000330	1.00	2002-01-01	2003-02-01	OP2010
OP2013	DB/DC SUPPORT	E21	000340	1.00	2002-01-01	2003-02-01	OP2010
PL2100	WELD LINE PLANNING	B01	000020	1.00	2002-01-01	2002-09-15	MA2100

Figure 1165, PROJECT sample table – data

PURCHASEORDER

```

CREATE TABLE PURCHASEORDER
( POID           BIGINT        NOT NULL
, STATUS         VARCHAR(10)    NOT NULL
, CUSTID         BIGINT
, ORDERDATE     DATE
, PORDER         XML
, COMMENTS       VARCHAR(1000) )
IN IBMDB2SAMPLEXML;

ALTER TABLE PURCHASEORDER
ADD CONSTRAINT PK_PURCHASEORDER PRIMARY KEY
( POID );

```

Figure 1166, PURCHASEORDER sample table – DDL

POID	STATUS	CUSTID	ORDERDATE	PORDER	COMMENTS
5000	Unshipped	1002	02/18/2006	<>xml>>	THIS IS A NEW PURCHASE ORDER
5001	Shipped	1003	02/03/2005	<>xml>>	THIS IS A NEW PURCHASE ORDER
5002	Shipped	1001	02/29/2004	<>xml>>	THIS IS A NEW PURCHASE ORDER
5003	Shipped	1002	02/28/2005	<>xml>>	THIS IS A NEW PURCHASE ORDER
5004	Shipped	1005	11/18/2005	<>xml>>	THIS IS A NEW PURCHASE ORDER
5006	Shipped	1002	03/01/2006	<>xml>>	THIS IS A NEW PURCHASE ORDER

Figure 1167, PURCHASEORDER sample table – data

SALES

```
CREATE TABLE SALES
(SALES_DATE      DATE
,SALES_PERSON    VARCHAR(15)
,REGION          VARCHAR(15)
,SALES           INTEGER)
IN USERSPACE1;
```

Figure 1168, SALES sample table – DDL

SALES_DATE	SALES_PERSON	REGION	SALES
12/31/2005	LUCCHESI	Ontario-South	1
12/31/2005	LEE	Ontario-South	3
12/31/2005	LEE	Quebec	1
12/31/2005	LEE	Manitoba	2
12/31/2005	GOUNOT	Quebec	1
03/29/2006	LUCCHESI	Ontario-South	3
03/29/2006	LUCCHESI	Quebec	1
03/29/2006	LEE	Ontario-South	2
03/29/1996	LEE	Ontario-North	2
03/29/2006	LEE	Quebec	3
03/29/2006	LEE	Manitoba	5
03/29/2006	GOUNOT	Ontario-South	3
03/29/2006	GOUNOT	Quebec	1
03/29/2006	GOUNOT	Manitoba	7
03/30/2006	LUCCHESI	Ontario-South	1
03/30/2006	LUCCHESI	Quebec	2
03/30/2006	LUCCHESI	Manitoba	1
03/30/2006	LEE	Ontario-South	7
03/30/2006	LEE	Ontario-North	3
03/30/2006	LEE	Quebec	7
03/30/2006	LEE	Manitoba	4
03/30/2006	GOUNOT	Ontario-South	2
03/30/2006	GOUNOT	Quebec	18
03/31/2006	GOUNOT	Manitoba	1
03/31/2006	LUCCHESI	Manitoba	1
03/31/2006	LEE	Ontario-South	14
03/31/2006	LEE	Ontario-North	3
03/31/2006	LEE	Quebec	7
03/31/2006	LEE	Manitoba	3
03/31/2006	GOUNOT	Ontario-South	2
03/31/2006	GOUNOT	Quebec	1
04/01/2006	LUCCHESI	Ontario-South	3
04/01/2006	LUCCHESI	Manitoba	1
04/01/2006	LEE	Ontario-South	8
04/01/2006	LEE	Ontario-North	-
04/01/2006	LEE	Quebec	8
04/01/2006	LEE	Manitoba	9
04/01/2006	GOUNOT	Ontario-South	3
04/01/2006	GOUNOT	Ontario-North	1
04/01/2006	GOUNOT	Quebec	3
04/01/2006	GOUNOT	Manitoba	7

Figure 1169, SALES sample table – data

STAFF

```
CREATE TABLE STAFF
  (ID          SMALLINT      NOT NULL
   ,NAME        VARCHAR(9)
   ,DEPT        SMALLINT
   ,JOB         CHARACTER(5)
   ,YEARS       SMALLINT
   ,SALARY      DECIMAL(7,2)
   ,COMM        DECIMAL(7,2))
IN USERSPACE1;
```

Figure 1170, STAFF sample table – DDL

ID	NAME	DEPT	JOB	YEARS	SALARY	COMM
10	Sanders	20	Mgr	7	98357.50	-
20	Pernal	20	Sales	8	78171.25	612.45
30	Marenghi	38	Mgr	5	77506.75	-
40	O'Brien	38	Sales	6	78006.00	846.55
50	Hanes	15	Mgr	10	80659.80	-
60	Quigley	38	Sales	-	66808.30	650.25
70	Rothman	15	Sales	7	76502.83	1152.00
80	James	20	Clerk	-	43504.60	128.20
90	Koonitz	42	Sales	6	38001.75	1386.70
100	Plotz	42	Mgr	7	78352.80	-
110	Ngan	15	Clerk	5	42508.20	206.60
120	Naughton	38	Clerk	-	42954.75	180.00
130	Yamaguchi	42	Clerk	6	40505.90	75.60
140	Fraye	51	Mgr	6	91150.00	-
150	Williams	51	Sales	6	79456.50	637.65
160	Molinare	10	Mgr	7	82959.20	-
170	Kermisch	15	Clerk	4	42258.50	110.10
180	Abrahams	38	Clerk	3	37009.75	236.50
190	Sneider	20	Clerk	8	34252.75	126.50
200	Scoutten	42	Clerk	-	41508.60	84.20
210	Lu	10	Mgr	10	90010.00	-
220	Smith	51	Sales	7	87654.50	992.80
230	Lundquist	51	Clerk	3	83369.80	189.65
240	Daniels	10	Mgr	5	79260.25	-
250	Wheeler	51	Clerk	6	74460.00	513.30
260	Jones	10	Mgr	12	81234.00	-
270	Lea	66	Mgr	9	88555.50	-
280	Wilson	66	Sales	9	78674.50	811.50
290	Quill	84	Mgr	10	89818.00	-
300	Davis	84	Sales	5	65454.50	806.10
310	Graham	66	Sales	13	71000.00	200.30
320	Gonzales	66	Sales	4	76858.20	844.00
330	Burke	66	Clerk	1	49988.00	55.50
340	Edwards	84	Sales	7	67844.00	1285.00
350	Gafney	84	Clerk	5	43030.50	188.00

Figure 1171, STAFF sample table – data

SUPPLIERS

```
CREATE TABLE SUPPLIERS
  (SID          VARCHAR(10)      NOT NULL
   ,ADDR        XML)
IN IBMDB2SAMPLEXML;

ALTER TABLE SUPPLIERS
ADD CONSTRAINT PK_PRODUCTSUPPLIER PRIMARY KEY
  (SID);
```

Figure 1172, SUPPLIERS sample table – DDL

There is no data in this table.

Book Binding

Below is a quick-and-dirty technique for making a book out of this book. The object of the exercise is to have a manual that will last a long time, and that will also lie flat when opened up. All suggested actions are done at your own risk.

Tools Required

Printer, to print the book.

- KNIFE, to trim the tape used to bind the book.
- BINDER CLIPS, (1" size), to hold the pages together while gluing. To bind larger books, or to do multiple books in one go, use two or more cheap screw clamps.
- CARDBOARD: Two pieces of thick card, to also help hold things together while gluing.

Consumables

Ignoring the capital costs mentioned above, the cost of making a bound book should work out to about \$4.00 per item, almost all of which is spent on the paper and toner. To bind an already printed copy should cost less than fifty cents.

- PAPER and TONER, to print the book.
- CARD STOCK, for the front and back covers.
- GLUE, to bind the book. Cheap rubber cement will do the job. The glue must come with an applicator brush in the bottle. Sears hardware stores sell a more potent flavor called Duro Contact Cement that is quite a bit better. This is toxic stuff, so be careful.
- CLOTH TAPE, (2" wide) to bind the spine. Pearl tape, available from Pearl stores, is fine. Wider tape will be required if you are not printing double-sided.
- TIME: With practice, this process takes less than five minutes work per book.

Before you Start

- Make that sure you have a well-ventilated space before gluing.
- Practice binding on some old scraps of paper.
- Kick all kiddies out off the room.

Instructions

- Print the book - double-sided if you can. If you want, print the first and last pages on card stock to make suitable protective covers.
- Jog the pages, so that they are all lined up along the inside spine. Make sure that every page is perfectly aligned, otherwise some pages won't bind. Put a piece of thick card-board on either side of the set of pages to be bound. These will hold the pages tight during the gluing process.

- Place binder clips on the top and bottom edges of the book (near the spine), to hold everything in place while you glue. One can also put a couple on the outside edge to stop the pages from splaying out in the next step. If the pages tend to spread out in the middle of the spine, put one in the centre of the spine, then work around it when gluing. Make sure there are no gaps between leafs, where the glue might soak in.
- Place the book spine upwards. The objective here is to have a flat surface to apply the glue on. Lean the book against something if it does not stand up freely.
- Put on gobs of glue. Let it soak into the paper for a bit, then put on some more.
- Let the glue dry for at least half an hour. A couple of hours should be plenty.
- Remove the binder clips that are holding the book together. Be careful because the glue does not have much structural strength.
- Separate the cardboard that was put on either side of the book pages. To do this, carefully open the cardboard pages up (as if reading their inside covers), then run the knife down the glue between each board and the rest of the book.
- Lay the book flat with the front side facing up. Be careful here because the rubber cement is not very strong.
- Cut the tape to a length that is a little longer than the height of the book.
- Put the tape on the book, lining it up so that about one quarter of an inch (of the tape width) is on the front side of the book. Press the tape down firmly (on the front side only) so that it is properly attached to the cover. Make sure that a little bit of tape sticks out of both the bottom and top ends of the spine.
- Turn the book over (gently) and, from the rear side, wrap the cloth tape around the spine of the book. Pull the tape around so that it puts the spine under compression.
- Trim excess tape at either end of the spine using a knife or pair of scissors.
- Tap down the tape so that it is firmly attached to the book.
- Let the book dry for a day. Then do the old "hold by a single leaf" test. Pick any page, and gently pull the page up into the air. The book should follow without separating from the page.

More Information

The binding technique that I have described above is fast and easy, but rather crude. It would not be suitable if one was printing books for sale. There are plenty of other binding methods that take a little more skill and better gear that can be used to make "store-quality" books. Search the web for more information.

Index

A

ABS function, 127
 ACOS function, 128
 Adaptive Query, 367
 ADD function. *See* PLUS function
 AFTER trigger. *See* Triggers
 AGGREGATION function
 BETWEEN, 124
 Definition, 120
 ORDER BY, 121
 RANGE, 123
 ROWS, 122
 Alias, 23
 ALL, sub-query, 247, 257
 AND vs. OR, precedence rules, 44
 ANY, sub-query, 246, 255
 Arithmetic, precedence rules, 44
 ARRAY_AGG function, 89
 AS statement
 Common table expression, 300
 Correlation name, 36
 Renaming fields, 36
 ASCII function, 128
 ASIN function, 128
 ATAN function, 128
 ATAN2 function, 128
 ATANH function, 128
 ATOMIC, BEGIN statement, 79
 AVG
 Compared to median, 421
 Date value, 90
 Function, 89, 422
 Null usage, 90

B

Balanced hierarchy, 319
 BEFORE trigger. *See* Triggers
 BEGIN ATOMIC statement, 79
 BERNOLLI option. *See* TABLESAMPLE feature
 BETWEEN
 AGGREGATION function, 124
 OLAP definition, 101
 Predicate, 40
 BIGINT
 Data type, 24
 Function, 128
 BIT functions, 129
 BIT value display, 130
 BLOB function, 132
 BLOCK LOCATE user defined function, 322
 Business day calculation, 418

C

CARDINALITY function, 132
 Cartesian Product, 234

CASE expression
 Character to number, 398
 Definition, 50
 Predicate use, 53
 Recursive processing, 331
 Sample data creation, usage, 392
 Selective column output, 404
 UPDATE usage, 52
 Wrong sequence, 435
 Zero divide (avoid), 52
 CAST expression
 Definition, 46
 CEIL function, 132
 CHAR function, 133, 400
 Character to number, convert, 198, 398
 CHARACTER_LENGTH function, 135
 Chart making using SQL, 404
 Check input is numeric, 198
 CHR function, 136
 Circular Reference. *See* You are lost
 Clean hierarchies, 327
 CLOB function, 136
 CLOSE cursor, 54
 COALESCE function, 136, 236
 COLLATION_KEY_BIT function, 137
 Columns converted to rows, 49
 Combine columns
 CONCAT function, 138
 Convert to rows, 49
 Comma usage in number display, 402
 Comment in SQL, 21
 COMMIT statement, 58
 Common table expression
 Definition, 300
 Fullselect clause, 302
 Fullselect comparison, 32
 Subselect comparison, 32
 COMPARE_DECFLOAT function, 138
 Compound SQL
 DECLARE variables, 80
 Definition, 79
 FOR statement, 81
 IF statement, 82
 LEAVE statement, 83
 Scalar function, 190
 SIGNAL statement, 83
 Table function, 193
 WHILE statement, 84
 CONCAT function, 138, 184
 Constraint, 343, 344
 Convergent hierarchy, 318
 Convert
 Character to number, 198, 398
 Columns to rows, 49
 Commas added to display, 402
 Date-time to character, 134

Decimal to character, 401
 HEX value to number, 424
 Integer to character, 400
 Timestamp to numeric, 403
 Correlated sub-query
 Definition, 252
 NOT EXISTS, 254
 CORRELATION function, 91
 Correlation name, 36
 COS function, 139
 COSH function, 139
 COT function, 139
 COUNT DISTINCT function
 Definition, 91
 Null values, 106
 COUNT function
 Definition, 91
 DISTINCT option, 91
 No rows, 92, 221, 428
 Null values, 91
 COUNT_BIG function, 92
 COVARIANCE function, 92
 Create Table
 Constraint, 343, 344
 Dimensions, 275
 Example, 22
 Identity Column, 278, 281
 Indexes, 274
 Materialized query table, 265
 Referential Integrity, 343, 344
 Staging tables, 275
 CUBE, 215
 Current maintained types, 267
 Current query optimization, 267
 Current refresh age, 266
 CURRENT TIMESTAMP special register, 441
 Cursor, 54
 Cursor Stability, 438

D

Data in view definition, 23
 Data types, 24, 31
 DATAPARTITIONNUM function, 139
 DATE
 Arithmetic, 27
 AVG calculation, 90
 Convert to CHAR, 134
 Data type, 24
 Duration, 29
 Function, 140
 Get prior, 194
 Manipulation, 27, 429, 432
 Output order, 435
 DAY function, 140
 DAYNAME function, 141
 DAYOFWEEK function, 141, 418
 DAYOFWEEK_ISO function, 141
 DAYOFYEAR function, 142
 DAYS function, 142
 DBPARTITIONNUM function, 143
 DECFLOAT
 Arithmetic, 25
 COMPARE_DECFLOAT function, 138
 Data type, 24
 FLOAT comparison, 445
 Function, 143
 Infinity usage, 25
 NaN usage, 25
 NORMALIZE_DECFLOAT function, 27, 159
 Precision, 445
 QUANTIZE function, 163
 Rounding value, 27
 TOTALORDER function, 27, 178
 Value order, 26
 DECIMAL
 Commas added to display, 402
 Convert to character, 401
 Data type, 24
 Function, 143
 Multiplication, 45, 159
 Timestamp conversion, 403
 DECLARE cursor, 54
 DECLARE variables, 80
 Declared Global Temporary Table, 298, 306
 DECODE function, 144
 DECRYPT_BIN function, 144
 DECRYPT_CHAR function, 144
 Deferred Refresh tables, 268
 DEGRESS function, 145
 DELETE
 Counting using triggers, 290
 Definition, 68
 Fetch first n rows, 69
 Fullselect, 69
 MERGE usage, 75
 Multiple tables usage, 262
 Nested table expression, 70
 OLAP functions, 69
 Select results, 72
 Stop after n rows, 69
 Delimiter, statement, 22, 79
 Denormalize data, 410
 DENSE_RANK function, 106
 DESCRIBE statement, 56
 DETERMINISTIC statement, 187
 DIFFERENCE function, 145
 DIGITS function, 145, 400
 DISTINCT
 AVG function, 89
 Duplicate row removal, 101
 Distinct types, 24, 31
 Divergent hierarchy, 317
 DIVIDE "/" function, 184
 Divide by zero (avoid), 52
 DOUBLE function, 146
 Double quotes, 38
 Duration, Date/Time, 29

E

ELSE. *See* CASE expression
 ENCRYPT function, 146
 ESCAPE phrase, 42
 EXCEPT, 260
 EXECUTE IMMEDIATE statement, 57
 EXECUTE statement, 57
 EXISTS, sub-query, 40, 248, 253, 254
 EXP function, 147

F

False negative. *See* ROW CHANGE TOKEN
FETCH FIRST n rows
 Definition, 35
 DELETE usage, 69
 Duplicate value issues, 114
 Efficient usage, 115
 UPDATE usage, 66
FETCH from cursor, 54
 Fibonacci Series, 416
 Find gaps in values, 283
FIRST_VALUE function, 117
FLOAT
 Data type, 24, 442
 DECFLOAT comparison, 445
 Function, 147
 Precision, 442
 Floating point number. *See* FLOAT data type
FLOOR function, 147
FOR statement, 81
 Foreign key, 343
 Fractional date manipulation, 432
 Frictionless Query, 367
 Full Outer Join
 COALESCE function, 236
 Definition, 230
Fullselect
 Definition, 302
 Definition, 32
 DELETE usage, 69
 INSERT usage, 62, 63
 MERGE usage, 76
 TABLE function, 303
 UPDATE usage, 66, 67, 305
 Function (user defined). *See* User defined function

G

Gaps in values (find), 283
GENERATE_UNIQUE function, 147, 390, 441
 Generated always
 Identity column, 277, 278
 Row change timestamp column, 440
 Timestamp column, 344, 441
 Generating SQL, 361, 365
 GET DIAGNOSTICS statement, 81
 GETHINT function, 149
 Global Temporary Table, 298, 306
 GREATEST function. *See* MAX scalar function
GROUP BY
 CUBE, 215
 Definition, 204
 GROUPING SETS, 207
 Join usage, 220
 ORDER BY usage, 220
 PARTITION comparison, 100
 ROLLUP, 211
 Zero rows match, 428
GROUPING function, 93, 209
GROUPING SETS, 207

H

HASH function, 199
HASHEDVALUE function, 150
HAVING

Definition, 204
 Sample queries, 206
 Zero rows match, 428

HEX
 Covert value to number, 424
 Function, 150
Hierarchy
 Balanced, 319
 Convergent, 318
 Denormalizing, 327
 Divergent, 317
 Recursive, 318
 Summary tables, 327
 Triggers, 327
History tables, 351, 354
HOUR function, 151

I

Identity column
 Gaps in Values (find), 283
IDENTITY_VAL_LOCAL function, 284
 Restart value, 281
 Usage notes, 277
IDENTITY_VAL_LOCAL function, 151, 284
IF statement, 82
 Immediate Refresh tables, 269
IN
 Multiple predicates, 253
 Predicate, 41
 Sub-query, 251, 253
 Index on materialized query table, 274
 Infinity value, 25
Inner Join
 Definition, 226
 ON and WHERE usage, 227
 Outer followed by inner, 242
INPUT SEQUENCE, 71
INSERT
 24-hour timestamp notation, 427
 Common table expression, 64, 302
 Definition, 61
 Fullselect, 62, 63, 304
 Function, 151
 MERGE usage, 75
 Multiple tables usage, 64, 262
 Select results, 71
 UNION All usage, 64, 262
 Unique timestamp generation, 148
 WITH statement, 64, 302
INSTEAD OF. *See* Triggers
INTEGER
 Arithmetic, 44
 Convert to character, 400
 Data type, 24
 Function, 152
 Truncation, 434
 Intelligent Comment, 21
INTERSECT, 260
 Isolation level, 437
ITERATE statement, 82

J

Java code

Scalar function, 372
 Tabular function, 374
 Transpose function, 381
Join
 Cartesian Product, 234
 COALESCE function, 236
 DISTINCT usage warning, 89
 Full Outer Join, 230
 GROUP BY usage, 220
 Inner Join, 226
 Left Outer Join, 227
 Materialized query tables, 271, 272
 Null usage, 236
 Right Outer Join, 229
 Syntax, 223
Julian Date
 Format defintion, 140
 User defined function, 194
JULIAN_DAY function
 Definition, 152
 History, 152

L

LAG function, 119
 LAST_VALUE function, 117
 LATERAL keyword, 50
 LCASE function, 154
 LEAD function, 119
 LEAST function. See MIN scalar function
 LEAVE statement, 83
 LEFT function, 154
 Left Outer Join, 227
 LENGTH function, 155
LIKE predicate
 Column function, 43
 Definition, 41
 ESCAPE usage, 42
 Varchar usage, 433
 LIKE_COLUMN function, 43
 LN function, 155
 LOCATE function, 155
 LOCATE_BLOCK user defined function, 322
 LOG function, 156
 LOG10 function, 156
 Lousy Index. See Circular Reference
 LOWER function. *See* LCASE function
 LTRIM function, 156

M

Matching rows, zero, 428
 Materialized query tables
 Current maintained types, 267
 Current query optimization, 267
 Current refresh age, 266
 DDL restrictions, 265
 Dimensions, 275
 Duplicate data, 270
 Index usage, 274
 Join usage, 271, 272
 Optimizer options, 266
 Refresh Deferred, 268
 Refresh Immediate, 269
 Staging tables, 275
 Syntax diagram, 263

MAX
 Column function, 93
 Rows, getting, 112
 Scalar function, 156
 Values, getting, 110, 114
MAX_CARDINALITY function, 157
Median, 421
MERGE
 Definition, 73
 DELETE usage, 75
 Fullselect, 76
 INSERT usage, 75
 UPDATE usage, 75
Meta-data
 Generate SQL within SQL, 365
 Java function queries, 372
 SQL function queries, 368
 Update real data, 383
Meta-Data to Real-Data Join, 367
MICROSECOND function, 157
MIDNIGHT_SECONDS function, 157
MIN
 Column function, 94
 Scalar function, 158
MINUS, 260
MINUS "-" function, 183
MINUTE function, 158
 Missing rows, 406
MOD function, 158
MONTH
 Function, 158
 Get prior, 195
 User defined function example, 195
MONTHNAME function, 158
MULTIPLY_ALT function, 159
 Multiplication, overflow, 159
MULTIPLY "*" function, 183

N

NaN value, 25
 Nested table expression
 Convert cColumns to rows, 49
 DELETE usage, 70, 73
 SELECT usage, 244, 297, 301
 Simplified syntax, 244
 TABLE function, 175
 UPDATE usage, 66
 Next row. *See* LEAD function
NEXTVAL expression, 287
 Nickname, 24
 No rows match, 428
 Normalize data, 409
NORMALIZE_DECFLOAT function, 27, 159
NOT EXISTS, sub-query, 252, 254
NOT IN, sub-query, 251, 254
NOT predicate, 39
NULLIF function, 160
Nulls
 CASE expression, 50
 CAST expression, 46
 COUNT DISTINCT function, 91, 106
 COUNT function, 254
 Definition, 37
 GROUP BY usage, 204

- Join usage, 236
- OLAP processing, 105
- Order sequence, 201
- Predicate usage, 44
- Ranking, 106
 - User defined function output, 188
 - Numbered list generate - user defined function, 196
 - Numeric input check, 198
 - NVL function, 160
- O**
 - OCTET_LENGTH function, 160
 - OLAP functions
 - AGGREGATION function, 120
 - BETWEEN expression, 101
 - DELETE usage, 69
 - DENSE_RANK function, 106
 - FIRST_VALUE function, 117
 - Following vs. Preceding rows, 98
 - LAG function, 119
 - LAST_VALUE function, 117
 - LEAD function, 119
 - Moving window, 101
 - Null processing, 105
 - ORDER BY definition, 104
 - Preceding vs. following rows, 98
 - RANK function, 106
 - ROW_NUMBER function, 111
 - UPDATE usage, 67
 - Window definition, 101
 - ON vs. WHERE, joins, 225, 227, 228, 230, 231
 - OPEN cursor, 54
 - OPTIMIZE FOR clause, 115
 - OR vs. AND, precedence rules, 44
 - ORDER BY
 - AGGREGATION function, 121
 - CONCAT function, 138
 - Date usage, 435
 - Definition, 201
 - FETCH FIRST, 35
 - GROUP BY usage, 220
 - Nulls processing, 201
 - OLAP definition, 104
 - ORDER OF table designator, 104, 105
 - RANK function, 107
 - ROW_NUMBER function, 111
 - Table designator, 104, 105
 - ORDER OF table designator, 104, 105
 - Outer Join
 - COALESCE function, 236
 - Definition, 230
 - ON vs. WHERE, joins, 228, 230, 231
 - Outer followed by inner, 242
 - UNION usage, 228, 230
 - Overflow errors, 159
 - OVERLAY function, 160
 - P**
 - Partition
 - Definition (OLAP functions), 100
 - FIRST_VALUE function, 117
 - GROUP BY comparison, 100
 - LAG function, 119
 - LAST_VALUE function, 117
 - LEAD function, 119
 - RANK function, 108
 - ROW_NUMBER function, 112
 - PARTITION function, 161
 - PAUSE function (user defined), 419
 - Percentage calculation, 298
 - PLUS "+" function, 183
 - POSITION function, 161
 - POSSTR function, 162
 - POWER function, 162
 - Precedence rules, 44
 - Predicate
 - Basic types, 39
 - BETWEEN predicate, 40
 - CASE expression, 53
 - EXISTS sub-query, 40
 - IN predicate, 41
 - LIKE predicate, 41
 - NOT predicate, 39
 - Null reference, 37, 44
 - PREPARE statement, 56
 - Previous row. *See LAG function*
 - PREVVAL expression, 287
 - Primary key, 343
 - Processing Sequence, 45, 225, 387
 - Q**
 - QUANTIZE function, 163
 - QUARTER function, 163
 - Quotes, 38
 - R**
 - RADIANS function, 163
 - RAISE_ERROR function, 163
 - RAND function
 - Description, 164
 - Predicate usage, 430
 - Random row selection, 167
 - Reproducible usage, 165, 389
 - Random sampling. *See TABLESAMPLE feature*
 - RANGE
 - OLAP definition, 101, 103
 - RANGE (AGGREGATION function), 123
 - RANK function
 - Definition, 106
 - ORDER BY, 107
 - Partition, 108
 - Read Stability, 438
 - REAL function, 167
 - Recursion
 - Fetch first n rows, 116
 - Halting processing, 320
 - How it works, 309
 - Level (in hierarchy), 313
 - List children, 312
 - Multiple invocations, 315
 - Normalize data, 409
 - Stopping, 320
 - Warning message, 316
 - When to use, 309
 - Recursive hierarchy
 - Definition, 318
 - Denormalizing, 328, 330

Triggers, 328, 330
 Referential Integrity, 343, 344
 Refresh Deferred tables, 268
 Refresh Immediate tables, 269
 REGRESSION functions, 95
 RELEASE SAVEPOINT statement, 60
 REPEAT function, 168, 404
 REPEATABLE option. *See* TABLESAMPLE feature
 Repeatable Read, 438
 REPLACE function, 168
 Restart, Identity column, 281
 RETURN statement, 188
 Reversing values, 415
 RID function, 168
 RID_BIT function, 169
 RIGHT function, 170
 Right Outer Join, 229
 ROLLBACK statement, 60
 ROLLUP, 211
 ROUND function, 170
 Row change timestamp column, 440
 ROW CHANGE TIMESTAMP special register, 345
 ROW CHANGE TOKEN, 169
 Compared to timestamp, 170
 False negative, 170
 UPDATE example, 169
 Usage notes, 170
 ROW_NUMBER function, 422
 Definition, 111
 ORDER BY, 111
 PARTITION BY, 112
 ROWS
 AGGREGATION function, 122
 OLAP definition, 101, 103
 RTRIM function, 171

S
 Sample data. *See* TABLESAMPLE feature
 SAVEPOINT statement, 59
 Scalar function, user defined, 187
 SECLABEL functions, 171
 SECOND function, 171
 SELECT statement
 Correlation name, 36
 Definition, 33
 DELETE usage, 72
 DML changes, 70
 Fullselect, 304
 INSERT usage, 63
 Random row selection, 167
 SELECT INTO statement, 56
 Syntax diagram, 33, 34
 UPDATE usage, 67
 VALUES (embedded in), 48
 Semi-colon
 SQL Statement usage, 44
 Statement delimiter, 22
 Sequence
 Create, 286
 Multi table usage, 289
 NEXTVAL expression, 287
 PREVVAL expression, 287
 Sequence numbers. *See* Identity column
 Sequences

Gaps in Values (find), 283
 SET Intelligent comment, 21
 SET statement, 57
 SIGN function, 171
 SIGNAL statement
 Definition, 83
 Trigger usage, 347, 348
 SIN function, 171
 SINH function, 171
 SMALLINT
 Data type, 24
 Function, 172
 sNaN value, 25
 SNAPSHOT functions, 172
 SOME, sub-query, 246, 255
 Sort string, 419
 SOUNDDEX function, 172
 Sourced function, 185
 SPACE function, 173
 Special register
 Current maintained types, 267
 Current query optimization, 267
 Current refresh age, 266
 Special Registers, 29
 SQL Comment, 21
 SQRT function, 173
 Staging tables, 275
 Statement delimiter, 22, 79
 STDDEV function, 95
 STRIP function, 173
 Sub-query
 Correlated, 252
 DELETE usage, 69
 Error prone, 246
 EXISTS usage, 248, 253
 IN usage, 251, 253
 Multi-field, 253
 Nested, 253
 Subselect, 32
 SUBSTR function
 Definition, 174
 SUBTRACT function. *See* MINUS function
 SUM function, 96, 121
 Summary tables
 Recursive hierarchies, 327

T
 Table. *See* Create Table
 Table designator, 104, 105
 TABLE function
 Convert columns to rows, 49
 Definition, 192
 Fullselect, 303
 Numbered list generate example, 196
 TABLE_NAME function, 175
 TABLE_SCHEMA function, 175
 TABLESAMPLE feature, 396
 TAN function, 176
 TANH function, 176
 Temporary Table
 Common table expression, 300
 Full select, 302
 Global Declared, 298, 306
 Nest table expression, 297

- TABLE function, 303
- Terminator, statement, 22, 79
- Test Data. See Sample Data
- TIME**
 - Convert to CHAR, 134
 - Datatype, 24
 - Duration, 29
 - Function, 176
 - Manipulation, 27
- Time Series data, 393
- TIMESTAMP**
 - 24-hour notation, 427
 - Convert to CHAR, 134
 - Data type, 24
 - Function, 176
 - Generate unique, 148
 - Generated always, 344
 - Manipulation, 427, 432
 - ROW CHANGE TIMESTAMP special register, 345
 - Unique generation, 148
- TIMESTAMP_FORMAT** function, 177
- TIMESTAMP_ISO** function, 177
- TIMESTAMPDIFF** function, 177
- TO_CHAR** function. See **VARCHAR_FORMAT**
- TO_DATE** function. See **TIMETAMP_FORMAT**
- TOTALORDER** function, 27, 178
- TRANSLATE** function, 179, 197
- Transpose**
 - Data.* See Denormalize data
 - User-defined function, 376
- Triggers**
 - BEFORE** vs. **AFTER** triggers, 333, 345
 - Definition, 333
 - Delete counting, 290
 - History tables, 352, 357
 - Identity column, 292
 - INSTEAD OF** triggers, 333, 357
 - Propagate changes, 348
 - Recursive hierarchies, 328, 330
 - ROW** vs. **STATEMENT** triggers, 334
 - Sequence, 289
 - SIGNAL** statement, 336, 347, 348
 - Syntax diagram, 333
 - Validate input, 336, 347, 348
- TRIM**. See **LTRIM** or **RTRIM**
- TRIM** function. *See STRIP function*
- TRUNCATE** function, 180
- Truncation, numeric, 434

- U**
- UCASE** function, 180
- Unbalanced hierarchy, 319
- Uncommitted Read, 439
- Uncorrelated sub-query, 252
 - Nested, 253
- UNION**
 - Definition, 260
 - Outer join usage, 228, 230
 - Precedence Rules, 261
- UNION ALL**
 - Definition, 260
 - INSERT** usage, 63, 64, 262
 - Recursion, 310

- V**
- VALUE** function, 181
- VALUES** expression
 - Convert columns to rows, 49
- VALUES** statement
 - Definition, 47
 - SELECT** embedding, 48
 - View usage, 49
- VARCHAR** function, 181
- VARCHAR_BIT_FORMAT** function, 181
- VARCHAR_FORMAT** function, 181
- VARCHAR_FORMAT_BIT** function, 181
- VARGRAPHIC** function, 181
- VARIANCE** function, 96
- Versions (history tables), 354
- View**
 - Data in definition, 23
 - DDL** example, 23, 49
 - History tables, 353, 356
 - UNION ALL** usage, 262

- W**
- Wait.** *See PAUSE function*
- WEEK**

Function, 182, 434
Get prior, 195
User defined function example, 195
WEEK_ISO function, 182
WHEN. *See* CASE expression
WHERE vs. ON, joins, 225, 227, 228, 230, 231
WHILE statement, 84
WITH statement
 Cursor Stability, 438
 Defintion, 300
 Insert usage, 64, 302
 Isolation level, 437
 MAX values, getting, 114
 Multiple tables, 301
 Read Stability, 438
 Recursion, 310

Repeatable Read, 438
Uncommitted Read, 439
VALUES expression, 48

X

X (hex) notation, 44

Y

YEAR function, 182
You are lost. *See* Lousy Index

Z

Zero divide (avoid), 52
Zero rows match, 428