Day 10

Inverse Kinematics

Inverse Kinematics

- given the pose of the end effector, find the joint variables that produce the end effector pose
- for a 6-joint robot, given

$$T_{6}^{0} = \begin{bmatrix} R_{6}^{0} & o_{6}^{0} \\ \mathbf{0} & 1 \end{bmatrix}$$

find

$$q_1, q_2, q_3, q_4, q_5, q_6$$

RPP + Spherical Wrist




Figure 3.9: Cylindrical robot with spherical wrist.

RPP + Spherical Wrist

solving for the joint variables directly is hard

$$T_{6}^{0} = T_{3}^{0}T_{6}^{3} = \begin{bmatrix} r_{11} & r_{12} & r_{13} & d_{x} \\ r_{21} & r_{22} & r_{23} & d_{y} \\ r_{31} & r_{32} & r_{33} & d_{z} \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

$$r_{11} = c_1 c_4 c_5 c_6 - c_1 s_4 s_6 + s_1 s_5 c_6$$

$$\vdots$$


$$d_z = -s_4 s_5 d_6 + d_1 + d_2$$

Kinematic Decoupling

- for 6-joint robots where the last 3 joints intersecting at a point (e.g., last 3 joints are spherical wrist) there is a simpler way to solve the inverse kinematics problem
 - use the intersection point (wrist center) to solve for the first 3 joint variables
 - inverse position kinematics
 - 2. use the end-effector pose to solve for the last 3 joint variables
 - inverse orientation kinematics


5 1/28/2013

Spherical Wrist



6 1/28/2013

RPP Cylindrical Manipulator



7

RRP Spherical Manipulator






Figure 3.21: Spherical manipulator.

RRR Elbow Manipulator



1/28/2013

Spherical Wrist



^{*} joint variable

1/28/2013

Spherical Wrist

$$T_{6}^{3} = T_{4}^{3}T_{5}^{4}T_{6}^{5} = \begin{bmatrix} c_{4}c_{5}c_{6} - s_{4}s_{6} & -c_{4}c_{5}s_{6} - s_{4}c_{6} & c_{4}s_{5} & c_{4}s_{5}d_{6} \\ s_{4}c_{5}c_{6} + c_{4}s_{6} & -s_{4}c_{5}s_{6} + c_{4}c_{6} & s_{4}s_{5} & s_{4}s_{5}d_{6} \\ -s_{5}c_{6} & s_{5}s_{6} & c_{5} & c_{5}d_{6} \\ 0 & 0 & 1 \end{bmatrix}$$

1/28/2013