

CSE 3214: Computer Networks Protocols and Applications

Suprakash Datta

datta@cse.yorku.ca

Office: CSEB 3043

Phone: 416-736-2100 ext 77875

Course page: <http://www.cs.yorku.ca/course/3214>

These slides are adapted from Jim Kurose's slides.

Chapter 2: Application layer

- 2.1 Principles of network applications
- 2.2 Web and HTTP
- 2.3 FTP
- 2.4 Electronic Mail
 - SMTP, POP3, IMAP
- 2.5 DNS
- 2.6 P2P file sharing
- 2.7 Socket programming with TCP
- 2.8 Socket programming with UDP
- 2.9 Building a Web server


Electronic Mail

Three major components:

- user agents
- mail servers
- simple mail transfer protocol: SMTP

User Agent


- a.k.a. “mail reader”
- composing, editing, reading mail messages
- e.g., Eudora, Outlook, elm, Netscape Messenger
- outgoing, incoming messages stored on server



Electronic Mail: mail servers

Mail Servers

- **mailbox** contains incoming messages for user
- **message queue** of outgoing (to be sent) mail messages
- **SMTP protocol** between mail servers to send email messages
 - client: sending mail server
 - “server”: receiving mail server




Electronic Mail: SMTP [RFC 2821]

- uses TCP to reliably transfer email message from client to server, port 25
- direct transfer: sending server to receiving server
- three phases of transfer
 - handshaking (greeting)
 - transfer of messages
 - closure
- command/response interaction
 - **commands**: ASCII text
 - **response**: status code and phrase
- messages must be in 7-bit ASCII

Scenario: Alice sends message to Bob

- 1) Alice uses UA to compose message and “to”
`bob@someschool.edu`
- 2) Alice’s UA sends message to her mail server; message placed in message queue
- 3) Client side of SMTP opens TCP connection with Bob’s mail server
- 4) SMTP client sends Alice’s message over the TCP connection
- 5) Bob’s mail server places the message in Bob’s mailbox
- 6) Bob invokes his user agent to read message



Sample SMTP interaction

```
S: 220 hamburger.edu
C: HELO crepes.fr
S: 250 Hello crepes.fr, pleased to meet you
C: MAIL FROM: <alice@crepes.fr>
S: 250 alice@crepes.fr... Sender ok
C: RCPT TO: <bob@hamburger.edu>
S: 250 bob@hamburger.edu ... Recipient ok
C: DATA
S: 354 Enter mail, end with "." on a line by itself
C: Do you like ketchup?
C: How about pickles?
C: .
S: 250 Message accepted for delivery
C: QUIT
S: 221 hamburger.edu closing connection
```

Try SMTP interaction for yourself:

- `telnet servername 25`
 - see 220 reply from server
 - enter HELO, MAIL FROM, RCPT TO, DATA, QUIT commands
- above lets you send email without using email client (reader)

SMTP: final words

- SMTP uses persistent connections
- SMTP requires message (header & body) to be in 7-bit ASCII
- SMTP server uses `CRLF.CRLF` to determine end of message

Comparison with HTTP:


- HTTP: pull
- SMTP: push
- both have ASCII command/response interaction, status codes
- HTTP: each object encapsulated in its own response msg
- SMTP: multiple objects sent in multipart msg

Mail message format

SMTP: protocol for exchanging email msgs


RFC 822: standard for text message format:

- header lines, e.g.,
 - To:
 - From:
 - Subject:*different from SMTP commands!*
- body
 - the “message”, ASCII characters only




Message format: multimedia extensions

- MIME: multimedia mail extension, RFC 2045, 2056
- additional lines in msg header declare MIME content type



Mail access protocols



- SMTP: delivery/storage to receiver's server
- Mail access protocol: retrieval from server
 - POP: Post Office Protocol [RFC 1939]
 - authorization (agent <--> server) and download
 - IMAP: Internet Mail Access Protocol [RFC 1730]
 - more features (more complex)
 - manipulation of stored msgs on server
 - HTTP: Hotmail , Yahoo! Mail, etc.

POP3 protocol

authorization phase

- client commands:
 - **user**: declare username
 - **pass**: password
- server responses
 - **+OK**
 - **-ERR**

transaction phase, client:

- **list**: list message numbers
- **retr**: retrieve message by number
- **dele**: delete
- **quit**

```
S: +OK POP3 server ready
C: user bob
S: +OK
C: pass hungry
S: +OK user successfully logged on

C: list
S: 1 498
S: 2 912
S: .
C: retr 1
S: <message 1 contents>
S: .
C: dele 1
C: retr 2
S: <message 1 contents>
S: .
C: dele 2
C: quit
S: +OK POP3 server signing off
```

POP3 (more) and IMAP

More about POP3

- Previous example uses “download and delete” mode.
- Bob cannot re-read e-mail if he changes client
- “Download-and-keep”: copies of messages on different clients
- POP3 is stateless across sessions

IMAP

- Keep all messages in one place: the server
- Allows user to organize messages in folders
- IMAP keeps user state across sessions:
 - names of folders and mappings between message IDs and folder name

Chapter 2: Application layer

- 2.1 Principles of network applications
- 2.2 Web and HTTP
- 2.3 FTP
- 2.4 Electronic Mail
 - SMTP, POP3, IMAP
- 2.5 DNS
- 2.6 P2P file sharing
- 2.7 Socket programming with TCP
- 2.8 Socket programming with UDP
- 2.9 Building a Web server

DNS: Domain Name System

People: many identifiers:

- SSN, name, passport #

Internet hosts, routers:

- IP address (32 bit) - used for addressing datagrams
- “name”, e.g., ww.yahoo.com - used by humans

Q: map between IP addresses and name ?

Domain Name System:

- *distributed database* implemented in hierarchy of many *name servers*
- *application-layer protocol* host, routers, name servers to communicate to *resolve* names (address/name translation)
 - note: core Internet function, implemented as application-layer protocol
 - complexity at network’s “edge”

DNS

DNS services


- Hostname to IP address translation
- Host aliasing
 - Canonical and alias names
- Mail server aliasing
- Load distribution
 - Replicated Web servers: set of IP addresses for one canonical name

Why not centralize DNS?

- single point of failure
- traffic volume
- distant centralized database
- maintenance

doesn't *scale*!

Distributed, Hierarchical Database



Client wants IP for www.amazon.com; 1st approx:

- Client queries a root server to find com DNS server
- Client queries com DNS server to get amazon.com DNS server
- Client queries amazon.com DNS server to get IP address for www.amazon.com

DNS: Root name servers

- contacted by local name server that can not resolve name
- root name server:
 - contacts authoritative name server if name mapping not known
 - gets mapping
 - returns mapping to local name server



TLD and Authoritative Servers


- **Top-level domain (TLD) servers:** responsible for com, org, net, edu, etc, and all top-level country domains uk, fr, ca, jp.
 - Network solutions maintains servers for com TLD
 - Educause for edu TLD
- **Authoritative DNS servers:** organization's DNS servers, providing authoritative hostname to IP mappings for organization's servers (e.g., Web and mail).
 - Can be maintained by organization or service provider

Local Name Server

- Does not strictly belong to hierarchy
- Each ISP (residential ISP, company, university) has one.
 - Also called “default name server”
- When a host makes a DNS query, query is sent to its local DNS server
 - Acts as a proxy, forwards query into hierarchy.

- Host at cis.poly.edu wants IP address for gaia.cs.umass.edu

Example




Recursive queries

recursive query:

- puts burden of name resolution on contacted name server
- heavy load?

iterated query:

- contacted server replies with name of server to contact
- “I don’t know this name, but ask this server”



DNS: caching and updating records

- once (any) name server learns mapping, it *caches* mapping
 - cache entries timeout (disappear) after some time
 - TLD servers typically cached in local name servers
 - Thus root name servers not often visited
- update/notify mechanisms under design by IETF
 - RFC 2136
 - <http://www.ietf.org/html.charters/dnsind-charter.html>

DNS records

DNS: distributed db storing resource records (RR)

RR format: (name, value, type, ttl)

- Type=A
 - **name** is hostname
 - **value** is IP address
- Type=NS
 - **name** is domain (e.g. foo.com)
 - **value** is IP address of authoritative name server for this domain
- Type=CNAME
 - **name** is alias name for some “canonical” (the real) name
www.ibm.com is really
servereast.backup2.ibm.com
 - **value** is canonical name
- Type=MX
 - **value** is name of mailserver associated with **name**

DNS protocol, messages

DNS protocol : *query* and *reply* messages, both with same *message format*

msg header

- **identification**: 16 bit # for query, reply to query uses same #
- **flags**:
 - query or reply
 - recursion desired
 - recursion available
 - reply is authoritative

