


Java By Abstraction: Chapter 4

Using Objects

Some examples and/or figures were borrowed (with permission)
from slides prepared by Prof. H. Roumani

What is an Object

- ▶ An object has: attributes, methods, an identity, and a state
- ▶ A class has: attributes and methods
- ▶ Objects with the same attributes and methods can be replaced with a class that abstracts them:



Objects vs. Primitives

- ▶ Primitives
 - Contains a single value
- ▶ Objects
 - Can contain numerous attributes
 - Each attribute has its own value
 - Attributes can represent primitives or other objects

Object Reference


- ▶ Variables of non-primitive types are called references
- ▶ References hold the memory address of an object, but not the object itself
- ▶ Because it is a variable, a references can be changed to point to a different object in memory
- ▶ However, the memory address cannot be directly manipulated

Object Constructor

- ▶ Use the keyword **new** to instantiate an object (i.e., reserve memory for it)
- ▶ Invoke the class's **constructor** to initialize the object's state (i.e., the value of its attributes)
- ▶ Constructors look like methods, but...
 - Have no return type (not even void)
 - Have the same name as their class
- ▶ Multiple constructors could exist for a single class, providing differing initializations


Object Creation in Memory

1. Locate the class




Object Creation in Memory

2. Declare a reference




Object Creation in Memory

3. Instantiate the class



Object Creation in Memory

4. Assign a reference



Using Objects (Example)

```
...
int width = 8;
int height = 5;
Rectangle3 r = new Rectangle3();
r.width = width;
r.height = height;
int rArea = r.getArea();
System.out.println(rArea);
...
```

Multiple References to an Object

- ▶ A reference can only point to one object at a time
- ▶ Multiple references can point to the same object
- ▶ Example

```
Fraction f1;
```


```
f1 = new Fraction(3, 5);
```

```
Fraction f2;
```

```
f2 = f1; // both point to the same object
```

- ▶ State changes via one reference affects the object
- ▶ Object changes are visible via any reference to it

Multiple References to an Object




Object Equality

- ▶ Comparison using `==` operator only check memory address, not object state
- ▶ Comparison of object state requires use of the `equals()` method
- ▶ Example
 - `objRef1.equals(objRef2);`
- ▶ Definition of object equality defined by class implementer (in API)

Object Equality

Memory (RAM)



Obligatory Methods

- ▶ The equals() method
 - Determines equality
 - Default: compare memory address
- ▶ The toString() method
 - Returns textual representation of the object
 - Default: object type, followed by memory address
 - Implicitly called by print methods
- ▶ Default behaviour are typically overridden by the class implementer

Accessor and Mutator Methods

▶ Accessor methods

- Allow clients to determine an object’s state
- Names typically begin with “get”
- E.g., getNumerator(), getDenominator()

▶ Mutator methods

- Allow clients to change an object’s state
- Names typically begin with “set”
- E.g., setFraction(long numerator, long denominator)

Attribute Privacy

- ▶ Facilitated by using accessor and mutator methods
 - Enhances encapsulation
 - Provides means to check and enforce pre-conditions and post-conditions
- ▶ Use of accessor and mutator
 - Read/write access with contracts
- ▶ Use of a accessor only
 - Read only access with contracts
- ▶ Use of a mutator only
 - Write only access with contracts

Classes with Static Features

- ▶ Stored in the class's memory region, not object's
- ▶ Changes in value affect all objects of that class
- ▶ Example:
 - Because `isQuoted` is static, setting it to false affects both objects

```
Fraction f = new Fraction(3, 2);
f.isQuoted = true;
Fraction g = new Fraction(5, 2);
g.isQuoted = false;
System.out.println(f.toProperString());
System.out.println(g.toProperString());
```
- ▶ Should be invoked on the class, not the object

Object Deletion (...sort of)

- ▶ In Java, the programmer cannot remove an object from memory
- ▶ Can orphan an object by removing referent to it
- ▶ Example

```
Fraction x = new Fraction(3, 5);
```

```
Fraction y = x;
```

```
y = new Fraction(4, 7);
```

```
x = null;
```

- ▶ Orphaned objects are cleared via garbage collection