

Mixing Static and Non-Static Features

Based on slides by Prof. Burton Ma

static Attributes

- ▶ An attribute that is `static` is a per-class member
 - ▶ Only one copy of the attribute, and the attribute is associated with the class
 - ▶ Every object created from a class declaring a static attribute shares the same copy of the attribute
- ▶ Static attributes are used when you really want only one common instance of the attribute for the class

Example

- ▶ A common textbook example of a static attribute is a counter that counts the number of created instances of your class

```
// adapted from Sun's Java Tutorial
public class Bicycle
{
    // some attributes here...
    private static int numberOfBicycles = 0;
    public Bicycle()
    {
        // set some attributes here... note:
        Bicycle.numberOfBicycles++;      not this.numberOfBicycles++
    }
    public static int getNumberOfBicyclesCreated()
    {
        return Bicycle.numberOfBicycles;
    }
}
```

- ▶ Another common example is to count the number of times a method has been called

```
public class X
{
    private static int numTimesXCalled = 0;
    private static int numTimesYCalled = 0;
    public void xMethod()
    {
        // do something... and then update counter
        ++X.numTimesXCalled;
    }
    public void yMethod()
    {
        // do something... and then update counter
        ++X.numTimesYCalled;
    }
}
```

Mixing Static and Non-static Attributes

- ▶ A class can declare static (per class) and non-static (per instance) attributes
- ▶ A common textbook example is giving each instance a unique serial number
 - ▶ The serial number belongs to the instance
 - ▶ Therefore it must be a non-static attribute

```
public class Bicycle
{
    // some attributes here...
    private static int numberOfBicycles = 0;

    private int serialNumber;

    // ...
}
```

- ▶ How do you assign each instance a unique serial number?
 - ▶ The instance cannot give itself a unique serial number because it would need to know all the currently used serial numbers
- ▶ Could require that the client provide a serial number using the constructor
 - ▶ Instance has no guarantee that the client has provided a valid (unique) serial number

- ▶ The class can provide unique serial numbers using static attributes
 - ▶ E.g. using the number of instances created as a serial number

```
public class Bicycle
{
    // some attributes here...
    private static int numberOfBicycles = 0;
    private int serialNumber;

    public Bicycle()
    {
        // set some attributes here...
        this.serialNumber = Bicycle.numberOfBicycles;
        Bicycle.numberOfBicycles++;
    }
}
```

- ▶ A more sophisticated implementation might use an object to generate serial numbers

```
public class Bicycle
{
    // some attributes here...
    private static int numberOfBicycles = 0;
    private static final
        SerialGenerator serialSource = new SerialGenerator();
    private int serialNumber;

    public Bicycle()
    {
        // set some attributes here...
        this.serialNumber = Bicycle.serialSource.getNext();
        Bicycle.numberOfBicycles++;
    }
}
```

Static Methods

- ▶ Recall that a `static` method is a per-class method
 - ▶ Client does not need an object to invoke the method
 - ▶ Client uses the class name to access the method
- ▶ A `static` method can only use `static` attributes of the class
 - ▶ `static` methods have no `this` parameter because a `static` method can be invoked without an object
 - ▶ Without a `this` parameter, there is no way to access non-static attributes
- ▶ Non-static methods can use all of the attributes of a class (including `static` ones)

```
public class Bicycle
{
    // some attributes, constructors, methods here...

    public static int getNumberCreated()
    {
        return Bicycle.numberOfBicycles;
    }

    public int getSerialNumber()
    {
        return this.serialNumber;
    }

    public void setNewSerialNumber()
    {
        this.serialNumber = Bicycle.serialSource.getNext();
    }
}
```

static method
can only use
static attributes

non-static method
can use
non-static attributes
and static attributes

Singleton Pattern

- ▶ A singleton is a class that is instantiated exactly once
- ▶ Singleton is a well-known design pattern that can be used when you need to:
 1. Ensure that there is **no more than one** instance of a class, and
 2. Provide a global point of access to the instance
 - ▶ Any client that imports the package containing the singleton class can access the instance

One and Only One

- ▶ How do you enforce this?
 - ▶ Need to prevent clients from creating instances of the singleton class
 - ▶ `private` constructors
 - ▶ The singleton class should create the one instance of itself
 - ▶ Note that the singleton class is allowed to call its own `private` constructors
 - ▶ Need a `static` attribute to hold the instance

A Silly Example

```
public class Santa
{
    // whatever attributes you want for santa...

    private static final Santa INSTANCE = new Santa();

    private Santa()
    { // initialize attributes here... }

    ...

}
```

Global Access

- ▶ How do clients access the singleton instance?
 - ▶ By using a static method
- ▶ Note that clients only need to import the package containing the singleton class to get access to the singleton instance
 - ▶ Any client method can use the singleton instance without mentioning the singleton in the parameter list

A Silly Example (cont)

```
public class Santa
{
    private int numPresents;
    private static final Santa INSTANCE = new Santa();

    private Santa()
    { // initialize attributes here... }

    public static Santa getInstance()
    { return Santa.INSTANCE; }

    public Present givePresent()
    {
        Present p = new Present();
        this.numPresents--;
        return p;
    }
}
```

```
// client code in a method somewhere
public void gimme()
{
    Santa.getInstance().givePresent();
}
```

Lazy Instantiation

- ▶ Notice that the previous singleton implementation always creates the singleton instance whenever the class is loaded
 - ▶ If no client uses the instance then it was created needlessly
- ▶ It is possible to delay creation of the singleton instance until it is needed by using lazy instantiation

Lazy Instantiation

```
public class Santa
{
    private static Santa INSTANCE = null;

    private Santa()
    { // ... }

    public static Santa getInstance()
    {
        if (Santa.INSTANCE == null)
        {
            Santa.INSTANCE = new Santa();
        }
        return Santa.INSTANCE;
    }
}
```

Synchronizing Methods

- ▶ A single program can have multiple threads of execution, leading to interleaving of instructions (even on single core CPUs)

Thread 1

```
public static Santa getInstance()  
  
if (Santa.INSTANCE == null)  
  
  
Santa.INSTANCE = new Santa();  
  
return Santa.INSTANCE;
```

Thread 2


```
  
  
  
public static Santa getInstance()  
  
if (Santa.INSTANCE == null)  
  
  
  
  
Santa.INSTANCE = new Santa();  
  
return Santa.INSTANCE;
```

Synchronizing Methods (2)

- ▶ CPU scheduling (which can vary from run to run) can result in *two* singleton objects
- ▶ Must ensure that the `getInstance()` method is executed in its entirety without interruption
 - Use *synchronized* keyword

```
public static synchronized Santa getInstance()
```

Singleton UML Class Diagram



One Instance per State

- ▶ The Java language specification guarantees that identical `string` literals are not duplicated

```
// client code somewhere

String s1 = "xyz";
String s2 = "xyz";



// how many String instances are there?
System.out.println("same object? " + (s1 == s2) );
```

- ▶ Prints: `same object? true`
- ▶ The compiler ensures that identical `string` literals all refer to the same object
- ▶ A single instance per unique state

Multiton

- ▶ A *singleton* class manages a single instance of the class
- ▶ A *multiton* class manages multiple instances of the class
- ▶ What do you need to manage multiple instances?
 - ▶ A collection of some sort
- ▶ How does the client request an instance with a particular state?
 - ▶ It needs to pass the desired state as arguments to a method

Singleton vs Multiton UML Diagram



Singleton vs Multiton

- ▶ Singleton

- ▶ One instance

```
private static final Santa INSTANCE = new Santa();
```

- ▶ Zero-parameter accessor

```
public static Santa getInstance()
```

Singleton vs Multiton

▶ Multiton

- ▶ Multiple instances (each with unique state)

```
private static final Map<String, PhoneNumber>  
    instances = new TreeMap<String, PhoneNumber>();
```

- ▶ Accessor needs to provide state information

```
public static PhoneNumber getInstance(int areaCode,  
                                     int exchangeCode,  
                                     int stationCode)
```

Making PhoneNumber a Multiton

1. Multiple instances (each with unique state)

```
private static final Map<String, PhoneNumber>  
    instances = new TreeMap<String, PhoneNumber>();
```

2. Accessor needs to provide state information

```
public static PhoneNumber getInstance(int areaCode,  
                                     int exchangeCode,  
                                     int stationCode)
```

- ▶ `getInstance()` will get an instance from `instances` if the instance is in the map; otherwise, it will create the new instance and put it in the map

Making PhoneNumber a Multiton

3. Require private constructors
 - ▶ To prevent clients from creating instances on their own
 - ▶ clients should use `getInstance()`

4. Require immutability of `PhoneNumbers`
 - ▶ To prevent clients from modifying state, thus making the keys inconsistent with the `PhoneNumbers` stored in the map
 - ▶ Recall the recipe for immutability...

```
public class PhoneNumber implements Comparable<PhoneNumber>
{
    private static final Map<String, PhoneNumber> instances =
        new TreeMap<String, PhoneNumber>();

    private final short areaCode;
    private final short exchangeCode;
    private final short stationCode;

    private PhoneNumber(int areaCode,
                        int exchangeCode,
                        int stationCode)
    { // identical to previous versions }
}
```

```
public static PhoneNumber getInstance(int areaCode,
                                     int exchangeCode,
                                     int stationCode)
{
    String key = "" + areaCode + exchangeCode + stationCode;
    PhoneNumber n = PhoneNumber.instances.get(key);
    if (n == null)
    {
        n = new PhoneNumber(areaCode, exchangeCode,
                             stationCode);
        PhoneNumber.instances.put(key, n);
    }
    return n;
}
// remainder of PhoneNumber class ...
```

```
public class PhoneNumberClient
{
    public static void main(String[] args)
    {
        PhoneNumber x = PhoneNumber.getInstance(416, 736, 2100);
        PhoneNumber y = PhoneNumber.getInstance(416, 736, 2100);
        PhoneNumber z = PhoneNumber.getInstance(905, 867, 5309);

        System.out.println("x equals y: " + x.equals(y) +
            " and x == y: " + (x == y));

        System.out.println("x equals z: " + x.equals(z) +
            " and x == z: " + (x == z));
    }
}
```

```
x equals y: true and x == y: true
x equals z: false and x == z: false
```

Map

- ▶ A map stores key–value pairs

`Map<String, PhoneNumber>`
 key type value type

- ▶ Values are put into the map using the key

```
// client code somewhere
Map<String, PhoneNumber> m =
    new TreeMap<String, PhoneNumber>;

PhoneNumber ago = new PhoneNumber(416, 979, 6648);
String key = "4169796648"

m.put(key, ago);
```

- ▶ Values can be retrieved from the map using only the key
 - ▶ If the key is not in the map the value returned is `null`

```
// client code somewhere
Map<String, PhoneNumber> m =
    new TreeMap<String, PhoneNumber>;

PhoneNumber ago = new PhoneNumber(416, 979, 6648);
String key = "4169796648";

m.put(key, ago);

PhoneNumber gallery = m.get(key);           // == ago
PhoneNumber art = m.get("4169796648");     // == ago

PhoneNumber pizza = m.get("4169671111");   // == null
```

- ▶ A map is not allowed to hold duplicate keys
 - ▶ If you re-use a key to insert a new object, the existing object corresponding to the key is removed and the new object inserted

```
// client code somewhere
Map<String, PhoneNumber> m = new TreeMap<String, PhoneNumber>;

PhoneNumber ago = new PhoneNumber(416, 979, 6648);
String key = "4169796648";

m.put(key, ago); // add ago
System.out.println(m);

m.put(key, new PhoneNumber(416, 586, 8000)); // replaces ago
System.out.println(m);
```

Prints

```
{4169796648=(416) 979-6648}
{4169796648=(416) 586-8000}
```

Mutable Keys

- ▶ From

<http://docs.oracle.com/javase/7/docs/api/java/util/Map.html>

- ▶ Note: great care must be exercised if mutable objects are used as map keys. The behaviour of a map is not specified if the value of an object is changed in a manner that affects equals comparisons while the object is a key in the map.

```
public class MutableKey
{
    public static void main(String[] args)
    {
        Map<Date, String> m = new TreeMap<Date, String>();
        Date d1 = new Date(100, 0, 1);
        Date d2 = new Date(100, 0, 2);
        Date d3 = new Date(100, 0, 3);
        m.put(d1, "Jan 1, 2000");
        m.put(d2, "Jan 2, 2000");
        m.put(d3, "Jan 3, 2000");
        d3.setYear(101);           // mutator
        System.out.println("d1 " + m.get(d1)); // d1 Jan 1, 2000
        System.out.println("d2 " + m.get(d2)); // d2 Jan 2, 2000
        System.out.println("d3 " + m.get(d3)); // d3 null
    }
}
```

don't mutate keys;
bad things will happen

change TreeMap to HashMap and see what happens

Static Factory Method

- ▶ Notice that Singleton and Multiton use a static method to return an instance of a class
- ▶ A static method that returns an instance of a class is called a *static factory method*
 - ▶ Factory because, as far as the client is concerned, the method creates an instance
 - ▶ Similar to a constructor