


Guided Tour (Version 3.4)

By Steven Castellucci

This document was inspired by the Guided Tour written by Professor H. Roumani. His version of the tour can be accessed at the following URL: <http://www.cse.yorku.ca/~roumani/jbaYork/GuidedTour.pdf>.

The Desktop



Applications Menu

For a list of available applications, click the “EECS Menu”. An application can be started by selecting it from the menu. In addition to *Firefox* and *Thunderbird*, other applications include *Eclipse* (an environment in which to write and run programs), *Acrobat Reader* (to view and print PDF files), and *OpenOffice* (to create, edit, and print *Office* documents). You can also log-out by selecting *Log Out* at the bottom of the menu.

Terminal

The terminal (also known as the console or the command-line) allows you to enter commands. You can use the terminal to make directories, move and copy files, run applications, and submit your programs. It is the most versatile operating system component that you will use in computer science. Please refer to the section Simple Terminal Commands.

Starting Firefox and Thunderbird

The *Firefox* Internet browser and the *Thunderbird* email client can be started with a single click. *Firefox* is configured with department-specific bookmarks, while *Thunderbird* is configured to access your EECS mail account. To receive your EECS mail elsewhere, please refer to the section Mail Forwarding.

Virtual Desktops

The operating system's desktop is where you can arrange your application windows. You can arrange you windows across four (by default) virtual desktops. Although you can only work with one at a time, the applications on all desktops remain running.

To switch between desktops, you can click on the thumbnail images. Alternatively, you can scroll the mouse wheel on an empty portion of the desktop. Even if you do not use the virtual desktops, make sure that you do not accidentally switch to them as you work.


Mail Forwarding

You can have your EECS mail automatically forwarded to the email account of your choice (e.g., yorku.ca, gmail.com, hotmail.com, etc.). To do so, open a web browser and go to mail.cse.yorku.ca. Log-in using your EECS username and password. From the left pane, select **Options**, then **Mail**. From the center pane, select **Filters**, **Edit your filter rules**, then **Forward**. Enter the your other email address(es) and click **Save**. To test the forwarding, send an email to your EECS address (e.g., cseXXXXX@cse.yorku.ca) and check your other email address(es).

Printing Files


Included in your course fee is a print quota of 500 pages. To display the number of pages remaining in your quota, enter the command `pquota` at a terminal.

Typically, you can print an open file by selecting **Print** from the **File** menu. After you send the file to be printed, go to any print station in room LAS 1002, 1004, or 1006. Touch the screen to activate it. Enter your username and password using the attached keyboard. Ensure that the files you want printed are selected, and press the print icon in the bottom-left corner. To exit without printing, press the exit icon. If you experience any printing problems, contact the lab monitor.




Configuring Eclipse

Open a terminal and enter the command `mkdir ~/1030` to make a directory called “1030”. (The squiggly character is a *tilde*. It represents your home directory and appears above the TAB key on the keyboard.) This directory will be used to organize your 1030 programs. Next, start Eclipse by entering `eclipse &`.




```
Terminal
File Edit View Terminal Go Help
jun01 302 % mkdir ~/2030
```




```
Terminal
File Edit View Terminal Go Help
jun01 302 % mkdir ~/2030
jun01 303 % eclipse &
```


When Eclipse starts, it asks where it should store your programs. Click **Browse...**, select the “1030” directory you just created and click **OK**. Enable “Use this as the default and do not ask again”, and click **OK**.



Close the Welcome tab in Eclipse. Open the **Windows** menu and select “Preferences”. In the left pane, expand “Java”, “Code Style”, select “Formatter”, and click **Edit...**




Enter “York” as the profile name and select the “Braces” tab. For each option, select “Next line”. Click **OK**.




Creating a Java Program Using Eclipse


Open the **File** menu and select “New”, and then “Project...”.




Select “Java Project” and click **Next**.




Enter “Test” as the project name and click **Finish**.



Right-click the project name in the left pane and select “New”, and then “Class”.




Enter “First” as the name of the class. Enable “public static void main(String[] args)”, and click **Finish**.



If Eclipse asks you to “Open Associated Perspective?”, enable “Remember my decision”, and click **Yes**. In the tabbed pane titled “First.java”, type the following code (replace “???” with your name):

```
public class First
{
    public static void main(String[] args)
    {
        System.out.println("My name is ???");
    }
}
```

Save your code by selecting “Save” from the **File** menu. Next, click on the triangle next to the run button (circled below), and then select “Run As”, then “Java Application”. This only has to be done once per program. Subsequent times, you can click the “Run” button (green circle with a white triangle). The output appears in the bottom pane in Eclipse.



Submitting Assignments

In computer science courses, you will be required to submit assignments and lab tests. To do so, you will use the `submit` command, which has the following structure:

```
submit course assignmentName yourFile1 yourFile2 ... yourFileN
```

For example:

```
submit 1030 Test0 First.java
```

However, Eclipse saves all your programs in its workspace. Before submitting your work, you will need to navigate to the correct directory. As an example, let us submit `First.java` from the `Test` project as your solution to “Test0”. It is located in the `src` directory of the `Test` project in the workspace directory.

Open a terminal (or use an existing one) and enter `cd ~/1030/Test/src` to navigate to the directory containing `First.java`. Enter the command `ls -l` (that is “el” not “one”) to list the contents of directory. Using “-l” also displays the modification date/time. Sometimes, students accidentally submit the wrong file. Check the modification time of `First.java` to make sure that it is the correct version of the file that you want to submit (i.e., the latest one). Then, enter the submit command provided to you in the test or assignment.

For “Test0”, use the following command:

```
submit 1030 Test0 First.java
```

It is recommended that you submit your files early and often. Students often wait until the last minute and run into difficulty with the submit command. Submitting incomplete code and getting part marks is better than waiting to complete the code, missing the deadline, and getting zero. New submissions overwrite existing ones.

To see what files you have already submitted, use the submit command with the option “-l” (again, “el” not “one”), along with the course and assignment name.

For example, to ensure that `First.java` was submitted, enter the following command:

```
submit -l 1030 Test0
```

Using Web Submit

In addition to submitting your tests via the terminal, you can also use the web interface for Submit, called Web Submit. The URL is <https://webapp.eecs.yorku.ca/submit/>. Log-in using your EECS username and password and select your course and assignment/test from the drop-down menus, as shown below. Click “Browse” to select a file. Click “Browse” next to an empty selection to select a second file to upload. You can submit up to ten files. **Remember to click “Submit Files” to actually submit your files.**



Department of Electrical Engineering and Computer Science Web Submit

Academic Year: 2015-16 ▾
Term: F ▾
Course: 1030 ▾
Assignment: Test0 ▾
Submit Status: Submission Enabled
Feedback: None

Please specify files to submit:
(You can submit up to 10 files at once!)

<input type="button" value="Browse_"/>	No file selected.
<input type="button" value="Browse_"/>	No file selected.
<input type="button" value="Browse_"/>	No file selected.
<input type="button" value="Browse_"/>	No file selected.
<input type="button" value="Browse_"/>	No file selected.
<input type="button" value="Browse_"/>	No file selected.
<input type="button" value="Browse_"/>	No file selected.
<input type="button" value="Browse_"/>	No file selected.
<input type="button" value="Browse_"/>	No file selected.
<input type="button" value="Browse_"/>	No file selected.

Maximum total upload size: 512 MB

You have not submitted any files.

Simple Terminal Commands

Command: `man command` **Example:** `man submit`

Description: Displays the user manual for the passed command. The user manual details the type and number of arguments required by the command, and lists all the available command options. To scroll through the user manual, press the spacebar. To exit the user manual, simply press the Q-key.

Command: `mkdir dirName` **Example:** `mkdir eChecks`

Description: Creates a subdirectory with the passed name in the current directory. The example creates a subdirectory called “eChecks”.

Command: `cd dirName` **Example 1:** `cd` **Example 2:** `cd ..` **Example 3:** `cd mail`

Description: Without any argument (Example 1), this command changes the working directory to your home directory (equivalent to the “My Documents” folder in *Windows*). With the argument “..” (Example 2), this command changes the working directory to the parent directory. If you provide the name of a subdirectory as an argument (Example 3), this command changes the working directory to be that subdirectory (e.g., the subdirectory called “mail”).

Command: `ls dirName` **Example 1:** `ls` **Example 2:** `ls mail` **Example 3:** `ls *.txt`

Description: Lists the contents of the directory specified by the argument. Without any arguments (Example 1), this command lists the visible contents of the working directory. If the argument is a directory name (Example 2), this command lists the visible contents of that directory (e.g., the subdirectory called “mail”). Example 3 lists all files in the current directory that have a “.txt” extension. You can use the “*” wildcard to search for files that match a pattern. There are many options for this command, such as “-a” to show hidden files and “-l” to show file and directory details. Enter the command `man ls` for further details.

Command: `rm fileOrDir` **Example 1:** `rm First.java` **Example 2:** `rm -r eChecks`

Description: Removes the file or directory indicated by the argument. The first example deletes the file “First.java”. The second example (note the “-r” option) removes directory called “eChecks” and all of its contents. **Use this command with caution!**

Command: `cp orgnl cpy` **Example:** `cp First.java First_backup.java`

Description: Copies the file *orgnl* to the location *cpy*. The example creates a copy of “First.java”, called “First_backup.java”.

Command: `mv old new` **Example:** `mv First.java Second.java`

Description: Moves the file *old* to the location *new*. This command can also be used to rename files. The example renames “First.java” to “Second.java”.

Command: `submit course assignmentName yourFile1 yourFile2 ... yourFileN`

Example: `submit 1030 Test1 MySolution.java`

Description: Submits the files you list (*yourFile1..yourFileN*) for marking as your solution to the assignment or test in the course you specify.

Auto-Completion and Command History

You do not have to type entire filenames or directory paths. Type the first couple of characters, followed by the TAB key. The operating system will complete the rest of the name or path. If there are multiple matches, the operating system will complete only the common portion. You will have to type additional characters to identify the desired file or directory. To repeat a command at a terminal, you can use the up- and down-arrow keys to cycle through commands you previously entered.