

# The State Design Pattern

Readings: OOSC2 Chapter 20



EECS3311: Software Design  
Fall 2017

CHEN-WEI WANG

# Motivating Problem

Consider the reservation panel of an online booking system:

-- Enquiry on Flights --

Flight sought from:  To:

Departure on or after:

On or before:

Preferred airline (s):

Special requirements:

AVAILABLE FLIGHTS: 1

Flt#AA 42

Dep 8:25

Arr 7:45

Thru: Chicago

Choose next action:

0 - Exit


1 - Help

2 - Further enquiry

3 - Reserve a seat

# State Transition Diagram

Characterize *interactive system* as: **1)** A set of *states*; and **2)** For each state, its list of *applicable transitions* (i.e., actions).  
 e.g., Above reservation system as a *finite state machine* :



# Design Challenges

1. The state-transition graph may *large* and *sophisticated*.  
A large number  $N$  of states and number of transitions  $\approx N^2$
2. The graph structure is subject to *extensions/modifications*.  
e.g., To merge “(2) Flight Enquiry” and “(3) Seat Enquiry”:  
Delete the state “(3) Seat Enquiry”.  
Delete its 4 incoming/outgoing transitions.  
e.g., Add a new state “Dietary Requirements”
3. A *general solution* is needed for such *interactive systems*.  
e.g., taobao, eBay, amazon, etc.

# A First Attempt

```
1_Initial_panel:  
  -- Actions for Label 1.  
2_Flight_Enquiry_panel:  
  -- Actions for Label 2.  
3_Seat_Enquiry_panel:  
  -- Actions for Label 3.  
4_Reservation_panel:  
  -- Actions for Label 4.  
5_Confirmation_panel:  
  -- Actions for Label 5.  
6_Final_panel:  
  -- Actions for Label 6.
```

```
3_Seat_Enquiry_panel:  
  from  
    Display Seat Enquiry Panel  
  until  
    not (wrong answer or wrong choice)  
  do  
    Read user's answer for current panel  
    Read user's choice  for next step  
    if wrong answer or wrong choice then  
      Output error messages  
    end  
  end  
  Process user's answer  
  case  in  
    2: goto 2_Flight_Enquiry_panel  
    3: goto 4_Reservation_panel  
  end
```

# A First Attempt: Good Design?

- Runtime execution  $\approx$  a **“*bowl of spaghetti*”**.
  - ⇒ The system’s behaviour is hard to predict, trace, and debug.
- **Transitions** hardwired as system’s **central control structure**.
  - ⇒ The system is vulnerable to changes/additions of states/transitions.
- All labelled blocks are largely similar in their code structures.
  - ⇒ This design **“*smells*”** due to duplicates/repetitions!
- The branching structure of the design exactly corresponds to that of the specific **transition graph**.
  - ⇒ The design is **application-specific** and **not reusable** for other interactive systems.

# A Top-Down, Hierarchical Solution

- Separation of Concern Declare *transition graph* as a feature the system, rather than its central control structure:

```

transition (src: INTEGER; choice: INTEGER): INTEGER
    -- Return state by taking transition 'choice' from 'src' state.
    require valid_source_state: 1 ≤ src ≤ 6
              valid_choice: 1 ≤ choice ≤ 3
    ensure valid_target_state: 1 ≤ Result ≤ 6
  
```

- We may implement `transition` via a 2-D array.


CHOICE SRC STATE	1	2	3
1 (Initial)	6	5	2
2 (Flight Enquiry)	-	1	3
3 (Seat Enquiry)	-	2	4
4 (Reservation)	-	3	5
5 (Confirmation)	-	4	1
6 (Final)	-	-	-

# Hierarchical Solution: Good Design?

- This is a more general solution.
  - ∴ *State transitions* are **separated** from the system's *central control structure*.
  - ⇒ **Reusable** for another interactive system by making changes only to the `transition` feature.
- How does the *central control structure* look like in this design?



# Hierarchical Solution: Top-Down Functional Decomposition



Modules of **execute\_session** and **execute\_state** are general enough on their *control structures*. ⇒ **reusable**

# Hierarchical Solution: System Control

All interactive sessions **share** the following *control pattern*:

- Start with some *initial state*.
- Repeatedly make *state transitions* (based on *choices* read from the user) until the state is *final* (i.e., the user wants to exit).

```
execute_session
  -- Execute a full interactive session.
  local
    current_state, choice: INTEGER
  do
    from
      current_state := initial
    until
      is_final (current_state)
    do
      choice := execute_state (current_state)
      current_state := transition (current_state, choice)
    end
  end
```

# Hierarchical Solution: State Handling (1)

The following *control pattern* handles all states:

```
execute_state ( current_state : INTEGER ) : INTEGER
  -- Handle interaction at the current state.
  -- Return user's exit choice.
  local
    answer: ANSWER; valid_answer: BOOLEAN; choice: INTEGER
  do
    from
    until
      valid_answer
    do
      display( current_state )
      answer := read_answer( current_state )
      choice := read_choice( current_state )
      valid_answer := correct( current_state , answer )
      if not valid_answer then message( current_state , answer )
    end
    process( current_state , answer )
  Result := choice
end
```

# Hierarchical Solution: State Handling (2)

FEATURE CALL	FUNCTIONALITY
<i>display</i> ( <b>s</b> )	Display screen outputs associated with <b>state s</b>
<i>read_answer</i> ( <b>s</b> )	Read user's input for answers associated with <b>state s</b>
<i>read_choice</i> ( <b>s</b> )	Read user's input for exit choice associated with <b>state s</b>
<i>correct</i> ( <b>s</b> , answer)	Is the user's <i>answer</i> valid w.r.t. <b>state s</b> ?
<i>process</i> ( <b>s</b> , answer)	Given that user's <i>answer</i> is valid w.r.t. <b>state s</b> , process it accordingly.
<i>message</i> ( <b>s</b> , answer)	Given that user's <i>answer</i> is not valid w.r.t. <b>state s</b> , display an error message accordingly.

**Q:** How similar are the code structures of the above state-dependant commands or queries?

## Hierarchical Solution: State Handling (3)


**A:** Actions of all such state-dependant features must **explicitly discriminate** on the input state argument.

```
display(current_state: INTEGER)
  require
    valid_state: 1 ≤ current_state ≤ 6
  do
    if current_state = 1 then
      -- Display Initial Panel
    elseif current_state = 2 then
      -- Display Flight Enquiry Panel
    ...
    else
      -- Display Final Panel
    end
  end
end
```


- Such design **smells** !  
∴ Same list of conditional repeats for **all** state-dependant features.
- Such design **violates** the **Single Choice Principle** .

e.g., To add/delete a state ⇒ Add/delete a branch in all such features.

# Hierarchical Solution: Visible Architecture



# Hierarchical Solution: Pervasive States



Too much data transmission: `current_state` is passed

- From `execute_session` (Level 3) to `execute_state` (Level 2)
- From `execute_state` (Level 2) to all features at Level 1

# Law of Inversion

*If your routines exchange too many data, then put your routines in your data.*

e.g.,

`execute_state` (**Level 2**) and all features at **Level 1**:

- Pass around (as *inputs*) the notion of *current\_state*
- Build upon (via *discriminations*) the notion of *current\_state*


```

execute_state ( s: INTEGER )
display       ( s: INTEGER )
read_answer   ( s: INTEGER )
read_choice   ( s: INTEGER )
correct       ( s: INTEGER ; answer: ANSWER)
process       ( s: INTEGER ; answer: ANSWER)
message       ( s: INTEGER ; answer: ANSWER)
  
```


- ⇒ **Modularize** the notion of state as *class STATE*.
- ⇒ **Encapsulate** state-related information via a *STATE* interface.
- ⇒ Notion of *current\_state* becomes *implicit*: the `Current` class.



# Grouping by Data Abstractions



# Architecture of the State Pattern




# The STATE ADT

```
deferred class STATE
  read
    -- Read user's inputs
    -- Set 'answer' and 'choice'
  deferred end
  answer: ANSWER
    -- Answer for current state
  choice: INTEGER
    -- Choice for next step
  display
    -- Display current state
  deferred end
  correct: BOOLEAN
  deferred end
  process
    require correct
  deferred end
  message
    require not correct
  deferred end
```

```
execute
  local
    good: BOOLEAN
  do
    from
    until
      good
    loop
      display
      -- set answer and choice
      read
      good := correct
      if not good then
        message
      end
    end
  process
end
end
```

# The APPLICATION Class: Array of STATE



# The APPLICATION Class (1)

```
class APPLICATION create make
feature {NONE} -- Implementation of Transition Graph
  transition: ARRAY2[INTEGER]
    -- State transitions: transition[state, choice]
  states: ARRAY[STATE]
    -- State for each index, constrained by size of 'transition'
feature
  initial: INTEGER
  number_of_states: INTEGER
  number_of_choices: INTEGER
  make(n, m: INTEGER)
    do number_of_states := n
      number_of_choices := m
      create transition.make_filled(0, n, m)
      create states.make_empty
    end
invariant
  transition.height = number_of_states
  transition.width = number_of_choices
end
```

# The APPLICATION Class (2)

```
class APPLICATION
feature {NONE} -- Implementation of Transition Graph
  transition: ARRAY2[INTEGER]
  states: ARRAY[STATE]
feature
  put_state(s: STATE; index: INTEGER)
    require 1 ≤ index ≤ number_of_states
    do states.force(s, index) end
  choose_initial(index: INTEGER)
    require 1 ≤ index ≤ number_of_states
    do initial := index end
  put_transition(tar, src, choice: INTEGER)
    require
      1 ≤ src ≤ number_of_states
      1 ≤ tar ≤ number_of_states
      1 ≤ choice ≤ number_of_choices
    do
      transition.put(tar, src, choice)
    end
end
```

## The APPLICATION Class (3)

```
class APPLICATION
feature {NONE} -- Implementation of Transition Graph
  transition: ARRAY2[INTEGER]
  states: ARRAY[STATE]
feature
  execute_session
    local
      current_state: STATE
      index: INTEGER
    do
      from
        index := initial
      until
        is_final (index)
      loop
        current_state := states[index] -- polymorphism
        current_state.execute -- dynamic binding
      index := transition.item (index, current_state.choice)
    end
  end
end
```

# Building an Application

- Create instances of STATE.

```
s1: STATE  
create {INITIAL} s1.make
```

- Initialize an APPLICATION.

```
create app.make(number_of_states, number_of_choices)
```

- Perform polymorphic assignments on `app.states`.

```
app.put_state(initial, 1)
```

- Choose an initial state.

```
app.choose_initial(1)
```

- Build the transition table.

```
app.put_transition(6, 1, 1)
```

- Run the application.

```
app.execute_session
```



# An Example Test

```
test_application: BOOLEAN
local
  app: APPLICATION ; current_state: STATE ; index: INTEGER
do
  create app.make (6, 3)
  app.put_state (create {INITIAL}.make, 1)
  -- Similarly for other 5 states.
  app.choose_initial (1)
  -- Transit to FINAL given current state INITIAL and choice 1.
  app.put_transition (6, 1, 1)
  -- Similarly for other 10 transitions.

  index := app.initial
  current_state := app.states [index]
  Result := attached {INITIAL} current_state
  check Result end
  -- Say user's choice is 3: transit from INITIAL to FLIGHT_STATUS
  index := app.transition.item (index, 3)
  current_state := app.states [index]
  Result := attached {FLIGHT_ENQUIRY} current_state
end
```

# Top-Down, Hierarchical vs. OO Solutions

- In the second (top-down, hierarchy) solution, it is required for every state-related feature to *explicitly* and *manually* discriminate on the argument value, via a list of conditionals.  
e.g., Given `display(current_state: INTEGER)`, the calls `display(1)` and `display(2)` behave differently.
- The third (OO) solution, called the State Pattern, makes such conditional *implicit* and *automatic*, by making `STATE` as a deferred class (whose descendants represent all types of states), and by delegating such conditional actions to *dynamic binding*.  
e.g., Given `s: STATE`, behaviour of the call `s.display` depends on the *dynamic type* of `s` (such as `INITIAL` vs. `FLIGHT_ENQUIRY`).

# Index (1)

---

**Motivating Problem**

**State Transition Diagram**

**Design Challenges**

**A First Attempt**

**A First Attempt: Good Design?**

**A Top-Down, Hierarchical Solution**

**Hierarchical Solution: Good Design?**

**Hierarchical Solution:**

**Top-Down Functional Decomposition**

**Hierarchical Solution: System Control**

**Hierarchical Solution: State Handling (1)**

**Hierarchical Solution: State Handling (2)**

**Hierarchical Solution: State Handling (3)**

**Hierarchical Solution: Visible Architecture**

## **Index (2)**

---

**Hierarchical Solution: Pervasive States**

**Law of Inversion**

**Grouping by Data Abstractions**

**Architecture of the State Pattern**

**The STATE ADT**

**The APPLICATION Class: Array of STATE**

**The APPLICATION Class (1)**

**The APPLICATION Class (2)**

**The APPLICATION Class (3)**

**Building an Application**

**An Example Test**

**Top-Down, Hierarchical vs. OO Solutions**