

Abstractions via Mathematical Models



EECS3311 A: Software Design
Fall 2019

CHEN-WEI WANG

Motivating Problem: Complete Contracts

- Recall what we learned in the *Complete Contracts* lecture:
 - In *post-condition*, for *each attribute*, specify the relationship between its *pre-state* value and its *post-state* value.
 - Use the **old** keyword to refer to *post-state* values of expressions.
 - For a *composite*-structured attribute (e.g., arrays, linked-lists, hash-tables, *etc.*), we should specify that after the update:
 1. The intended change is present; **and**
 2. *The rest of the structure is unchanged*.
- Let's now revisit this technique by specifying a *LIFO stack*.

Motivating Problem: LIFO Stack (1)

- Let's consider three different implementation strategies:

Stack Feature	Array	Linked List	
	Strategy 1	Strategy 2	Strategy 3
<i>count</i>	imp.count		
<i>top</i>	imp[imp.count]	imp.first	imp.last
<i>push(g)</i>	imp.force(g, imp.count + 1)	imp.put_front(g)	imp.extend(g)
<i>pop</i>	imp.list.remove_tail (1)	list.start list.remove	imp.finish imp.remove

- Given that all strategies are meant for implementing the **same ADT**, will they have **identical** contracts?

Motivating Problem: LIFO Stack (2.1)

```
class LIFO_STACK[G] create make
feature {NONE} -- Strategy 1: array
  imp: ARRAY[G]
feature -- Initialization
  make do create imp.make_empty ensure imp.count = 0 end
feature -- Commands
  push(g: G)
    do imp.force(g, imp.count + 1)
    ensure
      changed: imp[count] ~ g
      unchanged: across 1 |..| count - 1 as i all
                  imp[i.item] ~ (old imp.deep_twin)[i.item] end
    end
  pop
    do imp.remove_tail(1)
    ensure
      changed: count = old count - 1
      unchanged: across 1 |..| count as i all
                  imp[i.item] ~ (old imp.deep_twin)[i.item] end
    end
end
```

Motivating Problem: LIFO Stack (2.2)

```

class LIFO_STACK[G] create make
feature {NONE} -- Strategy 2: linked-list first item as top
  imp: LINKED_LIST[G]
feature -- Initialization
  make do create imp.make ensure imp.count = 0 end
feature -- Commands
  push(g: G)
    do imp.put_front(g)
    ensure
      changed: imp.first ~ g
      unchanged: across 2 |..| count as i all
        imp[i.item] ~ (old imp.deep_twin)[i.item - 1] end
    end
  pop
    do imp.start ; imp.remove
    ensure
      changed: count = old count - 1
      unchanged: across 1 |..| count as i all
        imp[i.item] ~ (old imp.deep_twin)[i.item + 1] end
    end
end
  
```

Motivating Problem: LIFO Stack (2.3)

```

class LIFO_STACK[G] create make
feature {NONE} -- Strategy 3: linked-list last item as top
  imp: LINKED_LIST[G]
feature -- Initialization
  make do create imp.make ensure imp.count = 0 end
feature -- Commands
  push(g: G)
    do imp.extend(g)
    ensure
      changed: imp.last ~ g
      unchanged: across 1 |..| count - 1 as i all
                  imp[i.item] ~ (old imp.deep_twin)[i.item] end
    end
  pop
    do imp.finish ; imp.remove
    ensure
      changed: count = old count - 1
      unchanged: across 1 |..| count as i all
                  imp[i.item] ~ (old imp.deep_twin)[i.item] end
    end
end
  
```

Motivating Problem: LIFO Stack (3)

- *Postconditions* of all 3 versions of stack are *complete*.
i.e., Not only the new item is *pushed/popped*, but also the remaining part of the stack is *unchanged*.
- But they violate the principle of *information hiding*:
Changing the *secret*, internal workings of data structures should not affect any existing clients.

- How so?

The private attribute `imp` is referenced in the *postconditions*, exposing the implementation strategy not relevant to clients:

- Top of stack may be `imp[count]`, `imp.first`, or `imp.last`.
- Remaining part of stack may be `across 1 | .. | count - 1` or `across 2 | .. | count`.

⇒ *Changing the implementation strategy* from one to another will also *change the contracts for all features*.

⇒ This also violates the *Single Choice Principle*.

Math Models: Command vs Query

- Use MATHMODELS library to create math objects (SET, REL, SEQ).
- State-changing **commands**: Implement an **Abstraction Function**

```
class LIFO_STACK[G -> attached ANY] create make
feature {NONE} -- Implementation
  imp: LINKED_LIST[G]
feature -- Abstraction function of the stack ADT
model: SEQ[G]
  do create Result.make_empty
    across imp as cursor loop Result.append(cursor.item) end
end
```

- Side-effect-free **queries**: Write Complete Contracts


```
class LIFO_STACK[G -> attached ANY] create make
feature -- Abstraction function of the stack ADT
  model: SEQ[G]
feature -- Commands
  push (g: G)
    ensure model ~ (old model.deep_twin).appended(g) end
```


Implementing an Abstraction Function (1)

```
class LIFO_STACK[G -> attached ANY] create make
feature {NONE} -- Implementation Strategy 1
  imp: ARRAY[G]
feature -- Abstraction function of the stack ADT
  model: SEQ[G]
  do create Result.make_from_array (imp)
  ensure
    counts: imp.count = Result.count
    contents: across 1 |..| Result.count as i all
      Result[i.item] ~ imp[i.item]
  end
feature -- Commands
  make do create imp.make_empty ensure model.count = 0 end
  push (g: G) do imp.force(g, imp.count + 1)
    ensure pushed: model ~ (old model.deep_twin).appended(g) end
  pop do imp.remove_tail(1)
    ensure popped: model ~ (old model.deep_twin).front end
end
```

Abstracting ADTs as Math Models (1)

'push(g: G)' feature of LIFO_STACK ADT



- **Strategy 1** *Abstraction function*: Convert the *implementation array* to its corresponding *model sequence*.
- **Contract** for the `put (g: G)` feature remains the **same**:


`model ~ (old model.deep_twin).appended(g)`

Implementing an Abstraction Function (2)

```
class LIFO_STACK[G -> attached ANY] create make
feature {NONE} -- Implementation Strategy 2 (first as top)
  imp: LINKED_LIST[G]
feature -- Abstraction function of the stack ADT
  model: SEQ[G]
  do create Result.make_empty
    across imp as cursor loop Result.prepend(cursor.item) end
  ensure
    counts: imp.count = Result.count
    contents: across 1 |..| Result.count as i all
      Result[i.item] ~ imp[count - i.item + 1]
  end
feature -- Commands
  make do create imp.make ensure model.count = 0 end
  push (g: G) do imp.put_front(g)
    ensure pushed: model ~ (old model.deep_twin).appended(g) end
  pop do imp.start ; imp.remove
    ensure popped: model ~ (old model.deep_twin).front end
end
```

Abstracting ADTs as Math Models (2)

'push(g: G)' feature of LIFO_STACK ADT



- **Strategy 2** *Abstraction function*: Convert the *implementation list* (first item is top) to its corresponding *model sequence*.
- *Contract* for the `put (g: G)` feature remains the **same**:


`model ~ (old model.deep_twin).appended(g)`

Implementing an Abstraction Function (3)

```
class LIFO_STACK[G -> attached ANY] create make
feature {NONE} -- Implementation Strategy 3 (last as top)
  imp: LINKED_LIST[G]
feature -- Abstraction function of the stack ADT
  model: SEQ[G]
  do create Result.make_empty
    across imp as cursor loop Result.append(cursor.item) end
  ensure
    counts: imp.count = Result.count
    contents: across 1 |..| Result.count as i all
      Result[i.item] ~ imp[i.item]
  end
feature -- Commands
  make do create imp.make ensure model.count = 0 end
  push (g: G) do imp.extend(g)
    ensure pushed: model ~ (old model.deep_twin).appended(g) end
  pop do imp.finish ; imp.remove
    ensure popped: model ~ (old model.deep_twin).front end
end
```

Abstracting ADTs as Math Models (3)

'push(g: G)' feature of LIFO_STACK ADT



- **Strategy 3** *Abstraction function*: Convert the *implementation list* (last item is top) to its corresponding *model sequence*.
- *Contract* for the `put (g: G)` feature remains the **same**:

`model ~ (old model.deep_twin).appended(g)`

Solution: Abstracting ADTs as Math Models

- Writing contracts in terms of *implementation attributes* (arrays, LL's, hash tables, etc.) violates **information hiding** principle.
 - Instead:
 - For each ADT, create an **abstraction** via a **mathematical model**.
e.g., Abstract a LIFO_STACK as a mathematical sequence.
 - For each ADT, define an **abstraction function** (i.e., a query) whose return type is a kind of **mathematical model**.
e.g., Convert *implementation array* to *mathematical sequence*
 - Write contracts in terms of the **abstract math model**.
e.g., When pushing an item g onto the stack, specify it as appending g into its model sequence.
 - Upon *changing the implementation*:
 - **No** change on **what** the abstraction is, hence *no change on contracts*.
 - **Only** change **how** the abstraction is constructed, hence *changes on the body of the abstraction function*.
e.g., Convert *implementation linked-list* to *mathematical sequence*
- ⇒ The **Single Choice Principle** is obeyed.

Math Review: Set Definitions and Membership



- A **set** is a collection of objects.
 - Objects in a set are called its *elements* or *members*.
 - *Order* in which elements are arranged does not matter.
 - An element can appear *at most once* in the set.
- We may define a set using:
 - *Set Enumeration*: Explicitly list all members in a set.
e.g., $\{1, 3, 5, 7, 9\}$
 - *Set Comprehension*: Implicitly specify the condition that all members satisfy.
e.g., $\{x \mid 1 \leq x \leq 10 \wedge x \text{ is an odd number}\}$
- An empty set (denoted as $\{\}$ or \emptyset) has no members.
- We may check if an element is a *member* of a set:
 - e.g., $5 \in \{1, 3, 5, 7, 9\}$ [true]
 - e.g., $4 \notin \{x \mid x \leq 1 \leq 10, x \text{ is an odd number}\}$ [true]
- The number of elements in a set is called its *cardinality*.
e.g., $|\emptyset| = 0$, $|\{x \mid x \leq 1 \leq 10, x \text{ is an odd number}\}| = 5$

Math Review: Set Relations

Given two sets S_1 and S_2 :

- S_1 is a *subset* of S_2 if every member of S_1 is a member of S_2 .

$$S_1 \subseteq S_2 \iff (\forall x \bullet x \in S_1 \Rightarrow x \in S_2)$$

- S_1 and S_2 are *equal* iff they are the subset of each other.

$$S_1 = S_2 \iff S_1 \subseteq S_2 \wedge S_2 \subseteq S_1$$

- S_1 is a *proper subset* of S_2 if it is a strictly smaller subset.

$$S_1 \subset S_2 \iff S_1 \subseteq S_2 \wedge |S_1| < |S_2|$$

Math Review: Set Operations

Given two sets S_1 and S_2 :

- *Union* of S_1 and S_2 is a set whose members are in either.

$$S_1 \cup S_2 = \{x \mid x \in S_1 \vee x \in S_2\}$$

- *Intersection* of S_1 and S_2 is a set whose members are in both.

$$S_1 \cap S_2 = \{x \mid x \in S_1 \wedge x \in S_2\}$$

- *Difference* of S_1 and S_2 is a set whose members are in S_1 but not S_2 .

$$S_1 \setminus S_2 = \{x \mid x \in S_1 \wedge x \notin S_2\}$$

Math Review: Power Sets

The **power set** of a set S is a *set* of all S ' *subsets*.

$$\mathbb{P}(S) = \{s \mid s \subseteq S\}$$

The power set contains subsets of *cardinalities* $0, 1, 2, \dots, |S|$.
e.g., $\mathbb{P}(\{1, 2, 3\})$ is a set of sets, where each member set s has cardinality $0, 1, 2$, or 3 :

$$\left\{ \begin{array}{l} \emptyset, \\ \{1\}, \{2\}, \{3\}, \\ \{1, 2\}, \{2, 3\}, \{3, 1\}, \\ \{1, 2, 3\} \end{array} \right\}$$

Math Review: Set of Tuples

Given n sets S_1, S_2, \dots, S_n , a **cross product** of these sets is a set of n -tuples.

Each *n -tuple* (e_1, e_2, \dots, e_n) contains n elements, each of which a member of the corresponding set.

$$S_1 \times S_2 \times \dots \times S_n = \{(e_1, e_2, \dots, e_n) \mid e_i \in S_i \wedge 1 \leq i \leq n\}$$

e.g., $\{a, b\} \times \{2, 4\} \times \{\$, \&\}$ is a set of triples:

$$\begin{aligned} & \{a, b\} \times \{2, 4\} \times \{\$, \&\} \\ = & \{(e_1, e_2, e_3) \mid e_1 \in \{a, b\} \wedge e_2 \in \{2, 4\} \wedge e_3 \in \{\$, \&\}\} \\ = & \{(a, 2, \$), (a, 2, \&), (a, 4, \$), (a, 4, \&), \\ & (b, 2, \$), (b, 2, \&), (b, 4, \$), (b, 4, \&)\} \end{aligned}$$

Math Models: Relations (1)

- A **relation** is a collection of mappings, each being an *ordered pair* that maps a member of set S to a member of set T .
 e.g., Say $S = \{1, 2, 3\}$ and $T = \{a, b\}$
 - \emptyset is an empty relation.
 - $S \times T$ is a relation (say r_1) that maps from each member of S to each member in T : $\{(1, a), (1, b), (2, a), (2, b), (3, a), (3, b)\}$
 - $\{(x, y) : S \times T \mid x \neq 1\}$ is a relation (say r_2) that maps only some members in S to every member in T : $\{(2, a), (2, b), (3, a), (3, b)\}$.
- Given a relation r :
 - **Domain** of r is the set of S members that r maps from.

$$\text{dom}(r) = \{s : S \mid (\exists t \bullet (s, t) \in r)\}$$

e.g., $\text{dom}(r_1) = \{1, 2, 3\}$, $\text{dom}(r_2) = \{2, 3\}$

- **Range** of r is the set of T members that r maps to.

$$\text{ran}(r) = \{t : T \mid (\exists s \bullet (s, t) \in r)\}$$

e.g., $\text{ran}(r_1) = \{a, b\} = \text{ran}(r_2)$

Math Models: Relations (2)

- We use the power set operator to express the set of *all possible relations* on S and T :

$$\mathbb{P}(S \times T)$$

- To declare a relation variable r , we use the colon ($:$) symbol to mean *set membership*:

$$r : \mathbb{P}(S \times T)$$

- Or alternatively, we write:

$$r : S \leftrightarrow T$$

where the set $S \leftrightarrow T$ is synonymous to the set $\mathbb{P}(S \times T)$

Math Models: Relations (3.1)

Say $r = \{(a, 1), (b, 2), (c, 3), (a, 4), (b, 5), (c, 6), (d, 1), (e, 2), (f, 3)\}$

- **r.domain**: set of first-elements from r
 - $r.\mathbf{domain} = \{d \mid (d, r) \in r\}$
 - e.g., $r.\mathbf{domain} = \{a, b, c, d, e, f\}$
- **r.range**: set of second-elements from r
 - $r.\mathbf{range} = \{r \mid (d, r) \in r\}$
 - e.g., $r.\mathbf{range} = \{1, 2, 3, 4, 5, 6\}$
- **r.inverse**: a relation like r except elements are in reverse order
 - $r.\mathbf{inverse} = \{(r, d) \mid (d, r) \in r\}$
 - e.g., $r.\mathbf{inverse} = \{(1, a), (2, b), (3, c), (4, a), (5, b), (6, c), (1, d), (2, e), (3, f)\}$

Math Models: Relations (3.2)

Say $r = \{(a, 1), (b, 2), (c, 3), (a, 4), (b, 5), (c, 6), (d, 1), (e, 2), (f, 3)\}$

- **r.domain_restricted(ds)**: sub-relation of r with domain ds .
 - $r.\text{domain_restricted}(ds) = \{ (d, r) \mid (d, r) \in r \wedge d \in ds \}$
 - e.g., $r.\text{domain_restricted}(\{a, b\}) = \{(a, 1), (b, 2), (a, 4), (b, 5)\}$
- **r.domain_subtracted(ds)**: sub-relation of r with domain not ds .
 - $r.\text{domain_subtracted}(ds) = \{ (d, r) \mid (d, r) \in r \wedge d \notin ds \}$
 - e.g., $r.\text{domain_subtracted}(\{a, b\}) = \{(c, 6), (d, 1), (e, 2), (f, 3)\}$
- **r.range_restricted(rs)**: sub-relation of r with range rs .
 - $r.\text{range_restricted}(rs) = \{ (d, r) \mid (d, r) \in r \wedge r \in rs \}$
 - e.g., $r.\text{range_restricted}(\{1, 2\}) = \{(a, 1), (b, 2), (d, 1), (e, 2)\}$
- **r.range_subtracted(ds)**: sub-relation of r with range not ds .
 - $r.\text{range_subtracted}(rs) = \{ (d, r) \mid (d, r) \in r \wedge r \notin rs \}$
 - e.g., $r.\text{range_subtracted}(\{1, 2\}) = \{(c, 3), (a, 4), (b, 5), (c, 6)\}$

Math Models: Relations (3.3)

Say $r = \{(a, 1), (b, 2), (c, 3), (a, 4), (b, 5), (c, 6), (d, 1), (e, 2), (f, 3)\}$

- **r.overridden(t)**: a relation which agrees on r outside domain of t .domain, and agrees on t within domain of t .domain
 - $r.\text{overridden}(t) = t \cup r.\text{domain_subtracted}(t.\text{domain})$
 -

$$\begin{aligned} & r.\text{overridden}(\{(a, 3), (c, 4)\}) \\ = & \underbrace{\{(a, 3), (c, 4)\}}_t \cup \underbrace{\{(b, 2), (b, 5), (d, 1), (e, 2), (f, 3)\}}_{r.\text{domain_subtracted}(t.\text{domain})} \\ & \hspace{15em} \underbrace{\hspace{10em}}_{\{a,c\}} \\ = & \{(a, 3), (c, 4), (b, 2), (b, 5), (d, 1), (e, 2), (f, 3)\} \end{aligned}$$

Math Review: Functions (1)

A **function** f on sets S and T is a *specialized form* of relation: it is forbidden for a member of S to map to more than one members of T .

$$\forall s : S; t_1 : T; t_2 : T \bullet (s, t_1) \in f \wedge (s, t_2) \in f \Rightarrow t_1 = t_2$$

e.g., Say $S = \{1, 2, 3\}$ and $T = \{a, b\}$, which of the following relations are also functions?

- $S \times T$ [No]
- $(S \times T) - \{(x, y) \mid (x, y) \in S \times T \wedge x = 1\}$ [No]
- $\{(1, a), (2, b), (3, a)\}$ [Yes]
- $\{(1, a), (2, b)\}$ [Yes]

Math Review: Functions (2)

- We use *set comprehension* to express the set of all possible functions on S and T as those relations that satisfy the *functional property*:

$$\{r : S \leftrightarrow T \mid (\forall s : S; t_1 : T; t_2 : T \bullet (s, t_1) \in r \wedge (s, t_2) \in r \Rightarrow t_1 = t_2)\}$$

- This set (of possible functions) is a subset of the set (of possible relations): $\mathbb{P}(S \times T)$ and $S \leftrightarrow T$.
- We abbreviate this set of possible functions as $S \rightarrow T$ and use it to declare a function variable f :

$$f : S \rightarrow T$$

Math Review: Functions (3.1)

Given a function $f : S \rightarrow T$:

- f is *injective* (or an injection) if f does not map a member of S to more than one members of T .

$$f \text{ is injective} \iff (\forall s_1 : S; s_2 : S; t : T \bullet (s_1, t) \in r \wedge (s_2, t) \in r \Rightarrow s_1 = s_2)$$





e.g., Considering an array as a function from integers to objects, being injective means that the array does not contain any duplicates.

- f is *surjective* (or a surjection) if f maps to all members of T .

$$f \text{ is surjective} \iff \text{ran}(f) = T$$

- f is *bijective* (or a bijection) if f is both injective and surjective.

Math Review: Functions (3.2)



Math Models: Command-Query Separation

<i>Command</i>	<i>Query</i>
domain_restrict	domain_restricted ed
domain_restrict_by	domain_restricted ed .by
domain_subtract	domain_subtracted ed
domain_subtract_by	domain_subtracted ed .by
range_restrict	range_restricted ed
range_restrict_by	range_restricted ed .by
range_subtract	range_subtracted ed
range_subtract_by	range_subtracted ed .by
override	overridden ed
override_by	overridden ed .by

Say $r = \{(a, 1), (b, 2), (c, 3), (a, 4), (b, 5), (c, 6), (d, 1), (e, 2), (f, 3)\}$

- **Commands** modify the context relation objects.

`r.domain_restrict({a})` changes r to $\{(a, 1), (a, 4)\}$

- **Queries** return new relations without modifying context objects.

`r.domain_restricted({a})` returns $\{(a, 1), (a, 4)\}$ with r untouched

Math Models: Example Test

```
test_rel: BOOLEAN
  local
    r, t: REL[STRING, INTEGER]
    ds: SET[STRING]
  do
    create r.make_from_tuple_array (
      <<["a", 1], ["b", 2], ["c", 3],
        ["a", 4], ["b", 5], ["c", 6],
        ["d", 1], ["e", 2], ["f", 3]>>)
    create ds.make_from_array (<<"a">>)
    -- r is not changed by the query 'domain_subtracted'
    t := r.domain_subtracted (ds)
    Result :=
      t /~ r and not t.domain.has ("a") and r.domain.has ("a")
    check Result end
    -- r is changed by the command 'domain_subtract'
    r.domain_subtract (ds)
    Result :=
      t ~ r and not t.domain.has ("a") and not r.domain.has ("a")
  end
```


Case Study: A Birthday Book

- A birthday book stores a collection of entries, where each entry is a pair of a person's name and their birthday.
- No two entries stored in the book are allowed to have the same name.
- Each birthday is characterized by a month and a day.
- A birthday book is first created to contain an empty collection of entries.
- Given a birthday book, we may:
 - Inquire about the number of entries currently stored in the book
 - Add a new entry by supplying its name and the associated birthday
 - Remove the entry associated with a particular person
 - Find the birthday of a particular person
 - Get a reminder list of names of people who share a given birthday


Birthday Book: Decisions

- **Design** Decision
 - Classes
 - Client Supplier vs. Inheritance
 - Mathematical Model? [e.g., REL or FUN]
 - Contracts
- **Implementation** Decision
 - Two linear structures (e.g., arrays, lists) [$O(n)$]
 - A balanced search tree (e.g., AVL tree) [$O(\log \cdot n)$]
 - A hash table [$O(1)$]
- Implement an **abstract function** that maps implementation to the math model.

Birthday Book: Design



Birthday Book: Implementation



Beyond this lecture . . .

- Familiarize yourself with the features of classes `SEQ`, `REL`, `FUN`, and `SET` for the lab test.
- **Exercise:**
 - Consider an alternative implementation using two linear structures (e.g., here in Java).
 - Implement the design of birthday book covered in lectures.
 - Create another `LINEAR_BIRTHDAY_BOOK` class and modify the implementation of abstraction function accordingly.
Do all contracts still pass?

Index (1)

Motivating Problem: Complete Contracts

Motivating Problem: LIFO Stack (1)

Motivating Problem: LIFO Stack (2.1)

Motivating Problem: LIFO Stack (2.2)

Motivating Problem: LIFO Stack (2.3)

Motivating Problem: LIFO Stack (3)

Math Models: Command vs Query

Implementing an Abstraction Function (1)

Abstracting ADTs as Math Models (1)

Implementing an Abstraction Function (2)

Abstracting ADTs as Math Models (2)

Implementing an Abstraction Function (3)

Abstracting ADTs as Math Models (3)

Solution: Abstracting ADTs as Math Models

Index (2)

Math Review: Set Definitions and Membership

Math Review: Set Relations

Math Review: Set Operations

Math Review: Power Sets

Math Review: Set of Tuples

Math Models: Relations (1)

Math Models: Relations (2)

Math Models: Relations (3.1)

Math Models: Relations (3.2)

Math Models: Relations (3.3)

Math Review: Functions (1)

Math Review: Functions (2)

Math Review: Functions (3.1)

Math Review: Functions (3.2)

Index (3)

Math Models: Command-Query Separation

Math Models: Example Test

Case Study: A Birthday Book

Birthday Book: Decisions

Birthday Book: Design

Birthday Book: Implementation

Beyond this lecture ...