# **The Visitor Design Pattern**



EECS3311 A & E: Software Design Fall 2020

CHEN-WEI WANG

# **Learning Objectives**




- 1. Motivating Problem: *Processing* Recursive Systems
- 2. First Design Attempt: Cohesion & Single-Choice Principle?
- 3. Open-Closed Principle
- 4. Second Design Attempt: Visitor Design Pattern
- 5. Implementing and Testing the Visitor Design Pattern

### **Motivating Problem (1)**




Based on the *composite pattern* you learned, design classes to model *structures* of arithmetic expressions (e.g., 341, 2, 341 + 2).







Extend the <u>composite pattern</u> to support <u>operations</u> such as evaluate, pretty printing (print\_prefix, print\_postfix), and type\_check.





# **Problems of Extended Composite Pattern**

 Distributing the various unrelated operations across nodes of the abstract syntax tree violates the single-choice principle:

To add/delete/modify an operation

- ⇒ Change of all descendants of EXPRESSION
- Each node class lacks in cohesion:

A *class* is supposed to group *relevant* concepts in a *single* place.

- ⇒ Confusing to mix codes for evaluation, pretty printing, and type checking.
- ⇒ We want to avoid "polluting" the classes with these various unrelated operations.

### **Open/Closed Principle**



Software entities (classes, features, etc.) should be *open* for *extension*, but *closed* for *modification*.

- ⇒ When extending the behaviour of a system, we:
- May add/modify the open (unstable) part of system.
- May not add/modify the *closed* (stable) part of system.
- e.g., In designing the application of an expression language:
- ALTERNATIVE 1: Syntactic constructs of the language may be *open*, whereas operations on the language may be *closed*.
- ALTERNATIVE 2: Syntactic constructs of the language may be *closed*, whereas operations on the language may be *open*.


#### **Visitor Pattern**



- Separation of concerns:
  - Set of language constructs
  - Set of operations
  - ⇒ Classes from these two sets are decoupled and organized into two separate clusters.
- Open-Closed Principle (OCP): [ALTERNATIVE 2]
  - Closed, staple part of system: set of language constructs
  - o Open, unstable part of system: set of operations
  - ⇒ *OCP* helps us determine if Visitor Pattern is *applicable*.
  - ⇒ If it was decided that language constructs are *open* and operations are *closed*, then do **not** use Visitor Pattern.

### **Visitor Pattern: Architecture**







# **Visitor Pattern Implementation: Structures**

#### Cluster expression\_language

- Declare deferred feature accept (v: VISITOR) in EXPRSSION.
- Implement accept feature in each of the descendant classes.

```
class ADDITION
inherit EXPRESSION COMPOSITE
...
accept(v: VISITOR)
do
v.visit_addition (Current)
end
end
end
```



# Visitor Pattern Implementation: Operations LASSOND

#### Cluster expression\_operations

• For each descendant class C of EXPRESSION, declare a deferred feature visit\_c (e: C) in the deferred class VISITOR.

```
deferred class VISITOR
  visit_constant(c: CONSTANT) deferred end
  visit_addition(a: ADDITION) deferred end
end
```

Each descendant of VISITOR denotes a kind of operation.

10 of 15

# **Testing the Visitor Pattern**

```
test_expression_evaluation: BOOLEAN
local add, c1, c2: EXPRESSION; v: VISITOR
do
    create {CONSTANT} c1.make (1); create {CONSTANT} c2.make (2)
    create {ADDITION} add.make (c1, c2)
    create {EVALUATOR} v.make
    add.accept (v)
    check attached {EVALUATOR} v as eval then
    Result := eval.value = 3
    end
end
```

#### Double Dispatch in Line 7:

10

11

1. DT of add is ADDITION ⇒ Call accept in ADDITION

```
v.visit_addition (add)
```

2. DT of v is EVALUATOR ⇒ Call visit\_addition in EVALUATOR

visiting result of add.left + visiting result of add.right



#### To Use or Not to Use the Visitor Pattern

- In the architecture of visitor pattern, what kind of *extensions* is easy and hard? Language structure? Language Operation?
  - Adding a new kind of operation element is easy.

To introduce a new operation for generating C code, we only need to introduce a new descendant class  $\fbox{C\_CODE\_GENERATOR}$  of VISITOR, then implement how to handle each language element in that class.

- ⇒ Single Choice Principle is obeyed.
- Adding a new kind of structure element is hard.

After adding a descendant class MULTIPLICATION of EXPRESSION, every concrete visitor (i.e., descendant of VISITOR) must be amended to provide a new visit\_multiplication operation.

- ⇒ Single Choice Principle is violated.
- The applicability of the visitor pattern depends on to what extent the *structure* will change.
  - ⇒ Use visitor if *operations* applied to *structure* change often.
  - ⇒ Do not use visitor if the **structure** changes often.

# Beyond this Lecture...



• Learn about implementing the Composite and Visitor Patterns, from scratch, in this tutorial series:

```
https://www.youtube.com/playlist?list=PL5dxAmCmjv_4z5eXGW-ZBgsS2WZTyBHY2
```

 The Visitor Pattern can be used to facilitate the development of a language compiler:

```
https://www.youtube.com/playlist?list=PL5dxAmCmjv_
4FGYtGzcvBeoS-BobRTJLq
```



# Index (1)

**Learning Objectives** 

**Motivating Problem (1)** 

**Motivating Problem (2)** 

**Problems of Extended Composite Pattern** 

**Open/Closed Principle** 

**Visitor Pattern** 

**Visitor Pattern: Architecture** 

**Visitor Pattern Implementation: Structures** 

**Visitor Pattern Implementation: Operations** 

**Testing the Visitor Pattern** 

To Use or Not to Use the Visitor Pattern

14 of 15





Beyond this Lecture...