

Classes and Objects



EECS2030 B & E: Advanced
Object Oriented Programming
Fall 2021

CHEN-WEI WANG

Optional: Tutorial Videos to Help You Review



• Link to Tutorial Series:

<https://www.eecs.yorku.ca/~jackie/teaching/tutorials/index.html#java from scratch w21>

- **Week 1: Eclipse** work environment
- **Week 2c, 2d, 2e: Debugger** in Eclipse
- **Weeks 2, 3: Programming/Debugging Conditionals**
- **Weeks 4, 5: Programming/Debugging Arrays and Loops**
- **Weeks 6, 7, 8: Classes and Objects**

- **iPad Notes:** <https://www.eecs.yorku.ca/~jackie/teaching/tutorials/notes/EECS1022%20Tutorial%20on%20Java.pdf>

3 of 90

Required: Review Tutorials on OOP in Java



Current slides are cross-referenced throughout this review tutorials on Java OOP:

<https://www.eecs.yorku.ca/~jackie/teaching/tutorials/index.html#refurbished store>

2 of 90

Required: Written Notes to Review



• *Inferring Classes/Methods from JUnit Tests:*

https://www.eecs.yorku.ca/~jackie/teaching/lectures/2021/F/EECS2030/notes/EECS2030_F21_Inferring Classes from JUnit.pdf

• *Declaring and Manipulating Reference-Typed, Multi-Valued Attributes:*

https://www.eecs.yorku.ca/~jackie/teaching/lectures/2021/F/EECS2030/notes/EECS2030_F21_Tracing PointCollectorTester.pdf

4 of 90

Learning Outcomes




Understand:

- Object Orientation
- Classes as Templates:
 - attributes, constructors, (accessor and mutator) methods
 - use of `this`
- Objects as Instances:
 - use of `new`
 - the dot notation, method invocations
 - reference aliasing
- Reference-Typed Attributes: Single-Valued vs. Multi-Valued
- Non-Static vs. Static Variables
- Helper Methods

5 of 90

Object Orientation: Observe, Model, and Execute



- Study [this tutorial video](#) that walks you through the idea of **object orientation**.
- We **observe** how real-world *entities* behave.
- We **model** the common *attributes* and *behaviour* of a set of entities in a single *class*.
- We **execute** the program by creating *instances* of classes, which interact in a way analogous to that of real-world *entities*.

7 of 90

Separation of Concerns: App/Tester vs. Model



- In EECS1022/EECS1021:
 - **Model Component**: One or More Java Classes
e.g., `Person` vs. `SMS`, `Student`, `CourseRecord`
 - Another Java class that "manipulates" the model class(es)
 - **Controller** (e.g., `BMIActivity`, `LEDController`). Effects?
Visualized at a connected physical device (e.g., tablet, LED lightbulbs)
 - **Tester** (e.g., `PersonTester`, `BankTester`). Effects?
Seen (as textual outputs) at console
Asserting **expected** vs. **actual** Values in JUnit tests
- In Java:
 - We may define more than one *classes*.
 - Each class may contain more than one *methods*.
 - **Object-Oriented Programming (OOP)** in Java:
 - Use **classes** to define templates
 - Use **objects** to instantiate classes
 - At *runtime*, *create* objects and *call* methods on objects, to *simulate interactions* between real-life entities.

5 of 90

Object-Oriented Programming (OOP)



- In real life, lots of **entities** exist and interact with each other.
e.g., *People* gain/lose weight, marry/divorce, or get older.
e.g., *Cars* move from one point to another.
e.g., *Clients* initiate transactions with banks.
- Entities:
 - Possess *attributes*;
 - Exhibit *behaviour*; and
 - Interact with each other.
- Goals: Solve problems *programmatically* by
 - *Classifying* entities of interest
Entities in the same class share *common* attributes and behaviour.
 - *Manipulating* data that represent these entities
Each entity is represented by *specific* values.

5 of 90

OO Thinking: Templates vs. Instances (1.1)



Points on a two-dimensional plane are identified by their signed distances from the X- and Y-axes. A point may move arbitrarily towards any direction on the plane. Given two points, we are often interested in knowing the distance between them.

- A template called `Point` defines the common
 - **attributes** (e.g., x , y) [≈ nouns]
 - **behaviour** (e.g., move up, get distance from) [≈ verbs]

9 of 90

OO Thinking: Templates vs. Instances (2.1)



A person is a being, such as a human, that has certain attributes and behaviour constituting personhood: a person ages and grows on their heights and weights.

- A template called `Person` defines the common
 - **attributes** (e.g., age, weight, height) [≈ nouns]
 - **behaviour** (e.g., get older, gain weight) [≈ verbs]

13 of 90

OO Thinking: Templates vs. Instances (1.2)



- A **template** (e.g., class `Point`) defines what's **shared** by a set of related entities (i.e., 2-D points).
 - Common **attributes** (x , y)
 - Common **behaviour** (move left, move up)
- Each template may be **instantiated** as multiple instances, each with **instance-specific** values for attributes x and y :
 - `Point` instance `p1` is located at (3, 4)
 - `Point` instance `p2` is located at (-4, -3)
- Instances of the same template may exhibit **distinct behaviour**.
 - When `p1` moves up for 1 unit, it will end up being at (3, 5)
 - When `p2` moves up for 1 unit, it will end up being at (-4, -2)
 - Then, `p1`'s distance from origin: $[\sqrt{3^2 + 5^2}]$
 - Then, `p2`'s distance from origin: $[\sqrt{(-4)^2 + (-2)^2}]$

10 of 90

OO Thinking: Templates vs. Instances (2.2)



- A **template** (e.g., class `Person`) defines what's **shared** by a set of related entities (i.e., persons).
 - Common **attributes** (age, weight, height)
 - Common **behaviour** (get older, lose weight, grow taller)
- Each template may be **instantiated** as multiple instances, each with **instance-specific** values for attributes age, weight, and height.
 - `Person` instance `jim` is
50-years old, 1.8-meters tall and 80-kg heavy
 - `Person` instance `jonathan` is
65-years old, 1.73-meters tall and 90-kg heavy
- Instances of the same template may exhibit **distinct behaviour**.
 - When `jim` gets older, he becomes 51
 - When `jonathan` gets older, he becomes 66.
 - `jim`'s BMI is based on his own height and weight $[\frac{80}{1.8^2}]$
 - `jonathan`'s BMI is based on his own height and weight $[\frac{90}{1.73^2}]$

12 of 90

OOP: Classes \approx Templates



In Java, you use a **class** to define a **template** that enumerates **attributes** that are common to a set of **entities** of interest.

```
public class Person {
    private int age;
    private String nationality;
    private double weight;
    private double height;
}
```

```
public class Point {
    private double x;
    private double y;
}
```

13 of 90

Java Data Types (1)



A (data) type denotes a set of related **runtime values**.

1. Primitive Types

- Integer Type
 - int [set of 32-bit integers]
 - long [set of 64-bit integers]
- Floating-Point Number Type
 - double [set of 64-bit FP numbers]
- Character Type
 - char [set of single characters]
- Boolean Type
 - boolean [set of true and false]

2. Reference Type: Complex Type with Attributes and Methods

- String [set of references to character sequences]
- Person [set of references to Person objects]
- Point [set of references to Point objects]
- Scanner [set of references to Scanner objects]

14 of 90

Java Data Types (2)



- A variable that is declared with a **type** but **uninitialized** is implicitly assigned with its **default value**.

o Primitive Type

- int i; [0 is implicitly assigned to i]
- double d; [0.0 is implicitly assigned to d]
- boolean b; [false is implicitly assigned to b]

o Reference Type

- String s; [null is implicitly assigned to s]
- Person jim; [null is implicitly assigned to jim]
- Point p1; [null is implicitly assigned to p1]
- Scanner input; [null is implicitly assigned to input]


- You **can** use a **primitive** variable that is **uninitialized**. Make sure the **default value** is what you want!
- Calling a method on a **uninitialized** reference variable crashes your program. [NullPointerException]
- Always initialize **reference** variables!

15 of 90

OOP: Methods (1.1)



- A **method** is a named block of code, **reusable** via its name.



- The **Header** of a method consists of:
 - Return type [RT (which can be void)]
 - Name of method [m]
 - Zero or more **parameter names** [p1, p2, ..., pn]
 - The corresponding **parameter types** [T1, T2, ..., Tn]
- A call to method **m** has the form: $m(a_1, a_2, \dots, a_n)$
Types of **argument values** a_1, a_2, \dots, a_n must match the the corresponding parameter types T_1, T_2, \dots, T_n .

16 of 90



OOP: Methods (1.2)

- In the body of the method, you may
 - Declare new *local variables* (whose **scope** is within that method).
 - Use or change values of *attributes*.
 - Use values of *parameters*, if any.

```
public class Person {
    private String nationality;
    public void changeNationality(String newNationality) {
        nationality = newNationality; } }
```

- Call a *method*, with a **context object**, by passing *arguments*.

```
public class PersonTester {
    public static void main(String[] args) {
        Person jim = new Person(50, "British");
        Person jonathan = new Person(60, "Canadian");
        jim.changeNationality("Korean");
        jonathan.changeNationality("Korean"); } }
```

17 of 90



OOP: Methods (2)

- Each **class** *C* defines a list of methods.
 - A **method** *m* is a named block of code.
- We *reuse* the code of method *m* by calling it on an **object** *obj* of class *C*.
 - For each **method call** *obj.m(...)*:
 - obj* is the **context object** of type *C*
 - m* is a method defined in class *C*
 - We intend to apply the **code effect of method** *m* to object *obj*.
e.g., *jim.getOlder()* vs. *jonathan.getOlder()*
e.g., *p1.moveUp(3)* vs. *p2.moveUp(3)*
- All objects of class *C* share **the same definition** of method *m*.
- However:
 - ∴ Each object may have **distinct attribute values**.
 - ∴ Applying **the same definition** of method *m* has **distinct effects**.

18 of 90



OOP: Methods (3)

- Constructor**
 - Same name as the class. No return type. **Initializes** attributes.
 - Called with the **new** keyword.
 - e.g., `Person jim = new Person(50, "British");`
- Mutator**
 - Changes** (re-assigns) attributes
 - void return type
 - Cannot be used when a value is expected
 - e.g., `double h = jim.setHeight(78.5)` is illegal!
- Accessor**
 - Uses** attributes for computations (without changing their values)
 - Any return type other than `void`
 - An explicit **return statement** (typically at the end of the method) returns the computation result to where the method is being used.
e.g., `double bmi = jim.getBMI();`
e.g., `println(p1.getDistanceFromOrigin());`

19 of 90



OOP: Class Constructors (1.1)

- The purpose of defining a *class* is to be able to create **instances** out of it.
- To **instantiate** a class, we use one of its **constructors**.
- A constructor
 - declares input **parameters**
 - uses input parameters to **initialize** **some or all** of its **attributes**

20 of 90

OOP: Class Constructors (1.2)



For each *class*, you may define *one or more* **constructors**:

- Names of all constructors must match the class name.
- No return types need to be specified for constructors.
- Overloaded constructor have *distinct* lists of *parameter types*.
 - Person(String n), Person(String n, int age) ✓
 - Person(String n, int age), Person(int age, String n) ✓
 - Person(String fN, int age), Person(String lN, int id) ✗
- Each *parameter* that is used to initialize an attribute must have a *matching type*.
- The *body* of each constructor specifies how *some or all* *attributes* may be *initialized*.

21 of 90

OOP: Class Constructors (2.2)



```
public class Person {
    private int age;
    private String nationality;
    private double weight;
    private double height;
    public Person(int initAge, String initNat) {
        age = initAge;
        nationality = initNat;
    }
    public Person (double initW, double initH) {
        weight = initW;
        height = initH;
    }
    public Person(int initAge, String initNat,
        double initW, double initH) {
        ... /* initialize all attributes using the parameters */
    }
}
```

23 of 90

OOP: Class Constructors (2.1)



```
public class Point {
    private double x;
    private double y;

    public Point(double initX, double initY) {
        x = initX;
        y = initY;
    }

    public Point(char axis, double distance) {
        if (axis == 'x') { x = distance; }
        else if (axis == 'y') { y = distance; }
        else { /* Error: invalid axis */ }
    }
}
```

22 of 90

Visualizing Objects at Runtime (1)



- To trace a program with sophisticated manipulations of objects, it's critical for you to visualize how objects are:
 - Created using *constructors*
Person jim = new Person(50, "British", 80, 1.8);
 - Inquired using *accessor methods*
double bmi = jim.getBMI();
 - Modified using *mutator methods*
jim.gainWeightBy(10);
- To visualize an object:
 - Draw a **rectangle box** to represent **contents** of that object:
 - Title** indicates the *name of class* from which the object is instantiated.
 - Left column** enumerates *names of attributes* of the instantiated class.
 - Right column** fills in *values* of the corresponding attributes.
 - Draw **arrow(s)** for *variable(s)* that store the object's **address**.


24 of 90

Visualizing Objects at Runtime (2.1)



After calling a *constructor* to create an object:

```
Person jim = new Person(50, "British", 80, 1.8);
```



25 of 90


Visualizing Objects at Runtime (2.3)



After calling a *mutator* to modify the state of context object jim:

```
jim.gainWeightBy(10);
```

- *Contents* of the object pointed to by jim change.
- *Address* of the object remains unchanged.
⇒ jim points to the same object!



27 of 90


Visualizing Objects at Runtime (2.2)



After calling an *accessor* to inquire about context object jim:

```
double bmi = jim.getBMI();
```

- Contents of the object pointed to by jim remain intact.
- Returned value $\frac{80}{(1.8)^2}$ of jim.getBMI() stored in variable bmi.



26 of 90


Visualizing Objects at Runtime (2.4)



After calling the same *accessor* to inquire the *modified* state of context object jim:

```
bmi = jim.getBMI();
```

- Contents of the object pointed to by jim remain intact.
- Returned value $\frac{90}{(1.8)^2}$ of jim.getBMI() stored in variable bmi.



28 of 90

Object Creation (1.1)




```
Point p1 = new Point(2, 4);
```

1. **RHS (Source) of Assignment:** `new Point(2, 4)` creates a new *Point object* in memory.

Point	
x	2.0
y	4.0

2. **LHS (Target) of Assignment:** `Point p1` declares a *variable* that is meant to store the *address of some Point object*.

3. **Assignment:** Executing `=` stores new object's address in `p1`.



29 of 90

Object Creation (2)



```
Point p1 = new Point(2, 4);  
System.out.println(p1);
```

```
Point@677327b6
```

By default, the address stored in `p1` gets printed.
Instead, print out attributes separately:

```
System.out.println("(" + p1.getX() + ", " + p1.getY() + ")");
```

```
(2.0, 4.0)
```

31 of 90

Object Creation (1.2)




```
Person jim = new Person(50, "British");
```

1. **RHS (Source) of Assignment:** `new Person(50, "British")` creates a new *Person object* in memory.

Person	
age	50
nationality	"British"
weight	0.0
height	0.0

2. **LHS (Target) of Assignment:** `Person jim` declares a *variable* that is meant to store the *address of some Person object*.

3. **Assignment:** Executing `=` stores new object's address in `jim`.



30 of 90

OOP: Object Creation (3.1.1)




A constructor may only *initialize* some attributes and leave others *uninitialized*.

```
public class PointTester {  
    public static void main(String[] args) {  
        Point p1 = new Point(3, 4);  
        Point p2 = new Point(-3 -2);  
        Point p3 = new Point('x', 5);  
        Point p4 = new Point('y', -7);  
    }  
}
```


32 of 90

OOP: Object Creation (3.1.2)



33 of 90

OOP: Object Creation (3.2.2)



35 of 90

OOP: Object Creation (3.2.1)



A constructor may only *initialize* some attributes and leave others *uninitialized*.

```
public class PersonTester {
    public static void main(String[] args) {
        /* initialize age and nationality only */
        Person jim = new Person(50, "BRI");
        /* initialize age and nationality only */
        Person jonathan = new Person(65, "CAN");
        /* initialize weight and height only */
        Person alan = new Person(75, 1.80);
        /* initialize all attributes of a person */
        Person mark = new Person(40, "CAN", 69, 1.78);
    }
}
```

34 of 90

OOP: Object Creation (4)



- When using the constructor, pass **valid argument values**:
 - The type of each argument value must match the corresponding parameter type.
 - e.g., Person(50, "BRI") matches Person(int initAge, String initNationality)
 - e.g., Point(3, 4) matches Point(double initX, double initY)
- When creating an instance, **uninitialized** attributes implicitly get assigned the **default values**.
 - Set **uninitialized** attributes properly later using **mutator** methods

```
Person jim = new Person(50, "British");
jim.setWeight(85);
jim.setHeight(1.81);
```

36 of 90



OOP: The Dot Notation (1)

- A binary operator:
 - **LHS** an object
 - **RHS** an attribute or a method
- Given a *variable* of some *reference type* that is **not** null:
 - We use a dot to retrieve any of its **attributes**.
Analogous to 's in English
e.g., jim.nationality means jim's nationality
 - We use a dot to invoke any of its **mutator methods**, in order to *change* values of its attributes.
e.g., jim.changeNationality("CAN") changes the nationality attribute of jim
 - We use a dot to invoke any of its **accessor methods**, in order to *use* the result of some computation on its attribute values.
e.g., jim.getBMI() computes and returns the BMI calculated based on jim's weight and height
 - Return value of an *accessor method* must be stored in a variable.
e.g., double jimBMI = jim.getBMI()

37 of 90



The this Reference (2)

- In the *method* definition, each *attribute* has an *implicit* **this** which refers to the **context object** in a call to that method.

```
public class Point {
    private double x;
    private double y;
    public Point(double newX, double newY) {
        this.x = newX;
        this.y = newY;
    }
    public void moveUp(double units) {
        this.y = this.y + units;
    }
}
```

- Each time when the *class* definition is used to create a new *Point object*, the **this** reference is substituted by the name of the new object.

39 of 90



The this Reference (1)

- Each *class* may be instantiated to multiple *objects* at runtime.

```
public class Point {
    private double x; private double y;
    public void moveUp(double units) { y += units; }
}
```

- Each time when we call a method of some class, using the dot notation, there is a specific *target/context* object.

```
1 Point p1 = new Point(2, 3);
2 Point p2 = new Point(4, 6);
3 p1.moveUp(3.5);
4 p2.moveUp(4.7);
```

- p1 and p2 are called the **call targets** or **context objects**.
- **Lines 3 and 4** apply the same definition of the `moveUp` method.
- But how does Java distinguish the change to `p1.y` versus the change to `p2.y`?

38 of 90



The this Reference (3)

- After we create p1 as an instance of `Point`
`Point p1 = new Point(2, 3);`
- When invoking `p1.moveUp(3.5)`, a version of `moveUp` that is specific to p1 will be used:

```
public class Point {
    private double x;
    private double y;
    public Point(double newX, double newY) {
        p1.x = newX;
        p1.y = newY;
    }
    public void moveUp(double units) {
        p1.y = p1.y + units;
    }
}
```

40 of 90

The this Reference (4)



- After we create `p2` as an instance of `Point`

```
Point p2 = new Point(4, 6);
```

- When invoking `p2.moveUp(4.7)`, a version of `moveUp` that is specific to `p2` will be used:

```
public class Point {
    private double x;
    private double y;
    public Point(double newX, double newY) {
        p2.x = newX;
        p2.y = newY;
    }
    public void moveUp(double units) {
        p2.y = p2.y + units;
    }
}
```

43 of 90

The this Reference (6.1): Common Error



The following code fragment compiles but is problematic:

```
1 public class Person {
2     private String name;
3     private int age;
4     public Person(String name, int age) {
5         name = name;
6         age = age;
7     }
8     public void setAge(int age) {
9         age = age;
10    }
11 }
```

- Why? [variable shadowing]
Target (LHS) of the assignment (L5) refers to parameter `name` (L4).
- Fix?

43 of 90

The this Reference (5)



The `this` reference can be used to **disambiguate** when the names of *input parameters* clash with the names of *class attributes*.

```
public class Point {
    private double x;
    private double y;
    public Point(double x, double y) {
        this.x = x;
        this.y = y;
    }
    public void setX(double x) {
        this.x = x;
    }
    public void setY(double y) {
        this.y = y;
    }
}
```

42 of 90

The this Reference (6.2): Common Error



Always remember to use `this` when *input parameter* names clash with *class attribute* names.

```
public class Person {
    private String name;
    private int age;
    public Person(String name, int age) {
        this.name = name;
        this.age = age;
    }
    public void setAge(int age) {
        this.age = age;
    }
}
```

44 of 90

OOP: Mutator Methods



- These methods *change* values of attributes.
- We call such methods **mutators** (with void return type).

```
public class Person {
    ...
    public void gainWeight(double units) {
        this.weight = this.weight + units;
    }
}
```

```
public class Point {
    ...
    public void moveUp() {
        this.y = this.y + 1;
    }
}
```

45 of 90

OOP: Accessor Methods



- These methods *return* the result of computation based on attribute values.
- We call such methods **accessors** (with non-void return type).

```
public class Person {
    ...
    public double getBMI() {
        double bmi = this.height / (this.weight * this.weight);
        return bmi;
    }
}
```

```
public class Point {
    ...
    public double getDistanceFromOrigin() {
        double dist =
            Math.sqrt(this.x * this.x + this.y * this.y);
        return dist;
    }
}
```

46 of 90

OOP: Method Calls



```
1 Point p1 = new Point (3, 4);
2 Point p2 = new Point (-4, -3);
3 System.out.println(p1. getDistanceFromOrigin() );
4 System.out.println(p2. getDistanceFromOrigin() );
5 p1. moveUp (1) ;
6 p2. moveUp (1) ;
7 System.out.println(p1. getDistanceFromOrigin() );
8 System.out.println(p2. getDistanceFromOrigin() );
```

- **Lines 1 and 2** create two different instances of Point
- **Lines 3 and 4:** invoking the same accessor method on two different instances returns *distinct* values
- **Lines 5 and 6:** invoking the same mutator method on two different instances results in *independent* changes
- **Lines 3 and 7:** invoking the same accessor method on the same instance *may* return *distinct* values, why? **Line 5**

See the lecture recording on tracing the above program [here](#).

47 of 90

OOP: Use of Mutator vs. Accessor Methods



- Calls to **mutator methods** *cannot* be used as values.
 - e.g., System.out.println(jim.setWeight (78.5)); ✗
 - e.g., double w = jim.setWeight (78.5); ✗
 - e.g., jim.setWeight (78.5); ✓
- Calls to **accessor methods** *should* be used as values.
 - e.g., jim.getBMI (); ✗
 - e.g., System.out.println(jim.getBMI ()); ✓
 - e.g., double w = jim.getBMI (); ✓

48 of 90

OOP: Method Parameters



- **Principle 1:** A **constructor** needs an *input parameter* for every attribute that you wish to initialize.

e.g., `Person(double w, double h)` vs.
`Person(String fName, String lName)`

- **Principle 2:** A **mutator** method needs an *input parameter* for every attribute that you wish to modify.

e.g., `In Point, void moveToXAxis()` vs.
`void moveUpBy(double unit)`

- **Principle 3:** An **accessor method** needs *input parameters* if the attributes alone are not sufficient for the intended computation to complete.

e.g., `In Point, double getDistFromOrigin()` vs.
`double getDistFrom(Point other)`

49 of 90

OOP: Reference Aliasing (2.1)



Problem: Consider assignments to *primitive* variables:

```
1 int i1 = 1;
2 int i2 = 2;
3 int i3 = 3;
4 int[] numbers1 = {i1, i2, i3};
5 int[] numbers2 = new int[numbers1.length];
6 for(int i = 0; i < numbers1.length; i++) {
7     numbers2[i] = numbers1[i];
8 }
9 numbers1[0] = 4;
10 System.out.println(numbers1[0]);
11 System.out.println(numbers2[0]);
```

51 of 90

OOP: Reference Aliasing (1)



```
1 int i = 3;
2 int j = i; System.out.println(i == j);/*true*/
3 int k = 3; System.out.println(k == i && k == j);/*true*/
```

- **Line 2** copies the number stored in `i` to `j`.
- After **Line 4**, `i`, `j`, `k` refer to three separate integer placeholder, which happen to store the same value 3.

```
1 Point p1 = new Point(2, 3);
2 Point p2 = p1; System.out.println(p1 == p2);/*true*/
3 Point p3 = new Point(2, 3);
4 System.out.println(p3 == p1 || p3 == p2);/*false*/
5 System.out.println(p3.x == p1.x && p3.y == p1.y);/*true*/
6 System.out.println(p3.x == p2.x && p3.y == p2.y);/*true*/
```

- **Line 2** copies the *address* stored in `p1` to `p2`.
- Both `p1` and `p2` refer to the same object in memory!
- `p3`, whose *contents* are same as `p1` and `p2`, refer to a different object in memory.

50 of 90

OOP: Reference Aliasing (2.2)



Exercise: Consider assignments to *reference* variables:

```
1 Person alan = new Person("Alan");
2 Person mark = new Person("Mark");
3 Person tom = new Person("Tom");
4 Person jim = new Person("Jim");
5 Person[] persons1 = {alan, mark, tom};
6 Person[] persons2 = new Person[persons1.length];
7 for(int i = 0; i < persons1.length; i++) {
8     persons2[i] = persons1[i]; }
9 persons1[0].setAge(70);
10 System.out.println(jim.getAge());
11 System.out.println(alan.getAge());
12 System.out.println(persons2[0].getAge());
13 persons1[0] = jim;
14 persons1[0].setAge(75);
15 System.out.println(jim.getAge());
16 System.out.println(alan.getAge());
17 System.out.println(persons2[0].getAge());
```

52 of 90

See the lecture recording on tracing the above program [here](#).



Java Data Types (3.1)

- An **attribute** may store the reference to another object.

```
public class Person { private Person spouse; }
```

- Methods may take as **parameters** references to other objects.

```
public class Person {
    public void marry(Person other) { ... } }
```

- Return values** from methods may be references to objects.

```
public class Point {
    public void moveUpBy(int i) { y = y + i; }
    Point movedUpBy(int i) {
        Point np = new Point(x, y);
        np.moveUpBy(i);
        return np;
    }
}
```

53 of 90

See the lecture recording on tracing the above program [here](#)



Java Data Types (3.2.2)

```
1 public class PointCollectorTester {
2     public static void main(String[] args) {
3         PointCollector pc = new PointCollector();
4         System.out.println(pc.getNumberOfPoints()); /* 0 */
5         pc.addPoint(3, 4);
6         System.out.println(pc.getNumberOfPoints()); /* 1 */
7         pc.addPoint(-3, 4);
8         System.out.println(pc.getNumberOfPoints()); /* 2 */
9         pc.addPoint(-3, -4);
10        System.out.println(pc.getNumberOfPoints()); /* 3 */
11        pc.addPoint(3, -4);
12        System.out.println(pc.getNumberOfPoints()); /* 4 */
13        Point[] ps = pc.getPointsInQuadrantI();
14        System.out.println(ps.length); /* 1 */
15        System.out.println("(" +
16            ps[0].getX() + ", " + ps[0].getY() + ")"); /* (3, 4) */
17    }
18 }
```

55 of 90

See the lecture recording on tracing the above program [here](#)



Java Data Types (3.2.1)

An attribute may be **multi-valued**, **reference-typed** e.g., of type **Point[]**, storing references to Point objects.

```
1 public class PointCollector {
2     private Point[] points; private int nop; /* number of points */
3     public PointCollector() { this.points = new Point[100]; }
4     public void addPoint(double x, double y) {
5         this.points[this.nop] = new Point(x, y); this.nop++; }
6     public Point[] getPointsInQuadrantI() {
7         Point[] ps = new Point[this.nop];
8         int count = 0; /* number of points in Quadrant I */
9         for(int i = 0; i < this.nop; i++) {
10            Point p = this.points[i];
11            if(p.x > 0 && p.y > 0) { ps[count] = p; count++; } }
12        Point[] q1Points = new Point[count];
13        /* ps contains null if count < nop */
14        for(int i = 0; i < count; i++) { q1Points[i] = ps[i] }
15        return q1Points;
16    } }
```

54 of 90

Required Reading: [Point and PointCollector](#)



Anonymous Objects (1)

- What's the difference between these two fragments of code?

<pre>1 double square(double x) { 2 double sqr = x * x; 3 return sqr; }</pre>	<pre>1 double square(double x) { 2 return x * x; }</pre>
--	--

After L2, the result of $x * x$:

- LHS: it can be **reused** (without recalculating) via the name `sqr`.
- RHS: it is **not stored** anywhere and returned right away.

- Same principles applies to objects:

<pre>1 Person getP(String n) { 2 Person p = new Person(n); 3 return p; }</pre>	<pre>1 Person getP(String n) { 2 return new Person(n); }</pre>
--	--

new Person(n) is an object whose address is not stored in a variable.

- LHS: L2 stores the address of this anonymous object in `p`.
- RHS: L2 returns the address of this anonymous object directly.

56 of 90



Anonymous Objects (2.1)

Anonymous objects can also be used as *assignment sources* or *argument values*:

```

class Member {
    private Order[] orders;
    private int noo;
    /* constructor omitted */
    public void addOrder(Order o) {
        this.orders[this.noo] = o;
        this.noo++;
    }
    public void addOrder(String n, double p, double q) {
        this.addOrder(new Order(n, p, q));
        /* Equivalent implementation:
        * this.orders[this.noo] = new Order(n, p, q); noo ++;
        */
    }
}

```

57 of 90



The this Reference (7.1): Exercise

Consider the Person class

```

public class Person {
    private String name;
    private Person spouse;
    public Person(String name) {
        this.name = name;
    }
}

```

How do you implement a mutator method marry which marries the current Person object to an input Person object?

59 of 90



Anonymous Objects (2.2)

One more example on using anonymous objects:

```

public class MemberTester {
    public static void main(String[] args) {
        Member m = new Member("Alan");
        Order o = new Order("Americano", 4.7, 3);
        m.addOrder(o);
        m.addOrder(new Order("Cafe Latte", 5.1, 4));
    }
}

```

58 of 90



The this Reference (7.2): Exercise

```

public void marry(Person other) {
    if(this.spouse != null || other.spouse != null) {
        /* Error: both must be single */
    }
    else { this.spouse = other; other.spouse = this; }
}

```

When we call jim.marry(elsa): this is substituted by the *context object* jim, and other by the *argument* elsa.

```

public void marry(Person other elsa) {
    ...
    jim.spouse = elsa;
    elsa.spouse = jim;
    ...
}

```

60 of 90



OOP: The Dot Notation (2)

- LHS of dot *can be more complicated than a variable*:
 - It can be a *path* that brings you to an object

```
public class Person {
    private String name; /* public accessor: name() */
    private Person spouse; /* public accessor: spouse() */
}
```

- Say we have `Person jim = new Person("Jim Davies")`
- Inquire about jim's name? `[jim.name()]`
- Inquire about jim's spouse's name? `[jim.spouse().name()]`
- But what if jim is single (i.e., `jim.spouse() == null`)?
 - Calling `jim.spouse().name()` will cause *NullPointerException*!!
- **Question.** Assuming that:
 - jim is not single. `[jim.spouse() != null]`
 - The marriage is mutual. `[jim.spouse().spouse() != null]`
 What does `jim.spouse().spouse().name()` mean?

Answer. `jim.name()`

51 of 90



OOP: Helper (Accessor) Methods (2.1)

```
public class PersonCollector {
    private Person[] ps;
    private final int MAX = 100; /* max # of persons to store */
    private int nop; /* number of persons */
    public PersonCollector() {
        this.ps = new Person[MAX];
    }
    public void addPerson(Person p) {
        this.ps[this.nop] = p;
        this.nop++;
    }
    /* Tasks:
     * 1. An accessor: boolean personExists(String n)
     * 2. A mutator: void changeWeightOf(String n, double w)
     * 3. A mutator: void changeHeightOf(String n, double h)
     */
}
```

53 of 90



OOP: Helper Methods (1)

- After you complete and test your program, feeling confident that it is *correct*, you may find that there are lots of *repetitions*.
- When similar fragments of code appear in your program, we say that your code "*smells*"!
- We may eliminate *repetitions* of your code by:
 - *Factoring out* recurring code fragments into a new method.
 - This new method is called a *helper method*:
 - You can replace every occurrence of the recurring code fragment by a *call* to this helper method, with appropriate argument values.
 - That is, we *reuse* the body implementation, rather than repeating it over and over again, of this helper method via calls to it.
- This process is called *refactoring* of your code:

Modify the code structure without compromising correctness.

See the lecture recording on helper methods [here](#).

52 of 90



OOP: Helper (Accessor) Methods (2.2.1)

```
public class PersonCollector {
    /* ps, MAX, nop, PersonCollector(), addPerson */
    public boolean personExists(String n) {
        boolean found = false;
        for(int i = 0; i < nop; i++) {
            if(ps[i].getName().equals(n)) { found = true; } }
        return found;
    }
    public void changeWeightOf(String n, double w) {
        for(int i = 0; i < nop; i++) {
            if(ps[i].getName().equals(n)) { ps[i].setWeight(w); } }
    }
    public void changeHeightOf(String n, double h) {
        for(int i = 0; i < nop; i++) {
            if(ps[i].getName().equals(n)) { ps[i].setHeight(h); } }
    }
}
```

54 of 90

OOP: Helper (Accessor) Methods (2.2.2)



```
public class PersonCollector { /* code smells:repetitions! */
    /* ps, MAX, nop, PersonCollector(), addPerson */
    public boolean personExists(String n) {
        boolean found = false;
        for(int i = 0; i < nop; i++) {
            if(ps[i].getName().equals(n)) { found = true; }
        }
        return found;
    }
    public void changeWeightOf(String n, double w) {
        for(int i = 0; i < nop; i++) {
            if(ps[i].getName().equals(n)) { ps[i].setWeight(w); }
        }
    }
    public void changeHeightOf(String n, double h) {
        for(int i = 0; i < nop; i++) {
            if(ps[i].getName().equals(n)) { ps[i].setHeight(h); }
        }
    }
}
```

65 of 90

OOP: Helper (Accessor) Methods (2.3)



```
public class PersonCollector { /* Code Smell Eliminated */
    /* ps, MAX, nop, PersonCollector(), addPerson */
    private int indexOf(String n) { /* Helper Methods */
        int i = -1;
        for(int j = 0; j < nop; j++) {
            if(ps[j].getName().equals(n)) { i = j; }
        }
        return i; /* -1 if not found; >= 0 if found. */
    }
    public boolean personExists(String n) {
        return this.indexOf(n) >= 0;
    }
    public void changeWeightOf(String n, double w) {
        int i = indexOf(n); if(i >= 0) { ps[i].setWeight(w); }
    }
    public void changeHeightOf(String n, double h) {
        int i = indexOf(n); if(i >= 0) { ps[i].setHeight(h); }
    }
}
```

66 of 90

OOP: Helper (Accessor) Methods (3.1)



Problems:

- A Point class with x and y coordinate values.
- Accessor double `getDistanceFromOrigin()`.
p.getDistanceFromOrigin() returns the distance between p and (0, 0).
- Accessor double `getDistancesTo(Point p1, Point p2)`.
p.getDistancesTo(p1, p2) returns the sum of distances between p and p1, and between p and p2.
- Accessor double `getTriDistances(Point p1, Point p2)`.
p.getDistancesTo(p1, p2) returns the sum of distances between p and p1, between p and p2, and between p1 and p2.

67 of 90

OOP: Helper (Accessor) Methods (3.2)



```
class Point { /* code smells:repetitions! */
    double x; double y;

    double getDistanceFromOrigin() {
        return Math.sqrt(Math.pow(this.x - 0, 2) + Math.pow(this.y - 0, 2));
    }

    double getDistancesTo(Point p1, Point p2) {
        return
            Math.sqrt(Math.pow(this.x - p1.x, 2) + Math.pow(y - p1.y, 2))
            +
            Math.sqrt(Math.pow(this.x - p2.x, 2) + Math.pow(y - p2.y, 2));
    }

    double getTriDistances(Point p1, Point p2) {
        return
            Math.sqrt(Math.pow(this.x - p1.x, 2) + Math.pow(y - p1.y, 2))
            +
            Math.sqrt(Math.pow(this.x - p2.x, 2) + Math.pow(y - p2.y, 2))
            +
            Math.sqrt(Math.pow(p1.x - p2.x, 2) + Math.pow(p1.y - p2.y, 2));
    }
}
```

68 of 90

OOP: Helper (Accessor) Methods (3.3)



- The code pattern

```
Math.sqrt(Math.pow(... - ..., 2) + Math.pow(... - ..., 2))
```

is written down explicitly every time we need to use it.

- Create a **helper method** out of it, with the right *parameter* and *return* types:

```
double getDistanceFrom(double otherX, double otherY) {  
    return Math.sqrt(  
        Math.pow(otherX - this.x, 2)  
        +  
        Math.pow(otherY - this.y, 2));  
}
```

69 of 90

OOP: Helper (Mutator) Methods (4.1)



```
public class Student {  
    private String name;  
    private double balance;  
    public Student(String n, double b) {  
        name = n;  
        balance = b;  
    }  
  
    /* Tasks:  
    * 1. A mutator void receiveScholarship(double val)  
    * 2. A mutator void payLibraryOverdue(double val)  
    * 3. A mutator void payCafeCoupons(double val)  
    * 4. A mutator void transfer(Student other, double val)  
    */  
}
```

71 of 90

OOP: Helper (Accessor) Methods (3.4)



```
public class Point { /* Code Smell Eliminated */  
    private double x; private double y;  
    double getDistanceFrom(double otherX, double otherY) {  
        return Math.sqrt(Math.pow(otherX - this.x, 2) +  
            Math.pow(otherY - this.y, 2));  
    }  
    double getDistanceFromOrigin() {  
        return this.getDistanceFrom(0, 0);  
    }  
    double getDistancesTo(Point p1, Point p2) {  
        return this.getDistanceFrom(p1.x, p1.y) +  
            this.getDistanceFrom(p2.x, p2.y);  
    }  
    double getTriDistances(Point p1, Point p2) {  
        return this.getDistanceFrom(p1.x, p1.y) +  
            this.getDistanceFrom(p2.x, p2.y) +  
            p1.getDistanceFrom(p2.x, p2.y);  
    }  
}
```

70 of 90

OOP: Helper (Mutator) Methods (4.2.1)



```
public class Student {  
    /* name, balance, Student(String n, double b) */  
    public void receiveScholarship(double val) {  
        balance = balance + val;  
    }  
    public void payLibraryOverdue(double val) {  
        balance = balance - val;  
    }  
    public void payCafeCoupons(double val) {  
        balance = balance - val;  
    }  
    public void transfer(Student other, double val) {  
        balance = balance - val;  
        other.balance = other.balance + val;  
    }  
}
```

72 of 90

OOP: Helper (Mutator) Methods (4.2.2)



```
public class Student { /* code smells:repetitions! */
    /* name, balance, Student(String n, double b) */
    public void receiveScholarship(double val) {
        balance = balance + val;
    }
    public void payLibraryOverdue(double val) {
        balance = balance - val;
    }
    public void payCafeCoupons(double val) {
        balance = balance - val;
    }
    public void transfer(Student other, double val) {
        balance = balance - val;
        balance = other.balance + val;
    }
}
```

73 of 90

Static Variables (1)



```
public class Account {
    private int id;
    private String owner;
    public int getID() { return this.id; }
    public Account(int id, String owner) {
        this.id = id;
        this.owner = owner;
    }
}
```

```
class AccountTester {
    Account acc1 = new Account(1, "Jim");
    Account acc2 = new Account(2, "Jeremy");
    System.out.println(acc1.getID() != acc2.getID());
}
```

But, managing the unique id's *manually* is **error-prone**!

75 of 90

OOP: Helper (Mutator) Methods (4.3)



```
public class Student { /* Code Smell Eliminated */
    /* name, balance, Student(String n, double b) */
    public void deposit(double val) { /* Helper Method */
        balance = balance + val;
    }
    public void withdraw(double val) { /* Helper Method */
        balance = balance - val;
    }
    public void receiveScholarship(double val) { this.deposit(val); }
    public void payLibraryOverdue(double val) { this.withdraw(val); }
    public void payCafeCoupons(double val) { this.withdraw(val); }
    public void transfer(Student other, double val) {
        this.withdraw(val);
        other.deposit(val);
    }
}
```

74 of 90

Static Variables (2)



```
class Account {
    private static int globalCounter = 1;
    private int id; String owner;
    public Account(String owner) {
        this.id = globalCounter;
        globalCounter++;
        this.owner = owner; } }
}
```

```
class AccountTester {
    Account acc1 = new Account("Jim");
    Account acc2 = new Account("Jeremy");
    System.out.println(acc1.getID() != acc2.getID());
}
```

- Each instance of a class (e.g., acc1, acc2) has a *local* copy of each attribute or instance variable (e.g., id).
 - Changing acc1.id does not affect acc2.id.
- A *static* variable (e.g., globalCounter) belongs to the class.
 - All instances of the class *share* a *single* copy of the *static* variable.
 - Change to globalCounter via acc1 is also visible to acc2.

76 of 90

Static Variables (3)



```
public class Account {
    private static int globalCounter = 1;
    private int id; private String owner;
    public Account(String owner) {
        this.id = globalCounter;
        globalCounter++;
        this.owner = owner;
    }
}
```

- **Static** variable `globalCounter` is not instance-specific like **instance** variable (i.e., attribute) `id` is.
- To access a **static** variable:
 - **No** context object is needed.
 - Use of the class name suffices, e.g., `Account.globalCounter`.
- Each time `Account`'s constructor is called to create a new instance, the increment effect is **visible to all existing objects** of `Account`.

77 of 90

Static Variables (4.1): Common Error



```
public class Client {
    private Account[] accounts;
    private static int numberOfAccounts = 0;
    public void addAccount(Account acc) {
        accounts[this.numberOfAccounts] = acc;
        this.numberOfAccounts++;
    }
}
```

```
public class ClientTester {
    Client bill = new Client("Bill");
    Client steve = new Client("Steve");
    Account acc1 = new Account();
    Account acc2 = new Account();
    bill.addAccount(acc1);
    /* correctly added to bill.getAccounts()[0] */
    steve.addAccount(acc2);
    /* mistakenly added to steve.getAccounts()[1]! */
}
```

78 of 90

Static Variables (4.2): Common Error



- Attribute `numberOfAccounts` should **not** be declared as **static** as its value should be specific to the client object.
- If it were declared as **static**, then every time the `addAccount` method is called, although on different objects, the increment effect of `numberOfAccounts` will be visible to all `Client` objects.
- Here is the correct version:

```
public class Client {
    private Account[] accounts;
    private int numberOfAccounts;
    public void addAccount(Account acc) {
        accounts[this.numberOfAccounts] = acc;
        this.numberOfAccounts++;
    }
}
```

79 of 90

Static Variables (5.1): Common Error



```
1 public class Bank {
2     private string branchName;
3     public String getBrachName() { return this.branchName; }
4     private static int nextAccountNumber = 0;
5     public static String getInfo() {
6         nextAccountNumber++;
7         return this.branchName + nextAccountNumber;
8     }
9 }
```

- **Non-static method cannot be referenced from a static context**
- **Line 4** declares that we **can** call the method `getInfo` without instantiating an object of the class `Bank`.
- However, in **Line 7**, the **static** method references a **non-static** attribute, for which we **must** instantiate a `Bank` object.

80 of 90

Static Variables (5.2): Common Error



```
1 public class Bank {
2     private String branchName;
3     public String getBranchName() { return this.branchName; }
4     private static int nextAccountNumber = 0;
5     public static String getInfo() {
6         nextAccountNumber++;
7         return this.branchName + nextAccountNumber;
8     }
9 }
```

- To call `getInfo()`, no instances of `Bank` are required:

```
Bank.getInfo();
```

- Contradictorily**, to access `branchName`, a *context object* is required:

```
Bank b = new Bank(); b.setBranch("Songdo IBK");
System.out.println(b.getBranchName());
```

31 of 90

Static Variables (5.3): Common Error



There are two possible ways to fix:

- Remove all uses of *non-static* variables (i.e., `branchName`) in the *static* method (i.e., `useAccountNumber`).
- Declare `branchName` as a *static* variable.
 - This does not make sense.
 \therefore `branchName` should be a value specific to each `Bank` instance.

32 of 90

Index (1)



Required: Review Tutorials on OOP in Java

Optional: Tutorial Videos to Help You Review

Required: Written Notes to Review

Learning Outcomes

Separation of Concerns: App/Tester vs. Model

Object Orientation:

Observe, Model, and Execute

Object-Oriented Programming (OOP)

OO Thinking: Templates vs. Instances (1.1)

OO Thinking: Templates vs. Instances (1.2)

OO Thinking: Templates vs. Instances (2.1)

33 of 90

Index (2)



OO Thinking: Templates vs. Instances (2.2)

OOP: Classes \approx Templates

Java Data Types (1)

Java Data Types (2)

OOP: Methods (1.1)

OOP: Methods (1.2)

OOP: Methods (2)

OOP: Methods (3)

OOP: Class Constructors (1.1)

OOP: Class Constructors (1.2)

OOP: Class Constructors (2.1)

34 of 90

Index (3)



OOP: Class Constructors (2.2)

Visualizing Objects at Runtime (1)

Visualizing Objects at Runtime (2.1)

Visualizing Objects at Runtime (2.2)

Visualizing Objects at Runtime (2.3)

Visualizing Objects at Runtime (2.4)

Object Creation (1.1)

Object Creation (1.2)

Object Creation (2)

OOP: Object Creation (3.1.1)

OOP: Object Creation (3.1.2)

35 of 90

Index (4)



OOP: Object Creation (3.2.1)

OOP: Object Creation (3.2.2)

OOP: Object Creation (4)

OOP: The Dot Notation (1)

The this Reference (1)

The this Reference (2)

The this Reference (3)

The this Reference (4)

The this Reference (5)

The this Reference (6.1): Common Error

The this Reference (6.2): Common Error

36 of 90

Index (5)



OOP: Mutator Methods

OOP: Accessor Methods

OOP: Method Calls

OOP: Use of Mutator vs. Accessor Methods

OOP: Method Parameters

OOP: Reference Aliasing (1)

OOP: Reference Aliasing (2.1)

OOP: Reference Aliasing (2.2)

Java Data Types (3.1)

Java Data Types (3.2.1)

Java Data Types (3.2.2)

37 of 90

Index (6)



Anonymous Objects (1)

Anonymous Objects (2.1)

Anonymous Objects (2.2)

The this Reference (7.1): Exercise

The this Reference (7.2): Exercise

OOP: The Dot Notation (2)

OOP: Helper Methods (1)

OOP: Helper (Accessor) Methods (2.1)

OOP: Helper (Accessor) Methods (2.2.1)

OOP: Helper (Accessor) Methods (2.2.2)

OOP: Helper (Accessor) Methods (2.3)

38 of 90

Index (7)



[OOP: Helper \(Accessor\) Methods \(3.1\)](#)

[OOP: Helper \(Accessor\) Methods \(3.2\)](#)

[OOP: Helper \(Accessor\) Methods \(3.3\)](#)

[OOP: Helper \(Accessor\) Methods \(3.4\)](#)

[OOP: Helper \(Mutator\) Methods \(4.1\)](#)

[OOP: Helper \(Mutator\) Methods \(4.2.1\)](#)

[OOP: Helper \(Mutator\) Methods \(4.2.2\)](#)

[OOP: Helper \(Mutator\) Methods \(4.3\)](#)

[Static Variables \(1\)](#)

[Static Variables \(2\)](#)

[Static Variables \(3\)](#)

39 of 90

Index (8)



[Static Variables \(4.1\): Common Error](#)

[Static Variables \(4.2\): Common Error](#)

[Static Variables \(5.1\): Common Error](#)

[Static Variables \(5.2\): Common Error](#)

[Static Variables \(5.3\): Common Error](#)

30 of 90

Exceptions



EECS2030 B & E: Advanced
Object Oriented Programming
Fall 2021

CHEN-WEI WANG

Learning Outcomes



This module is designed to help you learn about:

- Caller vs. Callee in a Method Invocation
- **Error Handling** via Console Message
- The **Catch**-or-**Specify** Requirement
- Example: To Handle or Not to Handle?
- **Error Handling** via Exceptions
- What to Do When an Exception is Thrown at Runtime
- More Examples on Exception Handling

2 of 39

Caller vs. Callee



- Within the body implementation of a method (`{...}`), we may call other methods.

```
1 class C1 {
2     void m1() {
3         C2 o = new C2();
4         o.m2(); /* static type of o is C2 */
5     }
6 }
```

- From **Line 4**, we say:
 - Method `C1.m1` (i.e., method `m1` from class `C1`) is the **caller** of method `C2.m2`.
 - Method `C2.m2` is the **callee** of method `C1.m1`.

4 of 39

Stack of Method Calls



- Execution of a Java project *starts* from the **main method** of some class (e.g., `CircleTester`, `BankApplication`).
- Each line of **method call** involves the execution of that method's **body implementation**
 - That method's body implementation may also involve **method calls**, which may in turn involve more **method calls**, and *etc.*
 - It is typical that we end up with **a chain of method calls**!
 - We visualize this chain of method calls as a **call stack**. For example:
 - `Account.withdraw` [top of stack; latest called]
 - `Bank.withdrawFrom`
 - `BankApplication.main` [bottom of stack; earliest called]
 - The closer a method is to the **top** of the call stack, the **later** its call was made.

4 of 39

Error Reporting via Consoles: Circles (1)



```
1 class Circle {
2     double radius;
3     Circle() { /* radius defaults to 0 */ }
4     void setRadius(double r) {
5         if (r < 0) { System.out.println("Invalid radius."); }
6         else { radius = r; }
7     }
8     double getArea() { return radius * radius * 3.14; }
9 }
```

- A negative radius is considered as an **invalid input value** to method `setRadius`.
- What if the **caller** of `Circle.setRadius` passes a negative value for `r`?
 - An error message is **printed to the console** (**Line 5**) to warn the **caller** of `setRadius`.
 - However, printing an error message to the console **does not force** the **caller** of `setRadius` to stop and handle invalid values of `r`.

5 of 39

Error Reporting via Consoles: Circles (2)



```
1 class CircleCalculator {
2     public static void main(String[] args) {
3         Circle c = new Circle();
4         c.setRadius(-10);
5         double area = c.getArea();
6         System.out.println("Area: " + area);
7     }
8 }
```

- **L4**: `CircleCalculator.main` is **caller** of `Circle.setRadius`
- A negative radius is passed to `setRadius` in **Line 4**.
- The execution **always flows smoothly** from **Lines 4 to Line 5**, **even when there was an error** message printed from **Line 4**.
- It is not feasible to check if there is any kind of error message printed to the console right after the execution of **Line 4**.
- **Solution**: A way to **force** `CircleCalculator.main`, **caller** of `Circle.setRadius`, to realize that things might go wrong.
 - ⇒ When things do go wrong, **immediate** actions are needed.

5 of 39

Error Reporting via Consoles: Bank (1)



```
class Account {
    int id; double balance;
    Account(int id) { this.id = id; /* balance defaults to 0 */ }
    void deposit(double a) {
        if (a < 0) { System.out.println("Invalid deposit."); }
        else { balance += a; }
    }
    void withdraw(double a) {
        if (a < 0 || balance - a < 0) {
            System.out.println("Invalid withdraw."); }
        else { balance -= a; }
    }
}
```

- A negative deposit or withdraw amount is *invalid*.
- When an *error* occurs, a message is *printed to the console*.
- However, printing error messages does not *force* the *caller* of `Account.deposit` or `Account.withdraw` to stop and handle invalid values of `a`.

7 of 39

Error Reporting via Consoles: Bank (3)



```
1 class BankApplication {
2     public static void main(String[] args) {
3         Scanner input = new Scanner(System.in);
4         Bank b = new Bank(); Account acc1 = new Account(23);
5         b.addAccount(acc1);
6         double a = input.nextDouble();
7         b.withdrawFrom(23, a);
8         System.out.println("Transaction Completed.");
9     }
}
```

- There is a chain of method calls:
 - `BankApplication.main` calls `Bank.withdrawFrom`
 - `Bank.withdrawFrom` calls `Account.withdraw`.
- The actual update of balance occurs at the `Account` class.
 - What if in **Line 7** the value of `a` is negative?
`Invalid withdraw` printed from `Bank.withdrawFrom`, originated from `Account.withdraw` to console.
 - However, impossible to stop `BankApplication.main` from continuing to execute **Line 8**, printing `Transaction Completed`.
- **Solution:** Define error checking only once and let it *propagate*.

7 of 39

Error Reporting via Consoles: Bank (2)



```
1 class Bank {
2     Account[] accounts; int numberOfAccounts;
3     Account(int id) { ... }
4     void withdrawFrom(int id, double a) {
5         for(int i = 0; i < numberOfAccounts; i++) {
6             if(accounts[i].id == id) {
7                 accounts[i].withdraw(a);
8             }
9         } /* end for */
10    } /* end withdraw */
11 }
```

- **L7:** `Bank.withdrawFrom` is *caller* of `Account.withdraw`
- What if in **Line 7** the value of `a` is negative?
Error message `Invalid withdraw` printed from method `Account.withdraw` to console.
- Impossible to *force* `Bank.withdrawFrom`, the *caller* of `Account.withdraw`, to stop and handle invalid values of `a`.

8 of 39

What is an Exception?



- An *exception* is an *event*, which
 - occurs during the *execution of a program*
 - *disrupts the normal flow* of the program's instructions
- When an error occurs within a method:
 - the method throws an exception:
 - first creates an *exception object*
 - then hands it over to the *runtime system*
 - the exception object contains information about the error:
 - type [e.g., `NegativeRadiusException`]
 - the state of the program when the error occurred

10 of 39

What to Do When an Exception Is Thrown? (1)



- After a method *throws an exception*, the *runtime system* searches the corresponding **call stack** for a method that contains a block of code to *handle* the exception.
 - This block of code is called an **exception handler**.
 - An exception handler is **appropriate** if the *type* of the *exception object* *thrown* matches the *type* that can be handled by the handler.
 - The exception handler chosen is said to *catch* the exception.
 - The search goes from the *top* to the *bottom* of the call stack:
 - The method in which the *error* occurred is searched first.
 - The *exception handler* is not found in the current method being searched ⇒ Search the *method* that calls the current method, and *etc.*
 - When an appropriate *handler* is found, the *runtime system* passes the exception to the handler.
 - The *runtime system* searches all the methods on the **call stack** without finding an **appropriate exception handler** ⇒ The program terminates and the exception object is directly “thrown” to the console!

11 of 39

The Catch or Specify Requirement (1)




Code (e.g., a method call) that might throw certain exceptions must be enclosed by one of the two ways:

1. The “**Catch**” Solution: A `try` statement that *catches* and *handles* the *exception* (**without** propagating that exception to the method's *caller*).

```
main(...) {
    Circle c = new Circle();
    try {
        c.setRadius(-10);
    }
    catch(NegativeRadiusException e) {
        ...
    }
}
```

13 of 39

What to Do When an Exception Is Thrown? (2)



12 of 39

The Catch or Specify Requirement (2)



Code (e.g., a method call) that might throw certain exceptions must be enclosed by one of the two ways:

2. The “**Specify**” Solution: A method that specifies as part of its **header** that it may (or may not) *throw* the *exception* (which will be thrown to the method's *caller* for handling).

```
class Bank {
    Account[] accounts; /* attribute */
    void withdraw (double amount)
        throws InvalidTransactionException {
        ...
        accounts[i].withdraw(amount);
        ...
    }
}
```

14 of 39

Example: to Handle or Not to Handle? (1.1)



Consider the following three classes:

```
class A {
    ma(int i) {
        if(i < 0) { /* Error */ }
        else { /* Do something. */ }
    }
}
```

```
class B {
    mb(int i) {
        A oa = new A();
        oa.ma(i); /* Error occurs if i < 0 */
    }
}
```

```
class Tester {
    public static void main(String[] args) {
        Scanner input = new Scanner(System.in);
        int i = input.nextInt();
        B ob = new B();
        ob.mb(i); /* Where can the error be handled? */
    }
}
```

15 of 39

Example: to Handle or Not to Handle? (2.1)



Version 1: Handle the exception in B.mb.

```
class A {
    ma(int i) throws NegValException {
        if(i < 0) { throw new NegValException("Error."); }
        else { /* Do something. */ }
    }
}
```

```
class B {
    mb(int i) {
        A oa = new A();
        try { oa.ma(i); }
        catch(NegValException nve) { /* Do something. */ }
    }
}
```

```
class Tester {
    public static void main(String[] args) {
        Scanner input = new Scanner(System.in);
        int i = input.nextInt();
        B ob = new B();
        ob.mb(i); /* Error, if any, would have been handled in B.mb. */
    }
}
```

17 of 39

Example: to Handle or Not to Handle? (1.2)



- We assume the following kind of error for negative values:

```
class NegValException extends Exception {
    NegValException(String s) { super(s); }
}
```

- The above kind of exception may be thrown by calling A.ma.
- We will see three kinds of possibilities of handling this exception:

Version 1:

Handle it in B.mb

Version 2:

Pass it from B.mb and handle it in Tester.main

Version 3:


Pass it from B.mb, then from Tester.main, then throw it to the console.

18 of 39

Example: to Handle or Not to Handle? (2.2)



Version 1: Handle the exception in B.mb.



18 of 39

Example: to Handle or Not to Handle? (3.1)



Version 2: Handle the exception in `Tester.main`.

```
class A {
    ma(int i) throws NegValException {
        if(i < 0) { throw new NegValException("Error."); }
        else { /* Do something. */ }
    }
}
```

```
class B {
    mb(int i) throws NegValException {
        A oa = new A();
        oa.ma(i);
    }
}
```

```
class Tester {
    public static void main(String[] args) {
        Scanner input = new Scanner(System.in);
        int i = input.nextInt();
        B ob = new B();
        try { ob.mb(i); }
        catch(NegValException nve) { /* Do something. */ }
    }
}
```

19 of 39

Example: to Handle or Not to Handle? (4.1)



Version 3: Handle in neither of the classes.

```
class A {
    ma(int i) throws NegValException {
        if(i < 0) { throw new NegValException("Error."); }
        else { /* Do something. */ }
    }
}
```

```
class B {
    mb(int i) throws NegValException {
        A oa = new A();
        oa.ma(i);
    }
}
```


```
class Tester {
    public static void main(String[] args) throws NegValException {
        Scanner input = new Scanner(System.in);
        int i = input.nextInt();
        B ob = new B();
        ob.mb(i);
    }
}
```

21 of 39

Example: to Handle or Not to Handle? (3.2)



Version 2: Handle the exception in `Tester.main`.




20 of 39

Example: to Handle or Not to Handle? (4.2)



Version 3: Handle in neither of the classes.



22 of 39

Error Reporting via Exceptions: Circles (1)



```
public class InvalidRadiusException extends Exception {
    public InvalidRadiusException(String s) {
        super(s);
    }
}
```

- A new kind of Exception: InvalidRadiusException
- For any method that can have this kind of error, we declare at that method's *header* that it may *throw* an InvalidRadiusException object.

24 of 39

Error Reporting via Exceptions: Circles (2)



```
class Circle {
    double radius;
    Circle() { /* radius defaults to 0 */ }
    void setRadius(double r) throws InvalidRadiusException {
        if (r < 0) {
            throw new InvalidRadiusException("Negative radius.");
        }
        else { radius = r; }
    }
    double getArea() { return radius * radius * 3.14; }
}
```

- As part of the *header* of setRadius, we declare that it may *throw* an InvalidRadiusException object at runtime.
- Any method that calls setRadius will be forced to *deal with this potential error*.

24 of 39

Error Reporting via Exceptions: Circles (3)



```
1 class CircleCalculator1 {
2     public static void main(String[] args) {
3         Circle c = new Circle();
4         try {
5             c.setRadius(-10);
6             double area = c.getArea();
7             System.out.println("Area: " + area);
8         }
9         catch(InvalidRadiusException e) {
10            System.out.println(e);
11        }
12    }
}
```

- **Lines 6** is forced to be wrapped within a **try-catch** block, since it may *throw* an InvalidRadiusException object.
- If an InvalidRadiusException object is thrown from **Line 6**, then the normal flow of execution is *interrupted* and we go to the catch block starting from **Line 9**.

25 of 39

Error Reporting via Exceptions: Circles (4)



Exercise: Extend CircleCalculator1: repeatedly prompt for a new radius value until a valid one is entered (i.e., the InvalidRadiusException does not occur).

```
Enter a radius:
-5
Radius -5.0 is invalid, try again!
Enter a radius:
-1
Radius -1.0 is invalid, try again!
Enter a radius:
5
Circle with radius 5.0 has area: 78.5
```

26 of 39

Error Reporting via Exceptions: Circles (5)



```
1 public class CircleCalculator2 {
2     public static void main(String[] args) {
3         Scanner input = new Scanner(System.in);
4         boolean inputRadiusIsValid = false;
5         while (!inputRadiusIsValid) {
6             System.out.println("Enter a radius:");
7             double r = input.nextDouble();
8             Circle c = new Circle();
9             try { c.setRadius(r);
10                inputRadiusIsValid = true;
11                System.out.print("Circle with radius " + r);
12                System.out.println(" has area: " + c.getArea()); }
13         catch (InvalidRadiusException e) { print("Try again!"); }
14     } }
```

- At L7, if the user's input value is:
 - Non-Negative: L8 – L12. [inputRadiusIsValid set **true**]
 - Negative: L8, L9, L13. [inputRadiusIsValid remains **false**]

27 of 39

Error Reporting via Exceptions: Bank (1)



```
public class InvalidTransactionException extends Exception {
    public InvalidTransactionException(String s) {
        super(s);
    }
}
```

- A new kind of Exception:
InvalidTransactionException
- For any method that can have this kind of error, we declare at that method's **header** that it may **throw** an InvalidTransactionException object.

28 of 39

Error Reporting via Exceptions: Bank (2)



```
class Account {
    int id; double balance;
    Account() { /* balance defaults to 0 */ }
    void withdraw(double a) throws InvalidTransactionException {
        if (a < 0 || balance - a < 0) {
            throw new InvalidTransactionException("Invalid withdraw."); }
        else { balance -= a; }
    }
}
```

- As part of the **header** of withdraw, we declare that it may **throw** an InvalidTransactionException object at runtime.
- Any method that calls withdraw will be forced to **deal with this potential error**.

29 of 39

Error Reporting via Exceptions: Bank (3)



```
class Bank {
    Account[] accounts; int numberOfAccounts;
    Account(int id) { ... }
    void withdraw(int id, double a)
        throws InvalidTransactionException {
        for(int i = 0; i < numberOfAccounts; i++) {
            if(accounts[i].id == id) {
                accounts[i].withdraw(a);
            }
        } /* end for */ } /* end withdraw */ }
}
```

- As part of the **header** of withdraw, we declare that it may **throw** an InvalidTransactionException object.
- Any method that calls withdraw will be forced to **deal with this potential error**.
- We are **propagating** the potential error for the right party (i.e., BankApplication) to handle.

30 of 39

Error Reporting via Exceptions: Bank (4)



```
1 class BankApplication {
2     public static void main(String[] args) {
3         Bank b = new Bank();
4         Account accl = new Account(23);
5         b.addAccount(accl);
6         Scanner input = new Scanner(System.in);
7         double a = input.nextDouble();
8         try {
9             b.withdraw(23, a);
10            System.out.println(accl.balance); }
11        catch (InvalidTransactionException e) {
12            System.out.println(e); } } }
```

- Lines 9 is forced to be wrapped within a **try-catch** block, since it may **throw** an InvalidTransactionException object.
- If an InvalidTransactionException object is thrown from **Line 9**, then the normal flow of execution is interrupted and we go to the catch block starting from **Line 11**.

33 of 39

More Example (2.1)



The Integer class supports a method for parsing Strings:

```
public static int parseInt(String s)
    throws NumberFormatException
```

e.g., Integer.parseInt("23") returns 23

e.g., Integer.parseInt("twenty-three") throws a NumberFormatException

Write a fragment of code that prompts the user to enter a string (using nextLine from Scanner) that represents an integer.

If the user input is not a valid integer, then prompt them to enter again.

33 of 39

More Examples (1)



```
double r = ...;
double a = ...;
try{
    Bank b = new Bank();
    b.addAccount(new Account(34));
    b.deposit(34, 100);
    b.withdraw(34, a);
    Circle c = new Circle();
    c.setRadius(r);
    System.out.println(r.getArea());
}
catch (NegativeRadiusException e) {
    System.out.println(r + " is not a valid radius value.");
    e.printStackTrace();
}
catch (InvalidTransactionException e) {
    System.out.println(r + " is not a valid transaction value.");
    e.printStackTrace();
}
```

32 of 39

More Example (2.2)



```
Scanner input = new Scanner(System.in);
boolean validInteger = false;
while (!validInteger) {
    System.out.println("Enter an integer:");
    String userInput = input.nextLine();
    try {
        int userInteger = Integer.parseInt(userInput);
        validInteger = true;
    }
    catch (NumberFormatException e) {
        System.out.println(userInput + " is not a valid integer.");
        /* validInteger remains false */
    }
}
```

34 of 39

Beyond this lecture...



- Practice creating a new **exception** class upon a method throwing it in the body of implementation (e.g., `InvalidRadiusException`, `InvalidTransactionException`).
 - Play with the source code:
 - `ExceptionsCircleAndBank.zip`
 - `ExceptionsToHandleOrNotToHandle.zip`
- Tip.** Change input values so as to explore, in Eclipse *debugger*, possible (*normal* vs. *abnormal*) **execution paths**.

35 of 39

Index (1)



Learning Outcomes

Caller vs. Callee

Stack of Method Calls

Error Reporting via Consoles: Circles (1)

Error Reporting via Consoles: Circles (2)

Error Reporting via Consoles: Bank (1)

Error Reporting via Consoles: Bank (2)

Error Reporting via Consoles: Bank (3)

What is an Exception?

What to Do When an Exception Is Thrown? (1)

What to Do When an Exception Is Thrown? (2)

36 of 39

Index (2)



The Catch or Specify Requirement (1)

The Catch or Specify Requirement (2)

Example: to Handle or Not to Handle? (1.1)

Example: to Handle or Not to Handle? (1.2)

Example: to Handle or Not to Handle? (2.1)

Example: to Handle or Not to Handle? (2.2)

Example: to Handle or Not to Handle? (3.1)

Example: to Handle or Not to Handle? (3.2)

Example: to Handle or Not to Handle? (4.1)

Example: to Handle or Not to Handle? (4.2)

Error Reporting via Exceptions: Circles (1)

37 of 39

Index (3)



Error Reporting via Exceptions: Circles (2)

Error Reporting via Exceptions: Circles (3)

Error Reporting via Exceptions: Circles (4)

Error Reporting via Exceptions: Circles (5)

Error Reporting via Exceptions: Bank (1)

Error Reporting via Exceptions: Bank (2)

Error Reporting via Exceptions: Bank (3)

Error Reporting via Exceptions: Bank (4)

More Examples (1)

More Example (2.1)

More Example (2.2)

38 of 39

Index (4)



Beyond this lecture...

39 of 39

Test-Driven Development (TDD) with JUnit



EECS2030 B & E: Advanced
Object Oriented Programming
Fall 2021

CHEN-WEI WANG

Learning Outcomes



This module is designed to help you learn about:

- **Testing** the Solution to a Bounded Counter Problem
- How Manual, Console Testers are Limited
- Deriving **Test Cases** for a Bounded Variable
- How Automated, JUnit Test Cases are Effective
- Test Driven Development (TDD) via **Regression Testing**

2 of 55

Motivating Example: Two Types of Errors (1)



Consider two kinds of exceptions for a counter:

```
public class ValueTooLargeException extends Exception {
    ValueTooLargeException(String s) { super(s); }
}
public class ValueTooSmallException extends Exception {
    ValueTooSmallException(String s) { super(s); }
}
```

Any thrown object instantiated from these two classes must be handled (**catch-specify requirement**):

- Either **specify** throws ... in the method signature (i.e., propagating it to other caller)
- Or **handle** it in a try-catch block

3 of 55

Motivating Example: Two Types of Errors (2)



Approach 1 – Specify: Indicate in the method signature that a specific exception might be thrown.

Example 1: Method that throws the exception

```
class C1 {
    void m1(int x) throws ValueTooSmallException {
        if(x < 0) {
            throw new ValueTooSmallException("val " + x);
        }
    }
}
```

Example 2: Method that calls another which throws the exception

```
class C2 {
    C1 c1;
    void m2(int x) throws ValueTooSmallException {
        c1.m1(x);
    }
}
```

4 of 55

Motivating Example: Two Types of Errors (3)



Approach 2 – Catch: Handle the thrown exception(s) in a try-catch block.

```
class C3 {
    public static void main(String[] args) {
        Scanner input = new Scanner(System.in);
        int x = input.nextInt();
        C2 c2 = new C2();
        try {
            c2.m2(x);
        }
        catch(ValueTooSmallException e) { ... }
    }
}
```

5 of 55

A Simple Counter (1)



Consider a class for keeping track of an integer counter value:

```
public class Counter {
    public final static int MAX_VALUE = 3;
    public final static int MIN_VALUE = 0;
    private int value;
    public Counter() {
        this.value = Counter.MIN_VALUE;
    }
    public int getValue() {
        return value;
    }
    ... /* more later! */
}
```

- Access **private** attribute `value` using **public** accessor `getValue`.
- Two class-wide (i.e., static) constants (i.e., final) for lower and upper bounds of the counter value.
- Initialize the counter value to its lower bound.
- **Requirement** :

The counter value must be between its lower and upper bounds.

6 of 55

Exceptional Scenarios



Consider the two possible exceptional scenarios:

- An attempt to increment **above** the counter's upper bound.
- An attempt to decrement **below** the counter's lower bound.

7 of 55

A Simple Counter (2)



```
/* class Counter */
public void increment() throws ValueTooLargeException {
    if(value == Counter.MAX_VALUE) {
        throw new ValueTooLargeException("value is " + value);
    }
    else { value ++; }
}

public void decrement() throws ValueTooSmallException {
    if(value == Counter.MIN_VALUE) {
        throw new ValueTooSmallException("value is " + value);
    }
    else { value --; }
}
```

- Change the counter value via two mutator methods.
- Changes on the counter value may **trigger an exception**:
 - Attempt to **increment** when counter already reaches its **maximum**.
 - Attempt to **decrement** when counter already reaches its **minimum**.

3 of 55

Testing Counter via Console V1 (1.1)



```
1 public class CounterTester1 {
2     public static void main(String[] args) {
3         Counter c = new Counter();
4         println("Init val: " + c.getValue());
5         try {
6             c.decrement();
7             println("Error: ValueTooSmallException NOT thrown.");
8         }
9         catch (ValueTooSmallException e) {
10            println("Success: ValueTooSmallException thrown.");
11        }
12    } /* end of main method */
13 } /* end of class CounterTester1 */
```

- L3 sets c.value to 0.
- At L6, if method decrement is implemented:
 - **Correctly** ⇒ we expect a ValueTooSmallException.
⇒ Execution jumps to L9, L10 – L12, then the program terminates.
 - **Incorrectly** ⇒ expected ValueTooSmallException wouldn't occur.
⇒ Execution continues to L7, L8, L12, then the program terminates.

10 of 55

See the equivalent, automated JUnit test testDecFromMinValue.

Components of a Test



- Manipulate the relevant object(s).
 - e.g., **Initialize a counter object c, then call c.increment().**
 - e.g., **Initialize a counter object c, then call c.decrement().**
- What do you **expect to happen**?
 - e.g., **value of counter is such that Counter.MIN_VALUE + 1**
 - e.g., **ValueTooSmallException is thrown**
- What does your program **actually produce**?
 - e.g., **call c.getValue() to find out.**
 - e.g., **Use a try-catch block to find out** (to be discussed!).
- A test:
 - **Passes** if expected outcome occurs.
 - **Fails** if expected outcome does not occur.
- To start with, we develop tests via a **console tester** class (i.e., with the main method).

3 of 55

Testing Counter via Console V1 (1.2)



```
1 public class CounterTester1 {
2     public static void main(String[] args) {
3         Counter c = new Counter();
4         println("Init val: " + c.getValue());
5         try {
6             c.decrement();
7             println("Error: ValueTooSmallException NOT thrown.");
8         }
9         catch (ValueTooSmallException e) {
10            println("Success: ValueTooSmallException thrown.");
11        }
12    } /* end of main method */
13 } /* end of class CounterTester1 */
```

- Say method decrement is implemented **correctly**.
- Lines 3 – 6, 9 – 11, 12 executed, giving the Console Output:

```
Init val: 0
Success: ValueTooSmallException thrown.
```

10 of 55

Testing Counter via Console V1 (1.3.1)



- The real value of a **test** is:
 - Not only to confirm when your implementation is **correct**,
 - But also to reveal errors when your implementation is **incorrect**.
- Say now method `decrement` was implemented **incorrectly**:

```
class Counter {
    ...
    public void decrement() throws ValueTooSmallException {
        if (value < Counter.MIN_VALUE) {
            throw new ValueTooSmallException("value is " + value);
        }
        else { value --; }
    }
}
```

- Is the same console tester able to **reveal** this **incorrect** implementation?

12 of 55

Testing Counter via Console V2 (2.1)



```
1 public class CounterTester2 {
2     public static void main(String[] args) {
3         Counter c = new Counter();
4         println("Current val: " + c.getValue());
5         try {
6             c.increment(); c.increment(); c.increment();
7             println("Current val: " + c.getValue());
8             try {
9                 c.increment();
10                println("Error: ValueTooLargeException NOT thrown.");
11            } /* end of inner try */
12            catch (ValueTooLargeException e) {
13                println("Success: ValueTooLargeException thrown.");
14            } /* end of inner catch */
15        } /* end of outer try */
16        catch (ValueTooLargeException e) {
17            println("Error: ValueTooLargeException thrown unexpectedly.");
18        } /* end of outer catch */
19    } /* end of main method */
20 } /* end of CounterTester2 class */
```

See the equivalent, automated JUnit test `testIncFromMaxValue`.

14 of 55

Testing Counter via Console V1 (1.3.2)



```
1 public class CounterTester1 {
2     public static void main(String[] args) {
3         Counter c = new Counter();
4         println("Init val: " + c.getValue());
5         try {
6             c.decrement();
7             println("Error: ValueTooSmallException NOT thrown.");
8         }
9         catch (ValueTooSmallException e) {
10            println("Success: ValueTooSmallException thrown.");
11        }
12    } /* end of main method */
13 } /* end of class CounterTester1 */
```

- Say method `decrement` is implemented **incorrectly**.
- Lines 3 – 6, 7 – 8, 12 executed, giving the Console Output:

```
Init val: 0
Error: ValueTooSmallException NOT thrown.
```

13 of 55

Testing Counter via Console V2 (2.2)



```
1 public class CounterTester2 {
2     public static void main(String[] args) {
3         Counter c = new Counter();
4         println("Current val: " + c.getValue());
5         try {
6             c.increment(); c.increment(); c.increment();
7             println("Current val: " + c.getValue());
8             try {
9                 c.increment();
10                println("Error: ValueTooLargeException NOT thrown.");
11            } /* end of inner try */
12            catch (ValueTooLargeException e) {
13                println("Success: ValueTooLargeException thrown.");
14            } /* end of inner catch */
15        } /* end of outer try */
16        catch (ValueTooLargeException e) {
17            println("Error: ValueTooLargeException thrown unexpectedly.");
18        } /* end of outer catch */
19    } /* end of main method */
20 } /* end of CounterTester2 class */
```

- Say method `increment` is implemented **correctly**.
- Lines 3 – 9, 12 – 15, 19 executed, with Console Output:

```
Current val: 0
Current val: 3
Success: ValueTooLargeException thrown.
```

15 of 55

Testing Counter via Console V2 (2.3.1)



```
1 public class CounterTester2 {
2   public static void main(String[] args) {
3     Counter c = new Counter();
4     println("Current val: " + c.getValue());
5     try {
6       c.increment(); c.increment(); c.increment();
7       println("Current val: " + c.getValue());
8       try {
9         c.increment();
10        println("Error: ValueTooLargeException NOT thrown.");
11      } /* end of inner try */
12      catch (ValueTooLargeException e) {
13        println("Success: ValueTooLargeException thrown.");
14      } /* end of inner catch */
15    } /* end of outer try */
16    catch (ValueTooLargeException e) {
17      println("Error: ValueTooLargeException thrown unexpectedly.");
18    } /* end of outer catch */
19  } /* end of main method */
20 } /* end of CounterTester2 class */
```

- o Exercise: Give an **incorrect** method increment, so that
- o Lines 3 – 6, 16 – 18, 19 executed, with Console Output:

```
Current val: 0
Error: ValueTooLargeException was thrown unexpectedly.
```

18 of 55

Testing Counter via Console V2 (2.3.3)



Q. Can this alternative to ConsoleTester2 work (without nested try-catch)?

```
1 public class CounterTester2 {
2   public static void main(String[] args) {
3     Counter c = new Counter();
4     println("Current val: " + c.getValue());
5     try {
6       c.increment(); c.increment(); c.increment();
7       println("Current val: " + c.getValue());
8     }
9     catch (ValueTooLargeException e) {
10      println("Error: ValueTooLargeException thrown unexpectedly.");
11    }
12    try {
13      c.increment();
14      println("Error: ValueTooLargeException NOT thrown.");
15    } /* end of inner try */
16    catch (ValueTooLargeException e) {
17      println("Success: ValueTooLargeException thrown.");
18    } /* end of inner catch */
19  } /* end of main method */
20 } /* end of CounterTester2 class */
```

- A. Say one of the first 3 c.increment() **mistakenly** throws VTLE.
- After L10 is executed, flow of execution **still continues** to L12.
- This allows the 4th c.increment to be executed!
- Contrast this with the structurally-similar JUnit test testIncFromMaxValue: [here](#)

18 of 55

Testing Counter via Console V2 (2.3.2)



```
1 public class CounterTester2 {
2   public static void main(String[] args) {
3     Counter c = new Counter();
4     println("Current val: " + c.getValue());
5     try {
6       c.increment(); c.increment(); c.increment();
7       println("Current val: " + c.getValue());
8       try {
9         c.increment();
10        println("Error: ValueTooLargeException NOT thrown.");
11      } /* end of inner try */
12      catch (ValueTooLargeException e) {
13        println("Success: ValueTooLargeException thrown.");
14      } /* end of inner catch */
15    } /* end of outer try */
16    catch (ValueTooLargeException e) {
17      println("Error: ValueTooLargeException thrown unexpectedly.");
18    } /* end of outer catch */
19  } /* end of main method */
20 } /* end of CounterTester2 class */
```

- o Exercise: Give an **incorrect** method increment, so that
- o Lines 3 – 11, 15, 19 executed, with Console Output:

```
Current val: 0
Current val: 3
Error: ValueTooLargeException was NOT thrown.
```

17 of 55

Testing Counter via Console (V3)



```
import java.util.Scanner;
public class CounterTester3 {
  public static void main(String[] args) {
    Scanner input = new Scanner(System.in);
    String cmd = null; Counter c = new Counter();
    boolean userWantsToContinue = true;
    while (userWantsToContinue) {
      println("Enter \"inc\", \"dec\", or \"val\":");
      cmd = input.nextLine();
      try {
        if (cmd.equals("inc")) { c.increment(); }
        else if (cmd.equals("dec")) { c.decrement(); }
        else if (cmd.equals("val")) { println(c.getValue()); }
        else { userWantsToContinue = false; println("Bye!"); }
      } /* end of try */
      catch (ValueTooLargeException e) { println("Value too big!"); }
      catch (ValueTooSmallException e) { println("Value too small!"); }
    } /* end of while */
  } /* end of main method */
} /* end of class CounterTester3 */
```

18 of 55

Testing Counter via Console (V3): Test 1



Test Case 1: Decrement when the counter value is too small.

```
Enter "inc", "dec", or "val":
val
0
Enter "inc", "dec", or "val":
dec
Value too small!
Enter "inc", "dec", or "val":
exit
Bye!
```

20 of 55

Testing Counter via Console (V3): Test 2



Test Case 2: Increment when the counter value is too big.

```
Enter "inc", "dec", or "val":
inc
Enter "inc", "dec", or "val":
inc
Enter "inc", "dec", or "val":
inc
Enter "inc", "dec", or "val":
val
3
Enter "inc", "dec", or "val":
inc
Value too big!
Enter "inc", "dec", or "val":
exit
Bye!
```

21 of 55

Limitations of Testing from the Console



- Do **Test Cases 1 & 2** suffice to test Counter's **correctness**?
 - Is it plausible to claim that the implementation of Counter is **correct** because it passes the two test cases?

- What other test cases can you think of?

c.getValue()	c.increment()	c.decrement()
0	1	ValueTooSmall
1	2	0
2	3	1
3	ValueTooLarge	2

- So in total we need 8 test cases. ⇒ 6 more separate
 - CounterTester classes to create (like CounterTester1)!
 - Console interactions with CounterTester3!
 - Problems? It is **inconvenient** and **error-prone** to:
 - Run each TC by executing main of a CounterTester and comparing console outputs **with your eyes**.
 - **Re-run manually** all TCs whenever Counter is changed.
- Regression Testing**: Any **change** introduced to your software **must not compromise** its established **correctness**.

22 of 55

Why JUnit?



- **Automate** the **testing of correctness** of your Java classes.
- Once you derive the list of tests, translate it into a JUnit test case, which is just a Java class that you can execute upon.
- JUnit tests are **helpful callers/clients** of your classes, where each test may:
 - Either attempt to use a method in a **legal** way (i.e., **satisfying** its precondition), and report:
 - **Success** if the result is as expected
 - **Failure** if the result is **not** as expected
 - Or attempt to use a method in an **illegal** way (i.e., **not satisfying** its precondition), and report:
 - **Success** if the expected exception (e.g., ValueTooSmallException) occurs.
 - **Failure** if the expected exception does **not** occur.


23 of 55

How to Use JUnit: Packages



Step 1:

- In Eclipse, create a Java project `ExampleTestingCounter`
- **Separation of concerns**:
 - Group classes for **implementation** (i.e., `Counter`) into package `implementation`.
 - Group classes for **testing** (to be created) into package `tests`.




24 of 55

How to Use JUnit: New JUnit Test Case (2)



Step 3: Select the version of JUnit (JUnit 4); Enter the name of test case (`TestCounter`); Finish creating the new test case.




26 of 55

How to Use JUnit: New JUnit Test Case (1)



Step 2: Create a new **JUnit Test Case** in `tests` package.




Create one JUnit Test Case to test one Java class only.
⇒ If you have *n Java classes to test*, create *n JUnit test cases*.

25 of 55

How to Use JUnit: Adding JUnit Library



Upon creating the very first test case, you will be prompted to add the JUnit library to your project's build path.



27 of 55

How to Use JUnit: Generated Test Case



```
TestCounter.java
1 package tests;
2 import static org.junit.Assert.*;
3 import org.junit.Test;
4 public class TestCounter {
5     @Test
6     public void test() {
7         fail("Not yet implemented");
8     }
9 }
```


- Lines 6 – 8: test is just an **ordinary mutator method** that has a one-line implementation body.
- Line 5 is critical: Prepend the tag **@Test** verbatim, requiring that **the method is to be treated as a JUnit test**.
 - ⇒ When TestCounter is run as a JUnit Test Case, only **those methods prepended by the @Test tags** will be run and reported.
- Line 7: By default, we deliberately fail the test with a message "Not yet implemented".

28 of 55

How to Use JUnit: Generating Test Report



A **report** is generated after running all tests (i.e., methods prepended with **@Test**) in TestCounter.




30 of 55

How to Use JUnit: Running Test Case



Step 4: Run the TestCounter class as a JUnit Test.



29 of 55

How to Use JUnit: Interpreting Test Report



- A **test** is a method prepended with the **@Test** tag.
- The result of running a test is considered:
 - **Failure** if either
 - an assertion failure (e.g., caused by fail, assertTrue, assertEquals) occurs; or
 - an **unexpected** exception (e.g., NullPointerException, ArrayIndexOutOfBoundsException) is thrown.
 - **Success** if neither assertion failures nor **unexpected** exceptions occur.
- After running all tests:
 - A **green** bar means that **all** tests succeed.
 - ⇒ Keep challenging yourself if **more tests** may be added.
 - A **red** bar means that **at least one** test fails.
 - ⇒ Keep fixing the class under test and re-running all tests, until you receive a **green** bar.
- **Question:** What is the easiest way to making test a **success**?
Answer: Delete the call fail("Not yet implemented").

31 of 55

How to Use JUnit: Revising Test Case



```

TestCounter.java
1 package tests;
2 import static org.junit.Assert.*;
3 import org.junit.Test;
4 public class TestCounter {
5     @Test
6     public void test() {
7         // fail("Not yet implemented");
8     }
9 }
    
```

Now, the body of `test` simply does nothing.
 ⇒ Neither assertion failures nor exceptions will occur.
 ⇒ The execution of `test` will be considered as a **success**.

∴ There is currently only one test in `TestCounter`.
 ∴ We will receive a **green** bar!

Caution: test which passes at the moment is **not useful** at all!

32 of 55

How to Use JUnit: Adding More Tests (1)



- Recall the complete list of cases for testing `Counter`:

	c.getValue()	c.increment()	c.decrement()
0	1	ValueTooSmall	
1	2		0
2	3		1
3	ValueTooLarge		2

- Let's turn the two cases in the 1st row into two JUnit tests:
 - Test for the **green** cell **succeeds** if:
 - No failures and exceptions occur; and
 - The new counter value is 1.
 - Tests for **red** cells **succeed** if the **expected exceptions** occur (`ValueTooSmallException` & `ValueTooLargeException`).
 - Common JUnit assertion methods:
 - `void assertNull(Object o)`
 - `void assertEquals(int expected, int actual)`
 - `void assertEquals(double exp, double act, double epsilon)`
 - `void assertEqualsArray(expected, actuals)`
 - `void assertTrue(boolean condition)`
 - `void fail(String message)`

34 of 55

How to Use JUnit: Re-Running Test Case



A new report is generated after re-running all tests (i.e., methods prepended with `@Test`) in `TestCounter`.



38 of 55

JUnit Assertions: Examples (1)



Consider the following class:

```

public class Point {
    private int x; private int y;
    public Point(int x, int y) { this.x = x; this.y = y; }
    public int getX() { return this.x; }
    public int getY() { return this.y; }
}
    
```

Then consider these assertions. Do they **pass** or **fail**?

```

Point p;
assertNull(p); ✓
assertTrue(p == null); ✓
assertFalse(p != null); ✓
assertEquals(3, p.getX()); × /* NullPointerException */
p = new Point(3, 4);
assertNull(p); ×
assertTrue(p == null); ×
assertFalse(p != null); ×
assertEquals(3, p.getX()); ✓
assertTrue(p.getX() == 3 && p.getY() == 4); ✓
    
```

35 of 55

JUnit Assertions: Examples (2)



- Consider the following class:

```
public class Circle {
    private double radius;
    public Circle(double radius) { this.radius = radius; }
    public int getArea() { return 3.14 * radius * radius; }
}
```

- How do we test `c.getArea()`?
 - Mathematically: $3.4 \times 3.4 \times 3.14 = 36.2984$
 - However, base-10 numbers **cannot** be represented perfectly in the binary format.
 - When comparing fractional numbers, allow some **tolerance**:

$$36.2984 - 0.01 \leq c.getArea() \leq 36.2984 + 0.01$$

- Then consider these assertions. Do they **pass** or **fail**?

```
Circle c = new Circle(3.4);
assertTrue(36.2984, c.getArea(), 0.01); ✓
```

36 of 55

How to Use JUnit: Adding More Tests (2.1)



```
1 @Test
2 public void testIncAfterCreation() {
3     Counter c = new Counter();
4     assertEquals(Counter.MIN_VALUE, c.getValue());
5     try {
6         c.increment();
7         assertEquals(1, c.getValue());
8     }
9     catch (ValueTooBigException e) {
10        /* Exception is not expected to be thrown. */
11        fail("ValueTooBigException is not expected.");
12    }
13 }
```

- Line 6 requires a try-catch block \therefore potential `ValueTooBigException`
- Lines 4, 7 11 are all assertions:
 - Lines 4 & 7 assert that `c.getValue()` returns the expected values.
 - Line 11: an assertion failure \therefore unexpected `ValueTooBigException`
- Line 7 can be rewritten as `assertTrue(1 == c.getValue())`.

38 of 55

How to Use JUnit: Assertion Methods



method name / parameters	description
<code>assertTrue(test)</code> <code>assertTrue("message", test)</code>	Causes this test method to fail if the given boolean test is not true.
<code>assertFalse(test)</code> <code>assertFalse("message", test)</code>	Causes this test method to fail if the given boolean test is not false.
<code>assertEquals(expectedValue, value)</code> <code>assertEquals("message", expectedValue, value)</code>	Causes this test method to fail if the given two values are not equal to each other. (For objects, it uses the <code>equals</code> method to compare them.) The first of the two values is considered to be the result that you expect; the second is the actual result produced by the class under test.
<code>assertNotEquals(value1, value2)</code> <code>assertNotEquals("message", value1, value2)</code>	Causes this test method to fail if the given two values are equal to each other. (For objects, it uses the <code>equals</code> method to compare them.)
<code>assertNull(value)</code> <code>assertNull("message", value)</code>	Causes this test method to fail if the given value is not null.
<code>assertNotNull(value)</code> <code>assertNotNull("message", value)</code>	Causes this test method to fail if the given value is null.
<code>assertSame(expectedValue, value)</code> <code>assertSame("message", expectedValue, value)</code> <code>assertNotSame(value1, value2)</code> <code>assertNotSame("message", value1, value2)</code>	Identical to <code>assertEquals</code> and <code>assertNotEquals</code> respectively, except that for objects, it uses the <code>==</code> operator rather than the <code>equals</code> method to compare them. (The difference is that two objects that have the same state might be <code>equals</code> to each other, but not <code>==</code> to each other. An object is only <code>==</code> to itself.)
<code>fail()</code> <code>fail("message")</code>	Causes this test method to fail.

37 of 55

How to Use JUnit: Adding More Tests (2.2)



- Don't lose the big picture!
- JUnit test in previous slide automates this console interaction:

```
Enter "inc", "dec", or "val":
val
0
Enter "inc", "dec", or "val":
inc
Enter "inc", "dec", or "val":
val
1
Enter "inc", "dec", or "val":
exit
Bye!
```

- Automation is exactly rationale behind using JUnit!**

39 of 55

How to Use JUnit: Adding More Tests (3.1)



```
1 @Test
2 public void testDecFromMinValue() {
3     Counter c = new Counter();
4     assertEquals(Counter.MIN_VALUE, c.getValue());
5     try {
6         c.decrement();
7         fail("ValueTooSmallException is expected.");
8     }
9     catch(ValueTooSmallException e) {
10        /* Exception is expected to be thrown. */
11    }
12 }
```

- o Line 6 requires a try-catch block ∴ potential *ValueTooBigException*
- o Lines 4 & 7 are both assertions:
 - Lines 4 asserts that *c.getValue()* returns the expected value (i.e., *Counter.MIN_VALUE*).
 - Line 7: an assertion failure ∴ expected *ValueTooSmallException* not thrown

See the equivalent manual *ConsoleTester1*.

40 of 55

How to Use JUnit: Adding More Tests (4.1.1)



```
1 @Test
2 public void testIncFromMaxValue() {
3     Counter c = new Counter();
4     try {
5         c.increment(); c.increment(); c.increment();
6     }
7     catch (ValueTooLargeException e) {
8         fail("ValueTooLargeException was thrown unexpectedly.");
9     }
10    assertEquals(Counter.MAX_VALUE, c.getValue());
11    try {
12        c.increment();
13        fail("ValueTooLargeException was NOT thrown as expected.");
14    }
15    catch (ValueTooLargeException e) {
16        /* Do nothing: ValueTooLargeException thrown as expected. */
17    }
18 }
```

- o L4 – L9: a VTLE *is not* expected; L11 – 17: a VTLE *is* expected.

See the equivalent manual *ConsoleTester2*. Contrast with the alternative to *ConsoleTester2*.

42 of 55

How to Use JUnit: Adding More Tests (3.2)



- o Again, don't lose the big picture!
Automation is exactly rationale behind using JUnit!
- o JUnit test in previous slide automates *CounterTester1* and the following console interaction for *CounterTester3*:

```
Enter "inc", "dec", or "val":
val
0
Enter "inc", "dec", or "val":
dec
Value too small!
Enter "inc", "dec", or "val":
exit
Bye!
```

43 of 55

How to Use JUnit: Adding More Tests (4.1.2)



```
1 @Test
2 public void testIncFromMaxValue() {
3     Counter c = new Counter();
4     try {
5         c.increment(); c.increment(); c.increment();
6     }
7     catch (ValueTooLargeException e) {
8         fail("ValueTooLargeException was thrown unexpectedly.");
9     }
10    assertEquals(Counter.MAX_VALUE, c.getValue());
11    try {
12        c.increment();
13        fail("ValueTooLargeException was NOT thrown as expected.");
14    }
15    catch (ValueTooLargeException e) {
16        /* Do nothing: ValueTooLargeException thrown as expected. */
17    }
18 }
```

Contrast with the structurally-similar console tester.

43 of 55

How to Use JUnit: Adding More Tests (4.2)



- JUnit test in previous slide **automates** CounterTester2 and the following console interaction for CounterTester3:

```
Enter "inc", "dec", or "val":
inc
Enter "inc", "dec", or "val":
inc
Enter "inc", "dec", or "val":
inc
Enter "inc", "dec", or "val":
val
3
Enter "inc", "dec", or "val":
inc
Value too big!
Enter "inc", "dec", or "val":
exit
Bye!
```

44 of 55

How to Use JUnit: Adding More Tests (5)



Loops can make it effective on generating test cases:

```
1 @Test
2 public void testIncDecFromMiddleValues() {
3     Counter c = new Counter();
4     try {
5         for(int i = Counter.MIN_VALUE; i < Counter.MAX_VALUE; i++) {
6             int currentValue = c.getValue();
7             c.increment();
8             assertEquals(currentValue + 1, c.getValue());
9         }
10        for(int i = Counter.MAX_VALUE; i > Counter.MIN_VALUE; i--) {
11            int currentValue = c.getValue();
12            c.decrement();
13            assertEquals(currentValue - 1, c.getValue());
14        }
15    }
16    catch (ValueTooLargeException e) {
17        fail("ValueTooLargeException is thrown unexpectedly");
18    }
19    catch (ValueTooSmallException e) {
20        fail("ValueTooSmallException is thrown unexpectedly");
21    }
22 }
```

46 of 55

How to Use JUnit: Adding More Tests (4.3)



Q: Can we rewrite testIncFromMaxValue to:

```
1 @Test
2 public void testIncFromMaxValue() {
3     Counter c = new Counter();
4     try {
5         c.increment();
6         c.increment();
7         c.increment();
8         assertEquals(Counter.MAX_VALUE, c.getValue());
9         c.increment();
10        fail("ValueTooLargeException was NOT thrown as expected.");
11    }
12    catch (ValueTooLargeException e) { }
13 }
```

No!

At Line 12, we would not know which line throws the VTLE:

- If it was any of the calls in L5 – L7, then it's *not right*.
- If it was L9, then it's *right*.

45 of 55


Exercises



- Run all 8 tests and make sure you receive a *green* bar.
- Now, introduction an error to the implementation: Change the line value ++ in Counter.increment to --.
 - Re-run all 8 tests and you should receive a *red* bar. [Why?]
 - Undo the *injection of error*, and re-run all 8 tests. [What happens?]

47 of 55

Test-Driven Development (TDD)



Maintain a collection of tests which define the **correctness** of your Java class under development (CUD):

- Derive and run tests as soon as your CUD is **testable**.
i.e., A Java class is testable when defined with method signatures.
- **Red** bar reported: Fix the class under test (CUT) until **green** bar.
- **Green** bar reported: Add more tests and Fix CUT when necessary.

48 of 55

Beyond this lecture...



Play with the source code `ExampleTestingCounter.zip`
Tip. Change input values so as to explore, in Eclipse **debugger**, possible (**normal** vs. **abnormal**) **execution paths**.

50 of 55

Resources



- Official Site of JUnit 4:

<http://junit.org/junit4/>

- API of JUnit assertions:

<http://junit.sourceforge.net/javadoc/org/junit/Assert.html>

- Another JUnit Tutorial example:

<https://courses.cs.washington.edu/courses/cse143/11wi/>

eclipse-tutorial/junit.shtml

49 of 55

Index (1)



Learning Outcomes

Motivating Example: Two Types of Errors (1)

Motivating Example: Two Types of Errors (2)

Motivating Example: Two Types of Errors (3)

A Simple Counter (1)

Exceptional Scenarios

A Simple Counter (2)

Components of a Test

Testing Counter via Console V1 (1.1)

Testing Counter via Console V1 (1.2)

Testing Counter via Console V1 (1.3.1)

51 of 55

Index (2)



[Testing Counter via Console V1 \(1.3.2\)](#)

[Testing Counter via Console V2 \(2.1\)](#)

[Testing Counter via Console V2 \(2.2\)](#)

[Testing Counter via Console V2 \(2.3.1\)](#)

[Testing Counter via Console V2 \(2.3.2\)](#)

[Testing Counter via Console V2 \(2.3.3\)](#)

[Testing Counter via Console \(V3\)](#)

[Testing Counter via Console \(V3\): Test 1](#)

[Testing Counter via Console \(V3\): Test 2](#)

[Limitations of Testing from the Console](#)

[Why JUnit?](#)

52 of 55

Index (3)



[How to Use JUnit: Packages](#)

[How to Use JUnit: New JUnit Test Case \(1\)](#)

[How to Use JUnit: New JUnit Test Case \(2\)](#)

[How to Use JUnit: Adding JUnit Library](#)

[How to Use JUnit: Generated Test Case](#)

[How to Use JUnit: Running Test Case](#)

[How to Use JUnit: Generating Test Report](#)

[How to Use JUnit: Interpreting Test Report](#)

[How to Use JUnit: Revising Test Case](#)

[How to Use JUnit: Re-Running Test Case](#)

[How to Use JUnit: Adding More Tests \(1\)](#)

53 of 55

Index (4)



[JUnit Assertions: Examples \(1\)](#)

[JUnit Assertions: Examples \(2\)](#)

[How to Use JUnit: Assertion Methods](#)

[How to Use JUnit: Adding More Tests \(2.1\)](#)

[How to Use JUnit: Adding More Tests \(2.2\)](#)

[How to Use JUnit: Adding More Tests \(3.1\)](#)

[How to Use JUnit: Adding More Tests \(3.2\)](#)

[How to Use JUnit: Adding More Tests \(4.1.1\)](#)

[How to Use JUnit: Adding More Tests \(4.1.2\)](#)

[How to Use JUnit: Adding More Tests \(4.2\)](#)

[How to Use JUnit: Adding More Tests \(4.3\)](#)

54 of 55

Index (5)



[How to Use JUnit: Adding More Tests \(5\)](#)

[Exercises](#)

[Test-Driven Development \(TDD\)](#)

[Resources](#)

[Beyond this lecture...](#)

55 of 55

Object Equality and Call by Value



EECS2030 B & E: Advanced
Object Oriented Programming
Fall 2021

CHEN-WEI WANG

Learning Outcomes



This module is designed to help you learn about:

- **Object equality**: To **Override** or **Not** to Override
- Asserting **Object Equality**: `assertSame` vs. `assertEquals`
- Short-Circuit Effect (SCE): `&&` vs. `||`
- Equality for Array-, Reference-Typed Attributes
- **Call by Value**: Primitive vs. Reference Argument Values

2 of 22

Equality (1)



- Recall that
 - A **primitive** variable stores a primitive **value**.
e.g., `double d1 = 7.5; double d2 = 7.5;`
 - A **reference** variable stores the **address** to some object (rather than storing the object itself).
e.g., `Point p1 = new Point(2, 3)` assigns to `p1` the address of the new `Point` object
e.g., `Point p2 = new Point(2, 3)` assigns to `p2` the address of **another** new `Point` object
- The binary operator `==` may be applied to compare:
 - **Primitive** variables: their **values** are compared
e.g., `d1 == d2` evaluates to **true**
 - **Reference** variables: the **addresses** they store are compared (**rather than** comparing contents of the objects they refer to)
e.g., `p1 == p2` evaluates to **false** because `p1` and `p2` are addresses of **different** objects, even if their contents are **identical**.

3 of 22

Equality (2.1)



- Implicitly:
 - Every class is a **child/sub** class of the `Object` class.
 - The `Object` class is the **parent/super** class of every class.
 - There is a useful **accessor method** that every class **inherits** from the `Object` class:
 - `public boolean equals(Object obj)`
 - Indicates whether some other object `obj` is "equal to" this one.
 - The **default** definition inherited from `Object`:
- ```
public boolean equals(Object obj) {
 return (this == obj);
}
```
- e.g., Say `p1` and `p2` are of type `Point` **v1** in which the `equals` method is **not redefined/overridden**, then `p1.equals(p2)` boils down to `(p1 == p2)`.
- Very often when you define new classes, you want to **redefine / override** the inherited definition of `equals`.

4 of 22

## Equality (2.2): Common Error



```
int i = 10;
int j = 12;
boolean sameValue = i.equals(j);
```

### Compilation Error

The equals method is only applicable to reference types.

### Fix

Write `i == j` instead.

5 of 22

## Equality (3)



```
public class PointV1 {
 private int x; private int y;
 public PointV1(int x, int y) { this.x = x; this.y = y; }
}
```

```
1 String s = "(2, 3)";
2 PointV1 p1 = new PointV1(2, 3);
3 PointV1 p2 = new PointV1(2, 3);
4 PointV1 p3 = new PointV1(4, 6);
5 System.out.println(p1 == p2); /* false */
6 System.out.println(p2 == p3); /* false */
7 System.out.println(p1.equals(p1)); /* true */
8 System.out.println(p1.equals(null)); /* false */
9 System.out.println(p1.equals(s)); /* false */
10 System.out.println(p1.equals(p2)); /* false */
11 System.out.println(p2.equals(p3)); /* false */
```

- The equals method is not explicitly redefined/overridden in class `PointV1` ⇒ The default version inherited from class `Object` is called. e.g., Executing `p1.equals(null)` boils down to `(p1 == null)`.
- To compare contents of `PointV1` objects, **redefine/override** equals.

5 of 22

## Requirements of equals



Given that **reference variables** `x, y, z` are not null:

- $\neg x.equals(null)$
- **Reflexive**:  $x.equals(x)$
- **Symmetric**:  $x.equals(y) \iff y.equals(x)$
- **Transitive**:  $x.equals(y) \wedge y.equals(z) \implies x.equals(z)$

API of equals

5 of 22

## Equality (4.1)



To compare **contents** rather than addresses, override equals.

```
public class PointV2 {
 private int x; private int y;
 public boolean equals (Object obj) {
 if(this == obj) { return true; }
 if(obj == null) { return false; }
 if(this.getClass() != obj.getClass()) { return false; }
 PointV2 other = (PointV2) obj;
 return this.x == other.x && this.y == other.y;
 }
}
```

```
1 String s = "(2, 3)";
2 PointV2 p1 = new PointV2(2, 3);
3 PointV2 p2 = new PointV2(2, 3);
4 PointV2 p3 = new PointV2(4, 6);
5 System.out.println(p1 == p2); /* false */
6 System.out.println(p2 == p3); /* false */
7 System.out.println(p1.equals(p1)); /* true */
8 System.out.println(p1.equals(null)); /* false */
9 System.out.println(p1.equals(s)); /* false */
10 System.out.println(p1.equals(p2)); /* true */
11 System.out.println(p2.equals(p3)); /* false */
```

5 of 22





## Equality (4.2)

- When making a method call `p.equals(o)`:
  - Say variable `p` is declared of type `PointV2`
  - Variable `o` can be declared of any type (e.g., `PointV2`, `String`)
- We define `p` and `o` as **equal** if:
  - Either `p` and `o` refer to the same object;
  - Or:
    - `o` does **not** store the `null` address.
    - `p` and `o` at runtime point to objects of the same type.
    - The `x` and `y` coordinates are the same.
- **Q:** In the `equals` method of `Point`, why is there no such a line:

```
class PointV2 {
 public boolean equals(Object obj) {
 if(this == null) { return false; }
 }
}
```

**A:** If `this` was `null`, a `NullPointerException` would have occurred, preventing the body of `equals` from being executed.

10 of 22



## Equality (4.3)

```
1 public class PointV2 {
2 public boolean equals(Object obj) {
3 ...
4 if(this.getClass() != obj.getClass()) { return false; }
5 PointV2 other = (PointV2) obj;
6 return this.x == other.x && this.y == other.y;
7 }
8 }
```

- `Object obj` at L2 declares a parameter `obj` of type `Object`.
- `PointV2 other` at L5 declares a variable `p` of type `PointV2`. We call such types declared at **compile time** as **static type**.
- **Applicable attributes/methods callable** upon a variable depends on its **static type**. e.g., We may only call the small list of methods defined in `Object` class on `obj`, which does not include `x` and `y` (specific to `PointV2`).
- If we are **certain** that an object's "actual" type is different from its **static type**, then we can **cast** it. e.g., Given that `this.getClass() == obj.getClass()`, we are sure that `obj` is also a `Point`, so we can cast it to `PointV2`.
- The **cast** `(PointV2) obj` creates an **alias** of `obj`, upon which (or upon its alias such as `other`) more methods can be invoked.

11 of 22



## Equality (5)

Two notions of **equality** for variables of **reference** types:

- **Reference Equality**: use `==` to compare **addresses**
- **Object Equality**: define `equals` method to compare **contents**

```
1 PointV2 p1 = new PointV2(3, 4);
2 PointV2 p2 = new PointV2(3, 4);
3 PointV2 p3 = new PointV2(4, 5);
4 System.out.println(p1 == p1); /* true */
5 System.out.println(p1.equals(p1)); /* true */
6 System.out.println(p1 == p2); /* false */
7 System.out.println(p1.equals(p2)); /* true */
8 System.out.println(p2 == p3); /* false */
9 System.out.println(p2.equals(p3)); /* false */
```

- Being **reference-equal** implies being **object-equal**.
- Being **object-equal** does **not** imply being **reference-equal**.

12 of 22



## Equality in JUnit (1.1)

- **assertSame**(`exp1`, `exp2`)
  - Passes if `exp1` and `exp2` are references to the same object
    - ≈ `assertTrue(exp1 == exp2)`
    - ≈ `assertFalse(exp1 != exp2)`

```
PointV1 p1 = new PointV1(3, 4);
PointV1 p2 = new PointV1(3, 4);
PointV1 p3 = p1;
assertSame(p1, p3); ✓
assertSame(p2, p3); ✗
```

- **assertEquals**(`exp1`, `exp2`)
  - ≈ `exp1 == exp2` if `exp1` and `exp2` are **primitive type**

```
int i = 10;
int j = 20;
assertEquals(i, j); ✗
```

12 of 22



## Equality in JUnit (1.2)

- `assertEquals(exp1, exp2)`
  - $\approx$  `exp1.equals(exp2)` if `exp1` and `exp2` are *reference* type
  - Case 1:** If `equals` is *not* explicitly overridden in `exp1`'s dynamic type  $\approx$  `assertSame(exp1, exp2)`

```
PointV1 p1 = new PointV1(3, 4);
PointV1 p2 = new PointV1(3, 4);
PointV2 p3 = new PointV2(3, 4);
assertEquals(p1, p2); x /* :: different PointV1 objects */
assertEquals(p2, p3); x /* :: different object addresses */
```

- Case 2:** If `equals` is explicitly *overridden* in `exp1`'s dynamic type  $\approx$  `exp1.equals(exp2)`

```
PointV1 p1 = new PointV1(3, 4);
PointV1 p2 = new PointV1(3, 4);
PointV2 p3 = new PointV2(3, 4);
assertEquals(p1, p2); x /* \approx p1.equals(p2) \approx p1 == p2 */
assertEquals(p2, p3); x /* \approx p2.equals(p3) \approx p2 == p3 */
assertEquals(p3, p2); x /* \approx p3.equals(p2) \approx p3.getClass() == p2.getClass() */
```

13 of 22



## Equality (6.1)

Exercise: Persons are *equal* if names and measures are equal.

```
1 public class Person {
2 private String firstName; private String lastName;
3 private double weight; private double height;
4 public boolean equals(Object obj) {
5 if(this == obj) { return true; }
6 if(obj == null || this.getClass() != obj.getClass()) { return false; }
7 Person other = (Person) obj;
8 return
9 this.weight == other.weight
10 && this.height == other.height
11 && this.firstName.equals(other.firstName)
12 && this.lastName.equals(other.lastName);
13 }
14 }
```

Q: At L6, will we get a `NullPointerException` if `obj` is null?

A: **No** :: Short-Circuit Effect of `||`

`obj` is null, then `obj == null` evaluates to **true**

$\Rightarrow$  no need to evaluate the RHS

The left operand `obj == null` acts as a **guard constraint** for the right operand `this.getClass() != obj.getClass()`.

15 of 22



## Equality in JUnit (2)

```
@Test
public void testEqualityOfPointV1() {
 PointV1 p1 = new PointV1(3, 4); PointV1 p2 = new PointV1(3, 4);
 assertFalse(p1 == p2); assertFalse(p2 == p1);
 /* assertSame(p1, p2); assertSame(p2, p1); */ /* both fail */
 assertFalse(p1.equals(p2)); assertFalse(p2.equals(p1));
 assertTrue(p1.getX() == p2.getX() && p1.getY() == p2.getY());
}

@Test
public void testEqualityOfPointV2() {
 PointV2 p3 = new PointV2(3, 4); PointV2 p4 = new PointV2(3, 4);
 assertFalse(p3 == p4); assertFalse(p4 == p3);
 /* assertSame(p3, p4); assertSame(p4, p3); */ /* both fail */
 assertTrue(p3.equals(p4)); assertTrue(p4.equals(p3));
 assertEquals(p3, p4); assertEquals(p4, p3);
}

@Test
public void testEqualityOfPointV1andPointV2() {
 PointV1 p1 = new PointV1(3, 4); PointV2 p2 = new PointV2(3, 4);
 /* These two assertions do not compile because p1 and p2 are of different types. */
 /* assertFalse(p1 == p2); assertFalse(p2 == p1); */
 /* assertSame can take objects of different types and fail. */
 /* assertSame(p1, p2); */ /* compiles, but fails */
 /* assertSame(p2, p1); */ /* compiles, but fails */
 /* version of equals from Object is called */
 assertFalse(p1.equals(p2));
 /* version of equals from PointP2 is called */
 assertFalse(p2.equals(p1));
}
```

14 of 22



## Equality (6.2)

Exercise: Persons are *equal* if names and measures are equal.

```
1 public class Person {
2 private String firstName; private String lastName;
3 private double weight; private double height;
4 public boolean equals(Object obj) {
5 if(this == obj) { return true; }
6 if(obj == null || this.getClass() != obj.getClass()) { return false; }
7 Person other = (Person) obj;
8 return
9 this.weight == other.weight
10 && this.height == other.height
11 && this.firstName.equals(other.firstName)
12 && this.lastName.equals(other.lastName);
13 }
14 }
```

Q: At L6, if swapping the order of two operands of disjunction:

`this.getClass() != obj.getClass() || obj == null`

Will we get a `NullPointerException` if `obj` is null?

A: **Yes** :: Evaluation of operands is from left to right.

16 of 22

## Equality (6.3)



Exercise: Persons are *equal* if names and measures are equal.

```
1 public class Person {
2 private String firstName; private String lastName;
3 private double weight; private double height;
4 public boolean equals(Object obj) {
5 if(this == obj) { return true; }
6 if(obj == null || this.getClass() != obj.getClass()) { return false; }
7 Person other = (Person) obj;
8 return
9 this.weight == other.weight
10 && this.height == other.height
11 && this.firstName.equals(other.firstName)
12 && this.lastName.equals(other.lastName);
13 }
14 }
```

Q: At L11 & L12, where is the equals method defined?

A: The equals method **overridden** in the String class.

When implementing the equals method for your own class, **reuse** the equals methods **overridden** in other classes wherever possible.

17 of 22

## Equality (6.4)



Person collectors are equal if containing equal lists of persons.

```
class PersonCollector {
 private Person[] persons;
 private int nop; /* number of persons */
 public PersonCollector() { ... }
 public void addPerson(Person p) { ... }
 public int getNop() { return this.nop; }
 public Person[] getPersons() { ... }
}
```

**Redefine/Override** the equals method in PersonCollector.

```
1 public boolean equals(Object obj) {
2 if(this == obj) { return true; }
3 if(obj == null || this.getClass() != obj.getClass()) { return false; }
4 PersonCollector other = (PersonCollector) obj;
5 boolean equal = false;
6 if(this.nop == other.nop) {
7 equal = true;
8 for(int i = 0; equal && i < this.nop; i++) {
9 equal = this.persons[i].equals(other.persons[i]);
10 }
11 }
12 return equal;
13 }
```

18 of 22

## Equality in JUnit (3)



```
@Test
public void testPersonCollector() {
 Person p1 = new Person("A", "a", 180, 1.8);
 Person p2 = new Person("A", "a", 180, 1.8);
 Person p3 = new Person("B", "b", 200, 2.1);
 Person p4 = p3;
 assertFalse(p1 == p2); assertTrue(p1.equals(p2));
 assertTrue(p3 == p4); assertTrue(p3.equals(p4));
 PersonCollector pc1 = new PersonCollector();
 PersonCollector pc2 = new PersonCollector();
 assertFalse(pc1 == pc2); assertTrue(pc1.equals(pc2));
 pc1.addPerson(p1);
 assertFalse(pc1.equals(pc2));
 pc2.addPerson(p2);
 assertTrue(pc1.getPersons()[0] == pc2.getPersons()[0]);
 assertTrue(pc1.getPersons()[0].equals(pc2.getPersons()[0]));
 assertTrue(pc1.equals(pc2));
 pc1.addPerson(p3);
 pc2.addPerson(p4);
 assertTrue(pc1.getPersons()[1] == pc2.getPersons()[1]);
 assertTrue(pc1.getPersons()[1].equals(pc2.getPersons()[1]));
 assertTrue(pc1.equals(pc2));
 pc1.addPerson(new Person("A", "a", 175, 1.75));
 pc2.addPerson(new Person("A", "a", 165, 1.55));
 assertFalse(pc1.getPersons()[2] == pc2.getPersons()[2]);
 assertFalse(pc1.getPersons()[2].equals(pc2.getPersons()[2]));
 assertFalse(pc1.equals(pc2));
}
```

19 of 22

## Beyond this lecture...



- Play with the source code  
ExampleEqualityPointsPersons.zip  
**Tip.** Use the debugger to step into executing the various versions of equals method.
- Go back to your Review Tutorial: Extend the Product, Entry, and RefurbishedStore classes by **overridden** versions of the equals method.

20 of 22

## Index (1)



### Learning Outcomes

#### Equality (1)

#### Equality (2.1)

#### Equality (2.2): Common Error

#### Equality (3)

#### Requirements of equals

#### Equality (4.1)

#### Equality (4.2)

#### Equality (4.3)

#### Equality (5)

#### Equality in JUnit (1.1)

21 of 22

## Index (2)



#### Equality in JUnit (1.2)

#### Equality in JUnit (2)

#### Equality (6.1)

#### Equality (6.2)

#### Equality (6.3)

#### Equality (6.4)

#### Equality in JUnit (3)

#### Beyond this lecture...

22 of 22

# Aggregation and Composition



EECS2030 B & E: Advanced  
Object Oriented Programming  
Fall 2021

CHEN-WEI WANG

## Learning Outcomes



This module is designed to help you learn about:

- **Call by Value**: Primitive vs. Reference Argument Values
- Aggregation vs. Composition: **Terminology** and **Modelling**
- **Aggregation**: Building Sharing Links & **Navigating** Objects
- **Composition**: Implementation via **Copy Constructors**
- **Design Decision**: Aggregation or Composition?

2 of 7

## Call by Value (1)



- Consider the general form of a call to some *mutator method* `m`, with *context object* `co` and *argument value* `arg`:

```
co.m(arg)
```

- Argument variable `arg` is **not** passed directly to the method call.
- Instead, argument variable `arg` is passed **indirectly**: a **copy** of the value stored in `arg` is made and passed to the method call.
- What can be the type of variable `arg`? [ Primitive or Reference ]
  - `arg` is primitive type (e.g., `int`, `char`, `boolean`, etc.):  
**Call by Value**: Copy of `arg`'s **stored value** (e.g., `2`, `'j'`, `true`) is made and passed.
  - `arg` is reference type (e.g., `String`, `Point`, `Person`, etc.):  
**Call by Value**: Copy of `arg`'s **stored reference/address** (e.g., `Point@5cb0d902`) is made and passed.

3 of 37

## Call by Value (2.1)



For illustration, let's assume the following variant of the `Point` class:

```
public class Point {
 private int x;
 private int y;
 public Point(int x, int y) {
 this.x = x;
 this.y = y;
 }
 public int getX() { return this.x; }
 public int getY() { return this.y; }
 public void moveVertically(int y){ this.y += y; }
 public void moveHorizontally(int x){ this.x += x; }
}
```

4 of 37

## Call by Value (2.2.1)



```
public class Util {
 void reassignInt(int j) {
 j = j + 1; }
 void reassignRef(Point q) {
 Point np = new Point(6, 8);
 q = np; }
 void changeViaRef(Point q) {
 q.moveHorizontally(3);
 q.moveVertically(4); } }

1 @Test
2 public void testCallByVal() {
3 Util u = new Util();
4 int i = 10;
5 assertTrue(i == 10);
6 u.reassignInt(i);
7 assertTrue(i == 10);
8 }
```

- Before** the mutator call at L6, **primitive** variable `i` stores 10.
- When** executing the mutator call at L6, due to **call by value**, a copy of variable `i` is made.  
⇒ The assignment `i = i + 1` is only effective on this copy, not the original variable `i` itself.
- ∴ **After** the mutator call at L6, variable `i` still stores 10.

5 of 37

## Call by Value (2.2.2)



|                | Before reassignInt  | During reassignInt  | After reassignInt   |
|----------------|---------------------|---------------------|---------------------|
| <code>i</code> | <code>int</code> 10 | <code>int</code> 10 | <code>int</code> 10 |
| <code>j</code> |                     | <code>int</code> 10 | <code>int</code> 11 |

6 of 37

## Call by Value (2.3.1)



```

1 @Test
2 public void testCallByRef_1() {
3 Util u = new Util();
4 Point p = new Point(3, 4);
5 Point refOfPBefore = p;
6 u.reassignRef(p);
7 assertTrue(p == refOfPBefore);
8 assertTrue(p.getX() == 3);
9 assertTrue(p.getY() == 4);
10 }

```

```

public class Util {
 void reassignInt(int j) {
 j = j + 1; }
 void reassignRef(Point q) {
 Point np = new Point(6, 8);
 q = np; }
 void changeViaRef(Point q) {
 q.moveHorizontally(3);
 q.moveVertically(4); } }

```

- **Before** the mutator call at L6, **reference** variable `p` stores the **address** of some `Point` object (whose `x` is 3 and `y` is 4).
- **When** executing the mutator call at L6, due to **call by value**, a **copy of address** stored in `p` is made.
  - ⇒ The assignment `p = np` is only effective on this copy, not the original variable `p` itself.
- ∴ **After** the mutator call at L6, variable `p` still stores the original address (i.e., same as `refOfPBefore`).

7 of 37

## Call by Value (2.4.1)



```

1 @Test
2 public void testCallByRef_2() {
3 Util u = new Util();
4 Point p = new Point(3, 4);
5 Point refOfPBefore = p;
6 u.changeViaRef(p);
7 assertTrue(p == refOfPBefore);
8 assertTrue(p.getX() == 6);
9 assertTrue(p.getY() == 8);
10 }

```

```


public class Util {
 void reassignInt(int j) {
 j = j + 1; }
 void reassignRef(Point q) {
 Point np = new Point(6, 8);
 q = np; }
 void changeViaRef(Point q) {
 q.moveHorizontally(3);
 q.moveVertically(4); } }

```

- **Before** the mutator call at L6, **reference** variable `p` stores the **address** of some `Point` object (whose `x` is 3 and `y` is 4).
- **When** executing the mutator call at L6, due to **call by value**, a **copy of address** stored in `p` is made. [**Alias**: `p` and `q` store same address.]
  - ⇒ `q.moveHorizontally` impacts the **same object** referenced by `p` and `q`.
- ∴ **After** the mutator call at L6, variable `p` still stores the original address (i.e., same as `refOfPBefore`), but its `x` and `y` values have been modified via `q`.


8 of 37

## Call by Value (2.3.2)



9 of 37

## Call by Value (2.4.2)



10 of 37

## Aggregation vs. Composition: Terminology



**Container** object: an object that contains others.

**Containe** object: an object that is contained within another.

- e.g., Each course has a faculty member as its instructor.
  - Container**: Course      **Containe**: Faculty.
- e.g., Each student is registered in a list of courses; Each faculty member teaches a list of courses.
  - Container**: Student, Faculty      **Containe**: Course.  
e.g., eeCS2030 taken by jim (student) and taught by tom (faculty).  
⇒ **Containe**s may be **shared** by different instances of **container**s.  
e.g., When EECS2030 is finished, jim and jackie still exist!  
⇒ **Containe**s may **exist independently** without their **container**s.
- e.g., In a file system, each directory contains a list of files.
  - Container**: Directory      **Containe**: File.  
e.g., Each file has exactly one parent directory.  
⇒ A **containe**e may be **owned** by only one **container**.  
e.g., Deleting a directory also deletes the files it contains.  
⇒ **Containe**s may **co-exist** with their **container**s.

11 of 37

## Aggregation: Independent Containees Shared by Containers (1.2)




```
@Test
public void testAggregation1() {
 Course eeCS2030 = new Course("Advanced OOP");
 Course eeCS3311 = new Course("Software Design");
 Faculty prof = new Faculty("Jackie");
 eeCS2030.setProf(prof);
 eeCS3311.setProf(prof);
 assertTrue(eeCS2030.getProf() == eeCS3311.getProf());
 /* aliasing */
 prof.setName("Jeff");
 assertTrue(eeCS2030.getProf() == eeCS3311.getProf());
 assertTrue(eeCS2030.getProf().getName().equals("Jeff"));

 Faculty prof2 = new Faculty("Jonathan");
 eeCS3311.setProf(prof2);
 assertTrue(eeCS2030.getProf() != eeCS3311.getProf());
 assertTrue(eeCS2030.getProf().getName().equals("Jeff"));
 assertTrue(eeCS3311.getProf().getName().equals("Jonathan"));
}
```

13 of 37

## Aggregation: Independent Containees Shared by Containers (1.1)




```
public class Course {
 private String title;
 private Faculty prof;
 public Course(String title) {
 this.title = title;
 }
 public void setProf(Faculty prof) {
 this.prof = prof;
 }
 public Faculty getProf() {
 return this.prof;
 }
}
```

```
public class Faculty {
 private String name;
 public Faculty(String name) {
 this.name = name;
 }
 public void setName(String name) {
 this.name = name;
 }
 public String getName() {
 return this.name;
 }
}
```

12 of 37

## Aggregation: Independent Containees Shared by Containers (2.1)



```
public class Student {
 private String id; Course[] cs; int noc; /* # of courses */
 public Student(String id) { ... }
 public void addCourse(Course c) { ... }
 public Course[] getCS() { ... }
}
```

```
public class Course { private String title; private Faculty prof; }
```

```
public class Faculty {
 private String name; Course[] te; int not; /* # of teaching */
 public Faculty(String name) { ... }
 public void addTeaching(Course c) { ... }
 public Course[] getTE() { ... }
}
```

14 of 37

## Aggregation: Independent Containees Shared by Containers (2.2)



```
@Test
public void testAggregation2() {
 Faculty p = new Faculty("Jackie");
 Student s = new Student("Jim");
 Course eeecs2030 = new Course("Advanced OOP");
 Course eeecs3311 = new Course("Software Design");
 eeecs2030.setProf(p);
 eeecs3311.setProf(p);
 p.addTeaching(eeecs2030);
 p.addTeaching(eeecs3311);
 s.addCourse(eeecs2030);
 s.addCourse(eeecs3311);

 assertTrue(eeecs2030.getProf() == s.getCS()[0].getProf());
 assertTrue(s.getCS()[0].getProf()
 == s.getCS()[1].getProf());
 assertTrue(eeecs3311 == s.getCS()[1]);
 assertTrue(s.getCS()[1] == p.getTE()[1]);
}
```

15 of 37

## OOP: The Dot Notation (3.2)



```
public class Student {
 private String id;
 private Course[] cs;
}
```

```
public class Course {
 private String title;
 private Faculty prof;
}
```

```
public class Faculty {
 private String name;
 private Course[] te;
}
```


```
public class Student {
 ... /* attributes */
 /* Get the student's id */
 public String getID() { return this.id; }
 /* Get the title of the ith course */
 public String getTitle(int i) {
 return this.cs[i].getTitle();
 }
 /* Get the instructor's name of the ith course */
 public String getName(int i) {
 return this.cs[i].getProf().getName();
 }
}
```

17 of 37

## The Dot Notation (3.1)



In real life, the relationships among classes are sophisticated.



```
public class Student {
 private String id;
 private Course[] cs;
}
```

```
public class Course {
 private String title;
 private Faculty prof;
}
```

```
public class Faculty {
 private String name;
 private Course[] te;
}
```

- Assume: **private** attributes and **public** accessors
- **Aggregation links** between classes constrain how you can **navigate** among these classes.
- In the context of class Student:
  - Writing **cs** denotes the array of registered courses.
  - Writing **cs[i]** (where *i* is a valid index) navigates to the class Course, which changes the context to class Course.

18 of 37

## OOP: The Dot Notation (3.3)



```
public class Student {
 private String id;
 private Course[] cs;
}
```

```
public class Course {
 private String title;
 private Faculty prof;
}
```

```
public class Faculty {
 private String name;
 private Course[] te;
}
```

```
public class Course {
 ... /* attributes */
 /* Get the course's title */
 public String getTitle() { return this.title; }
 /* Get the instructor's name */
 public String getName() {
 return this.prof.getName();
 }
 /* Get title of ith teaching course of the instructor */
 public String getTitle(int i) {
 return this.prof.getTE()[i].getTitle();
 }
}
```

18 of 37



## OOP: The Dot Notation (3.4)



```
public class Student {
 private String id;
 private Course[] cs;
}
```


```
public class Course {
 private String title;
 private Faculty prof;
}
```

```
public class Faculty {
 private String name;
 private Course[] te;
}
```

```
public class Faculty {
 ... /* attributes */
 /* Get the instructor's name */
 public String getName() {
 return this.name;
 }
 /* Get the title of ith teaching course */
 public String getTitle(int i) {
 return this.te[i].getTitle();
 }
}
```

19 of 37

## Composition: Dependent Containees Owned by Containers (1.2.1)



```
1 @Test
2 public void testComposition() {
3 Directory d1 = new Directory("D");
4 d1.addFile("f1.txt");
5 d1.addFile("f2.txt");
6 d1.addFile("f3.txt");
7 assertTrue(d1.getFiles()[0].getName().equals("f1.txt"));
8 }
```

- L4: 1st File object is created and **owned exclusively** by d1. No other directories are sharing this File object with d1.
- L5: 2nd File object is created and **owned exclusively** by d1. No other directories are sharing this File object with d1.
- L6: 3rd File object is created and **owned exclusively** by d1. No other directories are sharing this File object with d1.

21 of 37

## Composition: Dependent Containees Owned by Containers (1.1)



Requirement: Files are not shared among directories.

Assume: **private** attributes and **public** accessors

```
class File {
 String name;
 File(String name) {
 this.name = name;
 }
}
```


```
class Directory {
 String name;
 File[] files;
 int nof; /* num of files */
 Directory(String name) {
 this.name = name;
 files = new File[100];
 }
 void addFile(String fileName) {
 files[nof] = new File(fileName);
 nof++;
 }
}
```

20 of 37

## Composition: Dependent Containees Owned by Containers (1.2.2)



Right before test method testComposition terminates:



22 of 37

## Composition: Dependent Containees Owned by Containers (1.3)



**Problem:** Implement a **copy constructor** for `Directory`.  
 A **copy constructor** is a constructor which initializes attributes from the argument object `other` (of the **same type** `Directory`).

```
class Directory {
 Directory(Directory other) {
 /* Initialize attributes via attributes of 'other'. */
 }
}
```

### Hints:


- The implementation should be consistent with the effect of copying and pasting a directory.
- Separate copies of files are created.

23 of 37

## Composition: Dependent Containees Owned by Containers (1.4.2)



Right before test method `testShallowCopyConstructor` terminates:



25 of 37

## Composition: Dependent Containees Owned by Containers (1.4.1)



**Version 1:** **Shallow Copy** by copying all attributes using `=`.

```
class Directory {
 Directory(Directory other) {
 /* value copying for primitive type */
 nof = other.nof;
 /* address copying for reference type */
 name = other.name; files = other.files; } }
}
```

Is a shallow copy satisfactory to support composition?  
 i.e., Does it still forbid sharing to occur? **[ NO ]**

```
@Test
public void testShallowCopyConstructor() {
 Directory d1 = new Directory("D");
 d1.addFile("f1.txt"); d1.addFile("f2.txt"); d1.addFile("f3.txt");
 Directory d2 = new Directory(d1);
 assertTrue(d1.getFiles() == d2.getFiles()); /* violation of composition */
 d2.getFiles()[0].changeName("f11.txt");
 assertFalse(d1.getFiles()[0].getName().equals("f1.txt"));
}
```

26 of 37

## Composition: Dependent Containees Owned by Containers (1.5.1)



**Version 2:** a **Deep Copy**

```
class File {
 File(File other) {
 this.name =
 new String(other.name);
 }
}
```


```
class Directory {
 Directory(String name) {
 this.name = new String(name);
 files = new File[100]; }
 Directory(Directory other) {
 this(other.name);
 for(int i = 0; i < other.nof; i++) {
 File src = other.files[i];
 File nf = new File(src);
 this.addFile(nf);
 }
 }
 void addFile(File f) { ... }
}
```

```
@Test
public void testDeepCopyConstructor() {
 Directory d1 = new Directory("D");
 d1.addFile("f1.txt"); d1.addFile("f2.txt"); d1.addFile("f3.txt");
 Directory d2 = new Directory(d1);
 assertTrue(d1.getFiles() != d2.getFiles()); /* composition preserved */
 d2.getFiles()[0].changeName("f11.txt");
 assertTrue(d1.getFiles()[0].getName().equals("f1.txt"));
}
```

26 of 37

## Composition: Dependent Containees Owned by Containers (1.5.2)

Right before test method `testDeepCopyConstructor` terminates:



27 of 37

## Composition: Dependent Containees Owned by Containers (1.6)

**Exercise:** Implement the accessor in class `Directory`

```
class Directory {
 File[] files;
 int nof;
 File[] getFiles() {
 /* Your Task */
 }
}
```

so that it **preserves composition**, i.e., does not allow references of files to be shared.

28 of 37

## Composition: Dependent Containees Owned by Containers (1.5.3)

**Q:** Composition Violated?

```
class File {
 File(File other) {
 this.name =
 new String(other.name);
 }
}
```

```
class Directory {
 Directory(String name) {
 this.name = new String(name);
 files = new File[100];
 }
 Directory(Directory other) {
 this(other.name);
 for(int i = 0; i < other.nof; i++) {
 File src = other.files[i];
 this.addFile(src);
 }
 }
 void addFile(File f) { ... }
}
```

```
@Test
public void testDeepCopyConstructor() {
 Directory d1 = new Directory("D");
 d1.addFile("f1.txt"); d1.addFile("f2.txt"); d1.addFile("f3.txt");
 Directory d2 = new Directory(d1);
 assertTrue(d1.getFiles() != d2.getFiles()); /* composition preserved */
 d2.getFiles()[0].changeName("f11.txt");
 assertTrue(d1.getFiles()[0] == d2.getFiles()[0]); /* composition violated! */
}
```

28 of 37

## Aggregation vs. Composition (1)

Terminology:

- **Container** object: an object that contains others.
- **Containee** object: an object that is contained within another.

**Aggregation :**

- Containees (e.g., `Course`) may be **shared** among containers (e.g., `Student`, `Faculty`).
- Containees **exist independently** without their containers.
- When a container is destroyed, its containees still exist.

**Composition :**

- Containers (e.g, `Directory`, `Department`) **own** exclusive access to their containees (e.g., `File`, `Faculty`).
- Containees cannot exist without their containers.
- Destroying a container destroys its containees **cascadingly**.


30 of 37

## Aggregation vs. Composition (2)



*Aggregations* and *Compositions* may exist at the same time!  
e.g., Consider a workstation:

- Each workstation owns CPU, monitor, keyboard. [ *compositions* ]
- All workstations share the same network. [ *aggregations* ]



31 of 37

## Beyond this lecture...



Reproduce the *aggregation* and *composition* code examples in Eclipse.


**Tip.** Use the debugger to verify whether or not there is *sharing*.

33 of 37

## Aggregation vs. Composition (3)



**Problem:** Every published book has an author. Every author may publish more than one books. Should the author field of a book be implemented as an *aggregation* or a *composition*?



32 of 37

## Index (1)



### Learning Outcomes

#### Call by Value (1)

#### Call by Value (2.1)

#### Call by Value (2.2.1)

#### Call by Value (2.2.2)

#### Call by Value (2.3.1)

#### Call by Value (2.3.2)

#### Call by Value (2.4.1)

#### Call by Value (2.4.2)

### Aggregation vs. Composition: Terminology

34 of 37

## Index (2)



Aggregation: Independent Containers

Shared by Containers (1.1)

Aggregation: Independent Containers

Shared by Containers (1.2)

Aggregation: Independent Containers

Shared by Containers (2.1)

Aggregation: Independent Containers

Shared by Containers (2.2)

The Dot Notation (3.1)

OOP: The Dot Notation (3.2)

OOP: The Dot Notation (3.3)

OOP: The Dot Notation (3.4)

35 of 37

## Index (3)



Composition: Dependent Containers

Owned by Containers (1.1)

Composition: Dependent Containers

Owned by Containers (1.2.1)

Composition: Dependent Containers

Owned by Containers (1.2.2)

Composition: Dependent Containers

Owned by Containers (1.3)

Composition: Dependent Containers

Owned by Containers (1.4.1)

Composition: Dependent Containers

Owned by Containers (1.4.2)

36 of 37

## Index (4)



Composition: Dependent Containers

Owned by Containers (1.5.1)

Composition: Dependent Containers

Owned by Containers (1.5.2)

Composition: Dependent Containers

Owned by Containers (1.5.3)

Composition: Dependent Containers

Owned by Containers (1.6)

Aggregation vs. Composition (1)

Aggregation vs. Composition (2)

Aggregation vs. Composition (3)

Beyond this lecture...

37 of 37

## Inheritance

## Learning Outcomes



This module is designed to help you learn about:

- Alternative designs to **inheritance**
- Using **inheritance** for code reuse
- **Static Types**, Expectations, **Dynamic Types**
- **Polymorphism**  
(variable assignments, method arguments & return values)
- **Dynamic Binding**
- **Type Casting**

2 of 10

## Why Inheritance: A Motivating Example



**Problem:** A *student management system* stores data about students. There are two kinds of university students: *resident* students and *non-resident* students. Both kinds of students have a *name* and a list of *registered courses*. Both kinds of students are restricted to *register* for no more than 10 courses. When *calculating the tuition* for a student, a base amount is first determined from the list of courses they are currently registered (each course has an associated fee). For a non-resident student, there is a *discount rate* applied to the base amount to waive the fee for on-campus accommodation. For a resident student, there is a *premium rate* applied to the base amount to account for the fee for on-campus accommodation and meals.

**Tasks:** Write Java classes that satisfy the above problem statement. At runtime, each type of student must be able to register a course and calculate their tuition fee.

4 of 10

## Why Inheritance: A Motivating Example



**Problem:** A student management system stores data about students. There are two kinds of university students: resident students and non-resident students. Both kinds of students have a name and a list of registered courses. Both kinds of students are restricted to register for no more than 10 courses. When calculating the tuition for a student, a base amount is first determined from the list of courses they are currently registered (each course has an associated fee). For a non-resident student, there is a discount rate applied to the base amount to waive the fee for on-campus accommodation. For a resident student, there is a premium rate applied to the base amount to account for the fee for on-campus accommodation and meals.

**Tasks:** Write Java classes that satisfy the above problem statement. At runtime, each type of student must be able to register a course and calculate their tuition fee.

8 of 10

## No Inheritance: Resident Student Class



```
public class ResidentStudent {
 private String name;
 private Course[] courses; private int noc;
 private double premiumRate; /* assume a mutator for this */
 public ResidentStudent (String name) {
 this.name = name;
 this.courses = new Course[10];
 }
 public void register(Course c) {
 this.courses[this.noc] = c;
 this.noc ++;
 }
 public double getTuition() {
 double tuition = 0;
 for(int i = 0; i < this.noc; i++) {
 tuition += this.courses[i].fee;
 }
 return tuition * this.premiumRate;
 }
}
```

5 of 10

## No Inheritance: NonResidentStudent Class



```
public class NonResidentStudent {
 private String name;
 private Course[] courses; private int noc;
 private double discountRate; /* assume a mutator for this */
 public NonResidentStudent (String name) {
 this.name = name;
 this.courses = new Course[10];
 }
 public void register(Course c) {
 this.courses[this.noc] = c;
 this.noc ++;
 }
 public double getTuition() {
 double tuition = 0;
 for(int i = 0; i < this.noc; i ++) {
 tuition += this.courses[i].fee;
 }
 return tuition * this.discountRate;
 }
}
```

3 of 10

## No Inheritance: Issues with the Student Classes



- Implementations for the two student classes seem to work. But can you see any potential problems with it?  
**Hint.** Maintenance of code
- The code of the two student classes share a lot in common.
  - **Duplicates of code make it hard to maintain your software!**
  - This means that when there is a change of policy on the common part, we need modify **more than one places**.
  - This violates the so-called **single-choice design principle**.

3 of 10

## No Inheritance: Testing Student Classes



```
public class Course {
 private String title; private double fee;
 public Course(String title, double fee) {
 this.title = title; this.fee = fee;
 }
}

public class StudentTester {
 public static void main(String[] args) {
 Course c1 = new Course("EECS2030", 500.00); /* title and fee */
 Course c2 = new Course("EECS3311", 500.00); /* title and fee */
 ResidentStudent jim = new ResidentStudent("J. Davis");
 jim.setPremiumRate(1.25);
 jim.register(c1); jim.register(c2);
 NonResidentStudent jeremy = new NonResidentStudent("J. Gibbons");
 jeremy.setDiscountRate(0.75);
 jeremy.register(c1); jeremy.register(c2);
 System.out.println("Jim pays " + jim.getTuition());
 System.out.println("Jeremy pays " + jeremy.getTuition());
 }
}
```

3 of 10

## No Inheritance: Maintainability of Code (1)



What if the way for registering a course changes?

e.g.,

```
public void register(Course c) throws TooManyCoursesException {
 if (this.noc >= MAX_ALLOWANCE) {
 throw new TooManyCoursesException("Too many courses");
 }
 else {
 this.courses[this.noc] = c;
 this.noc ++;
 }
}
```

Changes needed for register method in **both** student classes!

3 of 10

## No Inheritance: Maintainability of Code (2)



What if the way for calculating the base tuition changes?

e.g.,

```
public double getTuition() {
 double tuition = 0;
 for(int i = 0; i < this.noc; i++) {
 tuition += this.courses[i].fee;
 }
 /* ... can be premiumRate or discountRate */
 return tuition * inflationRate * ...;
}
```

Changes needed for getTuition method in **both** student classes!

10 of 310

## No Inheritance: A Collection of Various Kinds of Students



How can we define a class StudentManagementSystem that contains a list of **resident** and **non-resident** students?

```
public class StudentManagementSystem {
 private ResidentStudent[] rss;
 private NonResidentStudent[] nrss;
 private int nors; /* number of resident students */
 private int nonrs; /* number of non-resident students */
 public void addRS(ResidentStudent rs){ rss[nors]=rs; nors++; }
 public void addNRS(NonResidentStudent nrs){ nrss[nonrs]=nrs;nonrs++; }
 public void registerAll(Course c) {
 for(int i = 0; i < nors; i++) { rss[i].register(c); }
 for(int i = 0; i < nonrs; i++) { nrss[i].register(c); }
 }
}
```

But what if we later on introduce **more kinds of students**?

Very **inconvenient** to handle each list of students **separately**!


a polymorphic collection of students

11 of 310

## Visibility: Project, Packages, Classes



CollectionOfStuffs



12 of 310

## Visibility of Classes



- Only one modifier for declaring visibility of classes: **public**.
- Use of **private** is forbidden for declaring a class.  
e.g., **private class Chair** is **not** allowed!!
- **Visibility** of a class may be declared using a modifier, indicating that it is accessible:
  1. Across classes within its residing package [ no modifier ]  
e.g., Declare **class Chair { ... }**
  2. Across packages [ **public** ]  
e.g., Declare **public class Chair { ... }**
- Consider class Chair which resides in:
  - package furniture
  - project CollectionOfStuffs


13 of 310



## Visibility of Classes: Across All Classes Within the Resident Package (no modifier)



CollectionOfStuffs



14 of 110

## Visibility of Attributes/Methods: Using Modifiers to Define Scopes




- Two modifiers for declaring visibility of attributes/methods: **public** and **private**
- Visibility of an attribute or a method** may be declared using a **modifier**, indicating that it is accessible:
  - Within its residing class (**most** restrictive) [ **private** ]  
 e.g., Declare attribute `private int i;`  
 e.g., Declare method `private void m() {};`
  - Across **classes** within its residing package [ no modifier ]  
 e.g., Declare attribute `int i;`  
 e.g., Declare method `void m() {};`
  - Across **packages** (**least** restrictive) [ **public** ]  
 e.g., Declare attribute `public int i;`  
 e.g., Declare method `public void m() {};`
- Consider attributes `i` and `m` residing in:  
 Class `Chair`; Package `furniture`; Project `CollectionOfStuffs`.

16 of 110

## Visibility of Classes: Across All Classes Within the Resident Package (no modifier)



CollectionOfStuffs




15 of 110

## Visibility of Attr./Meth.: Across All Methods Within the Resident Class (**private**)



CollectionOfStuffs




17 of 110

## Visibility of Attr./Meth.: Across All Classes Within the Resident Package (no modifier)



CollectionOfStuffs



18 of 310

## Use of the protected Modifier




- **private** attributes are not inherited to subclasses.
- package-level attributes (i.e., with **no modifier**) and project-level attributes (i.e., **public**) are inherited.
- What if we want attributes to be:
  - **visible** to sub-classes outside the current package, but still
  - **invisible** to other non-sub-classes outside the current package?
 Use **protected**!

20 of 310

## Visibility of Attr./Meth.: Across All Packages Within the Resident Project (public)



CollectionOfStuffs




19 of 310

## Visibility of Attr./Meth.: Across All Methods Same Package and Sub-Classes (protected)



CollectionOfStuffs



21 of 310

## Visibility of Attributes/Methods



| modifier \ scope | CLASS | PACKAGE | SUBCLASS<br>(same pkg) | SUBCLASS<br>(different pkg) | NON-SUBCLASS<br>(across Project) |
|------------------|-------|---------|------------------------|-----------------------------|----------------------------------|
| public           | Green | Green   | Green                  | Green                       | Green                            |
| protected        | Green | Green   | Green                  | Green                       | Red                              |
| no modifier      | Green | Green   | Green                  | Red                         | Red                              |
| private          | Green | Red     | Red                    | Red                         | Red                              |

For the rest of this lecture, for simplicity, we assume that:


All relevant parent/child classes are in the same package.

⇒ Attributes with no modifiers (*package*-level visibility) suffice.

⇒ Methods with no modifiers (*package*-level visibility) suffice.

22 of 310

## Inheritance Architecture



23 of 310

## Inheritance: The Student Parent/Super Class



```

class Student {
 String name;
 Course[] courses; int noc;
 Student (String name) {
 this.name = name;
 this.courses = new Course[10];
 }
 void register(Course c) {
 this.courses[this.noc] = c;
 this.noc ++;
 }
 double getTuition() {
 double tuition = 0;
 for(int i = 0; i < this.noc; i ++) {
 tuition += this.courses[i].fee;
 }
 return tuition; /* base amount only */
 }
}

```

24 of 310

## Inheritance: The ResidentStudent Child/Sub Class



```

1 class ResidentStudent extends Student {
2 double premiumRate; /* there's a mutator method for this */
3 ResidentStudent (String name) { super (name); }
4 /* register method is inherited */
5 double getTuition() {
6 double base = super.getTuition();
7 return base * premiumRate;
8 }
9 }

```

- L1 declares that ResidentStudent inherits all attributes and methods (except constructors) from Student.
- There is no need to repeat the register method
- Use of *super* in L4 is as if calling Student (name)
- Use of *super* in L8 returns what getTuition() in Student returns.
- Use *super* to refer to attributes/methods defined in the super class:

```

super.name, super.register(c)

```

25 of 310

## Inheritance: The NonResidentStudent Child/Sub Class

```

1 class NonResidentStudent extends Student {
2 double discountRate; /* there's a mutator method for this */
3 NonResidentStudent (String name) { super(name); }
4 /* register method is inherited */
5 double getTuition() {
6 double base = super.getTuition();
7 return base * discountRate;
8 }
9 }

```

- L1 declares that NonResidentStudent inherits all attributes and methods (except constructors) from Student.
- There is no need to repeat the register method
- Use of *super* in L4 is as if calling Student(name)
- Use of *super* in L8 returns what getTuition() in Student returns.
- Use *super* to refer to attributes/methods defined in the super class:

```
super.name, super.register(c)
```

26 of 110

## Using Inheritance for Code Reuse


**Inheritance** in Java allows you to:

- Define **common attributes and methods** in a separate class. e.g., the Student class
- Define an “extended” version of the class which:
  - **inherits** definitions of all attributes and methods e.g., name, courses, noc e.g., register e.g., base amount calculation in getTuition
  - **defines new** attributes and methods if necessary e.g., setPremiumRate for ResidentStudent e.g., setDiscountRate for NonResidentStudent
  - **redefines/overrides** methods if necessary e.g., compounded tuition for ResidentStudent e.g., discounted tuition for NonResidentStudent

*This means code reuse and elimination of code duplicates!*

28 of 110

## Inheritance Architecture Revisited



- The class that defines the common attributes and methods is called the **parent** or **super** class.
- Each “extended” class is called a **child** or **sub** class.

27 of 110

## Visualizing Parent/Child Objects (1)

- A child class inherits **all** non-private attributes from its parent class.  
⇒ A child instance has **at least as many** attributes as an instance of its parent class.

Consider the following instantiations:

```


Student s = new Student("Stella");
ResidentStudent rs = new ResidentStudent("Rachael");
NonResidentStudent nrs = new NonResidentStudent("Nancy");

```

- How will these initial objects look like?


29 of 110

## Visualizing Parent/Child Objects (2)



30 of 110

## Inheritance Architecture: Static Types & Expectations



```

Student s = new Student("Stella");
ResidentStudent rs = new ResidentStudent("Rachael");
NonResidentStudent nrs = new NonResidentStudent("Nancy");

```

|      | name | rcs | noc | reg | getT | pr | setPR | dr | setDR |
|------|------|-----|-----|-----|------|----|-------|----|-------|
| s.   |      |     | ✓   |     |      |    |       | ×  |       |
| rs.  |      |     | ✓   |     |      | ✓  |       |    | ×     |
| nrs. |      |     | ✓   |     |      | ×  |       |    | ✓     |

32 of 110

## Testing the Two Student Sub-Classes



```

public class StudentTester {
 public static void main(String[] args) {
 Course c1 = new Course("EECS2030", 500.00); /* title and fee */
 Course c2 = new Course("EECS3311", 500.00); /* title and fee */
 ResidentStudent jim = new ResidentStudent("J. Davis");
 jim.setPremiumRate(1.25);
 jim.register(c1); jim.register(c2);
 NonResidentStudent jeremy = new NonResidentStudent("J. Gibbons");
 jeremy.setDiscountRate(0.75);
 jeremy.register(c1); jeremy.register(c2);
 System.out.println("Jim pays " + jim.getTuition());
 System.out.println("Jeremy pays " + jeremy.getTuition());
 }
}

```

- The software can be used in the exact same way as before (because we did not modify **method headers**).
- But now the internal structure of code has been made **maintainable** using **inheritance**.

33 of 110

## Polymorphism: Intuition (1)



```

1 Student s = new Student("Stella");
2 ResidentStudent rs = new ResidentStudent("Rachael");
3 rs.setPremiumRate(1.25);
4 s = rs; /* Is this valid? */
5 rs = s; /* Is this valid? */

```

- Which one of L4 and L5 is **valid**? Which one is **invalid**?
- Hints:**
  - L1: What **kind** of address can **s** store? [ Student ]  
∴ The context object **s** is **expected** to be used as:
    - s.register(eecs2030)** and **s.getTuition()**
  - L2: What **kind** of address can **rs** store? [ ResidentStudent ]  
∴ The context object **rs** is **expected** to be used as:
    - rs.register(eecs2030)** and **rs.getTuition()**
    - rs.setPremiumRate(1.50)** [increase premium rate]

34 of 110


## Polymorphism: Intuition (2)

```

1 Student s = new Student("Stella");
2 ResidentStudent rs = new ResidentStudent("Rachael");
3 rs.setPremiumRate(1.25);
4 s = rs; /* Is this valid? */
5 rs = s; /* Is this valid? */

```

- $rs = s$  (L5) should be *invalid*:



- Since  $rs$  is declared of type ResidentStudent, a subsequent call  $rs.setPremiumRate(1.50)$  can be expected.
- $rs$  is now pointing to a Student object.
- Then, what would happen to  $rs.setPremiumRate(1.50)$ ?

**CRASH** ∴  $rs.premiumRate$  is *undefined*!!

34 of 110


## Dynamic Binding: Intuition (1)

```

1 Course eecs2030 = new Course("EECS2030", 100.0);
2 Student s;
3 ResidentStudent rs = new ResidentStudent("Rachael");
4 NonResidentStudent nrs = new NonResidentStudent("Nancy");
5 rs.setPremiumRate(1.25); rs.register(eecs2030);
6 nrs.setDiscountRate(0.75); nrs.register(eecs2030);
7 s = rs; System.out.println(s.getTuition()); /* 125.0 */
8 s = nrs; System.out.println(s.getTuition()); /* 75.0 */

```

After  $s = rs$  (L7),  $s$  points to a ResidentStudent object.  
 ⇒ Calling  $s.getTuition()$  applies the premiumRate.



35 of 110


## Polymorphism: Intuition (3)

```

1 Student s = new Student("Stella");
2 ResidentStudent rs = new ResidentStudent("Rachael");
3 rs.setPremiumRate(1.25);
4 s = rs; /* Is this valid? */
5 rs = s; /* Is this valid? */

```

- $s = rs$  (L4) should be *valid*:



- Since  $s$  is declared of type Student, a subsequent call  $s.setPremiumRate(1.50)$  is *never* expected.
- $s$  is now pointing to a ResidentStudent object.
- Then, what would happen to  $s.getTuition()$ ?

**OK** ∴  $s.premiumRate$  is *never directly used*!!

35 of 110


## Dynamic Binding: Intuition (2)

```

1 Course eecs2030 = new Course("EECS2030", 100.0);
2 Student s;
3 ResidentStudent rs = new ResidentStudent("Rachael");
4 NonResidentStudent nrs = new NonResidentStudent("Nancy");
5 rs.setPremiumRate(1.25); rs.register(eecs2030);
6 nrs.setDiscountRate(0.75); nrs.register(eecs2030);
7 s = rs; System.out.println(s.getTuition()); /* 125.0 */
8 s = nrs; System.out.println(s.getTuition()); /* 75.0 */


```

After  $s = nrs$  (L8),  $s$  points to a NonResidentStudent object.  
 ⇒ Calling  $s.getTuition()$  applies the discountRate.




37 of 110

## Multi-Level Inheritance Architecture



38 of 110

## Multi-Level Inheritance Hierarchy: Smart Phones



39 of 110

## Inheritance Forms a Type Hierarchy



- A (data) **type** denotes a set of related **runtime values**.
  - Every **class** can be used as a type: the set of runtime **objects**.
- Use of **inheritance** creates a **hierarchy** of classes:
  - (Implicit) Root of the hierarchy is **Object**.
  - Each **extends** declaration corresponds to an upward arrow.
  - The **extends** relationship is **transitive**: when A extends B and B extends C, we say A **indirectly** extends C. e.g., Every class implicitly **extends** the **Object** class.
- Ancestor** vs. **Descendant** classes:
  - The **ancestor classes** of a class A are: A itself and all classes that A **directly**, or **indirectly**, extends.
    - A **inherits** all code (attributes and methods) from its **ancestor classes**.
      - ∴ A's instances have a **wider range of expected usages** (i.e., attributes and methods) than instances of its **ancestor** classes.
  - The **descendant classes** of a class A are: A itself and all classes that **directly**, or **indirectly**, extends A.
    - Code defined in A is **inherited to** all its **descendant classes**.

40 of 110

## Inheritance Accumulates Code for Reuse



- The **lower** a class is in the type hierarchy, the **more code** it accumulates from its **ancestor classes**:
  - A **descendant class** inherits all code from its **ancestor classes**.
  - A **descendant class** may also:
    - Declare new attributes
    - Define new methods
    - Redefine / Override** inherited methods
- Consequently:
  - When being used as **context objects**, instances of a class' **descendant classes** have a **wider range of expected usages** (i.e., attributes and methods).
  - Given a **reference variable**, expected to store the address of an object of a particular class, we may **substitute** it with (**re-assign** it to) an object of any of its **descendant classes**.
  - e.g., When expecting a **SmartPhone** object, we may substitute it with either a **iPhone13Pro** or a **Samsung** object.
  - Justification**: A **descendant class** contains **at least as many** methods as defined in its **ancestor classes** (but not vice versa!).

41 of 110



## Static Types Determine Expectations

- A reference variable's **static type** is what we declare it to be.
  - `Student jim` declares jim's ST as Student.
  - `SmartPhone myPhone` declares myPhone's ST as SmartPhone.
  - The **static type** of a reference variable **never changes**.
- For a reference variable  $v$ , its **static type**  $C$  defines the **expected usages of  $v$  as a context object**.
- A method call  $v.m(\dots)$  is **compilable** if  $m$  is defined in  $C$ .
  - e.g., After declaring `Student jim`, we
    - may** call `register` and `getTuition` on `jim`
    - may not** call `setPremiumRate` (specific to a resident student) or `setDiscountRate` (specific to a non-resident student) on `jim`
  - e.g., After declaring `SmartPhone myPhone`, we
    - may** call `dial` and `surfWeb` on `myPhone`
    - may not** call `facetime` (specific to an IOS phone) or `skype` (specific to an Android phone) on `myPhone`

42 of 510



## Rules of Substitution

When expecting an object of **static type**  $A$ :


- It is **safe** to **substitute** it with an object whose **static type** is any of the **descendant class** of  $A$  (including  $A$ ).
  - $\therefore$  Each **descendant class** of  $A$ , being the new substitute, is guaranteed to contain all (non-private) attributes/methods defined in  $A$ .
  - e.g., When expecting an IOS phone, you **can** substitute it with either an iPhoneSE or iPhone13Pro.
- It is **unsafe** to **substitute** it with an object whose **static type** is any of the **ancestor classes of  $A$ 's parent** (excluding  $A$ ).
  - $\therefore$  Class  $A$  may have defined new methods that do not exist in any of its **parent's ancestor classes**.
  - e.g., When expecting IOS phone, **unsafe** to substitute it with a `SmartPhone`  $\therefore$  `facetime` not supported in Android phone.
- It is also **unsafe** to **substitute** it with an object whose **static type** is **neither an ancestor nor a descendant of  $A$** .
  - e.g., When expecting IOS phone, **unsafe** to substitute it with a `HuaweiP50Pro`  $\therefore$  `facetime` not supported in Android phone.

44 of 510



## Substitutions via Assignments

- By declaring `C1 v1`, **reference variable**  $v1$  will store the **address** of an object "of class  $C1$ " at runtime.
- By declaring `C2 v2`, **reference variable**  $v2$  will store the **address** of an object "of class  $C2$ " at runtime.
- Assignment `v1 = v2` **copies address** stored in  $v2$  into  $v1$ .
  - $v1$  will instead point to wherever  $v2$  is pointing to. [**object alias**]



- In such assignment `v1 = v2`, we say that we **substitute** an object of (**static**) type  $C1$  by an object of (**static**) type  $C2$ .
- Substitutions** are subject to **rules!**

43 of 510



## Reference Variable: Dynamic Type


A **reference variable's dynamic type** is the type of object that it is currently pointing to at **runtime**.

- The **dynamic type** of a reference variable **may change** whenever we **re-assign** that variable to a different object.
- There are two ways to re-assigning a reference variable.

45 of 510



## Visualizing Static Type vs. Dynamic Type



- Each segmented box denotes a *runtime* object.
- Arrow denotes a variable (e.g., *s*) storing the object's address. Usually, when the context is clear, we leave the variable's *static type* implicit (*Student*).
- Title of box indicates type of runtime object, which denotes the *dynamic type* of the variable (*ResidentStudent*).

46 of 110

## Reference Variable: Changing Dynamic Type (1)



Re-assigning a reference variable to a newly-created object:

- **Substitution Principle**: the new object's class must be a **descendant class** of the reference variable's **static type**.
- e.g., `Student jim = new ResidentStudent(...)` changes the **dynamic type** of *jim* to *ResidentStudent*.
- e.g., `jim = new NonResidentStudent(...)` changes the **dynamic type** of *jim* to *NonResidentStudent*.
- e.g., `ResidentStudent jeremy = new Student(...)` is illegal because *Student* is **not** a **descendant class** of the **static type** of *jeremy* (i.e., *ResidentStudent*).

47 of 110

## Reference Variable: Changing Dynamic Type (2)



Re-assigning a reference variable *v* to an existing object that is referenced by another variable *other* (i.e., `v = other`):

- **Substitution Principle**: the static type of *other* must be a **descendant class** of *v*'s **static type**.
- e.g., Say we declare

```
Student jim = new Student(...);
ResidentStudent rs = new ResidentStudent(...);
NonResidentStudent nrs = new NonResidentStudent(...);
```

- `jim = rs` ✓  
changes the **dynamic type** of *jim* to the dynamic type of *rs*
- `jim = nrs` ✓  
changes the **dynamic type** of *jim* to the dynamic type of *nrs*
- `rs = jim` ✗
- `nrs = jim` ✗

48 of 110

## Polymorphism and Dynamic Binding (1)



- **Polymorphism**: An object variable may have **"multiple possible shapes"** (i.e., allowable **dynamic types**).
  - Consequently, there are **multiple possible versions** of each method that may be called.
    - e.g., A **Student** variable may have the **dynamic type** of **Student**, **ResidentStudent**, or **NonResidentStudent**.
    - This means that there are **three possible versions** of the `getTuition()` that may be called.
- **Dynamic binding**: When a method *m* is called on an object variable, the version of *m* corresponding to its **"current shape"** (i.e., one defined in the **dynamic type** of *m*) will be called.

```
Student jim = new ResidentStudent(...);
jim.getTuition(); /* version in ResidentStudent */
jim = new NonResidentStudent(...);
jim.getTuition(); /* version in NonResidentStudent */
```

49 of 110

## Polymorphism and Dynamic Binding (2.1)




```
class Student {...}
class ResidentStudent extends Student {...}
class NonResidentStudent extends Student {...}
```

```
class StudentTester1 {
 public static void main(String[] args) {
 Student jim = new Student("J. Davis");
 ResidentStudent rs = new ResidentStudent("J. Davis");
 jim = rs; /* legal */
 rs = jim; /* illegal */

 NonResidentStudent nrs = new NonResidentStudent("J. Davis");
 jim = nrs; /* legal */
 nrs = jim; /* illegal */
 }
}
```

50 of 110

## Polymorphism and Dynamic Binding (3.1)



52 of 110

## Polymorphism and Dynamic Binding (2.2)



```
class Student {...}
class ResidentStudent extends Student {...}
class NonResidentStudent extends Student {...}
```

```
class StudentTester2 {
 public static void main(String[] args) {
 Course eeecs2030 = new Course("EECS2030", 500.0);
 Student jim = new Student("J. Davis");
 ResidentStudent rs = new ResidentStudent("J. Davis");
 rs.setPremiumRate(1.5);
 jim = rs;
 System.out.println(jim.getTuition()); /* 750.0 */
 NonResidentStudent nrs = new NonResidentStudent("J. Davis");
 nrs.setDiscountRate(0.5);
 jim = nrs;
 System.out.println(jim.getTuition()); /* 250.0 */
 }
}
```

51 of 110

## Polymorphism and Dynamic Binding (3.2)



```
class SmartPhoneTest1 {
 public static void main(String[] args) {
 SmartPhone myPhone;
 IOS ip = new iPhoneSE();
 Samsung ss = new GalaxyS21Plus();
 myPhone = ip; /* legal */
 myPhone = ss; /* legal */

 IOS presentForHeeyeon;
 presentForHeeyeon = ip; /* legal */
 presentForHeeyeon = ss; /* illegal */
 }
}
```

53 of 110

## Polymorphism and Dynamic Binding (3.3)



```
class SmartPhoneTest2 {
 public static void main(String[] args) {
 SmartPhone myPhone;
 IOS ip = new iPhone13Pro();
 myPhone = ip;
 myPhone.surfWeb(); /* version of surfWeb in iPhone13Pro */

 Samsung ss = new GalaxyS21();
 myPhone = ss;
 myPhone.surfWeb(); /* version of surfWeb in GalaxyS21 */
 }
}
```

54 of 110

## Reference Type Casting: Motivation (1.1)



```
1 Student jim = new ResidentStudent("J. Davis");
2 ResidentStudent rs = jim;
3 rs.setPremiumRate(1.5);
```

- L1 is **legal**: ResidentStudent is a **descendant class** of the **static type** of jim (i.e., Student).
- L2 is **illegal**: jim's **ST** (i.e., Student) is **not** a descendant class of rs's **ST** (i.e., ResidentStudent).  
Java compiler is **unable to infer** that jim's **dynamic type** in L2 is ResidentStudent!
- Force the Java compiler to believe so via a cast in L2:  

```
ResidentStudent rs = (ResidentStudent) jim;
```

  - The cast `(ResidentStudent) jim` creates for jim **a temporary alias** whose **ST** corresponds to the **cast type** (`ResidentStudent`).
  - Alias rs of **ST** ResidentStudent is then created via an assignment.  
**Note.** jim's **ST** always remains Student.
- **dynamic binding**: After the **cast**, L3 will execute the correct version of `setPremiumRate` (∴ **DT** of rs is ResidentStudent).

55 of 110

## Reference Type Casting: Motivation (1.2)



```
ST: ResidentStudent valid substitution ST: Student
ResidentStudent rs = (ResidentStudent) jim ;
 an alias whose ST is ResidentStudent
```

- Variable rs is declared of **static type (ST)** ResidentStudent.
- Variable jim is declared of **ST** Student.
- The cast `(ResidentStudent) jim` creates for jim a **temporary alias**, whose **ST** corresponds to the **cast type** (`ResidentStudent`).  
⇒ Such a cast makes the assignment **valid**.  
∴ RHS's **ST** (`ResidentStudent`) is a **descendant** of LHS's **ST** (`ResidentStudent`).  
⇒ The assignment creates an **alias** rs with **ST** ResidentStudent.
- **No** new object is created.  
Only an **alias** rs with a different **ST** (`ResidentStudent`) is created.
- After the assignment, jim's **ST** **remains** Student.

56 of 110

## Reference Type Casting: Motivation (2.1)



```
1 SmartPhone aPhone = new iPhone13Pro();
2 iPhone13Pro forHeeyeon = aPhone;
3 forHeeyeon.facetime(1.5);
```

- L1 is **legal**: iPhone13Pro is a **descendant class** of the **static type** of aPhone (i.e., SmartPhone).
- L2 is **illegal**: aPhone's **ST** (i.e., SmartPhone) is **not** a descendant class of forHeeyeon's **ST** (i.e., iPhone13Pro).  
Java compiler is **unable to infer** that aPhone's **dynamic type** in L2 is iPhone13Pro!
- Force the Java compiler to believe so via a cast in L2:  

```
iPhone13Pro forHeeyeon = (iPhone13Pro) aPhone;
```

  - The cast `(iPhone13Pro) aPhone` creates for aPhone **a temporary alias** whose **ST** corresponds to the **cast type** (`iPhone13Pro`).
  - Alias forHeeyeon of **ST** iPhone13Pro is then created via an assignment.  
**Note.** aPhone's **ST** always remains SmartPhone.
- **dynamic binding**: After the **cast**, L3 will execute the correct version of `facetime` (∴ **DT** of forHeeyeon is iPhone13Pro).

57 of 110

## Reference Type Casting: Motivation (2.2)



```

 ST: iPhone13Pro valid substitution ST: SmartPhone
 iPhone13Pro forHeeyeon = (iPhone13Pro) aPhone ;
 an alias whose ST is iPhone13Pro

```

- Variable `forHeeyeon` is declared of **static type (ST)** `iPhone13Pro`.
- Variable `aPhone` is declared of **ST** `SmartPhone`.
- The cast `(iPhone13Pro) aPhone` creates for `aPhone` a **temporary alias**, whose **ST** corresponds to the **cast type** (`iPhone13Pro`).
  - ⇒ Such a cast makes the assignment **valid**.
  - ∴ RHS's **ST** (`iPhone13Pro`) is a **descendant** of LHS's **ST** (`iPhone13Pro`).
  - ⇒ The assignment creates an **alias** `forHeeyeon` with **ST** `iPhone13Pro`.
- No** new object is created.
  - Only an **alias** `forHeeyeon` with a different **ST** (`iPhone13Pro`) is created.
- After the assignment, `aPhone`'s **ST** **remains** `SmartPhone`.

58 of 110

## Type Cast: Named or Anonymous



**Named Cast:** Use intermediate variable to store the cast result.

```

SmartPhone aPhone = new iPhone13Pro();
IOS forHeeyeon = (iPhone13Pro) aPhone;
forHeeyeon.facetime();

```

**Anonymous Cast:** Use the cast result directly.

```

SmartPhone aPhone = new iPhone13Pro();
((iPhone13Pro) aPhone).facetime();

```

**Common Mistake:**

```

1 SmartPhone aPhone = new iPhone13Pro();
2 (iPhone13Pro) aPhone.facetime();

```

**L2** ≡ `(iPhone13Pro) (aPhone.facetime())`: Call, then cast.

⇒ This does **not** compile ∴ `facetime()` is **not** declared in the **static type** of `aPhone` (`SmartPhone`).

59 of 110

## Notes on Type Cast (1)



- Given variable `v` of **static type** `STv`, it is **compatible** to cast `v` to `C`, as long as `C` is an **ancestor** or **descendant** of `STv`.
- Without cast, we can **only** call methods defined in `STv` on `v`.
- Casting `v` to `C` creates for `v` an alias with **ST** `C`.
  - ⇒ All methods that are defined in `C` can be called.

```

Android myPhone = new GalaxyS21Plus();
/* can call methods declared in Android on myPhone
 * dial, surfweb, skype ✓ sideSync × */
SmartPhone sp = (SmartPhone) myPhone;
/* Compiles OK ∴ SmartPhone is an ancestor class of Android
 * expectations on sp narrowed to methods in SmartPhone
 * sp.dial, sp.surfweb ✓ sp.skype, sp.sideSync × */
GalaxyS21Plus ga = (GalaxyS21Plus) myPhone;
/* Compiles OK ∴ GalaxyS21Plus is a descendant class of Android
 * expectations on ga widened to methods in GalaxyS21Plus
 * ga.dial, ga.surfweb, ga.skype, ga.sideSync ✓ */

```

60 of 110

## Reference Type Casting: Danger (1)



```

1 Student jim = new NonResidentStudent("J. Davis");
2 ResidentStudent rs = (ResidentStudent) jim;
3 rs.setPremiumRate(1.5);

```

- L1** is **legal**: `NonResidentStudent` is a **descendant** of the static type of `jim` (`Student`).
- L2** is **legal** (where the cast type is `ResidentStudent`):
  - cast type is **descendant** of `jim`'s **ST** (`Student`).
  - cast type is **descendant** of `rs`'s **ST** (`ResidentStudent`).
- L3** is **legal** ∴ `setPremiumRate` is in `rs`' **ST** `ResidentStudent`.
- Java compiler is **unable to infer** that `jim`'s **dynamic type** in **L2** is actually `NonResidentStudent`.
- Executing **L2** will result in a **`ClassCastException`**.
  - ∴ Attribute `premiumRate` (expected from a **`ResidentStudent`**) is **undefined** on the **`NonResidentStudent`** object being cast.

61 of 110



## Reference Type Casting: Danger (2)

```

1 SmartPhone aPhone = new GalaxyS21Plus();
2 iPhone13Pro forHeeyeon = (iPhone13Pro) aPhone;
3 forHeeyeon.quickTake();

```

- **L1** is *legal*: GalaxyS21Plus is a **descendant** of the static type of aPhone (SmartPhone).
- **L2** is *legal* (where the cast type is iPhone6sPlus):
  - cast type is **descendant** of aPhone's ST (SmartPhone).
  - cast type is **descendant** of forHeeyeon's ST (iPhone13Pro).
- **L3** is *legal* ∴ quickTake is in forHeeyeon' **ST** iPhone13Pro.
- Java compiler is *unable to infer* that aPhone's **dynamic type** in **L2** is actually GalaxyS21Plus.
- Executing **L2** will result in a **ClassCastException**.  
∴ Methods facetime, quickTake (expected from an **iPhone13Pro**) is *undefined* on the **GalaxyS21Plus** object being cast.

34 of 110



## Notes on Type Cast (2.2)

Given a variable  $v$  of static type  $ST_v$  and dynamic type  $DT_v$ :

- $(C) v$  is **compilable** if  $C$  is  $ST_v$ 's **ancestor** or **descendant**.
- Casting  $v$  to  $C$ 's **ancestor/descendant** **narrows/widens** expectations.
- However, being **compilable** does not guarantee **runtime-error-free!**

```

1 SmartPhone myPhone = new Samsung();
2 /* ST of myPhone is SmartPhone; DT of myPhone is Samsung */
3 iPhone13Pro ip = (iPhone13Pro) myPhone;
4 /* Compiles OK ∴ iPhone13Pro is a descendant class of SmartPhone
5 * can now call methods declared in iPhone13Pro on ip
6 * ip.dial, ip.surfweb, ip.facetime, ip.quickTake ✓ */

```

- Type cast in **L3** is **compilable**.
- Executing **L3** will cause **ClassCastException**.  
**L3**: myPhone's **DT** Samsung cannot meet expectations of the temporary **ST** iPhone13Pro (e.g., quickTake).

34 of 110



## Notes on Type Cast (2.1)

Given a variable  $v$  of static type  $ST_v$  and dynamic type  $DT_v$ :

- $(C) v$  is **compilable** if  $C$  is  $ST_v$ 's **ancestor** or **descendant**.
- Casting  $v$  to  $C$ 's **ancestor/descendant** **narrows/widens** expectations.
- However, being **compilable** does not guarantee **runtime-error-free!**

```

1 SmartPhone myPhone = new Samsung();
2 /* ST of myPhone is SmartPhone; DT of myPhone is Samsung */
3 GalaxyS21Plus ga = (GalaxyS21Plus) myPhone;
4 /* Compiles OK ∴ GalaxyS21Plus is a descendant class of SmartPhone
5 * can now call methods declared in GalaxyS21Plus on ga
6 * ga.dial, ga.surfweb, ga.skype, ga.sideSync ✓ */

```

- Type cast in **L3** is **compilable**.
- Executing **L3** will cause **ClassCastException**.  
**L3**: myPhone's **DT** Samsung cannot meet expectations of the temporary **ST** GalaxyS21Plus (e.g., sideSync).

34 of 110



## Notes on Type Cast (2.3)

A cast  $(C) v$  is **compilable** and **runtime-error-free** if  $C$  is located along the **ancestor path** of  $DT_v$ .

e.g., Given **Android** myPhone = new **Samsung**();

- Cast myPhone to a class along the **ancestor path** of its **DT Samsung**.
- Casting myPhone to a class with more expectations than its **DT Samsung** (e.g., GalaxyS21Plus) will cause **ClassCastException**.
- Casting myPhone to a class irrelevant to its **DT Samsung** (e.g., HuaweiMate40Pro) will cause **ClassCastException**.

35 of 110

## Required Reading: Static Types, Dynamic Types, Casts



[https://www.eecs.yorku.ca/~jackie/teaching/lectures/2021/F/EECS2030/notes/EECS2030\\_F21/Notes Static Types Cast.pdf](https://www.eecs.yorku.ca/~jackie/teaching/lectures/2021/F/EECS2030/notes/EECS2030_F21/Notes Static Types Cast.pdf)

36 of 110

## Compilable Cast vs. Exception-Free Cast



```
class A { }
class B extends A { }
class C extends B { }
class D extends A { }
```

```
1 B b = new C();
2 D d = (D) b;
```

- After L1:
  - **ST** of b is B
  - **DT** of b is C
- Does L2 compile? [ NO ]  
∴ cast type D is neither an ancestor nor a descendant of b's **ST** B
- Would `D d = (D) ((A) b)` fix L2? [ YES ]  
∴ cast type D is an ancestor of b's cast, temporary **ST** A
- `ClassCastException` when executing this fixed L2? [ YES ]  
∴ cast type D is not an ancestor of b's **DT** C

37 of 110

## Reference Type Casting: Runtime Check (1)



```
1 Student jim = new NonResidentStudent("J. Davis");
2 if (jim instanceof ResidentStudent) {
3 ResidentStudent rs = (ResidentStudent) jim;
4 rs.setPremiumRate(1.5);
5 }
```

- L1 is *legal*: NonResidentStudent is a **descendant class** of the **static type** of jim (i.e., Student).
- L2 checks if jim's **DT** is a **descendant** of ResidentStudent.  
**FALSE** ∴ jim's **dynamic type** is NonResidentStudent!
- L3 is *legal*: jim's cast type (i.e., ResidentStudent) is a **descendant class** of rs's **ST** (i.e., ResidentStudent).
- L3 will not be executed at runtime, hence no `ClassCastException`, thanks to the check in L2!

38 of 110

## Reference Type Casting: Runtime Check (2)



```
1 SmartPhone aPhone = new GalaxyS21Plus();
2 if (aPhone instanceof iPhone13Pro) {
3 IOS forHeeyeon = (iPhone13Pro) aPhone;
4 forHeeyeon.facetime();
5 }
```

- L1 is *legal*: GalaxyS21Plus is a **descendant class** of the static type of aPhone (i.e., SmartPhone).
- L2 checks if aPhone's **DT** is a **descendant** of iPhone13Pro.  
**FALSE** ∴ aPhone's **dynamic type** is GalaxyS21Plus!
- L3 is *legal*: aPhone's cast type (i.e., iPhone13Pro) is a **descendant class** of forHeeyeon's **static type** (i.e., IOS).
- L3 will not be executed at runtime, hence no `ClassCastException`, thanks to the check in L2!

39 of 110



## Notes on the instanceof Operator (1)



Given a reference variable  $v$  and a class  $C$ , you write

```
v instanceof C
```

to check if the **dynamic type** of  $v$ , at the moment of being checked, is a **descendant class** of  $C$  (so that  $(C) v$  is safe).

```
SmartPhone myPhone = new Samsung();
println(myPhone instanceof Android);
/* true :: Samsung is a descendant of Android */
println(myPhone instanceof Samsung);
/* true :: Samsung is a descendant of Samsung */
println(myPhone instanceof GalaxyS21);
/* false :: Samsung is not a descendant of GalaxyS21 */
println(myPhone instanceof IOS);
/* false :: Samsung is not a descendant of IOS */
println(myPhone instanceof iPhone13Pro);
/* false :: Samsung is not a descendant of iPhone13Pro */
```

⇒ **Samsung** is the most specific type which myPhone can be safely cast to.

7 of 10

## Notes on the instanceof Operator (2)



Given a reference variable  $v$  and a class  $C$ ,

$v instanceof C$  checks if the **dynamic type** of  $v$ , at the moment of being checked, is a descendant class of  $C$ .

```
1 SmartPhone myPhone = new Samsung();
2 /* ST of myPhone is SmartPhone; DT of myPhone is Samsung */
3 if(myPhone instanceof Samsung) {
4 Samsung samsung = (Samsung) myPhone;
5 }
6 if(myPhone instanceof GalaxyS21Plus) {
7 GalaxyS21Plus galaxy = (GalaxyS21Plus) myPhone;
8 }
9 if(myPhone instanceof HuaweiMate40Pro) {
10 Huawei hw = (HuaweiMate40Pro) myPhone;
11 }
```

• L3 evaluates to **true**. [safe to cast]

• L6 and L9 evaluate to **false**. [unsafe to cast]

This prevents L7 and L10, causing ClassCastException if executed, from being executed.

7 of 10

## Static Types, Casts, Polymorphism (1.1)



```
class SmartPhone {
 void dial() { ... }
}
class IOS extends SmartPhone {
 void facetime() { ... }
}
class iPhone13Pro extends IOS {
 void quickTake() { ... }
}
```

```
1 SmartPhone sp = new iPhone13Pro(); ✓
2 sp.dial(); ✓
3 sp.facetime(); ✗
4 sp.quickTake(); ✗
```

**Static type** of  $sp$  is SmartPhone

⇒ can only call methods defined in SmartPhone on  $sp$

7 of 10

## Static Types, Casts, Polymorphism (1.2)



```
class SmartPhone {
 void dial() { ... }
}
class IOS extends SmartPhone {
 void facetime() { ... }
}
class iPhone13Pro extends IOS {
 void quickTake() { ... }
}
```

```
1 IOS ip = new iPhone13Pro(); ✓
2 ip.dial(); ✓
3 ip.facetime(); ✓
4 ip.quickTake(); ✗
```

**Static type** of  $ip$  is IOS

⇒ can only call methods defined in IOS on  $ip$

7 of 10

## Static Types, Casts, Polymorphism (1.3)



```
class SmartPhone {
 void dial() { ... }
}
class IOS extends SmartPhone {
 void facetime() { ... }
}
class iPhone13Pro extends IOS {
 void quickTake() { ... }
}
```

```
1 iPhone13Pro ip6sp = new iPhone13Pro(); ✓
2 ip6sp.dial(); ✓
3 ip6sp.facetime(); ✓
4 ip6sp.quickTake(); ✓
```

**Static type** of `ip6sp` is `iPhone13Pro`

⇒ can call all methods defined in `iPhone13Pro` on `ip6sp`

74 of 110

## Static Types, Casts, Polymorphism (2)



Given a reference variable declaration

```
C v;
```

- **Static type** of reference variable `v` is class `C`
- A method call `[v.m]` is valid if `m` is a method **defined** in class `C`.
- Despite the **dynamic type** of `v`, you are only allowed to call methods that are defined in the **static type** `C` on `v`.
- If you are certain that `v`'s **dynamic type** can be expected **more** than its **static type**, then you may use an `instanceof` check and a cast.

```
Course eeecs2030 = new Course("EECS2030", 500.0);
Student s = new ResidentStudent("Jim");
s.register(eeecs2030);
if (s instanceof ResidentStudent) {
 ((ResidentStudent) s).setPremiumRate(1.75);
 System.out.println(((ResidentStudent) s).getTuition());
}
```

76 of 110

## Static Types, Casts, Polymorphism (1.4)



```
class SmartPhone {
 void dial() { ... }
}
class IOS extends SmartPhone {
 void facetime() { ... }
}
class iPhone13Pro extends IOS {
 void quickTake() { ... }
}
```

```
1 SmartPhone sp = new iPhone13Pro(); ✓
2 ((iPhone13Pro) sp).dial(); ✓
3 ((iPhone13Pro) sp).facetime(); ✓
4 ((iPhone13Pro) sp).quickTake(); ✓
```

**L4** is equivalent to the following two lines:

```
iPhone13Pro ip6sp = (iPhone13Pro) sp;
ip6sp.quickTake();
```

75 of 110

## Polymorphism: Method Parameters (1)



```
1 class StudentManagementSystem {
2 Student[] ss; /* ss[i] has static type Student */ int c;
3 void addRS(ResidentStudent rs) { ss[c] = rs; c++; }
4 void addNRS(NonResidentStudent nrs) { ss[c] = nrs; c++; }
5 void addStudent(Student s) { ss[c] = s; c++; } }
```

- **L3**: `ss[c] = rs` is valid. ∴ RHS's ST `ResidentStudent` is a **descendant class** of LHS's ST `Student`.
- Say we have a `StudentManagementSystem` object `sms`:
  - `sms.addRS(o)` attempts the following assignment (recall call by value), which replaces parameter `rs` by a copy of argument `o`:

```
rs = o;
```

    - Whether this argument passing is valid depends on `o`'s **static type**.
- In the signature of a method `m`, if the type of a parameter is class `C`, then we may call method `m` by passing objects whose **static types** are `C`'s **descendants**.

77 of 110



## Polymorphism: Method Parameters (2.1)



In the StudentManagementSystemTester:

```
Student s1 = new Student();
Student s2 = new ResidentStudent();
Student s3 = new NonResidentStudent();
ResidentStudent rs = new ResidentStudent();
NonResidentStudent nrs = new NonResidentStudent();
StudentManagementSystem sms = new StudentManagementSystem();
sms.addRS(s1); ×
sms.addRS(s2); ×
sms.addRS(s3); ×
sms.addRS(rs); ✓
sms.addRS(nrs); ×
sms.addStudent(s1); ✓
sms.addStudent(s2); ✓
sms.addStudent(s3); ✓
sms.addStudent(rs); ✓
sms.addStudent(nrs); ✓
```

78 of 110

## Polymorphism: Method Parameters (2.2)



In the StudentManagementSystemTester:

```
1 Student s = new Student("Stella");
2 /* s' ST: Student; s' DT: Student */
3 StudentManagementSystem sms = new StudentManagementSystem();
4 sms.addRS(s); ×
```

- o L4 compiles with a cast: `sms.addRS((ResidentStudent) s)`
  - Valid cast :: (ResidentStudent) is a descendant of s' ST.
  - Valid call :: s' temporary ST (ResidentStudent) is now a descendant class of addRS's parameter rs' ST (ResidentStudent).
- o But, there will be a **ClassCastException** at runtime!  
∴ s' DT (Student) is not a descendant of ResidentStudent.
- o We should have written:

```
if(s instanceof ResidentStudent) {
 sms.addRS((ResidentStudent) s);
}
```

The instanceof expression will evaluate to *false*, meaning it is *unsafe* to cast, thus preventing ClassCastException.

79 of 110

## Polymorphism: Method Parameters (2.3)



In the StudentManagementSystemTester:

```
1 Student s = new NonResidentStudent("Nancy");
2 /* s' ST: Student; s' DT: NonResidentStudent */
3 StudentManagementSystem sms = new StudentManagementSystem();
4 sms.addRS(s); ×
```

- o L4 compiles with a cast: `sms.addRS((ResidentStudent) s)`
  - Valid cast :: (ResidentStudent) is a descendant of s' ST.
  - Valid call :: s' temporary ST (ResidentStudent) is now a descendant class of addRS's parameter rs' ST (ResidentStudent).
- o But, there will be a **ClassCastException** at runtime!  
∴ s' DT (NonResidentStudent) not descendant of ResidentStudent.
- o We should have written:

```
if(s instanceof ResidentStudent) {
 sms.addRS((ResidentStudent) s);
}
```

The instanceof expression will evaluate to *false*, meaning it is *unsafe* to cast, thus preventing ClassCastException.

80 of 110

## Polymorphism: Method Parameters (2.4)



In the StudentManagementSystemTester:

```
1 Student s = new ResidentStudent("Rachael");
2 /* s' ST: Student; s' DT: ResidentStudent */
3 StudentManagementSystem sms = new StudentManagementSystem();
4 sms.addRS(s); ×
```

- o L4 compiles with a cast: `sms.addRS((ResidentStudent) s)`
  - Valid cast :: (ResidentStudent) is a descendant of s' ST.
  - Valid call :: s' temporary ST (ResidentStudent) is now a descendant class of addRS's parameter rs' ST (ResidentStudent).
- o And, there will be no **ClassCastException** at runtime!  
∴ s' DT (ResidentStudent) is descendant of ResidentStudent.
- o We should have written:

```
if(s instanceof ResidentStudent) {
 sms.addRS((ResidentStudent) s);
}
```

The instanceof expression will evaluate to *true*, meaning it is *safe* to cast.

81 of 110

## Polymorphism: Method Parameters (2.5)



In the StudentManagementSystemTester:

```

1 NonResidentStudent nrs = new NonResidentStudent();
2 /* ST: NonResidentStudent; DT: NonResidentStudent */
3 StudentManagementSystem sms = new StudentManagementSystem();
4 sms.addRS(nrs); ✗

```

Will L4 with a cast compile?

```
sms.addRS((ResidentStudent) nrs)
```

**NO** ∴ (ResidentStudent) is **not** a descendant of nrs's **ST** (NonResidentStudent).

32 of 110

## Polymorphism and Dynamic Binding: A Polymorphic Collection of Students (1)



```

1 ResidentStudent rs = new ResidentStudent("Rachael");
2 rs.setPremiumRate(1.5);
3 NonResidentStudent nrs = new NonResidentStudent("Nancy");
4 nrs.setDiscountRate(0.5);
5 StudentManagementSystem sms = new StudentManagementSystem();
6 sms.addStudent(rs); /* polymorphism */
7 sms.addStudent(nrs); /* polymorphism */
8 Course eeecs2030 = new Course("EECS2030", 500.0);
9 sms.registerAll(eeecs2030);
10 for(int i = 0; i < sms.numberOfStudents; i++) {
11 /* Dynamic Binding:
12 * Right version of getTuition will be called */
13 System.out.println(sms.students[i].getTuition());
14 }

```

34 of 110

## Why Inheritance: A Polymorphic Collection of Students



How do you define a class StudentManagementSystem that contains a list of *resident* and *non-resident* students?

```

class StudentManagementSystem {
 Student[] students;
 int numOfStudents;

 void addStudent(Student s) {
 students[numOfStudents] = s;
 numOfStudents++;
 }

 void registerAll (Course c) {
 for(int i = 0; i < numberOfStudents; i++) {
 students[i].register(c)
 }
 }
}

```

a collection of students without inheritance


33 of 110

## Polymorphism and Dynamic Binding: A Polymorphic Collection of Students (2)



At runtime, attribute `sms.ss` is a **polymorphic** array:

- **Static type** of each item is as declared: **Student**
- **Dynamic type** of each item is a **descendant** of **Student**: **ResidentStudent**, **NonResidentStudent**



35 of 110

## Polymorphism: Return Types (1)

```

1 class StudentManagementSystem {
2 Student[] ss; int c;
3 void addStudent(Student s) { ss[c] = s; c++; }
4 Student getStudent(int i) {
5 Student s = null;
6 if(i < 0 || i >= c) {
7 throw new InvalidStudentIndexException("Invalid index.");
8 }
9 else {
10 s = ss[i];
11 }
12 return s;
13 }
}

```

L4: Student is **static type** of getStudent's return value.

L10: ss[i]'s ST (Student) is **descendant** of s' ST (Student).

**Question:** What can be the **dynamic type** of s after L10?


**Answer:** All descendant classes of Student.

36 of 110

## Polymorphism: Return Types (3)

At runtime, attribute `sms.ss` is a **polymorphic** array:

- **Static type** of each item is as declared: **Student**
- **Dynamic type** of each item is a **descendant** of **Student**: **ResidentStudent**, **NonResidentStudent**



38 of 110

## Polymorphism: Return Types (2)

```

1 Course eecs2030 = new Course("EECS2030", 500);
2 ResidentStudent rs = new ResidentStudent("Rachael");
3 rs.setPremiumRate(1.5); rs.register(eecs2030);
4 NonResidentStudent nrs = new NonResidentStudent("Nancy");
5 nrs.setDiscountRate(0.5); nrs.register(eecs2030);
6 StudentManagementSystem sms = new StudentManagementSystem();
7 sms.addStudent(rs); sms.addStudent(nrs);
8 Student s = sms.getStudent(0); /* dynamic type of s? */

 static return type: Student
9 print(s instanceof Student && s instanceof ResidentStudent); /* true */
10 print(s instanceof NonResidentStudent); /* false */
11 print(s.getTuition()); /* Version in ResidentStudent called:750 */
12 ResidentStudent rs2 = sms.getStudent(0); /* x */
13 s = sms.getStudent(1); /* dynamic type of s? */

 static return type: Student
14 print(s instanceof Student && s instanceof NonResidentStudent); /* true */
15 print(s instanceof ResidentStudent); /* false */
16 print(s.getTuition()); /* Version in NonResidentStudent called:250 */
17 NonResidentStudent nrs2 = sms.getStudent(1); /* x */

```

37 of 110

## Static Type vs. Dynamic Type: When to consider which?

- **Whether or not Java code compiles** depends only on the **static types** of relevant variables.
  - ∴ Inferring the **dynamic type** statically is an **undecidable** problem that is inherently impossible to solve.
- **The behaviour of Java code being executed at runtime** (e.g., which version of method is called due to dynamic binding, whether or not a `ClassCastException` will occur, etc.) depends on the **dynamic types** of relevant variables.
  - ⇒ Best practice is to visualize how objects are created (by drawing boxes) and variables are re-assigned (by drawing arrows).

39 of 110

## Summary: Type Checking Rules



| CODE                    | CONDITION TO BE TYPE CORRECT                                                                                                                                                                                                            |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>x = y</code>      | Is <i>y</i> 's <b>ST</b> a <b>descendant</b> of <i>x</i> 's <b>ST</b> ?                                                                                                                                                                 |
| <code>x.m(y)</code>     | Is method <i>m</i> defined in <i>x</i> 's <b>ST</b> ?<br>Is <i>y</i> 's <b>ST</b> a <b>descendant</b> of <i>m</i> 's parameter's <b>ST</b> ?                                                                                            |
| <code>z = x.m(y)</code> | Is method <i>m</i> defined in <i>x</i> 's <b>ST</b> ?<br>Is <i>y</i> 's <b>ST</b> a <b>descendant</b> of <i>m</i> 's parameter's <b>ST</b> ?<br>Is <b>ST</b> of <i>m</i> 's return value a <b>descendant</b> of <i>z</i> 's <b>ST</b> ? |
| <code>(C) y</code>      | Is <i>C</i> an <b>ancestor</b> or a <b>descendant</b> of <i>y</i> 's <b>ST</b> ?                                                                                                                                                        |
| <code>x = (C) y</code>  | Is <i>C</i> an <b>ancestor</b> or a <b>descendant</b> of <i>y</i> 's <b>ST</b> ?<br>Is <i>C</i> a <b>descendant</b> of <i>x</i> 's <b>ST</b> ?                                                                                          |
| <code>x.m((C) y)</code> | Is <i>C</i> an <b>ancestor</b> or a <b>descendant</b> of <i>y</i> 's <b>ST</b> ?<br>Is method <i>m</i> defined in <i>x</i> 's <b>ST</b> ?<br>Is <i>C</i> a <b>descendant</b> of <i>m</i> 's parameter's <b>ST</b> ?                     |

Even if `(C) y` compiles OK, there will be a runtime `ClassCastException` if *C* is not an **ancestor** of *y*'s **DT**!

20 of 110

## Overriding and Dynamic Binding (1)



`Object` is the common parent/super class of every class.

- Every class inherits the **default version** of `equals`
- Say a reference variable *v* has **dynamic type D**:
  - Case 1** *D* **overrides** `equals`  
⇒ `v.equals(...)` invokes the **overridden version** in *D*
  - Case 2** *D* does **not override** `equals`  
**Case 2.1** At least one ancestor classes of *D* **override** `equals`  
⇒ `v.equals(...)` invokes the **overridden version** in the **closest ancestor class**
  - Case 2.2** No ancestor classes of *D* **override** `equals`  
⇒ `v.equals(...)` invokes **default version** inherited from `Object`.
- Same principle applies to the `toString` method, and all overridden methods in general.

22 of 110

## Root of the Java Class Hierarchy




- Implicitly:
  - Every class is a **child/sub** class of the **Object** class.
  - The **Object** class is the **parent/super** class of every class.
- There are two useful **accessor methods** that every class **inherits** from the **Object** class:
  - `boolean equals(Object other)`  
Indicates whether some other object is "equal to" this one.
    - The default definition inherited from `Object`:
 

```
boolean equals(Object other) {
 return (this == other);
}
```
  - `String toString()`  
Returns a string representation of the object.
- Very often when you define new classes, you want to **redefine/override** the inherited definitions of `equals` and `toString`.

23 of 110

## Overriding and Dynamic Binding (2.1)



```

boolean equals (Object obj) {
 return this == obj;
}

```

```

class A {
 /*equals not overridden*/
}
class B extends A {
 /*equals not overridden*/
}
class C extends B {
 /*equals not overridden*/
}

```

```


1 Object c1 = new C();
2 Object c2 = new C();
3 println(c1.equals(c2));

```

**L3** calls which version of `equals`? [Object]

24 of 110

## Overriding and Dynamic Binding (2.2)



```
class A {
 /*equals not overridden*/
}
class B extends A {
 /*equals not overridden*/
}
class C extends B {
 boolean equals (Object obj) {
 /* overridden version */
 }
}
```

```
1 Object c1 = new C();
2 Object c2 = new C();
3 println(c1.equals(c2));
```

L3 calls which version of equals? [ C ]

34 of 110

## Behaviour of Inherited toString Method (1)




```
Point p1 = new Point(2, 4);
System.out.println(p1);
```

```
Point@677327b6
```

- Implicitly, the toString method is called inside the println method.
- By default, the address stored in p1 gets printed.
- We need to **redefine / override** the toString method, inherited from the Object class, in the Point class.

36 of 110

## Overriding and Dynamic Binding (2.3)



```
class A {
 /*equals not overridden*/
}
class B extends A {
 boolean equals (Object obj) {
 /* overridden version */
 }
}
class C extends B {
 /*equals not overridden*/
}
```

```
1 Object c1 = new C();
2 Object c2 = new C();
3 println(c1.equals(c2));
```

L3 calls which version of equals? [ B ]

35 of 110

## Behaviour of Inherited toString Method (2)



```
class Point {
 double x;
 double y;
 public String toString() {
 return "(" + this.x + ", " + this.y + ")";
 }
}
```

After redefining/overriding the toString method:

```
Point p1 = new Point(2, 4);
System.out.println(p1);
```

```
(2, 4)
```

37 of 110

## Behaviour of Inherited toString Method (3)



**Exercise:** Override the `equals` and `toString` methods for the `ResidentStudent` and `NonResidentStudent` classes.

98 of 110

## Beyond this lecture...



- Implement the *inheritance hierarchy* of **Students** and reproduce all lecture examples.
- Implement the *inheritance hierarchy* of **Smart Phones** and reproduce all lecture examples.  
**Hints.** Pay attention to:
  - *Valid? Compiles?*
  - *ClassCastException?*
- Study the `ExampleTypeCasts` example: draw the *inheritance hierarchy* and experiment with the various substitutions and casts.

99 of 110

## Index (1)



### Learning Outcomes

Why Inheritance: A Motivating Example

Why Inheritance: A Motivating Example

No Inheritance: `ResidentStudent` Class

No Inheritance: `NonResidentClass`

No Inheritance: Testing Student Classes

No Inheritance:

Issues with the Student Classes

No Inheritance: Maintainability of Code (1)

No Inheritance: Maintainability of Code (2)

100 of 110

## Index (2)



No Inheritance:

A Collection of Various Kinds of Students

Visibility: Project, Packages, Classes

Visibility of Classes

Visibility of Classes: Across All Classes

Within the Resident Package (no modifier)

Visibility of Classes: Across All Classes

Within the Resident Package (no modifier)

Visibility of Attributes/Methods:

Using Modifiers to Define Scopes

Visibility of Attr./Meth.: Across All Methods

Within the Resident Class (`private`)

101 of 110

## Index (3)



Visibility of Attr./Meth.: Across All Classes  
Within the Resident Package (no modifier)  
Visibility of Attr./Meth.: Across All Packages  
Within the Resident Project (`public`)  
Use of the `protected` Modifier  
Visibility of Attr./Meth.: Across All Methods  
Within the Resident Package and Sub-Classes (`protected`)  
Visibility of Attr./Meth.  
Inheritance Architecture  
Inheritance: The Student Parent/Super Class  
Inheritance:  
The Resident Student Child/Sub Class

102 of 110

## Index (4)



Inheritance:  
The NonResident Student Child/Sub Class  
Inheritance Architecture Revisited  
Using Inheritance for Code Reuse  
Visualizing Parent/Child Objects (1)  
Visualizing Parent/Child Objects (2)  
Testing the Two Student Sub-Classes  
Inheritance Architecture:  
Static Types & Expectations  
Polymorphism: Intuition (1)  
Polymorphism: Intuition (2)

103 of 110

## Index (5)



Polymorphism: Intuition (3)  
Dynamic Binding: Intuition (1)  
Dynamic Binding: Intuition (2)  
Multi-Level Inheritance Architecture  
Multi-Level Inheritance Hierarchy:  
Smart Phones  
Inheritance Forms a Type Hierarchy  
Inheritance Accumulates Code for Reuse  
Static Types Determine Expectations  
Substitutions via Assignments  
Rules of Substitution

104 of 110

## Index (6)



Reference Variable: Dynamic Type  
Visualizing Static Type vs. Dynamic Type  
Reference Variable:  
Changing Dynamic Type (1)  
Reference Variable:  
Changing Dynamic Type (2)  
Polymorphism and Dynamic Binding (1)  
Polymorphism and Dynamic Binding (2.1)  
Polymorphism and Dynamic Binding (2.2)  
Polymorphism and Dynamic Binding (3.1)  
Polymorphism and Dynamic Binding (3.2)

105 of 110



## Index (7)



[Polymorphism and Dynamic Binding \(3.3\)](#)

[Reference Type Casting: Motivation \(1.1\)](#)

[Reference Type Casting: Motivation \(1.2\)](#)

[Reference Type Casting: Motivation \(2.1\)](#)

[Reference Type Casting: Motivation \(2.2\)](#)

[Type Cast: Named or Anonymous](#)

[Notes on Type Cast \(1\)](#)

[Reference Type Casting: Danger \(1\)](#)

[Reference Type Casting: Danger \(2\)](#)

[Notes on Type Cast \(2.1\)](#)

[Notes on Type Cast \(2.2\)](#)

108 of 110

## Index (8)



[Notes on Type Cast \(2.3\)](#)

[Required Reading:](#)

[Static Types, Dynamic Types, Casts](#)

[Compilable Cast vs. Exception-Free Cast](#)

[Reference Type Casting: Runtime Check \(1\)](#)

[Reference Type Casting: Runtime Check \(2\)](#)

[Notes on the instanceof Operator \(1\)](#)

[Notes on the instanceof Operator \(2\)](#)

[Static Types, Casts, Polymorphism \(1.1\)](#)

[Static Types, Casts, Polymorphism \(1.2\)](#)

[Static Types, Casts, Polymorphism \(1.3\)](#)

107 of 110

## Index (9)



[Static Types, Casts, Polymorphism \(1.4\)](#)

[Static Types, Casts, Polymorphism \(2\)](#)

[Polymorphism: Method Parameters \(1\)](#)

[Polymorphism: Method Parameters \(2.1\)](#)

[Polymorphism: Method Parameters \(2.2\)](#)

[Polymorphism: Method Parameters \(2.3\)](#)

[Polymorphism: Method Parameters \(2.4\)](#)

[Polymorphism: Method Parameters \(2.5\)](#)

[Why Inheritance:](#)

[A Polymorphic Collection of Students](#)

[Polymorphism and Dynamic Binding:](#)

[A Polymorphic Collection of Students \(1\)](#)

108 of 110

## Index (10)



[Polymorphism and Dynamic Binding:](#)

[A Polymorphic Collection of Students \(2\)](#)

[Polymorphism: Return Types \(1\)](#)

[Polymorphism: Return Types \(2\)](#)

[Polymorphism: Return Types \(3\)](#)

[Static Type vs. Dynamic Type:](#)

[When to consider which?](#)

[Summary: Type Checking Rules](#)

[Root of the Java Class Hierarchy](#)

[Overriding and Dynamic Binding \(1\)](#)

[Overriding and Dynamic Binding \(2.1\)](#)

109 of 110



## Index (11)



[Overriding and Dynamic Binding \(2.2\)](#)

[Overriding and Dynamic Binding \(2.3\)](#)

[Behaviour of Inherited toString Method \(1\)](#)

[Behaviour of Inherited toString Method \(2\)](#)

[Behaviour of Inherited toString Method \(3\)](#)

[Beyond this lecture...](#)

11 of 110

## Abstract Classes and Interfaces



EECS2030 B & E: Advanced  
Object Oriented Programming  
Fall 2021

CHEN-WEI WANG

## Learning Outcomes



This module is designed to help you learn about:

- What an **abstract** method and an **abstract** class are
- What an **interface** is
- Reinforce: **Polymorphism** and **dynamic binding**
- **When** to use abstract classes vs. interfaces?

2 of 22

## Abstract Class (1)



**Problem:** A polygon may be either a triangle or a rectangle. Given a polygon, we may either

- **Grow** its shape by incrementing the size of each of its sides;
  - Compute and return its **perimeter**; or
  - Compute and return its **area**.
- For a rectangle with *length* and *width*, its area is  $length \times width$ .
  - For a triangle with sides *a*, *b*, and *c*, its area, according to Heron's formula, is

$$\sqrt{s(s-a)(s-b)(s-c)}$$

where

$$s = \frac{a+b+c}{2}$$

- How would you solve this problem in Java, while **minimizing code duplicates**?

3 of 22

## Abstract Class (2)



```
public abstract class Polygon {
 double[] sides;
 Polygon(double[] sides) { this.sides = sides; }
 void grow() {
 for(int i = 0; i < sides.length; i++) { sides[i]++; }
 }
 double getPerimeter() {
 double perimeter = 0;
 for(int i = 0; i < sides.length; i++) {
 perimeter += sides[i];
 }
 return perimeter;
 }
 abstract double getArea();
}
```

- Method `getArea` not implemented and shown **header** only.
- ∴ `Polygon` cannot be used as a **dynamic type**
- Writing `new Polygon(...)` is forbidden!

4 of 22

## Abstract Class (4)



```
public class Triangle extends Polygon {
 Triangle(double side1, double side2, double side3) {
 super(new double[3]);
 sides[0] = side1; sides[1] = side2; sides[2] = side3;
 }
 double getArea() {
 /* Heron's formula */
 double s = getPerimeter() * 0.5;
 double area = Math.sqrt(
 s * (s - sides[0]) * (s - sides[1]) * (s - sides[2]));
 return area;
 }
}
```

- Method `getPerimeter` is inherited from `Polygon`.
- Method `getArea` is implemented in the sub-class `Triangle`.
- ∴ `Triangle` can be used as a **dynamic type**
- Writing `Polygon p = new Triangle(3, 4, 5)` allowed!

5 of 22

## Abstract Class (3)



```
public class Rectangle extends Polygon {
 Rectangle(double length, double width) {
 super(new double[4]);
 sides[0] = length; sides[1] = width;
 sides[2] = length; sides[3] = width;
 }
 double getArea() { return sides[0] * sides[1]; }
}
```

- Method `getPerimeter` is inherited from the super-class `Polygon`.
- Method `getArea` is implemented in the sub-class `Rectangle`.
- ∴ `Rectangle` can be used as a **dynamic type**
- Writing `Polygon p = new Rectangle(3, 4)` allowed!

6 of 22

## Abstract Class (5)



```
1 public class PolygonCollector {
2 Polygon[] polygons;
3 int numberOfPolygons;
4 PolygonCollector() { polygons = new Polygon[10]; }
5 void addPolygon(Polygon p) {
6 polygons[numberOfPolygons] = p; numberOfPolygons++;
7 }
8 void growAll() {
9 for(int i = 0; i < numberOfPolygons; i++) {
10 polygons[i].grow();
11 }
12 }
13 }
```

- **Polymorphism:** Line 5 may accept as argument any object whose **static type** is `Polygon` or any of its sub-classes.
- **Dynamic Binding:** Line 10 calls the version of `grow` inherited to the **dynamic type** of `polygons[i]`.

7 of 22

## Abstract Class (6)



```
1 public class PolygonConstructor {
2 Polygon getPolygon(double[] sides) {
3 Polygon p = null;
4 if(sides.length == 3) {
5 p = new Triangle(sides[0], sides[1], sides[2]);
6 }
7 else if(sides.length == 4) {
8 p = new Rectangle(sides[0], sides[1]);
9 }
10 return p;
11 }
12 void grow(Polygon p) { p.grow(); }
13 }
```

### • Polymorphism:

- Line 2 may accept as return value any object whose **static type** is Polygon or any of its sub-classes.
- Line 5 returns an object whose **dynamic type** is Triangle; Line 8 returns an object whose **dynamic type** is Rectangle.

1 of 22

## Abstract Class (7.2)



```
1 PolygonConstructor con = new PolygonConstructor();
2 double[] recSides = {3, 4, 3, 4}; p = con.getPolygon(recSides);
3 System.out.println(p instanceof Polygon); ✓
4 System.out.println(p instanceof Rectangle); ✓
5 System.out.println(p instanceof Triangle); ✗
6 System.out.println(p.getPerimeter()); /* 14.0 */
7 System.out.println(p.getArea()); /* 12.0 */
8 con.grow(p);
9 System.out.println(p.getPerimeter()); /* 18.0 */
10 System.out.println(p.getArea()); /* 20.0 */
11 double[] triSides = {3, 4, 5}; p = con.getPolygon(triSides);
12 System.out.println(p instanceof Polygon); ✓
13 System.out.println(p instanceof Rectangle); ✗
14 System.out.println(p instanceof Triangle); ✓
15 System.out.println(p.getPerimeter()); /* 12.0 */
16 System.out.println(p.getArea()); /* 6.0 */
17 con.grow(p);
18 System.out.println(p.getPerimeter()); /* 15.0 */
19 System.out.println(p.getArea()); /* 9.921 */
20 }
```

1 of 22

## Abstract Class (7.1)



```
1 public class PolygonTester {
2 public static void main(String[] args) {
3 Polygon p;
4 p = new Rectangle(3, 4); /* polymorphism */
5 System.out.println(p.getPerimeter()); /* 14.0 */
6 System.out.println(p.getArea()); /* 12.0 */
7 p = new Triangle(3, 4, 5); /* polymorphism */
8 System.out.println(p.getPerimeter()); /* 12.0 */
9 System.out.println(p.getArea()); /* 6.0 */
10
11 PolygonCollector col = new PolygonCollector();
12 col.addPolygon(new Rectangle(3, 4)); /* polymorphism */
13 col.addPolygon(new Triangle(3, 4, 5)); /* polymorphism */
14 System.out.println(col.polygons[0].getPerimeter()); /* 14.0 */
15 System.out.println(col.polygons[1].getPerimeter()); /* 12.0 */
16 col.growAll();
17 System.out.println(col.polygons[0].getPerimeter()); /* 18.0 */
18 System.out.println(col.polygons[1].getPerimeter()); /* 15.0 */
19 }
20 }
```

1 of 22

## Abstract Class (8)




- An **abstract class**:
  - Typically has **at least one** method with no implementation body
  - May define common implementations inherited to **sub-classes**.
- Recommended to use an **abstract class** as the **static type** of:
  - A **variable**  
e.g., Polygon p
  - A **method parameter**  
e.g., void grow(Polygon p)
  - A **method return value**  
e.g., Polygon getPolygon(double[] sides)
- It is forbidden to use an **abstract class** as a **dynamic type**  
e.g., Polygon p = new Polygon(...) is not allowed!
- Instead, create objects whose **dynamic types** are descendant classes of the **abstract class** ⇒ Exploit **dynamic binding**!  
e.g., Polygon p = con.getPolygon(recSides)  
This is as if we did Polygon p = new Rectangle(...)

1 of 22



## Interface (1.1)

- We may implement `Point` using two representation systems:



- The *Cartesian system* stores the *absolute* positions of  $x$  and  $y$ .
- The *Polar system* stores the *relative* position: the angle (in radian)  $\phi$  and distance  $r$  from the origin  $(0,0)$ .
- As far as users of a `Point` object  $p$  is concerned, being able to call `p.getX()` and `p.getY()` is what matters.
- How `p.getX()` and `p.getY()` are internally computed, depending on the *dynamic type* of  $p$ , do not matter to users.

12 of 22



## Interface (2)

```
public interface Point {
 public double getX();
 public double getY();
}
```


- An interface `Point` defines how users may access a point: either get its  $x$  coordinate or its  $y$  coordinate.
- Methods `getX` and `getY` similar to `getArea` in `Polygon`, have no implementations, but *headers* only.
- $\therefore$  `Point` cannot be used as a *dynamic type*
- Writing `new Point(...)` is forbidden!

14 of 22



## Interface (1.2)

Recall:  $\sin 30^\circ = \frac{1}{2}$  and  $\cos 30^\circ = \frac{1}{2} \cdot \sqrt{3}$



We consider the same point represented differently as:

- $r = 2a$ ,  $\psi = 30^\circ$  [polar system]
- $x = 2a \cdot \cos 30^\circ = a \cdot \sqrt{3}$ ,  $y = 2a \cdot \sin 30^\circ = a$  [cartesian system]

13 of 22



## Interface (3)

```
public class CartesianPoint implements Point {
 private double x;
 private double y;
 public CartesianPoint(double x, double y) {
 this.x = x;
 this.y = y;
 }
 public double getX() { return x; }
 public double getY() { return y; }
}
```

- `CartesianPoint` is a possible implementation of `Point`.
- Attributes  $x$  and  $y$  declared according to the *Cartesian system*
- All method from the interface `Point` are implemented in the sub-class `CartesianPoint`.
- $\therefore$  `CartesianPoint` can be used as a *dynamic type*
- `Point p = new CartesianPoint(3, 4)` allowed!

15 of 22



## Interface (4)

```

public class PolarPoint implements Point {
 private double phi;
 private double r;
 public PolarPoint(double r, double phi) {
 this.r = r;
 this.phi = phi;
 }
 public double getX() { return Math.cos(phi) * r; }
 public double getY() { return Math.sin(phi) * r; }
}

```

- PolarPoint is a possible implementation of Point.
- Attributes phi and r declared according to the *Polar system*
- All method from the interface Point are implemented in the sub-class PolarPoint.
- ∴ PolarPoint can be used as a **dynamic type**
- Point p = new PolarPoint(3,  $\frac{\pi}{6}$ ) allowed! [360° = 2π]

18 of 22



## Interface (6)

- An **interface** :
  - Has **all** its methods with no implementation bodies.
  - Leaves complete freedom to its **implementors**.
- Recommended to use an **interface** as the **static type** of:
  - A **variable**  
e.g., Point p
  - A **method parameter**  
e.g., void moveUp(Point p)
  - A **method return value**  
e.g., Point getPoint(double v1, double v2, boolean isCartesian)
- It is forbidden to use an **interface** as a **dynamic type**  
e.g., Point p = new Point(...) is not allowed!
- Instead, create objects whose **dynamic types** are descendant classes of the **interface** ⇒ Exploit **dynamic binding** !

18 of 22



## Interface (5)

```

1 public class PointTester {
2 public static void main(String[] args) {
3 double A = 5;
4 double X = A * Math.sqrt(3);
5 double Y = A;
6 Point p;
7 p = new CartesianPoint(X, Y); /* polymorphism */
8 print("(" + p.getX() + ", " + p.getY() + ")"); /* dyn. bin. */
9 p = new PolarPoint(2 * A, Math.toRadians(30)); /* polymorphism */
10 print("(" + p.getX() + ", " + p.getY() + ")"); /* dyn. bin. */
11 }
12 }

```

- Lines 7 and 9 illustrate *polymorphism*, how?
- Lines 8 and 10 illustrate *dynamic binding*, how?

17 of 22



## Abstract Classes vs. Interfaces: When to Use Which?

- Use **interfaces** when:
  - There is a **common set of functionalities** that can be implemented via **a variety of strategies**.  
e.g., Interface Point declares headers of getX() and getY().
  - Each descendant class represents a different implementation strategy for the same set of functionalities.
  - CartesianPoint and PolarPoint represent different strategies for supporting getX() and getY().
- Use **abstract classes** when:
  - **Some (not all) implementations can be shared** by descendants, and **some (not all) implementations cannot be shared**.  
e.g., Abstract class Polygon:
    - Defines implementation of getPerimeter, to be shared by Rectangle and Triangle.
    - Declares header of getArea, to be implemented by Rectangle and Triangle.

18 of 22

## Beyond this lecture...



Study the `ExampleAbstractClasses` and `ExampleInterfaces` source code:

- Draw the **inheritance hierarchy** based on the class declarations
- Use the **debugger** to step into the various method calls (e.g., `getArea()` of `Polygon`, `getX()` of `Point`) to see which version of the method gets executed (i.e., **dynamic binding**).

20 of 22

## Index (1)



### Learning Outcomes

Abstract Class (1)

Abstract Class (2)

Abstract Class (3)

Abstract Class (4)

Abstract Class (5)

Abstract Class (6)

Abstract Class (7.1)

Abstract Class (7.2)

Abstract Class (8)

Interface (1.1)

21 of 22

## Index (2)



Interface (1.2)

Interface (2)

Interface (3)

Interface (4)

Interface (5)

Interface (6)

Abstract Classes vs. Interfaces:

When to Use Which?

Beyond this lecture...

22 of 22

## Generics in Java



EECS2030 B & E: Advanced  
Object Oriented Programming  
Fall 2021

CHEN-WEI WANG

## Learning Outcomes



This module is designed to help you learn about:

1. A **general** collection `Object []`: storage vs. retrieval
2. A **generic** collection `E []`: storage vs. retrieval
3. Reinforce: Polymorphism, **Type Casting**, `instanceof` checks

2 of 19

## Motivating Example: A Book of Objects



```
1 public class Book {
2 private String[] names;
3 private Object[] records;
4 /* add a name-record pair to the book */
5 public void add (String name, Object record) { ... }
6 /* return the record associated with a given name */
7 public Object get (String name) { ... } }
```

Question: Which line has a type error?

```
1 Date birthday; String phoneNumber;
2 Book b; boolean isWednesday;
3 b = new Book();
4 phoneNumber = "416-67-1010";
5 b.add ("Suyeon", phoneNumber);
6 birthday = new Date(1975, 4, 10);
7 b.add ("Yuna", birthday);
8 isWednesday = b.get ("Yuna").getDay() == 4;
```

3 of 19

## Motivating Example: Observations (1)



- In the `Book` class:
  - By declaring the attribute

```
Object[] records
```

We meant that each book instance may store any object whose **static type** is a **descendant class** of `Object`.

- Accordingly, from the return type of the `get` method, we only know that the returned record is an `Object`, but not certain about its **dynamic type** (e.g., `Date`, `String`, etc.).  
∴ a record retrieved from the book, e.g., `b.get ("Yuna")`, may only be called upon methods in its **static type** (i.e., `Object`).
- In the tester code of the `Book` class:
  - In **Line 1**, the **static types** of variables `birthday` (i.e., `Date`) and `phoneNumber` (i.e., `String`) are **descendant classes** of `Object`.
  - So, **Line 5** and **Line 7** compile.

4 of 19

## Motivating Example: Observations (2)



In a **polymorphic collection**, **dynamic types** of stored objects (e.g., `phoneNumber` and `birthday`) need not be the same.

- Methods expected on the **dynamic types** (e.g., method `getDay` of class `Date`) may be new methods **not** inherited from `Object`.
- This is why **Line 8** would fail to compile, and may be fixed using an explicit **cast**:

```
isWednesday = ((Date) b.get ("Yuna")).getDay() == 4;
```

- But what if the **dynamic type** of the returned object is not a `Date`?
- To avoid such a `ClassCastException` at runtime, we need to check its **dynamic type** before performing a cast:

```
if (b.get ("Suyeon") instanceof Date) {
 isWednesday = ((Date) b.get ("Suyeon")).getDay() == 4;
}
```

5 of 19



## Motivating Example: Observations (2.1)



- It seems: Combining *instanceof* checks & *type casts* works.
- Can you see any potential problem(s) w.r.t. the **Single-Choice** design principle?
- **Hints:** What happens when you have a large number of records of distinct *dynamic types* stored in the book (e.g., Date, String, Person, Account, etc.)?

7 of 19

## Motivating Example: Observations (2.2)



Imagine that the tester code (or an application) stores 100 different record objects into the book.

- All of these records are of *static type* Object, but of distinct *dynamic types*.

```
Object rec1 = new C1(); b.add(..., rec1);
Object rec2 = new C2(); b.add(..., rec2);
...
Object rec100 = new C100(); b.add(..., rec100);
```

where classes **C1** to **C100** are **descendant classes** of Object.

- **Every time** you retrieve a record from the book, you need to check “exhaustively” on its *dynamic type* before calling some method(s).

```
Object rec = b.get("Jim");
if (rec instanceof C1) { ((C1) rec).m1; }
...
else if (rec instanceof C100) { ((C100) rec).m100; }
```

- Writing out this list multiple times is tedious and error-prone!

7 of 19

## Motivating Example: Observations (3)



We need a solution that:

- Saves us from explicit *instanceof* checks and type casts
- Eliminates the occurrences of *ClassCastException*

As a sketch, this is how the solution looks like:

- When the user declares a `Book` object `b`, they must **commit to the kind of record that `b` stores at runtime**.  
e.g., `b` stores either `Date` objects only or `String` objects only, but **not a mix**.
- When attempting to **store** a new record object `rec` into `b`, what if `rec`'s *static type* is not a **descendant class** of the type of book that the user previously commits to?  
⇒ A **compilation error**
- When attempting to **retrieve** a record object from `b`, there is **no longer a need to check and cast**.  
∴ *Static types* of all records in `b` are guaranteed to be the same.

7 of 19

## Parameters



- In mathematics:
  - The same *function* is applied with different *argument values*.  
e.g.,  $2 + 3, 1 + 1, 10 + 101$ , etc.
  - We **generalize** these instance applications into a definition.  
e.g.,  $+: (\mathbb{Z} \times \mathbb{Z}) \rightarrow \mathbb{Z}$  is a function that takes two integer **parameters** and returns an integer.
- In Java programming:
  - We want to call a *method*, with different *argument values*, to achieve a similar goal.  
e.g., `acc.deposit(100)`, `acc.deposit(23)`, etc.
  - We generalize these possible method calls into a definition.  
e.g., In class `Account`, a method `void deposit(int amount)` takes one integer **parameter**.
- When you design a mathematical function or a Java method, always consider the list of **parameters**, each of which representing a set of possible *argument values*.

7 of 19



## Java Generics: Design of a Generic Book



```
class Book<E> {
 private String[] names;
 private E[] records;
 /* add a name-record pair to the book */
 public void add (String name, E record) { ... }
 /* return the record associated with a given name */
 public E get (String name) { ... } }
```

Question: Which line has a type error?

```
1 Date birthday; String phoneNumber;
2 Book<Date> b; boolean isWednesday;
3 b = new Book<Date>();
4 phoneNumber = "416-67-1010";
5 b.add ("Suyeon", phoneNumber);
6 birthday = new Date(1975, 4, 10);
7 b.add ("Yuna", birthday);
8 isWednesday = b.get("Yuna").getDay() == 4;
```

10 of 19

## Example Generic Classes: ArrayList



An `ArrayList` acts like a “resizable” array (indices start at 0).

[Extra tutorial here](#)

|         |                           |                                                                                                                                   |
|---------|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| int     | size()                    | Returns the number of elements in this list.                                                                                      |
| boolean | add(E e)                  | Appends the specified element to the end of this list.                                                                            |
| void    | add(int index, E element) | Inserts the specified element at the specified position in this list.                                                             |
| boolean | contains(Object o)        | Returns true if this list contains the specified element.                                                                         |
| E       | remove(int index)         | Removes the element at the specified position in this list.                                                                       |
| boolean | remove(Object o)          | Removes the first occurrence of the specified element from this list, if it is present.                                           |
| int     | indexOf(Object o)         | Returns the index of the first occurrence of the specified element in this list, or -1 if this list does not contain the element. |
| E       | get(int index)            | Returns the element at the specified position in this list.                                                                       |

12 of 19

## Java Generics: Observations



- In class `Book`:
    - At the class level, we *parameterize the type of records* that an instance of book may store: `class Book<E>` where `E` is the name of a type parameter, which should be *instantiated* when the user declares an instance of `Book`.
    - Every occurrence of `Object` (the most general type of records) is replaced by `E`.
    - As soon as `E` at the class level is committed to some known type (e.g., `Date`, `String`, etc.), every occurrence of `E` will be replaced by that type.
  - In the tester code of `Book`:
    - In **Line 2**, we commit that the book `b` will store `Date` objects only.
    - Line 5** now fails to compile. [`String` is not `Date`'s descendant]
    - Line 7** still compiles.
    - Line 8** does *not need* any instance check and type cast, and does *not cause* any `ClassCastException`.
- `Date` objects were allowed to be stored.

11 of 19

## Using Generic Classes: ArrayList



```
1 import java.util.ArrayList;
2 public class ArrayListTester {
3 public static void main(String[] args) {
4 ArrayList<String> list = new ArrayList<String>();
5 println(list.size());
6 println(list.contains("A"));
7 println(list.indexOf("A"));
8 list.add("A");
9 list.add("B");
10 println(list.contains("A")); println(list.contains("B")); println(list.contains("C"));
11 println(list.indexOf("A")); println(list.indexOf("B")); println(list.indexOf("C"));
12 list.add("C");
13 println(list.contains("A")); println(list.contains("B")); println(list.contains("C"));
14 println(list.indexOf("A")); println(list.indexOf("B")); println(list.indexOf("C"));
15 list.remove("C");
16 println(list.contains("A")); println(list.contains("B")); println(list.contains("C"));
17 println(list.indexOf("A")); println(list.indexOf("B")); println(list.indexOf("C"));
18
19 for(int i = 0; i < list.size(); i++) {
20 println(list.get(i));
21 }
22 }
23 }
```

13 of 19

## Example Generic Classes: HashTable



A `HashTable` acts like a two-column table of (searchable) keys and values. [Extra tutorial here.](#)

|         |                                                                                                                                        |
|---------|----------------------------------------------------------------------------------------------------------------------------------------|
| int     | <b>size()</b><br>Returns the number of keys in this hashtable.                                                                         |
| boolean | <b>containsKey(Object key)</b><br>Tests if the specified object is a key in this hashtable.                                            |
| boolean | <b>containsValue(Object value)</b><br>Returns true if this hashtable maps one or more keys to this value.                              |
| V       | <b>get(Object key)</b><br>Returns the value to which the specified key is mapped, or null if this map contains no mapping for the key. |
| V       | <b>put(K key, V value)</b><br>Maps the specified key to the specified value in this hashtable.                                         |
| V       | <b>remove(Object key)</b><br>Removes the key (and its corresponding value) from this hashtable.                                        |

14 of 19

## Using Generic Classes: HashTable



```
1 import java.util.Hashtable;
2 public class HashTableTester {
3 public static void main(String[] args) {
4 Hashtable<String, String> grades = new Hashtable<String, String> ();
5 System.out.println("Size of table: " + grades.size());
6 System.out.println("Key Alan exists: " + grades.containsKey("Alan"));
7 System.out.println("Value B+ exists: " + grades.containsValue("B+"));
8 grades.put("Alan", "A");
9 grades.put("Mark", "B+");
10 grades.put("Tom", "C");
11 System.out.println("Size of table: " + grades.size());
12 System.out.println("Key Alan exists: " + grades.containsKey("Alan"));
13 System.out.println("Key Mark exists: " + grades.containsKey("Mark"));
14 System.out.println("Key Tom exists: " + grades.containsKey("Tom"));
15 System.out.println("Key Simon exists: " + grades.containsKey("Simon"));
16 System.out.println("Value A exists: " + grades.containsValue("A"));
17 System.out.println("Value B+ exists: " + grades.containsValue("B+"));
18 System.out.println("Value C exists: " + grades.containsValue("C"));
19 System.out.println("Value A+ exists: " + grades.containsValue("A+"));
20 System.out.println("Value of existing key Alan: " + grades.get("Alan"));
21 System.out.println("Value of existing key Mark: " + grades.get("Mark"));
22 System.out.println("Value of existing key Tom: " + grades.get("Tom"));
23 System.out.println("Value of non-existing key Simon: " + grades.get("Simon"));
24 grades.put("Mark", "F");
25 System.out.println("Value of existing key Mark: " + grades.get("Mark"));
26 grades.remove("Alan");
27 System.out.println("Key Alan exists: " + grades.containsKey("Alan"));
28 System.out.println("Value of non-existing key Alan: " + grades.get("Alan"));
29 }
30 }
```

15 of 19

## Bad Example of using Generics



Has the following client made an appropriate choice?

```
Book<Object> book
```

**NO!!!!!!!!!!!!!!!!!!!!!!**

- o It allows **all** kinds of objects to be stored.  
∴ All classes are descendants of **Object**.
- o We can expect **very little** from an object retrieved from this book.  
∴ The **static type** of book's items are **Object**, root of the class hierarchy, has the **minimum** amount of methods available for use.  
∴ Exhaustive list of casts are unavoidable.  
[ **bad** for extensibility and maintainability ]

16 of 19

## Beyond this lecture ...



- Study <https://docs.oracle.com/javase/tutorial/java/generics/index.html> for further details on Java generics.
- Play with the source code ExampleBooks.
- Review the basic `ArrayList` and `HashTable` methods:
  - o `ArrayList`:  
[https://www.youtube.com/watch?v=Gq\\_RRaGN7o8&list=PL5dxAmCmiv\\_4uhxBzBt-CnSGw6kZ9C-xe&index=5](https://www.youtube.com/watch?v=Gq_RRaGN7o8&list=PL5dxAmCmiv_4uhxBzBt-CnSGw6kZ9C-xe&index=5)
  - o `Hashtable`:  
[https://www.youtube.com/watch?v=vM\\_JTnvDn1q&list=PL5dxAmCmiv\\_4uhxBzBt-CnSGw6kZ9C-xe&index=7](https://www.youtube.com/watch?v=vM_JTnvDn1q&list=PL5dxAmCmiv_4uhxBzBt-CnSGw6kZ9C-xe&index=7)

17 of 19

## Index (1)



Learning Outcomes

Motivating Example: A Book of Objects

Motivating Example: Observations (1)

Motivating Example: Observations (2)

Motivating Example: Observations (2.1)

Motivating Example: Observations (2.2)

Motivating Example: Observations (3)

Parameters

Java Generics: Design of a Generic Book

Java Generics: Observations

Example Generic Classes: ArrayList

18 of 19

## Index (2)



Using Generic Classes: ArrayList

Example Generic Classes: HashTable

Using Generic Classes: HashTable

Bad Example of using Generics

Beyond this lecture ...

19 of 19

## Recursion



EECS2030 B & E: Advanced  
Object Oriented Programming  
Fall 2021

CHEN-WEI WANG

## Learning Outcomes



- This module is designed to help you learn about:
1. How to solve problems *recursively*
  2. Example *recursions* on string and arrays
  3. Some more advanced example (if time permitted)

20 of 28

## Beyond this lecture ...



- Fantastic resources for sharpening your recursive skills for the exam:

<http://codingbat.com/java/Recursion-1>

<http://codingbat.com/java/Recursion-2>

- The **best** approach to learning about recursion is via a functional programming language:

Haskell Tutorial: <https://www.haskell.org/tutorial/>

4 of 28

## Recursion: Principle



- **Recursion** is useful in expressing solutions to problems that can be **recursively** defined:
  - **Base Cases:** Small problem instances immediately solvable.
  - **Recursive Cases:**
    - Large problem instances *not immediately solvable*.
    - Solve by reusing *solution(s) to strictly smaller problem instances*.
- Similar idea learnt in high school: [ **mathematical induction** ]
- Recursion can be easily expressed programmatically in Java:

```
m(i) {
 if(i == ...) { /* base case: do something directly */ }
 else {
 m(j); /* recursive call with strictly smaller value */
 }
}
```

- In the body of a method  $m$ , there might be *a call or calls to  $m$  itself*.
- Each such self-call is said to be a **recursive call**.
- Inside the execution of  $m(i)$ , a recursive call  $m(j)$  must be that  $j < i$ .

4 of 28

## Tracing Method Calls via a Stack



- When a method is called, it is **activated** (and becomes **active**) and **pushed** onto the stack.
- When the body of a method makes a (helper) method call, that (helper) method is **activated** (and becomes **active**) and **pushed** onto the stack.
  - ⇒ The stack contains activation records of all **active** methods.
    - **Top** of stack denotes the **current point of execution**.
    - Remaining parts of stack are (temporarily) **suspended**.
- When entire body of a method is executed, stack is **popped**.
  - ⇒ The **current point of execution** is returned to the new **top** of stack (which was **suspended** and just became **active**).
- Execution terminates when the stack becomes **empty**.

5 of 28

## Recursion: Factorial (1)



- Recall the formal definition of calculating the  $n$  factorial:

$$n! = \begin{cases} 1 & \text{if } n = 0 \\ n \cdot (n-1) \cdot (n-2) \cdot \dots \cdot 3 \cdot 2 \cdot 1 & \text{if } n \geq 1 \end{cases}$$

- How do you define the same problem **recursively**?

$$n! = \begin{cases} 1 & \text{if } n = 0 \\ n \cdot (n-1)! & \text{if } n \geq 1 \end{cases}$$

- To solve  $n!$ , we combine  $n$  and the solution to  $(n-1)!$ .

```
int factorial(int n) {
 int result;
 if(n == 0) { /* base case */ result = 1; }
 else { /* recursive case */
 result = n * factorial(n - 1);
 }
 return result;
}
```

5 of 28

## Common Errors of Recursive Methods



- Missing Base Case(s).

```
int factorial(int n) {
 return n * factorial(n - 1);
}
```

**Base case(s)** are meant as points of stopping growing the runtime stack.

- Recursive Calls on Non-Smaller Problem Instances.

```
int factorial(int n) {
 if(n == 0) { /* base case */ return 1; }
 else { /* recursive case */ return n * factorial(n); }
}
```

Recursive calls on **strictly smaller** problem instances are meant for moving gradually towards the base case(s).

- In both cases, a StackOverflowException will be thrown.

7 of 28


## Recursion: Factorial (3)



- When running *factorial(5)*, a *recursive call factorial(4)* is made. Call to *factorial(5)* suspended until *factorial(4)* returns a value.
- When running *factorial(4)*, a *recursive call factorial(3)* is made. Call to *factorial(4)* suspended until *factorial(3)* returns a value.
- ...
- *factorial(0)* returns 1 back to *suspended call factorial(1)*.
- *factorial(1)* receives 1 from *factorial(0)*, multiplies 1 to it, and returns 1 back to the *suspended call factorial(2)*.
- *factorial(2)* receives 1 from *factorial(1)*, multiplies 2 to it, and returns 2 back to the *suspended call factorial(3)*.
- *factorial(3)* receives 2 from *factorial(2)*, multiplies 3 to it, and returns 6 back to the *suspended call factorial(4)*.
- *factorial(4)* receives 6 from *factorial(3)*, multiplies 4 to it, and returns 24 back to the *suspended call factorial(5)*.
- *factorial(5)* receives 24 from *factorial(4)*, multiplies 5 to it, and returns 120 as the result.

8 of 28

## Recursion: Factorial (2)



9 of 28

## Recursion: Factorial (4)



- When the execution of a method (e.g., *factorial(5)*) leads to a nested method call (e.g., *factorial(4)*):
  - The execution of the current method (i.e., *factorial(5)*) is *suspended*, and a structure known as an **activation record** or **activation frame** is created to store information about the progress of that method (e.g., values of parameters and local variables).
  - The nested methods (e.g., *factorial(4)*) may call other nested methods (*factorial(3)*).
  - When all nested methods complete, the activation frame of the *latest suspended* method is re-activated, then continue its execution.
- What kind of data structure does this activation-suspension process correspond to? [ LIFO Stack ]

10 of 28



## Recursion: Fibonacci Sequence (1)

- Can you identify the pattern of a Fibonacci sequence?

$F = 1, 1, 2, 3, 5, 8, 13, 21, 34, 55, 89, \dots$

- Here is the formal, **recursive** definition of calculating the  $n_{th}$  number in a Fibonacci sequence (denoted as  $F_n$ ):

$$F_n = \begin{cases} 1 & \text{if } n = 1 \\ 1 & \text{if } n = 2 \\ F_{n-1} + F_{n-2} & \text{if } n > 2 \end{cases}$$

```
int fib(int n) {
 int result;
 if(n == 1) { /* base case */ result = 1; }
 else if(n == 2) { /* base case */ result = 1; }
 else { /* recursive case */
 result = fib(n - 1) + fib(n - 2);
 }
 return result;
}
```

11 of 28



## Java Library: String

```
public class StringTester {
 public static void main(String[] args) {
 String s = "abcd";
 System.out.println(s.isEmpty()); /* false */
 /* Characters in index range [0, 0) */
 String t0 = s.substring(0, 0);
 System.out.println(t0); /* "" */
 /* Characters in index range [0, 4) */
 String t1 = s.substring(0, 4);
 System.out.println(t1); /* "abcd" */
 /* Characters in index range [1, 3) */
 String t2 = s.substring(1, 3);
 System.out.println(t2); /* "bc" */
 String t3 = s.substring(0, 2) + s.substring(2, 4);
 System.out.println(s.equals(t3)); /* true */
 for(int i = 0; i < s.length(); i++) {
 System.out.print(s.charAt(i));
 }
 System.out.println();
 }
}
```

13 of 28



## Recursion: Fibonacci Sequence (2)

```
fib(5)
= {fib(5) = fib(4) + fib(3); push(fib(5)); suspended: {fib(5)}; active: fib(4)}
fib(4) + fib(3)
= {fib(4) = fib(3) + fib(2); suspended: {fib(4), fib(5)}; active: fib(3)}
(fib(3) + fib(2)) + fib(3)
= {fib(3) = fib(2) + fib(1); suspended: {fib(3), fib(4), fib(5)}; active: fib(2)}
((fib(2) + fib(1)) + fib(2)) + fib(3)
= {fib(2) returns 1; suspended: {fib(3), fib(4), fib(5)}; active: fib(1)}
((1 + fib(1)) + fib(2)) + fib(3)
= {fib(1) returns 1; suspended: {fib(3), fib(4), fib(5)}; active: fib(3)}
((1 + 1) + fib(2)) + fib(3)
= {fib(3) returns 1 + 1; pop(); suspended: {fib(4), fib(5)}; active: fib(2)}
(2 + fib(2)) + fib(3)
= {fib(2) returns 1; suspended: {fib(4), fib(5)}; active: fib(4)}
(2 + 1) + fib(3)
= {fib(4) returns 2 + 1; pop(); suspended: {fib(5)}; active: fib(3)}
3 + fib(3)
= {fib(3) = fib(2) + fib(1); suspended: {fib(3), fib(5)}; active: fib(2)}
3 + (fib(2) + fib(1))
= {fib(2) returns 1; suspended: {fib(3), fib(5)}; active: fib(1)}
3 + (1 + fib(1))
= {fib(1) returns 1; suspended: {fib(3), fib(5)}; active: fib(3)}
3 + (1 + 1)
= {fib(3) returns 1 + 1; pop(); suspended: {fib(5)}; active: fib(5)}
3 + 2
= {fib(5) returns 3 + 2; suspended: {}}
5
```

12 of 28



## Recursion: Palindrome (1)

**Problem:** A palindrome is a word that reads the same forwards and backwards. Write a method that takes a string and determines whether or not it is a palindrome.

```
System.out.println(isPalindrome("")); true
System.out.println(isPalindrome("a")); true
System.out.println(isPalindrome("madam")); true
System.out.println(isPalindrome("racecar")); true
System.out.println(isPalindrome("man")); false
```

**Base Case 1:** Empty string → Return **true** immediately.

**Base Case 2:** String of length 1 → Return **true** immediately.

**Recursive Case:** String of length  $\geq 2$  →

- 1st and last characters match, **and**
- the rest (i.e., middle) of the string is a palindrome.**

14 of 28

## Recursion: Palindrome (2)



```
boolean isPalindrome (String word) {
 if(word.length() == 0 || word.length() == 1) {
 /* base case */
 return true;
 }
 else {
 /* recursive case */
 char firstChar = word.charAt(0);
 char lastChar = word.charAt(word.length() - 1);
 String middle = word.substring(1, word.length() - 1);
 return
 firstChar == lastChar
 /* See the API of java.lang.String.substring. */
 && isPalindrome (middle);
 }
}
```

15 of 28

## Recursion: Reverse of a String (2)



```
String reverseOf (String s) {
 if(s.isEmpty()) { /* base case 1 */
 return "";
 }
 else if(s.length() == 1) { /* base case 2 */
 return s;
 }
 else { /* recursive case */
 String tail = s.substring(1, s.length());
 String reverseOfTail = reverseOf (tail);
 char head = s.charAt(0);
 return reverseOfTail + head;
 }
}
```

17 of 28

## Recursion: Reverse of String (1)



**Problem:** The reverse of a string is written backwards. Write a method that takes a string and returns its reverse.

```
System.out.println(reverseOf("")); /* "" */
System.out.println(reverseOf("a")); /* "a" */
System.out.println(reverseOf("ab")); /* "ba" */
System.out.println(reverseOf("abc")); /* "cba" */
System.out.println(reverseOf("abcd")); /* "dcba" */
```

**Base Case 1:** Empty string → Return *empty string*.

**Base Case 2:** String of length 1 → Return *that string*.

**Recursive Case:** String of length  $\geq 2$  →

- 1) Head of string (i.e., first character)
- 2) Reverse of the tail of string (i.e., all but the first character)

Return the concatenation of **2)** and **1)**.

18 of 28

## Recursion: Number of Occurrences (1)



**Problem:** Write a method that takes a string  $s$  and a character  $c$ , then count the number of occurrences of  $c$  in  $s$ .

```
System.out.println(occurrencesOf("", 'a')); /* 0 */
System.out.println(occurrencesOf("a", 'a')); /* 1 */
System.out.println(occurrencesOf("b", 'a')); /* 0 */
System.out.println(occurrencesOf("baaba", 'a')); /* 3 */
System.out.println(occurrencesOf("baaba", 'b')); /* 2 */
System.out.println(occurrencesOf("baaba", 'c')); /* 0 */
```

**Base Case:** Empty string → Return  $0$ .

**Recursive Case:** String of length  $\geq 1$  →

- 1) Head of  $s$  (i.e., first character)
- 2) Number of occurrences of  $c$  in the tail of  $s$  (i.e., all but the first character)

If head is equal to  $c$ , return  $1 + 2)$ .

If head is not equal to  $c$ , return  $0 + 2)$ .

18 of 28



## Recursion: Number of Occurrences (2)



```
int occurrencesOf (String s, char c) {
 if(s.isEmpty()) {
 /* Base Case */
 return 0;
 }
 else {
 /* Recursive Case */
 char head = s.charAt(0);
 String tail = s.substring(1, s.length());
 if(head == c) {
 return 1 + occurrencesOf (tail, c);
 }
 else {
 return 0 + occurrencesOf (tail, c);
 }
 }
}
```

19 of 28

## Making Recursive Calls on an Array



- Recursive calls denote solutions to *smaller* sub-problems.
- *Naively*, explicitly create a new, smaller array:

```
void m(int[] a) {
 if(a.length == 0) { /* base case */ }
 else if(a.length == 1) { /* base case */ }
 else {
 int[] sub = new int[a.length - 1];
 for(int i = 1; i < a.length; i++) { sub[i - 1] = a[i]; }
 m(sub) } } }
```

- For *efficiency*, we pass the *reference* of the same array and specify the *range of indices* to be considered:

```
void m(int[] a, int from, int to) {
 if(from > to) { /* base case */ }
 else if(from == to) { /* base case */ }
 else { m(a, from + 1, to) } }
```

- $m(a, 0, a.length - 1)$  [ Initial call; entire array ]
- $m(a, 1, a.length - 1)$  [ 1st r.c. on array of size  $a.length - 1$  ]
- $m(a, a.length-1, a.length-1)$  [ Last r.c. on array of size 1 ]

20 of 28

## Recursion: All Positive (1)



**Problem:** Determine if an array of integers are all positive.

```
System.out.println(allPositive({})); /* true */
System.out.println(allPositive({1, 2, 3, 4, 5})); /* true */
System.out.println(allPositive({1, 2, -3, 4, 5})); /* false */
```

**Base Case:** Empty array  $\rightarrow$  Return *true* immediately.

The base case is *true*  $\because$  we can *not* find a counter-example (i.e., a number *not* positive) from an empty array.

**Recursive Case:** Non-Empty array  $\rightarrow$

- 1st element positive, **and**
- *the rest of the array is all positive*.

**Exercise:** Write a method `boolean somePositive(int[]`

`a)` which *recursively* returns *true* if there is some positive number in `a`, and *false* if there are no positive numbers in `a`.

**Hint:** What to return in the base case of an empty array? [*false*]

$\because$  No witness (i.e., a positive number) from an empty array

21 of 28

## Recursion: All Positive (2)



```
boolean allPositive(int[] a) {
 return allPositiveHelper(a, 0, a.length - 1);
}

boolean allPositiveHelper(int[] a, int from, int to) {
 if (from > to) { /* base case 1: empty range */
 return true;
 }
 else if(from == to) { /* base case 2: range of one element */
 return a[from] > 0;
 }
 else { /* recursive case */
 return a[from] > 0 && allPositiveHelper(a, from + 1, to);
 }
}
```

22 of 28



## Recursion: Is an Array Sorted? (1)



**Problem:** Determine if an array of integers are sorted in a non-descending order.

```
System.out.println(isSorted({})); true
System.out.println(isSorted({1, 2, 2, 3, 4})); true
System.out.println(isSorted({1, 2, 2, 1, 3})); false
```

**Base Case:** Empty array → Return *true* immediately.  
The base case is *true* ∴ we can *not* find a counter-example (i.e., a pair of adjacent numbers that are *not* sorted in a non-descending order) from an empty array.

**Recursive Case:** Non-Empty array →

- 1st and 2nd elements are sorted in a non-descending order, **and**
- **the rest of the array**, starting from the 2nd element, **are sorted in a non-descending order**.

23 of 28

## Recursion: Is an Array Sorted? (2)



```
boolean isSorted(int[] a) {
 return isSortedHelper(a, 0, a.length - 1);
}

boolean isSortedHelper(int[] a, int from, int to) {
 if (from > to) { /* base case 1: empty range */
 return true;
 }
 else if (from == to) { /* base case 2: range of one element */
 return true;
 }
 else {
 return a[from] <= a[from + 1]
 && isSortedHelper(a, from + 1, to);
 }
}
```

24 of 28

## Beyond this lecture ...



- Recursions on Arrays: Lab Exercise from EECS2030-F19
- Notes on Recursion:  
[http://www.eecs.yorku.ca/~jackie/teaching/lectures/2021/F/EECS2030/notes/EECS2030\\_F21\\_Notes\\_Recursion.pdf](http://www.eecs.yorku.ca/~jackie/teaching/lectures/2021/F/EECS2030/notes/EECS2030_F21_Notes_Recursion.pdf)
- API for String:  
<https://docs.oracle.com/javase/8/docs/api/java/lang/String.html>
- Fantastic resources for sharpening your recursive skills for the exam:  
<http://codingbat.com/java/Recursion-1>  
<http://codingbat.com/java/Recursion-2>
- The **best** approach to learning about recursion is via a functional programming language:  
Haskell Tutorial: <https://www.haskell.org/tutorial/>

25 of 28

## Index (1)



[Learning Outcomes](#)

[Beyond this lecture ...](#)

[Recursion: Principle](#)

[Tracing Method Calls via a Stack](#)

[Recursion: Factorial \(1\)](#)

[Common Errors of Recursive Methods](#)

[Recursion: Factorial \(2\)](#)

[Recursion: Factorial \(3\)](#)

[Recursion: Factorial \(4\)](#)

[Recursion: Fibonacci Sequence \(1\)](#)

[Recursion: Fibonacci Sequence \(2\)](#)

26 of 28

## Index (2)



**Java Library: String**

**Recursion: Palindrome (1)**

**Recursion: Palindrome (2)**

**Recursion: Reverse of a String (1)**

**Recursion: Reverse of a String (2)**

**Recursion: Number of Occurrences (1)**

**Recursion: Number of Occurrences (2)**

**Making Recursive Calls on an Array**

**Recursion: All Positive (1)**

**Recursion: All Positive (2)**

**Recursion: Is an Array Sorted? (1)**

27 of 28

## Index (3)



**Recursion: Is an Array Sorted? (2)**

**Beyond this lecture ...**

28 of 28