


What is a Priority Queue?

- A **Priority Queue (PQ)** stores a collection of *entries*.



- Each *entry* is a pair: an *element* and its *key*.
- The *key* of each *entry* denotes its *element's* "priority".
- Keys* in a **Priority Queue (PQ)** are **not** used for uniquely identifying an entry.

- In a **PQ**, the next entry to remove has the "**highest**" priority.
 - e.g., In the stand-by queue of a fully-booked flight, **frequent flyers** get the higher priority to replace any cancelled seats.
 - e.g., A network router, faced with insufficient bandwidth, may only handle **real-time tasks** (e.g., streaming) with highest priorities.

3 of 31

Priority Queues, Heaps, and Heap Sort



EECS2011 N & Z:
Fundamentals of Data Structures
Winter 2022

CHEN-WEI WANG

Learning Outcomes of this Lecture



This module is designed to help you understand:

- The **Priority Queue (PQ)** ADT
- Time Complexities of **List-Based PQ**
- The **Heap** Data Structure (Properties & Operations)
- Heap Sort**
- Time Complexities of **Heap-Based PQ**
- Heap** Construction Methods: Top-Down vs. Bottom-Up
- Array**-Based Representation of a **Heap**

2 of 31

The Priority Queue (PQ) ADT



- min**
 - [**precondition**: PQ is **not** empty]
 - [**postcondition**: return entry with **highest priority** in PQ]
- size**
 - [**precondition**: none]
 - [**postcondition**: return number of entries inserted to PQ]
- isEmpty**
 - [**precondition**: none]
 - [**postcondition**: return whether there is **no** entry in PQ]
- insert(k, v)**
 - [**precondition**: PQ is **not** full]
 - [**postcondition**: insert the input entry into PQ]
- removeMin**
 - [**precondition**: PQ is **not** empty]
 - [**postcondition**: remove and return a **min** entry in PQ]

4 of 31

Two List-Based Implementations of a PQ




Consider two strategies for implementing a **PQ**, where we maintain:

1. A list **always sorted** in a non-descending order [\approx INSERTIONSORT]
2. An **unsorted** list [\approx SELECTIONSORT]

PQ Method	List Method	
	SORTED LIST	UNSORTED LIST
size	list.size $O(1)$	
isEmpty	list.isEmpty $O(1)$	
min	list.first $O(1)$	search min $O(n)$
insert	insert to "right" spot $O(n)$	insert to front $O(1)$
removeMin	list.removeFirst $O(1)$	search min and remove $O(n)$

5 of 31

Heap Property 1: Relational



Keys in a **heap** satisfy the **Heap-Order Property**:

- Every node n (other than the root) is s.t. $key(n) \geq key(\text{parent}(n))$
 \Rightarrow **Keys** in a **root-to-leaf path** are sorted in a **non-descending order**.
 e.g., Keys in entry path $\langle (4, C), (5, A), (9, F), (14, E) \rangle$ are sorted.
 \Rightarrow The **minimal key** is stored in the **root**.
 e.g., Root $(4, C)$ stores the minimal key 4.
- **Keys** of nodes from **different subtrees** are **not** constrained at all.
 e.g., For node $(5, A)$, key of its **LST's** root (15) is **not minimal** for its **RST**.


7 of 31

Heaps



A **heap** is a **binary tree** which:


1. Stores in each node an **entry** (i.e., **key** and **value**).



2. Satisfies a **relational** property of stored **keys**
3. Satisfies a **structural** property of tree **organization**

6 of 31

Heap Property 2: Structural



A **heap** with **height h** satisfies the **Complete BT Property**:

- Nodes with **depth $\leq h - 2$** has **two** child nodes.
- Nodes with **depth $h - 1$** may have **zero, one, or two** child nodes.
- Nodes with **depth h** are filled from **left to right**.

Q. When the # of nodes is n , what is h ?

Q. # of nodes from Level 0 through Level $h - 1$?

Q. # of nodes at Level h ?

Q. **Minimum** # of nodes of a complete BT?

Q. **Maximum** # of nodes of a complete BT?

$$\lceil \log_2 n \rceil$$

$$2^h - 1$$

$$n - (2^h - 1)$$

$$2^h$$

$$2^{h+1} - 1$$


8 of 31

Heaps: More Examples

- The **smallest heap** is just an empty binary tree.
- The **smallest non-empty heap** is a one-node heap. e.g.,



- Two-node and Three-node Heaps:



- These are **not** two-node heaps:



9 of 31

Heap Operations

- There are three main operations for a **heap**:
 - Extract the Entry with Minimal Key:** Return the stored entry of the **root**. [$O(1)$]
 - Insert a New Entry:** A single **root-to-leaf path** is affected. [$O(h)$ or $O(\log n)$]
 - Delete the Entry with Minimal Key:** A single **root-to-leaf path** is affected. [$O(h)$ or $O(\log n)$]
- After performing each operation, both **relational** and **structural** properties must be maintained.

10 of 31

Updating a Heap: Insertion

To insert a new entry (k, v) into a heap with **height h** :

- Insert (k, v) , possibly **temporarily** breaking the **relational property**.
 - Create a new entry $e = (k, v)$.
 - Create a new **right-most** node n at **Level h** .
 - Store entry e in node n .

After steps 1.1 and 1.2, the **structural property** is maintained.
- Restore the **heap-order property (HOP)** using **Up-Heap Bubbling**:
 - Let $c = n$.
 - While **HOP** is not restored and c is **not** the root:
 - Let p be c 's parent.
 - If $key(p) \leq key(c)$, then **HOP** is restored. **Else**, swap nodes c and p . ["upwards" along n 's **ancestor path**]

Running Time?


- All sub-steps in 1, as well as steps 2.1, 2.2.1, and 2.2.2 take $O(1)$.
- Step 2.2 may be executed up to $O(h)$ (or $O(\log n)$) times.

[$O(\log n)$]


11 of 31

Updating a Heap: Insertion Example (1.1)


(0) A heap with height 3.




(1) Insert a new entry $(2, T)$ as the **right-most** node at Level 3. Perform **up-heap bubbling** from here.



(2) HOP violated $\because 2 < 20 \therefore$ Swap.



(3) After swap, entry $(2, T)$ prompted up.




12 of 31


Updating a Heap: Insertion Example (1.2)




(4) HOP violated $\because 2 < 6 \therefore$ Swap.




(5) After swap, entry (2, T) prompted up.



(6) HOP violated $\because 2 < 4 \therefore$ Swap.



(7) Entry (2, T) becomes root \therefore Done.




13 of 31


Updating a Heap: Deletion Example (1.1)




(0) Start with a heap with height 3.




(1) Replace root with (13, W) and delete **right-most** node from Level 3.



(2) (13, W) becomes the root. Perform **down-heap bubbling** from here.



(3) Child with smaller key is (5, A). HOP violated $\because 13 > 5 \therefore$ Swap.



15 of 31

Updating a Heap: Deletion



To delete the **root** (with the **minimal** key) from a heap with **height h**:

1. Delete the **root**, possibly **temporarily** breaking HOP.

- 1.1 Let the **right-most** node at **Level h** be **n**.
- 1.2 Replace the **root's** entry by **n's** entry.
- 1.3 Delete **n**.

After steps 1.1 – 1.3, the **structural property** is maintained.

2. Restore HOP using **Down-Heap Bubbling**:

- 2.1 Let **p** be the **root**.
- 2.2 While HOP is not restored and **p** is **not** external:
 - 2.2.1 IF **p** has **no right child**, let **c** be **p's left child**.
Else, let **c** be **p's child** with a **smaller key value**.
 - 2.2.2 If $key(p) \leq key(c)$, then HOP is restored.
Else, swap nodes **p** and **c**. [“downwards” along a **root-to-leaf path**]

Running Time?

- o All sub-steps in 1, as well as steps 2.1, 2.2.1, and 2.2.2 take **O(1)**.
- o Step 2.2 may be executed up to **O(h)** (or **O(log n)**) times.


14 of 31

[**O(log n)**]


Updating a Heap: Deletion Example (1.2)




(4) After swap, entry (13, W) demoted down.




(5) Child with smaller key is (9, F). HOP violated $\because 13 > 9 \therefore$ Swap.



(6) After swap, entry (13, W) demoted down.



(7) Child with smaller key is (12, H). HOP violated $\because 13 > 12 \therefore$ Swap.




16 of 31

Updating a Heap: Deletion Example (1.3)



(8) After swap, entry (13, W) becomes an external node ∴ Done.



17 of 31

Heap-Based Implementation of a PQ



PQ Method	Heap Operation	RT
min	root	$O(1)$
insert	insert then up-heap bubbling	$O(\log n)$
removeMin	delete then down-heap bubbling	$O(\log n)$

18 of 31

Top-Down Heap Construction: List of Entries is Not Known in Advance



Problem: Build a heap out of N entries, supplied one at a time.

- Initialize an **empty heap** h . [$O(1)$]
 - As each new entry $e = (k, v)$ is supplied, **insert** e into h .
 - Each insertion triggers an **up-heap bubbling** step, which takes $O(\log n)$ time. [$n = 0, 1, 2, \dots, N - 1$]
 - There are N insertions.
- ∴ Running time is $O(N \cdot \log N)$

19 of 31

Bottom-Up Heap Construction: List of Entries is Known in Advance



Problem: Build a heap out of N entries, supplied all at once.

- **Assume:** The resulting heap will be **completely filled** at **all** levels.
 $\Rightarrow N = 2^{h+1} - 1$ for some **height** $h \geq 1$ [$h = (\log(N + 1)) - 1$]
- Perform the following steps called **Bottom-Up Heap Construction**:
 - Step 1:** Treat the first $\frac{N+1}{2^1}$ list entries as heap roots.
 $\therefore \frac{N+1}{2^1}$ heaps with height 0 and size $2^1 - 1$ constructed.
 - Step 2:** Treat the next $\frac{N+1}{2^2}$ list entries as heap roots.
 - Each **root** sets two heaps from **Step 1** as its **LST** and **RST**.
 - Perform **down-heap bubbling** to restore **HOP** if necessary.
 - $\therefore \frac{N+1}{2^2}$ heaps, each with height 1 and size $2^2 - 1$, constructed.
 - ...
 - Step $h + 1$:** Treat next $\frac{N+1}{2^{h+1}} = \frac{(2^{h+1}-1)+1}{2^{h+1}} = 1$ list entry as heap root.
 - Each **root** sets two heaps from **Step h** as its **LST** and **RST**.
 - Perform **down-heap bubbling** to restore **HOP** if necessary.
 - $\therefore \frac{N+1}{2^{h+1}} = 1$ heap, each with height h and size $2^{h+1} - 1$, constructed.

20 of 31

Bottom-Up Heap Construction: Example (1.1)



- Build a heap from the following list of 15 keys:

{16, 15, 4, 12, 6, 7, 23, 20, 25, 9, 11, 17, 5, 8, 14}

- The resulting heap has:
 - Size N is 15
 - Height h is $(\log(15 + 1)) - 1 = 3$
- According to the **bottom-up heap construction** technique, we will need to perform $h + 1 = 4$ steps, utilizing 4 sublists:

{16, 15, 4, 12, 6, 7, 23, 20, 25, 9, 11, 17, 5, 8, 14}


$\underbrace{\hspace{10em}}_{\frac{15+1}{2^1} = 8}$
 $\underbrace{\hspace{5em}}_{\frac{15+1}{2^2} = 4}$
 $\underbrace{\hspace{2em}}_{\frac{15+1}{2^3} = 2}$
 $\underbrace{\hspace{1em}}_{\frac{15+1}{2^4} = 1}$

21 of 31


Bottom-Up Heap Construction: Example (1.3)




(Step 3) Treat next $\frac{15+1}{2^3}$ entries as roots. Set LST and RST of each root.




(Step 3 cont.) Down-heap bubbling. ∴ 2 three-node heaps.



(Step 4) Treat next $\frac{15+1}{2^4}$ entry as roots. Set LST and RST of each root.



(Step 4 cont.) Down-heap bubbling. ∴ 1 fifteen-node heap.




23 of 31


Bottom-Up Heap Construction: Example (1.2)




We know in advance to build a heap with height 3 and size $2^{3+1} - 1 = 15$




(Step 1) Treat first $\frac{15+1}{2^1}$ entries as roots. ∴ 8 one-node heaps.



(Step 2) Treat next $\frac{15+1}{2^2}$ entries as roots. Set LST and RST of each root.



(Step 2 cont.) Down-heap bubbling. ∴ 4 three-node heaps.



22 of 31

RT of Bottom-Up Heap Construction



- Intuitively, the majority of the intermediate roots from which we perform **down-heap bubbling** are of very **small height values**:
 - The first $\frac{n+1}{2}$ **1**-node heaps with **height 0** require **no** down-heap bubbling. [About 50% of the list entries processed]
 - Next $\frac{n+1}{4}$ **3**-node heaps with **height 1** require down-heap bubbling. [Another 25% of the list entries processed]
 - Next $\frac{n+1}{8}$ **7**-node heaps with **height 2** require down-heap bubbling. [Another 12.5% of the list entries processed]
 - ...
 - Next two $\frac{N-1}{2}$ -node heaps with **height (h - 1)** require down-heap
 - Final one **N**-node heaps with **height h** requires down-heap bubbling.
- Running Time of the **Bottom-Up Heap Construction** takes only **$O(n)$** .

24 of 31

The Heap Sort Algorithm



Sorting Problem:

Given a list of n numbers $\langle a_1, a_2, \dots, a_n \rangle$:

Precondition: NONE

Postcondition: A permutation of the input list $\langle a'_1, a'_2, \dots, a'_n \rangle$ sorted in a non-descending order (i.e., $a'_1 \leq a'_2 \leq \dots \leq a'_n$)


The **Heap Sort** algorithm consists of **two** phases:

- Construct** a **heap** of size N out of the input array.
 - Approach 1: Top-Down "Continuous-Insertions" [$O(N \cdot \log N)$]
 - Approach 2: Bottom-Up Heap Construction [$O(N)$]
- Delete** N entries from the heap.
 - Each deletion takes $O(\log N)$ time.
 - 1st deletion extracts the **minimum**, 2nd deletion the 2nd **minimum**, ...
 \Rightarrow Extracted **minimums** from N deletions form a **sorted** sequence.


\therefore Running time of the **Heap Sort** algorithm is **$O(N \cdot \log N)$** .

25 of 31

Array-Based Representation of a CBT (1)



$$index(x) = \begin{cases} 0 & \text{if } x \text{ is the root} \\ 2 \cdot index(\text{parent}(x)) + 1 & \text{if } x \text{ is a left child} \\ 2 \cdot index(\text{parent}(x)) + 2 & \text{if } x \text{ is a right child} \end{cases}$$



27 of 31

The Heap Sort Algorithm: Exercise



Sort the following array of integers

$\langle 16, 15, 4, 12, 6, 7, 23, 20, 25, 9, 11, 17, 5, 8, 14 \rangle$



into a **non-descending** order using the **Heap Sort Algorithm**.

Demonstrate:

- Both **top-down** and **bottom-up** heap constructions in Phase 1
- Extractions of minimums in Phase 2

26 of 31

Array-Based Representation of a CBT (2)



- Q1**: Where are nodes at **Levels 0 .. h - 1** stored in the array?
 Indices $0 \dots (2^h - 2) \equiv 0 \dots (2^{\lceil \log_2 N \rceil} - 2)$ [e.g., Indices $0 \dots 2^3 - 2$]
- Q2**: Where are nodes at **Level h** stored in the array?
 Indices $2^h - 1 \dots (N - 1) \equiv 2^{\lceil \log_2 N \rceil} - 1 \dots (N - 1)$ [e.g., Indices $7 \dots 12$]
- Q3**: How do we determine if a non-root node x is a **left or right child**?
 IF $index(x) \% 2 == 1$ THEN **left** ELSE **right**
- Q4**: Given a non-root node x , how do we determine the **index of x's parent**?
 IF $index(x) \% 2 == 1$ THEN $\frac{index(x)-1}{2}$ ELSE $\frac{index(x)-2}{2}$

28 of 31



Index (1)

Learning Outcomes of this Lecture

What is a Priority Queue?

The Priority Queue (PQ) ADT

Two List-Based Implementations of a PQ

Heaps

Heap Property 1: Relational

Heap Property 2: Structural

Heaps: More Examples

Heap Operations

Updating a Heap: Insertion

Updating a Heap: Insertion Example (1.1)

29 of 31



Index (2)

Updating a Heap: Insertion Example (1.2)

Updating a Heap: Deletion

Updating a Heap: Deletion Example (1.1)

Updating a Heap: Deletion Example (1.2)

Updating a Heap: Deletion Example (1.3)

Heap-Based Implementation of a PQ

Top-Down Heap Construction:

List of Entries is Not Known in Advance

Bottom-Up Heap Construction:

List of Entries is Known in Advance

Bottom-up Heap Construction: Example (1.1)

Bottom-up Heap Construction: Example (1.2)

30 of 31



Index (3)

Bottom-up Heap Construction: Example (1.3)

RT of Bottom-up Heap Construction

The Heap Sort Algorithm

The Heap Sort Algorithm: Exercise

Array-Based Representation of a CBT (1)

Array-Based Representation of a CBT (2)

31 of 31