

Syntax of Eiffel: a Brief Overview



EECS3311 A & E: Software Design
Fall 2020

CHEN-WEI WANG

Escape Sequences

Escape sequences are special characters to be placed in your program text.

- In Java, an escape sequence starts with a backward slash \ e.g., `\n` for a new line character.
- In Eiffel, an escape sequence starts with a percentage sign % e.g., `%N` for a new line character.

See here for more escape sequences in Eiffel: https://www.eiffel.org/doc/eiffel/Eiffel%20programming%20language%20syntax#Special_characters

Commands, and Queries, and Features

- In a Java class:
 - **Attributes:** Data
 - **Mutators:** Methods that change attributes without returning
 - **Accessors:** Methods that access attribute values and returning
- In an Eiffel class:
 - Everything can be called a *feature*.
 - But if you want to be specific:
 - Use *attributes* for data
 - Use *commands* for mutators
 - Use *queries* for accessors

Naming Conventions

- Cluster names: all lower-cases separated by underscores
e.g., `root`, `model`, `tests`, `cluster_number_one`
- Classes/Type names: all upper-cases separated by underscores
e.g., `ACCOUNT`, `BANK_ACCOUNT_APPLICATION`
- Feature names (attributes, commands, and queries): all lower-cases separated by underscores
e.g., `account_balance`, `deposit_into`, `withdraw_from`

Class Declarations

- In Java:

```
class BankAccount {  
    /* attributes and methods */  
}
```

- In Eiffel:

```
class BANK_ACCOUNT  
    /* attributes, commands, and queries */  
end
```

Class Constructor Declarations (1)

- In Eiffel, constructors are just commands that have been *explicitly* declared as **creation features**:

```
class BANK_ACCOUNT
-- List names commands that can be used as constructors
create
  make
feature -- Commands
  make (b: INTEGER)
    do balance := b end
  make2
    do balance := 10 end
end
```

- Only the command `make` can be used as a constructor.
- Command `make2` is not declared explicitly, so it cannot be used as a constructor.

Creations of Objects (1)

- In Java, we use a constructor `Account (int b)` by:
 - Writing `Account acc = new Account (10)` to create a named object `acc`
 - Writing `new Account (10)` to create an anonymous object
- In Eiffel, we use a creation feature (i.e., a command explicitly declared under `create`) `make (int b)` in class `ACCOUNT` by:
 - Writing `create {ACCOUNT} acc.make (10)` to create a named object `acc`
 - Writing `create {ACCOUNT}.make (10)` to create an anonymous object

- Writing `create {ACCOUNT} acc.make (10)`

is really equivalent to writing

```
acc := create {ACCOUNT}.make (10)
```

Attribute Declarations

- In Java, you write: `int i, Account acc`
- In Eiffel, you write: `i: INTEGER, acc: ACCOUNT`

Think of `:` as the set membership operator \in :

e.g., The declaration `acc: ACCOUNT` means object `acc` is a member of all possible instances of `ACCOUNT`.

Method Declaration

- **Command**

```
deposit (amount: INTEGER)
do
  balance := balance + amount
end
```

Notice that you don't use the return type `void`

- **Query**

```
sum_of (x: INTEGER; y: INTEGER): INTEGER
do
  Result := x + y
end
```

- Input parameters are separated by semicolons ;
- Notice that you don't use `return`; instead assign the return value to the pre-defined variable **Result**.

Operators: Assignment vs. Equality

- In Java:
 - Equal sign = is for assigning a value expression to some variable.
e.g., $x = 5 * y$ changes x 's value to $5 * y$
This is actually controversial, since when we first learned about =, it means the mathematical equality between numbers.
 - Equal-equal == and bang-equal != are used to denote the equality and inequality.
e.g., $x == 5 * y$ evaluates to *true* if x 's value is equal to the value of $5 * y$, or otherwise it evaluates to *false*.
- In Eiffel:
 - Equal = and slash equal /= denote equality and inequality.
e.g., $x = 5 * y$ evaluates to *true* if x 's value is equal to the value of $5 * y$, or otherwise it evaluates to *false*.
 - We use := to denote variable assignment.
e.g., $x := 5 * y$ changes x 's value to $5 * y$
 - Also, you are not allowed to write shorthands like $x++$,
just write $x := x + 1$.

Operators: Division and Modulo

	Division	Modulo (Remainder)
Java	20 / 3 is 6	20 % 3 is 2
Eiffel	20 // 3 is 6	20 \ 3 is 2

Operators: Logical Operators (1)

- Logical operators (what you learned from EECS1090) are for combining Boolean expressions.
- In Eiffel, we have operators that **EXACTLY** correspond to these logical operators:

	LOGIC	EIFFEL
Conjunction	\wedge	and
Disjunction	\vee	or
Implication	\Rightarrow	implies
Equivalence	\equiv	=

Operators: Logical Operators (2)

- How about Java?
 - Java does not have an operator for logical implication.
 - The `==` operator can be used for logical equivalence.
 - The `&&` and `||` operators only **approximate** conjunction and disjunction, due to the **short-circuit effect (SCE)**:
 - When evaluating `e1 && e2`, if `e1` already evaluates to *false*, then `e1` will **not** be evaluated.
 e.g., In `(y != 0) && (x / y > 10)`, the SCE guards the division against division-by-zero error.
 - When evaluating `e1 || e2`, if `e1` already evaluates to *true*, then `e1` will **not** be evaluated.
 e.g., In `(y == 0) || (x / y > 10)`, the SCE guards the division against division-by-zero error.
 - However, in math, the order of the two sides should not matter.
- In Eiffel, we also have the version of operators with SCE:

	short-circuit conjunction	short-circuit disjunction
Java	<code>&&</code>	<code> </code>
Eiffel	and then	or else

Selections (1)

```
if  $B_1$  then
  --  $B_1$ 
  -- do something
elseif  $B_2$  then
  --  $B_2 \wedge (\neg B_1)$ 
  -- do something else
else
  --  $(\neg B_1) \wedge (\neg B_2)$ 
  -- default action
end
```

Selections (2)

An **if-statement** is considered as:

- An *instruction* if its branches contain *instructions*.
- An *expression* if its branches contain Boolean *expressions*.

```
class
  FOO
feature --Attributes
  x, y: INTEGER
feature -- Commands
  command
    -- A command with if-statements in implementation and contracts.
  require
    if x \ 2 /= 0 then True else False end -- Or: x \ 2 /= 0
  do
    if x > 0 then y := 1 elseif x < 0 then y := -1 else y := 0 end
  ensure
    y = if old x > 0 then 1 elseif old x < 0 then -1 else 0 end
    -- Or: (old x > 0 implies y = 1)
    -- and (old x < 0 implies y = -1) and (old x = 0 implies y = 0)
  end
end
```

Loops (1)

- In Java, the Boolean conditions in `for` and `while` loops are **stay** conditions.

```
void printStuffs() {  
    int i = 0;  
    while(i < 10 /* stay condition */) {  
        System.out.println(i);  
        i = i + 1;  
    }  
}
```

- In the above Java loop, we **stay** in the loop as long as `i < 10` is true.
- In Eiffel, we think the opposite: we **exit** the loop as soon as `i >= 10` is true.

Loops (2)


In Eiffel, the Boolean conditions you need to specify for loops are **exit** conditions (logical negations of the stay conditions).

```
print_stuffs
  local
    i: INTEGER
  do
    from
      i := 0
    until
      i >= 10 -- exit condition
    loop
      print (i)
      i := i + 1
    end -- end loop
  end -- end command
```


- Don't put () after a command or query with no input parameters.
- Local variables must all be declared in the beginning.

Library Data Structures

Enter a DS name.



Explore supported features.



Data Structures: Arrays


- Creating an empty array:

```
local a: ARRAY[INTEGER]
do create {ARRAY[INTEGER]} a.make_empty
```

- This creates an array of lower and upper indices 1 and 0.
 - Size of array a: $a.upper - a.lower + 1$.
- Typical loop structure to iterate through an array:

```
local
  a: ARRAY[INTEGER]
  i, j: INTEGER
do
  ...
from
  j := a.lower
until
  j > a.upper
do
  i := a [j]
  j := j + 1
end
```

Data Structures: Linked Lists (1)



Data Structures: Linked Lists (2)

- Creating an empty linked list:

```
local
  list: LINKED_LIST [INTEGER]
do
  create {LINKED_LIST [INTEGER]} list.make
```

- Typical loop structure to iterate through a linked list:

```
local
  list: LINKED_LIST [INTEGER]
  i: INTEGER
do
  ...
from
  list.start
until
  list.after
do
  i := list.item
  list.forth
end
```

Iterable Structures

- Eiffel collection types (like in Java) are **iterable**.
- If indices are irrelevant for your application, use:

across ... *as* ... **loop** ... *end*

e.g.,

```
...
local
  a: ARRAY [INTEGER]
  l: LINKED_LIST [INTEGER]
  sum1, sum2: INTEGER
do
  ...
  across a as cursor loop sum1 := sum1 + cursor.item end
  across l as cursor loop sum2 := sum2 + cursor.item end
  ...
end
```

Using across for Quantifications (1.1)

- across* ... *as* ... **all** ... *end*

A Boolean expression acting as a universal quantification (\forall)

```

1  local
2    allPositive: BOOLEAN
3    a: ARRAY[INTEGER]
4  do
5    ...
6    Result :=
7      across
8        a.lower |..| a.upper as i
9      all
10     a [i.item] > 0
11  end

```

- **L8**: `a.lower |..| a.upper` denotes a list of integers.
 - **L8**: `as i` declares a list cursor for this list.
 - **L10**: `i.item` denotes the value pointed to by cursor `i`.
- **L9**: Changing the keyword **all** to *some* makes it act like an existential quantification \exists .

Using `across` for Quantifications (1.2)

- Alternatively: *across* ... *is* ... `all` ... *end*

A Boolean expression acting as a universal quantification (\forall)

```
1 local
2   allPositive: BOOLEAN
3   a: ARRAY[INTEGER]
4 do
5   ...
6   Result :=
7     across
8     a.lower |..| a.upper is i
9     all
10    a [i] > 0
11 end
```

- L8:** `a.lower |..| a.upper` denotes a list of integers.
- L8:** `is i` declares a variable for storing a member of the list.
- L10:** `i` denotes the value itself.
- L9:** Changing the keyword `all` to *some* makes it act like an existential quantification \exists .

Using across for Quantifications (2)

```
class
  CHECKER
  feature -- Attributes
    collection: ITERABLE [INTEGER] -- ARRAY, LIST, HASH_TABLE
  feature -- Queries
    is_all_positive: BOOLEAN
      -- Are all items in collection positive?
    do
      ...
    ensure
      across
        collection as cursor
      all
        cursor.item > 0
      end
    end
end
```

- Using **all** corresponds to a universal quantification (i.e., \forall).
- Using **some** corresponds to an existential quantification (i.e., \exists).

Using across for Quantifications (3)

```
class BANK
...
  accounts: LIST [ACCOUNT]
  binary_search (acc_id: INTEGER): ACCOUNT
    -- Search on accounts sorted in non-descending order.
    require
      --  $\forall i: \text{INTEGER} \mid 1 \leq i < \text{accounts.count} \bullet \text{accounts}[i].\text{id} \leq \text{accounts}[i+1].\text{id}$ 
    across
      1 |..| (accounts.count - 1) as cursor
    all
      accounts [cursor.item].id <= accounts [cursor.item + 1].id
    end
  do
    ...
  ensure
    Result.id = acc_id
  end
```

Using across for Quantifications (4)

```
class BANK
...
  accounts: LIST [ACCOUNT]
  contains_duplicate: BOOLEAN
    -- Does the account list contain duplicate?
  do
    ...
  ensure
     $\forall i, j: \text{INTEGER} \mid$ 
       $1 \leq i \leq \text{accounts.count} \wedge 1 \leq j \leq \text{accounts.count} \bullet$ 
       $\text{accounts}[i] \sim \text{accounts}[j] \Rightarrow i = j$ 
  end
```

- **Exercise:** Convert this mathematical predicate for postcondition into Eiffel.
- **Hint:** Each **across** construct can only introduce one dummy variable, but you may nest as many **across** constructs as necessary.

- To compare references between two objects, use `=`.
- To compare “contents” between two objects *of the same type*, use the *redefined* version of `is_equal` feature.
- You may also use the binary operator `~`
 - `o1 ~ o2` evaluates to:
 - *true* if both `o1` and `o2` are void
 - *false* if one is void but not the other
 - `o1.is_equal(o2)` if both are not void

Use of ~: Caution

```
1 class
2   BANK
3   feature -- Attribute
4     accounts: ARRAY[ACCOUNT]
5   feature -- Queries
6     get_account (id: STRING): detachable ACCOUNT
7       -- Account object with 'id'.
8     do
9       across
10        accounts as cursor
11      loop
12        if cursor.item ~ id then
13          Result := cursor.item
14        end
15      end
16    end
17  end
```

L15 should be: `cursor.item.id ~ id`

Review of Propositional Logic (1)

- A **proposition** is a statement of claim that must be of either *true* or *false*, but not both.
- Basic logical operands are of type Boolean: *true* and *false*.
- We use logical operators to construct compound statements.
 - Binary logical operators: conjunction (\wedge), disjunction (\vee), implication (\Rightarrow), and equivalence (a.k.a if-and-only-if \Leftrightarrow)

p	q	$p \wedge q$	$p \vee q$	$p \Rightarrow q$	$p \Leftrightarrow q$
<i>true</i>	<i>true</i>	<i>true</i>	<i>true</i>	<i>true</i>	<i>true</i>
<i>true</i>	<i>false</i>	<i>false</i>	<i>true</i>	<i>false</i>	<i>false</i>
<i>false</i>	<i>true</i>	<i>false</i>	<i>true</i>	<i>true</i>	<i>false</i>
<i>false</i>	<i>false</i>	<i>false</i>	<i>false</i>	<i>true</i>	<i>true</i>

- Unary logical operator: negation (\neg)

p	$\neg p$
<i>true</i>	<i>false</i>
<i>false</i>	<i>true</i>

Review of Propositional Logic: Implication

- Written as $p \Rightarrow q$
- Pronounced as “p implies q”
- We call p the antecedent, assumption, or premise.
- We call q the consequence or conclusion.
- Compare the *truth* of $p \Rightarrow q$ to whether a contract is *honoured*: $p \approx$ promised terms; and $q \approx$ obligations.
- When the promised terms are met, then:
 - The contract is *honoured* if the obligations are fulfilled.
 - The contract is *breached* if the obligations are not fulfilled.
- When the promised terms are not met, then:
 - Fulfilling the obligation (q) or not ($\neg q$) does *not breach* the contract.

p	q	$p \Rightarrow q$
<i>true</i>	<i>true</i>	<i>true</i>
<i>true</i>	<i>false</i>	<i>false</i>
<i>false</i>	<i>true</i>	<i>true</i>
<i>false</i>	<i>false</i>	<i>true</i>

Review of Propositional Logic (2)

- **Axiom:** Definition of \Rightarrow

$$p \Rightarrow q \equiv \neg p \vee q$$

- **Theorem:** Identity of \Rightarrow

$$true \Rightarrow p \equiv p$$

- **Theorem:** Zero of \Rightarrow

$$false \Rightarrow p \equiv true$$

- **Axiom:** De Morgan

$$\neg(p \wedge q) \equiv \neg p \vee \neg q$$

$$\neg(p \vee q) \equiv \neg p \wedge \neg q$$

- **Axiom:** Double Negation

$$p \equiv \neg(\neg p)$$

- **Theorem:** Contrapositive

$$p \Rightarrow q \equiv \neg q \Rightarrow \neg p$$

Review of Predicate Logic (1)

- A **predicate** is a *universal* or *existential* statement about objects in some universe of discourse.
- Unlike propositions, predicates are typically specified using *variables*, each of which declared with some *range* of values.
- We use the following symbols for common numerical ranges:
 - \mathbb{Z} : the set of integers
 - \mathbb{N} : the set of natural numbers
- Variable(s) in a predicate may be *quantified*:
 - **Universal quantification** :
All values that a variable may take satisfy certain property.
e.g., Given that i is a natural number, i is *always* non-negative.
 - **Existential quantification** :
Some value that a variable may take satisfies certain property.
e.g., Given that i is an integer, i *can be* negative.

Review of Predicate Logic (2.1)

- A **universal quantification** has the form $(\forall X \mid R \bullet P)$
 - X is a list of variable *declarations*
 - R is a *constraint on ranges* of declared variables
 - P is a *property*
 - $(\forall X \mid R \bullet P) \equiv (\forall X \bullet R \Rightarrow P)$
 e.g., $(\forall X \mid \text{True} \bullet P) \equiv (\forall X \bullet \text{True} \Rightarrow P) \equiv (\forall X \bullet P)$
 e.g., $(\forall X \mid \text{False} \bullet P) \equiv (\forall X \bullet \text{False} \Rightarrow P) \equiv (\forall X \bullet \text{True}) \equiv \text{True}$
- **For all** (combinations of) values of variables declared in X that satisfies R , it is the case that P is satisfied.
 - $\forall i \mid i \in \mathbb{N} \bullet i \geq 0$ [true]
 - $\forall i \mid i \in \mathbb{Z} \bullet i \geq 0$ [false]
 - $\forall i, j \mid i \in \mathbb{Z} \wedge j \in \mathbb{Z} \bullet i < j \vee i > j$ [false]
- The range constraint of a variable may be moved to where the variable is declared.
 - $\forall i: \mathbb{N} \bullet i \geq 0$
 - $\forall i: \mathbb{Z} \bullet i \geq 0$
 - $\forall i, j: \mathbb{Z} \bullet i < j \vee i > j$

Review of Predicate Logic (2.2)

- An **existential quantification** has the form $(\exists X \mid R \bullet P)$
 - X is a list of variable *declarations*
 - R is a *constraint on ranges* of declared variables
 - P is a *property*
 - $(\exists X \mid R \bullet P) \equiv (\exists X \bullet R \wedge P)$
 e.g., $(\exists X \mid \text{True} \bullet P) \equiv (\exists X \bullet \text{True} \wedge P) \equiv (\forall X \bullet P)$
 e.g., $(\exists X \mid \text{False} \bullet P) \equiv (\exists X \bullet \text{False} \wedge P) \equiv (\exists X \bullet \text{False}) \equiv \text{False}$
- **There exists** a combination of values of variables declared in X that satisfies R and P .
 - $\exists i \mid i \in \mathbb{N} \bullet i \geq 0$ [true]
 - $\exists i \mid i \in \mathbb{Z} \bullet i \geq 0$ [true]
 - $\exists i, j \mid i \in \mathbb{Z} \wedge j \in \mathbb{Z} \bullet i < j \vee i > j$ [true]
- The range constraint of a variable may be moved to where the variable is declared.
 - $\exists i : \mathbb{N} \bullet i \geq 0$
 - $\exists i : \mathbb{Z} \bullet i \geq 0$
 - $\exists i, j : \mathbb{Z} \bullet i < j \vee i > j$

Predicate Logic (3)

- Conversion between \forall and \exists

$$(\forall X \mid R \bullet P) \iff \neg(\exists X \bullet R \Rightarrow \neg P)$$

$$(\exists X \mid R \bullet P) \iff \neg(\forall X \bullet R \Rightarrow \neg P)$$

- Range Elimination

$$(\forall X \mid R \bullet P) \iff (\forall X \bullet R \Rightarrow P)$$

$$(\exists X \mid R \bullet P) \iff (\exists X \bullet R \wedge P)$$

Index (1)

Escape Sequences

Commands, Queries, and Features

Naming Conventions

Class Declarations

Class Constructor Declarations (1)

Creations of Objects (1)

Attribute Declarations

Method Declaration

Operators: Assignment vs. Equality

Operators: Division and Modulo

Operators: Logical Operators (1)

Index (2)

Operators: Logical Operators (2)

Selections (1)

Selections (2)

Loops (1)

Loops (2)

Library Data Structures

Data Structures: Arrays

Data Structures: Linked Lists (1)

Data Structures: Linked Lists (2)

Iterable Data Structures

Using `across` for Quantifications (1.1)

Index (3)

Using across for Quantifications (1.2)

Using across for Quantifications (2)

Using across for Quantifications (3)

Using across for Quantifications (4)

Equality

Use of \sim : Caution

Review of Propositional Logic (1)

Review of Propositional Logic: Implication

Review of Propositional Logic (2)

Review of Predicate Logic (1)

Review of Predicate Logic (2.1)

Index (4)

Review of Predicate Logic (2.2)

Predicate Logic (3)