

The State Design Pattern

Readings: OOSC2 Chapter 20




EECS3311 A: Software Design
Fall 2019

CHEN-WEI WANG

State Transition Diagram



Characterize **interactive system** as: **1)** A set of **states**; and **2)** For each state, its list of **applicable transitions** (i.e., actions).
e.g., Above reservation system as a **finite state machine**:



3 of 29

Motivating Problem



Consider the reservation panel of an **online booking system**:

-- Enquiry on Flights --

Flight sought from: To:
Departure on or after: On or before:

Preferred airline (s):
Special requirements:

AVAILABLE FLIGHTS: 1
Flt:#AA 42 Dep 8:25 Arr 7:45 Thru: Chicago

Choose next action:
0 - Exit
1 - Help
2 - Further enquiry
3 - Reserve a seat

2 of 29

Design Challenges



1. The state-transition graph may **large** and **sophisticated**.
A large number N of states has $O(N^2)$ transitions
2. The graph structure is subject to **extensions/modifications**.
e.g., To merge "(2) Flight Enquiry" and "(3) Seat Enquiry":
Delete the state "(3) Seat Enquiry".
Delete its 4 incoming/outgoing transitions.
e.g., Add a new state "Dietary Requirements"
3. A **general solution** is needed for such **interactive systems**.
e.g., , , , etc.

4 of 29

A First Attempt



```

1.Initial_panel:
-- Actions for Label 1.
2.Flight_Enquiry_panel:
-- Actions for Label 2.
3.Seat_Enquiry_panel:
-- Actions for Label 3.
4.Reservation_panel:
-- Actions for Label 4.
5.Confirmation_panel:
-- Actions for Label 5.
6.Final_panel:
-- Actions for Label 6.
    
```

```

3.Seat_Enquiry_panel:
from
  Display Seat Enquiry Panel
until
  not (wrong answer or wrong choice)
do
  Read user's answer for current panel
  Read user's choice [C] for next step
  if wrong answer or wrong choice then
    Output error messages
  end
end
end
Process user's answer
case [C] in
  2: goto 2.Flight_Enquiry_panel
  3: goto 4.Reservation_panel
end
    
```

5 of 29

A Top-Down, Hierarchical Solution



- **Separation of Concern** Declare the *transition table* as a feature the system, rather than its central control structure:

```

transition (src: INTEGER; choice: INTEGER): INTEGER
-- Return state by taking transition 'choice' from 'src' state.
require valid_source_state: 1 ≤ src ≤ 6
       valid_choice: 1 ≤ choice ≤ 3
ensure valid_target_state: 1 ≤ Result ≤ 6
    
```

- We may implement transition via a 2-D array.

	CHOICE	1	2	3
SRC STATE				
1 (Initial)		6	5	2
2 (Flight Enquiry)		-	1	3
3 (Seat Enquiry)		-	2	4
4 (Reservation)		-	3	5
5 (Confirmation)		-	4	1
6 (Final)		-	-	-

	choice		
	1	2	3
1	6	5	2
2		1	3
3		2	4
4		3	5
5		4	1
6			

7 of 29

A First Attempt: Good Design?



- Runtime execution \approx a **"bowl of spaghetti"**.
 \Rightarrow The system's behaviour is hard to predict, trace, and debug.
- *Transitions* hardwired as system's **central control structure**.
 \Rightarrow The system is vulnerable to changes/additions of states/transitions.
- All labelled blocks are largely similar in their code structures.
 \Rightarrow This design **"smells"** due to duplicates/repetitions!
- The branching structure of the design exactly corresponds to that of the specific *transition graph*.
 \Rightarrow The design is **application-specific** and **not reusable** for other interactive systems.

6 of 29


Hierarchical Solution: Good Design?



- This is a more general solution.
 \therefore *State transitions* are **separated** from the system's **central control structure**.
 \Rightarrow **Reusable** for another interactive system by making changes only to the *transition* feature.
- How does the **central control structure** look like in this design?

8 of 29

Hierarchical Solution: Top-Down Functional Decomposition



Modules of `execute_session` and `execute_state` are general enough on their *control structures*. ⇒ reusable

9 of 29

Hierarchical Solution: State Handling (1)

The following *control pattern* handles all states:

```

execute_state (current_state : INTEGER) : INTEGER
-- Handle interaction at the current state.
-- Return user's exit choice.
local
  answer: ANSWER; valid_answer: BOOLEAN; choice: INTEGER
do
  from
  until
    valid_answer
  do
    display(current_state)
    answer := read_answer(current_state)
    choice := read_choice(current_state)
    valid_answer := correct(current_state, answer)
    if not valid_answer then message(current_state, answer)
  end
  process(current_state, answer)
  Result := choice
end
  
```

11 of 29

Hierarchical Solution: System Control

All interactive sessions share the following *control pattern*:

- Start with some *initial state*.
- Repeatedly make *state transitions* (based on *choices* read from the user) until the state is *final* (i.e., the user wants to exit).

```

execute_session
-- Execute a full interactive session.
local
  current_state, choice: INTEGER
do
  from
    current_state := initial
  until
    is_final(current_state)
  do
    choice := execute_state(current_state)
    current_state := transition(current_state, choice)
  end
end
  
```

10 of 29

Hierarchical Solution: State Handling (2)

FEATURE CALL	FUNCTIONALITY
<code>display(s)</code>	Display screen outputs associated with <i>state s</i>
<code>read_answer(s)</code>	Read user's input for answers associated with <i>state s</i>
<code>read_choice(s)</code>	Read user's input for exit choice associated with <i>state s</i>
<code>correct(s, answer)</code>	Is the user's <i>answer</i> valid w.r.t. <i>state s</i> ?
<code>process(s, answer)</code>	Given that user's <i>answer</i> is valid w.r.t. <i>state s</i> , process it accordingly.
<code>message(s, answer)</code>	Given that user's <i>answer</i> is not valid w.r.t. <i>state s</i> , display an error message accordingly.

Q: How similar are the code structures of the above state-dependant commands or queries?

12 of 29

Hierarchical Solution: State Handling (3)




A: Actions of all such state-dependant features must explicitly *discriminate* on the input state argument.

```
display(current_state: INTEGER)
  require
    valid_state: 1 ≤ current_state ≤ 6
  do
    if current_state = 1 then
      -- Display Initial Panel
    elseif current_state = 2 then
      -- Display Flight Enquiry Panel
    ...
    else
      -- Display Final Panel
    end
  end
end
```

- Such design **smells!**
∴ Same list of conditional repeats for **all** state-dependant features.
- Such design **violates** the **Single Choice Principle**.
e.g., To add/delete a state ⇒ Add/delete a branch in all such features.

13 of 29


Hierarchical Solution: Pervasive States



- Too much data transmission: `current_state` is passed
- From `execute_session` (Level 3) to `execute_state` (Level 2)
 - From `execute_state` (Level 2) to all features at Level 1

15 of 29

Hierarchical Solution: Visible Architecture



14 of 29

Law of Inversion



If your routines exchange too many data, then put your routines in your data.

e.g.,

`execute_state` (Level 2) and all features at Level 1:


- Pass around (as **inputs**) the notion of **current_state**
- Build upon (via **discriminations**) the notion of **current_state**

```
execute_state (s: INTEGER)
display (s: INTEGER)
read_answer (s: INTEGER)
read_choice (s: INTEGER)
correct (s: INTEGER; answer: ANSWER)
process (s: INTEGER; answer: ANSWER)
message (s: INTEGER; answer: ANSWER)
```

- ⇒ **Modularize** the notion of state as **class STATE**.
- ⇒ **Encapsulate** state-related information via a **STATE** interface.
- ⇒ Notion of **current_state** becomes **implicit**: the `Current` class.

16 of 29

Grouping by Data Abstractions



17 of 29

The STATE ADT




```
deferred class STATE
  read
  -- Read user's inputs
  -- Set 'answer' and 'choice'
  deferred end
  answer: ANSWER
  -- Answer for current state
  choice: INTEGER
  -- Choice for next step
  display
  -- Display current state
  deferred end
  correct: BOOLEAN
  deferred end
  process
  require correct
  deferred end
  message
  require not correct
  deferred end
```

```
execute
  local
    good: BOOLEAN
  do
    from
    until
      good
    loop
      display
      -- set answer and choice
      read
      good := correct
      if not good then
        message
      end
    end
  end
  process
end
end
```

19 of 29

Architecture of the State Pattern



18 of 29

The Template Design Pattern



Consider the following fragment of Eiffel code:

```
1 s: STATE
2 create {SEAT_ENQUIRY} s.make
3 s.execute
4 create {CONFIRMATION} s.make
5 s.execute
```


L2 and **L4**: the same version of effective feature execute (from the effective class **STATE**) is called. [**template**]

L2: specific version of effective features display, process, etc., (from the effective descendant class **SEAT_ENQUIRY**) is called. [**template instantiated for SEAT_ENQUIRY**]

L4: specific version of effective features display, process, etc., (from the effective descendant class **CONFIRMATION**) is called. [**template instantiated for CONFIRMATION**]

20 of 29

APPLICATION Class: Array of STATE



21 of 29

APPLICATION Class (2)



```
class APPLICATION
feature {NONE} -- Implementation of Transition Graph
transition: ARRAY2[INTEGER]
states: ARRAY[STATE]
feature
put_state(s: STATE; index: INTEGER)
require 1 ≤ index ≤ number_of_states
do states.force(s, index) end
choose_initial(index: INTEGER)
require 1 ≤ index ≤ number_of_states
do initial := index end
put_transition(tar, src, choice: INTEGER)
require
1 ≤ src ≤ number_of_states
1 ≤ tar ≤ number_of_states
1 ≤ choice ≤ number_of_choices
do
transition.put(tar, src, choice)
end
end
```

23 of 29

APPLICATION Class (1)



```
class APPLICATION create make
feature {NONE} -- Implementation of Transition Graph
transition: ARRAY2[INTEGER]
-- State transitions: transition[state, choice]
states: ARRAY[STATE]
-- State for each index, constrained by size of 'transition'
feature
initial: INTEGER
number_of_states: INTEGER
number_of_choices: INTEGER
make(n, m: INTEGER)
do number_of_states := n
number_of_choices := m
create transition.make_filled(0, n, m)
create states.make_empty
end
invariant
transition.height = number_of_states
transition.width = number_of_choices
end
```

22 of 29

Example Test: Non-Interactive Session



```
test_application: BOOLEAN
local
app: APPLICATION ; current_state: STATE ; index: INTEGER
do
create app.make (6, 3)
app.put_state (create {INITIAL}.make, 1)
-- Similarly for other 5 states.
app.choose_initial (1)
-- Transit to FINAL given current state INITIAL and choice 1.
app.put_transition (6, 1, 1)
-- Similarly for other 10 transitions.

index := app.initial
current_state := app.states [index]
Result := attached {INITIAL} current_state
check Result end
-- Say user's choice is 3: transit from INITIAL to FLIGHT_STATUS
index := app.transition.item (index, 3)
current_state := app.states [index]
Result := attached {FLIGHT_ENQUIRY} current_state
end
```

24 of 29

APPLICATION Class (3): Interactive Session



```
class APPLICATION
feature {NONE} -- Implementation of Transition Graph
  transition: ARRAY2[INTEGER]
  states: ARRAY[STATE]
feature
  execute_session
  local
    current_state: STATE
    index: INTEGER
  do
    from
      index := initial
    until
      is_final (index)
    loop
      current_state := states[index] -- polymorphism
      current_state.execute -- dynamic binding
      index := transition.item (index, current_state.choice)
    end
  end
end
end
25 of 29
```

Building an Application



- o Create instances of STATE.

```
s1: STATE
create {INITIAL} s1.make
```

- o Initialize an APPLICATION.

```
create app.make(number_of_states, number_of_choices)
```

- o Perform polymorphic assignments on app.states.

```
app.put_state(initial, 1)
```

- o Choose an initial state.

```
app.choose_initial(1)
```

- o Build the transition table.

```
app.put_transition(6, 1, 1)
```

- o Run the application.

```
app.execute_session
```

26 of 29

Top-Down, Hierarchical vs. OO Solutions



- In the second (top-down, hierarchy) solution, it is required for every state-related feature to *explicitly* and *manually* discriminate on the argument value, via a list of conditionals. e.g., Given `display(current_state: INTEGER)`, the calls `display(1)` and `display(2)` behave differently.
- The third (OO) solution, called the State Pattern, makes such conditional *implicit* and *automatic*, by making STATE as a deferred class (whose descendants represent all types of states), and by delegating such conditional actions to *dynamic binding*. e.g., Given `s: STATE`, behaviour of the call `s.display` depends on the *dynamic type* of `s` (such as INITIAL vs. FLIGHT_ENQUIRY).

27 of 29

Index (1)



- [Motivating Problem](#)
- [State Transition Diagram](#)
- [Design Challenges](#)
- [A First Attempt](#)
- [A First Attempt: Good Design?](#)
- [A Top-Down, Hierarchical Solution](#)
- [Hierarchical Solution: Good Design?](#)
- [Hierarchical Solution:](#)
- [Top-Down Functional Decomposition](#)
- [Hierarchical Solution: System Control](#)
- [Hierarchical Solution: State Handling \(1\)](#)
- [Hierarchical Solution: State Handling \(2\)](#)
- [Hierarchical Solution: State Handling \(3\)](#)
- [Hierarchical Solution: Visible Architecture](#)

28 of 29

Index (2)



[Hierarchical Solution: Pervasive States](#)

[Law of Inversion](#)

[Grouping by Data Abstractions](#)

[Architecture of the State Pattern](#)

[The STATE ADT](#)

[The Template Design Pattern](#)

[APPLICATION Class: Array of STATE](#)

[APPLICATION Class \(1\)](#)

[APPLICATION Class \(2\)](#)

[Example Test: Non-Interactive Session](#)

[APPLICATION Class \(3\): Interactive Session](#)

[Building an Application](#)

[Top-Down, Hierarchical vs. OO Solutions](#)