

Inheritance



EECS2030 E&F: Advanced
Object Oriented Programming
Fall 2024

CHEN-WEI WANG

Learning Outcomes



This module is designed to help you learn about:

- Alternative designs to **inheritance**
- Using **inheritance** for code reuse
- **Static Types**, Expectations, **Dynamic Types**
- **Polymorphism**
(variable assignments, method arguments & return values)
- **Dynamic Binding**
- **Type Casting**

2 of 110

Why Inheritance: A Motivating Example



Problem: A student management system stores data about students. There are two kinds of university students: resident students and non-resident students. Both kinds of students have a name and a list of registered courses. Both kinds of students are restricted to register for no more than 10 courses. When calculating the tuition for a student, a base amount is first determined from the list of courses they are currently registered (each course has an associated fee). For a non-resident student, there is a discount rate applied to the base amount to waive the fee for on-campus accommodation. For a resident student, there is a premium rate applied to the base amount to account for the fee for on-campus accommodation and meals.

Tasks: Write Java classes that satisfy the above problem statement. At runtime, each type of student must be able to register a course and calculate their tuition fee.

3 of 110

Why Inheritance: A Motivating Example



Problem: A *student management system* stores data about students. There are two kinds of university students: *resident* students and *non-resident* students. Both kinds of students have a *name* and a list of *registered courses*. Both kinds of students are restricted to *register* for no more than 10 courses. When *calculating the tuition* for a student, a base amount is first determined from the list of courses they are currently registered (each course has an associated fee). For a non-resident student, there is a *discount rate* applied to the base amount to waive the fee for on-campus accommodation. For a resident student, there is a *premium rate* applied to the base amount to account for the fee for on-campus accommodation and meals.

Tasks: Write Java classes that satisfy the above problem statement. At runtime, each type of student must be able to register a course and calculate their tuition fee.

4 of 110

No Inheritance: ResidentStudent Class



```
public class ResidentStudent {
    private String name;
    private Course[] courses; private int noc;
    private double premiumRate; /* assume a mutator for this */
    public ResidentStudent(String name) {
        this.name = name;
        this.courses = new Course[10];
    }
    public void register(Course c) {
        this.courses[this.noc] = c;
        this.noc++;
    }
    public double getTuition() {
        double tuition = 0;
        for(int i = 0; i < this.noc; i++) {
            tuition += this.courses[i].fee;
        }
        return tuition * this.premiumRate;
    }
}
```

5 of 110

No Inheritance: Testing Student Classes



```
public class Course {
    private String title; private double fee;
    public Course(String title, double fee) {
        this.title = title; this.fee = fee;
    }
}

public class StudentTester {
    public static void main(String[] args) {
        Course c1 = new Course("EECS2030", 500.00); /* title and fee */
        Course c2 = new Course("EECS3311", 500.00); /* title and fee */
        ResidentStudent jim = new ResidentStudent("J. Davis");
        jim.setPremiumRate(1.25);
        jim.register(c1); jim.register(c2);
        NonResidentStudent jeremy = new NonResidentStudent("J. Gibbons");
        jeremy.setDiscountRate(0.75);
        jeremy.register(c1); jeremy.register(c2);
        System.out.println("Jim pays " + jim.getTuition());
        System.out.println("Jeremy pays " + jeremy.getTuition());
    }
}
```

7 of 110

No Inheritance: NonResidentStudent Class



```
public class NonResidentStudent {
    private String name;
    private Course[] courses; private int noc;
    private double discountRate; /* assume a mutator for this */
    public NonResidentStudent(String name) {
        this.name = name;
        this.courses = new Course[10];
    }
    public void register(Course c) {
        this.courses[this.noc] = c;
        this.noc++;
    }
    public double getTuition() {
        double tuition = 0;
        for(int i = 0; i < this.noc; i++) {
            tuition += this.courses[i].fee;
        }
        return tuition * this.discountRate;
    }
}
```

6 of 110

No Inheritance: Issues with the Student Classes



- Implementations for the two student classes seem to work. But can you see any potential problems with it?
Hint. Maintenance of code
- The code of the two student classes share a lot in common.
 - **Duplicates of code make it hard to maintain your software!**
 - This means that when there is a change of policy on the common part, we need modify **more than one places**.
 - This violates the so-called **single-choice design principle**.

8 of 110

No Inheritance: Maintainability of Code (1)



What if the way for registering a course changes?

e.g.,

```
public void register(Course c) throws TooManyCoursesException {
    if (this.noc >= MAX_ALLOWANCE) {
        throw new TooManyCoursesException("Too many courses");
    }
    else {
        this.courses[this.noc] = c;
        this.noc ++;
    }
}
```

Changes needed for `register` method in **both** student classes!

9 of 110

No Inheritance: A Collection of Various Kinds of Students



How can we define a class `StudentManagementSystem` that contains a list of *resident* and *non-resident* students?

```
public class StudentManagementSystem {
    private ResidentStudent[] rss;
    private NonResidentStudent[] nrss;
    private int nors; /* number of resident students */
    private int nonrs; /* number of non-resident students */
    public void addRS(ResidentStudent rs) { rss[nors]=rs; nors++; }
    public void addNRS(NonResidentStudent nrs) { nrss[nonrs]=nrs; nonrs++; }
    public void registerAll(Course c) {
        for(int i = 0; i < nors; i++) { rss[i].register(c); }
        for(int i = 0; i < nonrs; i++) { nrss[i].register(c); }
    }
}
```

But what if we later on introduce **more kinds of students**?

Very **inconvenient** to handle each list of students **separately**!

a polymorphic collection of students

11 of 110

No Inheritance: Maintainability of Code (2)



What if the way for calculating the base tuition changes?

e.g.,

```
public double getTuition() {
    double tuition = 0;
    for(int i = 0; i < this.noc; i++) {
        tuition += this.courses[i].fee;
    }
    /* ... can be premiumRate or discountRate */
    return tuition * inflationRate * ...;
}
```


Changes needed for `getTuition` method in **both** student classes!

10 of 110

Visibility: Project, Packages, Classes



CollectionOfStuffs



12 of 110

Visibility of Classes




- Only one modifier for declaring visibility of classes: **public**.
- Use of **private** is forbidden for declaring a class.
e.g., `private class Chair` is **not** allowed!!
- Visibility** of a class may be declared using a modifier, indicating that it is accessible:
 - Across classes within its residing package [no modifier]
e.g., Declare `class Chair { ... }`
 - Across packages [**public**]
e.g., Declare `public class Chair { ... }`
- Consider class `Chair` which resides in:
 - package `furniture`
 - project `CollectionOfStuffs`

13 of 110

Visibility of Classes: Across All Classes Within the Resident Package (no modifier)



CollectionOfStuffs




15 of 110

Visibility of Classes: Across All Classes Within the Resident Package (no modifier)



CollectionOfStuffs



14 of 110

Visibility of Attributes/Methods: Using Modifiers to Define Scopes




- Two modifiers for declaring visibility of attributes/methods: **public** and **private**
- Visibility** of an attribute or a method may be declared using a modifier, indicating that it is accessible:
 - Within its residing class (**most** restrictive) [**private**]
e.g., Declare attribute `private int i;`
e.g., Declare method `private void m() {};`
 - Across classes within its residing package [no modifier]
e.g., Declare attribute `int i;`
e.g., Declare method `void m() {};`
 - Across packages (**least** restrictive) [**public**]
e.g., Declare attribute `public int i;`
e.g., Declare method `public void m() {};`
- Consider attributes `i` and `m` residing in:
Class `Chair`; Package `furniture`; Project `CollectionOfStuffs`.

16 of 110

Visibility of Attr./Meth.: Across All Methods Within the Resident Class (**private**)



CollectionOfStuffs




17 of 110

Visibility of Attr./Meth.: Across All Packages Within the Resident Project (**public**)



CollectionOfStuffs




19 of 110

Visibility of Attr./Meth.: Across All Classes Within the Resident Package (no modifier)



CollectionOfStuffs



18 of 110

Use of the **protected** Modifier




- **private** attributes are not inherited to subclasses.
- package-level attributes (i.e., with **no modifier**) and project-level attributes (i.e., **public**) are inherited.
- What if we want attributes to be:
 - **visible** to sub-classes outside the current package, but still
 - **invisible** to other non-sub-classes outside the current package?

Use **protected**!


20 of 110

Visibility of Attr./Meth.: Across All Methods Same Package and Sub-Classes (protected)



21 of 110

Inheritance Architecture



23 of 110

Visibility of Attributes/Methods



modifier \ scope	CLASS	PACKAGE	SUBCLASS (same pkg)	SUBCLASS (different pkg)	NON-SUBCLASS (across Project)
public	Green	Green	Green	Green	Green
protected	Green	Green	Green	Green	Red
no modifier	Green	Green	Green	Red	Red
private	Green	Red	Red	Red	Red

For the rest of this lecture, for simplicity, we assume that:

All relevant parent/child classes are in the same package.

⇒ Attributes with **no modifiers** (**package-level** visibility) suffice.

⇒ Methods with **no modifiers** (**package-level** visibility) suffice.

22 of 110

Inheritance: The Student Parent/Super Class



```
class Student {
    String name;
    Course[] courses; int noc;
    Student(String name) {
        this.name = name;
        this.courses = new Course[10];
    }
    void register(Course c) {
        this.courses[this.noc] = c;
        this.noc++;
    }
    double getTuition() {
        double tuition = 0;
        for(int i = 0; i < this.noc; i++) {
            tuition += this.courses[i].fee;
        }
        return tuition; /* base amount only */
    }
}
```

24 of 110

Inheritance: The ResidentStudent Child/Sub Class

```

1 class ResidentStudent extends Student {
2     double premiumRate; /* there's a mutator method for this */
3     ResidentStudent (String name) { super(name); }
4     /* register method is inherited */
5     double getTuition() {
6         double base = super.getTuition();
7         return base * premiumRate;
8     }
9 }


```

- L1 declares that ResidentStudent inherits all attributes and methods (except constructors) from Student.
- There is no need to repeat the register method
- Use of **super** in L3 is as if calling Student (name)
- Use of **super** in L6 returns what getTuition() in Student returns.
- Use **super** to refer to attributes/methods defined in the super class:

`super.name`, `super.register(c)`.

25 of 110

Inheritance Architecture Revisited



- The class that defines the common attributes and methods is called the **parent** or **super** class.
- Each “extended” class is called a **child** or **sub** class.

27 of 110

Inheritance: The NonResidentStudent Child/Sub Class

```

1 class NonResidentStudent extends Student {
2     double discountRate; /* there's a mutator method for this */
3     NonResidentStudent (String name) { super(name); }
4     /* register method is inherited */
5     double getTuition() {
6         double base = super.getTuition();
7         return base * discountRate;
8     }
9 }

```

- L1 declares that NonResidentStudent inherits all attributes and methods (except constructors) from Student.
- There is no need to repeat the register method
- Use of **super** in L3 is as if calling Student (name)
- Use of **super** in L6 returns what getTuition() in Student returns.
- Use **super** to refer to attributes/methods defined in the super class:

`super.name`, `super.register(c)`.

26 of 110

Using Inheritance for Code Reuse

Inheritance in Java allows you to:

- Define **common attributes and methods** in a separate class.
e.g., the Student class
- Define an “extended” version of the class which:
 - **inherits** definitions of all attributes and methods
e.g., name, courses, noc
e.g., register
e.g., base amount calculation in getTuition
This means code reuse and elimination of code duplicates!
 - **defines new** attributes and methods if necessary
e.g., setPremiumRate for ResidentStudent
e.g., setDiscountRate for NonResidentStudent
 - **redefines/overrides** methods if necessary
e.g., compounded tuition for ResidentStudent
e.g., discounted tuition for NonResidentStudent

28 of 110

Visualizing Parent/Child Objects (1)



- A child class inherits **all** non-private attributes from its parent class.

⇒ A child instance has **at least as many** attributes as an instance of its parent class.


Consider the following instantiations:

```
Student s = new Student("Stella");
ResidentStudent rs = new ResidentStudent("Rachael");
NonResidentStudent nrs = new NonResidentStudent("Nancy");
```

- How will these initial objects look like?

29 of 110

Visualizing Parent/Child Objects (2)



30 of 110

Testing the Two Student Sub-Classes




```
public class StudentTester {
    public static void main(String[] args) {
        Course c1 = new Course("EECS2030", 500.00); /* title and fee */
        Course c2 = new Course("EECS3311", 500.00); /* title and fee */
        ResidentStudent jim = new ResidentStudent("J. Davis");
        jim.setPremiumRate(1.25);
        jim.register(c1); jim.register(c2);
        NonResidentStudent jeremy = new NonResidentStudent("J. Gibbons");
        jeremy.setDiscountRate(0.75);
        jeremy.register(c1); jeremy.register(c2);
        System.out.println("Jim pays " + jim.getTuition());
        System.out.println("Jeremy pays " + jeremy.getTuition());
    }
}
```

- The software can be used in the exact same way as before (because we did not modify **method headers**).
- But now the internal structure of code has been made **maintainable** using **inheritance**.

31 of 110

Inheritance Architecture: Static Types & Expectations



```
Student s = new Student("Stella");
ResidentStudent rs = new ResidentStudent("Rachael");
NonResidentStudent nrs = new NonResidentStudent("Nancy");
```

	name	rcs	noc	reg	getT	pr	setPR	dr	setDR
s.		✓						✗	
rs.			✓			✓			✗
nrs.			✓				✗		✓

32 of 110

Polymorphism: Intuition (1)



```

1 Student s = new Student("Stella");
2 ResidentStudent rs = new ResidentStudent("Rachael");
3 rs.setPremiumRate(1.25);
4 s = rs; /* Is this valid? */
5 rs = s; /* Is this valid? */

```

- Which one of L4 and L5 is *valid*? Which one is *invalid*?
- Hints:
 - L1: What *kind* of address can *s* store? [Student]
 ∴ The context object *s* is *expected* to be used as:
 - s*.register(eecs2030) and *s*.getTuition()
 - L2: What *kind* of address can *rs* store? [ResidentStudent]
 ∴ The context object *rs* is *expected* to be used as:
 - rs*.register(eecs2030) and *rs*.getTuition()
 - rs.setPremiumRate(1.50)* [increase premium rate]

33 of 110

Polymorphism: Intuition (3)




```

1 Student s = new Student("Stella");
2 ResidentStudent rs = new ResidentStudent("Rachael");
3 rs.setPremiumRate(1.25);
4 s = rs; /* Is this valid? */
5 rs = s; /* Is this valid? */

```

- s = rs* (L4) should be *valid*:



- Since *s* is declared of type Student, a subsequent call *s.setPremiumRate(1.50)* is *never* expected.
- s* is now pointing to a ResidentStudent object.
- Then, what would happen to *s.getTuition()*?

OK

∴ *s.premiumRate* is *never directly used*!!

35 of 110

Polymorphism: Intuition (2)




```

1 Student s = new Student("Stella");
2 ResidentStudent rs = new ResidentStudent("Rachael");
3 rs.setPremiumRate(1.25);
4 s = rs; /* Is this valid? */
5 rs = s; /* Is this valid? */

```

- rs = s* (L5) should be *invalid*:



- Since *rs* is declared of type ResidentStudent, a subsequent call *rs.setPremiumRate(1.50)* can be expected.
- rs* is now pointing to a Student object.
- Then, what would happen to *rs.setPremiumRate(1.50)*?

CRASH

∴ *rs.premiumRate* is *undefined*!!

34 of 110

Dynamic Binding: Intuition (1)




```

1 Course eeecs2030 = new Course("EECS2030", 100.0);
2 Student s;
3 ResidentStudent rs = new ResidentStudent("Rachael");
4 NonResidentStudent nrs = new NonResidentStudent("Nancy");
5 rs.setPremiumRate(1.25); rs.register(eecs2030);
6 nrs.setDiscountRate(0.75); nrs.register(eecs2030);
7 s = rs; System.out.println(s.getTuition()); /* 125.0 */
8 s = nrs; System.out.println(s.getTuition()); /* 75.0 */

```

After *s = rs* (L7), *s* points to a ResidentStudent object.
 ⇒ Calling *s.getTuition()* applies the premiumRate.



36 of 110


Dynamic Binding: Intuition (2)

```

1 Course eecs2030 = new Course("EECS2030", 100.0);
2 Student s;
3 ResidentStudent rs = new ResidentStudent("Rachael");
4 NonResidentStudent nrs = new NonResidentStudent("Nancy");
5 rs.setPremiumRate(1.25); rs.register(eecs2030);
6 nrs.setDiscountRate(0.75); nrs.register(eecs2030);
7 s = rs; System.out.println(s.getTuition()); /* 125.0 */
8 s = nrs; System.out.println(s.getTuition()); /* 75.0 */


```

After `s = nrs` (L8), `s` points to a `NonResidentStudent` object.
 ⇒ Calling `s.getTuition()` applies the discountRate.




37 of 110

Multi-Level Inheritance Hierarchy: Smart Phones



39 of 110

Multi-Level Inheritance Architecture



38 of 110

Inheritance Forms a Type Hierarchy

- A (data) **type** denotes a set of related **runtime values**.
 - Every **class** can be used as a type: the set of runtime **objects**.
- Use of **inheritance** creates a **hierarchy** of classes:
 - (Implicit) Root of the hierarchy is **Object**.
 - Each **extends** declaration corresponds to an upward arrow.
 - The **extends** relationship is **transitive**: when A extends B and B extends C, we say A **indirectly** extends C. e.g., Every class implicitly extends the **Object** class.
- Ancestor** vs. **Descendant** classes:
 - The **ancestor classes** of a class A are: A itself and all classes that A directly, or indirectly, extends.
 - A **inherits** all code (attributes and methods) from its **ancestor classes**. ∴ A's instances have a **wider range of expected usages** (i.e., attributes and methods) than instances of its **ancestor** classes.
 - The **descendant classes** of a class A are: A itself and all classes that directly, or indirectly, extends A.
 - Code defined in A is **inherited** to all its **descendant classes**.

40 of 110

Inheritance Accumulates Code for Reuse

- The **lower** a class is in the type hierarchy, the **more code** it accumulates from its **ancestor classes**:
 - A **descendant class** inherits all code from its **ancestor classes**.
 - A **descendant class** may also:
 - Declare new attributes
 - Define new methods
 - Redefine / Override** inherited methods
- Consequently:
 - When being used as **context objects**, instances of a class' **descendant classes** have a **wider range of expected usages** (i.e., attributes and methods).
 - Given a **reference variable**, expected to store the address of an object of a particular class, we may **substitute** it with (**re-assign** it to) an object of any of its **descendant classes**.
 - e.g., When expecting a **SmartPhone** object, we may substitute it with either a **iPhone13Pro** or a **Samsung** object.
 - Justification**: A **descendant class** contains **at least as many** methods as defined in its **ancestor classes** (but not vice versa!).

41 of 110


Static Types Determine Expectations

- A reference variable's **static type** is what we declare it to be.
 - `Student jim` declares jim's ST as Student.
 - `SmartPhone myPhone` declares myPhone's ST as SmartPhone.
 - The **static type** of a reference variable **never changes**.
- For a reference variable v , its **static type** C defines the **expected usages of v as a context object**.
- A method call $v.m(\dots)$ is **compilable** if m is defined in C .
 - e.g., After declaring `Student jim`, we
 - may** call `register` and `getTuition` on `jim`
 - may not** call `setPremiumRate` (specific to a resident student) or `setDiscountRate` (specific to a non-resident student) on `jim`
 - e.g., After declaring `SmartPhone myPhone`, we
 - may** call `dial` and `surfWeb` on `myPhone`
 - may not** call `facetime` (specific to an IOS phone) or `skype` (specific to an Android phone) on `myPhone`

42 of 110

Substitutions via Assignments

- By declaring **C1** $v1$, **reference variable** $v1$ will store the **address** of an object "of class C1" at runtime.
- By declaring **C2** $v2$, **reference variable** $v2$ will store the **address** of an object "of class C2" at runtime.
- Assignment `v1 = v2` **copies address** stored in $v2$ into $v1$.
 - $v1$ will instead point to wherever $v2$ is pointing to. [**object alias**]



- In such assignment $v1 = v2$, we say that we **substitute** an object of (**static**) type C1 by an object of (**static**) type C2.
- Substitutions** are subject to **rules**!

43 of 110

Rules of Substitution

When expecting an object of **static type** A:

- It is **safe** to **substitute** it with an object whose **static type** is any of the **descendant class** of A (including A).
 - \therefore Each **descendant class** of A, being the new substitute, is guaranteed to contain all (non-private) attributes/methods defined in A.
 - e.g., When expecting an IOS phone, you **can** substitute it with either an iPhoneSE or iPhone13Pro.
- It is **unsafe** to **substitute** it with an object whose **static type** is any of the **ancestor classes of A's parent** (excluding A).
 - \therefore Class A may have defined new methods that do not exist in any of its **parent's ancestor classes**.
 - e.g., When expecting IOS phone, **unsafe** to substitute it with a `SmartPhone` \therefore `facetime` not supported in Android phone.
- It is also **unsafe** to **substitute** it with an object whose **static type** is **neither an ancestor nor a descendant of A**.
 - e.g., When expecting IOS phone, **unsafe** to substitute it with a `HuaweiP50Pro` \therefore `facetime` not supported in Android phone.

44 of 110

Reference Variable: Dynamic Type




A **reference variable's** **dynamic type** is the type of object that it is currently pointing to at **runtime**.

- The **dynamic type** of a reference variable **may change** whenever we **re-assign** that variable to a different object.
- There are two ways to re-assigning a reference variable.

45 of 110

Visualizing Static Type vs. Dynamic Type



- Each segmented box denotes a **runtime** object.
- Arrow denotes a variable (e.g., **s**) storing the object's address. Usually, when the context is clear, we leave the variable's **static type** implicit (**Student**).
- Title of box indicates type of runtime object, which denotes the **dynamic type** of the variable (**ResidentStudent**).

46 of 110

Reference Variable: Changing Dynamic Type (1)



Re-assigning a reference variable to a newly-created object:

- Substitution Principle**: the new object's class must be a **descendant class** of the reference variable's **static type**.
- e.g., `Student jim = new ResidentStudent(...)` changes the **dynamic type** of **jim** to **ResidentStudent**.
- e.g., `jim = new NonResidentStudent(...)` changes the **dynamic type** of **jim** to **NonResidentStudent**.
- e.g., `ResidentStudent jeremy = new Student(...)` is illegal because **Student** is **not** a **descendant class** of the **static type** of **jeremy** (i.e., **ResidentStudent**).

47 of 110

Reference Variable: Changing Dynamic Type (2)



Re-assigning a reference variable **v** to an existing object that is referenced by another variable **other** (i.e., `v = other`):

- Substitution Principle**: the static type of **other** must be a **descendant class** of **v's static type**.
- e.g., Say we declare

```
Student jim = new Student(...);
ResidentStudent rs = new ResidentStudent(...);
NonResidentStudent nrs = new NonResidentStudent(...);
```

- `jim = rs` ✓ changes the **dynamic type** of **jim** to the dynamic type of **rs**
- `jim = nrs` ✓ changes the **dynamic type** of **jim** to the dynamic type of **nrs**
- `rs = jim` ✗
- `nrs = jim` ✗

48 of 110

Polymorphism and Dynamic Binding (1)



- **Polymorphism**: An object variable may have “multiple possible shapes” (i.e., allowable **dynamic types**).
 - Consequently, there are **multiple possible versions** of each method that may be called.
 - e.g., A **Student** variable may have the **dynamic type** of **Student**, **ResidentStudent**, or **NonResidentStudent**.
 - This means that there are three possible versions of the `getTuition()` that may be called.
- **Dynamic binding**: When a method `m` is called on an object variable, the version of `m` corresponding to its “current shape” (i.e., one defined in the **dynamic type** of `m`) will be called.

```
Student jim = new ResidentStudent(...);
jim.getTuition(); /* version in ResidentStudent */
jim = new NonResidentStudent(...);
jim.getTuition(); /* version in NonResidentStudent */
```

49 of 110

Polymorphism and Dynamic Binding (2.2)



```
class Student {...}
class ResidentStudent extends Student {...}
class NonResidentStudent extends Student {...}
```

```
class StudentTester2 {
    public static void main(String[] args) {
        Course eeecs2030 = new Course("EECS2030", 500.0);
        Student jim = new Student("J. Davis");
        ResidentStudent rs = new ResidentStudent("J. Davis");
        rs.setPremiumRate(1.5);
        jim = rs;
        System.out.println(jim.getTuition()); /* 750.0 */
        NonResidentStudent nrs = new NonResidentStudent("J. Davis");
        nrs.setDiscountRate(0.5);
        jim = nrs;
        System.out.println(jim.getTuition()); /* 250.0 */
    }
}
```

51 of 110

Polymorphism and Dynamic Binding (2.1)




```
class Student {...}
class ResidentStudent extends Student {...}
class NonResidentStudent extends Student {...}
```

```
class StudentTester1 {
    public static void main(String[] args) {
        Student jim = new Student("J. Davis");
        ResidentStudent rs = new ResidentStudent("J. Davis");
        jim = rs; /* legal */
        rs = jim; /* illegal */

        NonResidentStudent nrs = new NonResidentStudent("J. Davis");
        jim = nrs; /* legal */
        nrs = jim; /* illegal */
    }
}
```

50 of 110

Polymorphism and Dynamic Binding (3.1)



52 of 110

Polymorphism and Dynamic Binding (3.2)



```
class SmartPhoneTest1 {
    public static void main(String[] args) {
        SmartPhone myPhone;
        IOS ip = new iPhoneSE();
        Samsung ss = new GalaxyS21Plus();
        myPhone = ip; /* legal */
        myPhone = ss; /* legal */

        IOS presentForHeeyeon;
        presentForHeeyeon = ip; /* legal */
        presentForHeeyeon = ss; /* illegal */
    }
}
```

53 of 110

Polymorphism and Dynamic Binding (3.3)



```
class SmartPhoneTest2 {
    public static void main(String[] args) {
        SmartPhone myPhone;
        IOS ip = new iPhone13Pro();
        myPhone = ip;
        myPhone.surfWeb(); /* version of surfWeb in iPhone13Pro */

        Samsung ss = new GalaxyS21();
        myPhone = ss;
        myPhone.surfWeb(); /* version of surfWeb in GalaxyS21 */
    }
}
```

54 of 110

Reference Type Casting: Motivation (1.1)



```
1 Student jim = new ResidentStudent("J. Davis");
2 ResidentStudent rs = jim;
3 rs.setPremiumRate(1.5);
```

- L1 is **legal**: ResidentStudent is a descendant class of the **static type** of jim (i.e., Student).
- L2 is **illegal**: jim's **ST** (i.e., Student) is **not** a descendant class of rs's **ST** (i.e., ResidentStudent).

Java compiler is **unable to infer** that jim's **dynamic type** in L2 is ResidentStudent!

- Force the Java compiler to believe so via a cast in L2:

```
ResidentStudent rs = (ResidentStudent) jim;
```

- The cast `(ResidentStudent) jim` creates for jim a **temporary alias** whose **ST** corresponds to the **cast type** (`ResidentStudent`).
- Alias rs of **ST** ResidentStudent is then created via an assignment.
Note. jim's **ST** always remains Student.
- **dynamic binding**: After the **cast**, L3 will execute the correct version of `setPremiumRate` (\therefore **DT** of rs is **ResidentStudent**).

55 of 110

Reference Type Casting: Motivation (1.2)



- Variable rs is declared of **static type (ST)** ResidentStudent.
- Variable jim is declared of **ST** Student.
- The cast `(ResidentStudent) jim` creates for jim a **temporary alias**, whose **ST** corresponds to the **cast type** (`ResidentStudent`).
 - \Rightarrow Such a cast makes the assignment **valid**.
 - \therefore RHS's **ST** (`ResidentStudent`) is a **descendant** of LHS's **ST** (`ResidentStudent`).
 - \Rightarrow The assignment creates an **alias** rs with **ST** ResidentStudent.
- **No** new object is created.
 - Only an **alias** rs with a different **ST** (`ResidentStudent`) is created.
- After the assignment, jim's **ST** **remains** Student.

56 of 110

Reference Type Casting: Motivation (2.1)



```
1 SmartPhone aPhone = new iPhone13Pro();
2 iPhone13Pro forHeeyeon = aPhone;
3 forHeeyeon.facetime(1.5);
```

- L1 is **legal**: iPhone13Pro is a descendant class of the **static type** of aPhone (i.e., SmartPhone).
- L2 is **illegal**: aPhone's **ST** (i.e., SmartPhone) is **not** a descendant class of forHeeyeon's **ST** (i.e., iPhone13Pro).

Java compiler is **unable to infer** that aPhone's **dynamic type** in L2 is iPhone13Pro!

- Force the Java compiler to believe so via a cast in L2:

```
iPhone13Pro forHeeyeon = (iPhone13Pro) aPhone;
```

- The cast `(iPhone13Pro) aPhone` creates for aPhone **a temporary alias** whose **ST** corresponds to the **cast type** (`iPhone13Pro`).
- Alias forHeeyeon of **ST** `iPhone13Pro` is then created via an assignment.
- **Note**. aPhone's **ST** always remains `SmartPhone`.
- **dynamic binding**: After the **cast**, L3 will execute the correct version of `facetime` (\therefore **DT** of forHeeyeon is `iPhone13Pro`).

57 of 110

Reference Type Casting: Motivation (2.2)



ST: <code>iPhone13Pro</code>	valid substitution	ST: <code>SmartPhone</code>
<code>iPhone13Pro forHeeyeon</code>	=	<code>(iPhone13Pro) aPhone</code> ;
		an alias whose ST is <code>iPhone13Pro</code>

- Variable `forHeeyeon` is declared of **static type** (ST) `iPhone13Pro`.
- Variable `aPhone` is declared of **ST** `SmartPhone`.
- The cast `(iPhone13Pro) aPhone` creates for aPhone **a temporary alias**, whose **ST** corresponds to the **cast type** (`iPhone13Pro`).
 \Rightarrow Such a cast makes the assignment **valid**.
 \therefore RHS's **ST** (`iPhone13Pro`) is a **descendant** of LHS's **ST** (`iPhone13Pro`).
 \Rightarrow The assignment creates an **alias** forHeeyeon with **ST** `iPhone13Pro`.
- **No new object is created**.
 Only an **alias** forHeeyeon with a different **ST** (`iPhone13Pro`) is created.
- After the assignment, aPhone's **ST** **remains** `SmartPhone`.

58 of 110

Type Cast: Named or Anonymous



Named Cast: Use intermediate variable to store the cast result.

```
SmartPhone aPhone = new iPhone13Pro();
IOS forHeeyeon = (iPhone13Pro) aPhone;
forHeeyeon.facetime();
```

Anonymous Cast: Use the cast result directly.

```
SmartPhone aPhone = new iPhone13Pro();
((iPhone13Pro) aPhone).facetime();
```

Common Mistake:

```
1 SmartPhone aPhone = new iPhone13Pro();
2 (iPhone13Pro) aPhone.facetime();
```

L2 \equiv `(iPhone13Pro) (aPhone.facetime())`: Call, then cast.
 \Rightarrow This does **not** compile \therefore `facetime()` is **not** declared in the **static type** of aPhone (`SmartPhone`).

59 of 110

Notes on Type Cast (1)



- Given variable `v` of **static type** ST_v , it is **compilable** to cast `v` to `C`, as long as `C` is an **ancestor** or **descendant** of ST_v .
- Without cast, we can **only** call methods defined in ST_v on `v`.
- Casting `v` to `C` creates for `v` an alias with **ST** `C`.
 \Rightarrow All methods that are defined in `C` can be called.

```
Android myPhone = new GalaxyS21Plus();
/* can call methods declared in Android on myPhone
 * dial, surfweb, skype ✓ sideSync ✗ */
SmartPhone sp = (SmartPhone) myPhone;
/* Compiles OK :: SmartPhone is an ancestor class of Android
 * expectations on sp narrowed to methods in SmartPhone
 * sp.dial, sp.surfweb ✓ sp.skype, sp.sideSync ✗ */
GalaxyS21Plus ga = (GalaxyS21Plus) myPhone;
/* Compiles OK :: GalaxyS21Plus is a descendant class of Android
 * expectations on ga widened to methods in GalaxyS21Plus
 * ga.dial, ga.surfweb, ga.skype, ga.sideSync ✓ */
```

60 of 110

Reference Type Casting: Danger (1)

```
1 Student jim = new NonResidentStudent("J. Davis");
2 ResidentStudent rs = (ResidentStudent) jim;
3 rs.setPremiumRate(1.5);
```

- **L1** is **legal**: NonResidentStudent is a **descendant** of the static type of jim (Student).
- **L2** is **legal** (where the cast type is ResidentStudent):
 - cast type is **descendant** of jim's ST (Student).
 - cast type is **descendant** of rs's ST (ResidentStudent).
- **L3** is **legal** ∴ setPremiumRate is in rs' **ST** ResidentStudent.
- Java compiler is **unable to infer** that jim's **dynamic type** in **L2** is actually NonResidentStudent.
- Executing **L2** will result in a **ClassCastException**.
 ∴ Attribute premiumRate (expected from a **ResidentStudent**) is **undefined** on the **NonResidentStudent** object being cast.

61 of 110

Reference Type Casting: Danger (2)

```
1 SmartPhone aPhone = new GalaxyS21Plus();
2 iPhone13Pro forHeeyeon = (iPhone13Pro) aPhone;
3 forHeeyeon.quickTake();
```

- **L1** is **legal**: GalaxyS21Plus is a **descendant** of the static type of aPhone (SmartPhone).
- **L2** is **legal** (where the cast type is iPhone13Pro):
 - cast type is **descendant** of aPhone's ST (SmartPhone).
 - cast type is **descendant** of forHeeyeon's ST (iPhone13Pro).
- **L3** is **legal** ∴ quickTake is in forHeeyeon' **ST** iPhone13Pro.
- Java compiler is **unable to infer** that aPhone's **dynamic type** in **L2** is actually GalaxyS21Plus.
- Executing **L2** will result in a **ClassCastException**.
 ∴ Methods facetime, quickTake (expected from an **iPhone13Pro**) is **undefined** on the **GalaxyS21Plus** object being cast.

62 of 110

Notes on Type Cast (2.1)

Given a variable v of static type ST_v and dynamic type DT_v :

- $(C) \ v$ is **compilable** if C is ST_v 's **ancestor** or **descendant**.
- Casting v to C 's **ancestor/descendant narrows/widens** expectations.
- However, being **compilable** does not guarantee **runtime-error-free**!

```
1 SmartPhone myPhone = new Samsung();
2 /* ST of myPhone is SmartPhone; DT of myPhone is Samsung */
3 GalaxyS21Plus ga = (GalaxyS21Plus) myPhone;
4 /* Compiles OK ∴ GalaxyS21Plus is a descendant class of SmartPhone
5  * can now call methods declared in GalaxyS21Plus on ga
6  * ga.dial, ga.surfweb, ga.skype, ga.sideSync ✓ */
```

- Type cast in **L3** is **compilable**.
- Executing **L3** will cause **ClassCastException**.
L3: myPhone's **DT** Samsung cannot meet expectations of the temporary **ST** GalaxyS21Plus (e.g., sideSync).

63 of 110

Notes on Type Cast (2.2)

Given a variable v of static type ST_v and dynamic type DT_v :

- $(C) \ v$ is **compilable** if C is ST_v 's **ancestor** or **descendant**.
- Casting v to C 's **ancestor/descendant narrows/widens** expectations.
- However, being **compilable** does not guarantee **runtime-error-free**!

```
1 SmartPhone myPhone = new Samsung();
2 /* ST of myPhone is SmartPhone; DT of myPhone is Samsung */
3 iPhone13Pro ip = (iPhone13Pro) myPhone;
4 /* Compiles OK ∴ iPhone13Pro is a descendant class of SmartPhone
5  * can now call methods declared in iPhone13Pro on ip
6  * ip.dial, ip.surfweb, ip.facetime, ip.quickTake ✓ */
```

- Type cast in **L3** is **compilable**.
- Executing **L3** will cause **ClassCastException**.
L3: myPhone's **DT** Samsung cannot meet expectations of the temporary **ST** iPhone13Pro (e.g., quickTake).

64 of 110

Notes on Type Cast (2.3)



A cast `(C) v` is **compilable** and **runtime-error-free** if **C** is located along the **ancestor path** of **DT_v**.

e.g., Given `Android myPhone = new Samsung();`

- Cast `myPhone` to a class along the **ancestor path** of its **DT Samsung**.
- Casting `myPhone` to a class with more expectations than its **DT Samsung** (e.g., `GalaxyS21Plus`) will cause `ClassCastException`.
- Casting `myPhone` to a class irrelevant to its **DT Samsung** (e.g., `HuaweiMate40Pro`) will cause `ClassCastException`.

65 of 110

Required Reading: Static Types, Dynamic Types, Casts



https://www.eecs.yorku.ca/~jackie/teaching/lectures/2022/F/EECS2030/notes/EECS2030_F22_Notes_Static_Types_Cast.pdf

66 of 110

Compilable Cast vs. Exception-Free Cast



```
class A { }  
class B extends A { }  
class C extends B { }  
class D extends A { }
```

```
1 B b = new C();  
2 D d = (D) b;
```

- After **L1**:
 - **ST** of `b` is `B`
 - **DT** of `b` is `C`
- Does **L2** compile? [No]
∴ cast type `D` is neither an ancestor nor a descendant of `b`'s **ST B**
- Would `D d = (D) ((A) b)` fix **L2**? [YES]
∴ cast type `D` is an ancestor of `b`'s cast, temporary **ST A**
- `ClassCastException` when executing this fixed **L2**? [YES]
∴ cast type `D` is not an ancestor of `b`'s **DT C**

67 of 110

Reference Type Casting: Runtime Check (1)



```
1 Student jim = new NonResidentStudent("J. Davis");  
2 if (jim instanceof ResidentStudent) {  
3     ResidentStudent rs = (ResidentStudent) jim;  
4     rs.setPremiumRate(1.5);  
5 }
```

- **L1** is **legal**: `NonResidentStudent` is a **descendant class** of the **static type** of `jim` (i.e., `Student`).
- **L2** checks if `jim`'s **DT** is a **descendant** of `ResidentStudent`.
FALSE ∴ `jim`'s **dynamic type** is `NonResidentStudent`!
- **L3** is **legal**: `jim`'s cast type (i.e., `ResidentStudent`) is a **descendant class** of `rs`'s **ST** (i.e., `ResidentStudent`).
- **L3** will not be executed at runtime, hence no `ClassCastException`, thanks to the check in **L2**!

68 of 110

Reference Type Casting: Runtime Check (2)



```
1 SmartPhone aPhone = new GalaxyS21Plus();
2 if (aPhone instanceof iPhone13Pro) {
3     IOS forHeeyeon = (iPhone13Pro) aPhone;
4     forHeeyeon.facetime();
5 }
```

- **L1** is **legal**: GalaxyS21Plus is a **descendant class** of the static type of aPhone (i.e., SmartPhone).
- **L2** checks if aPhone's **DT** is a **descendant** of iPhone13Pro.
FALSE ∴ aPhone's **dynamic type** is GalaxyS21Plus!
- **L3** is **legal**: aPhone's cast type (i.e., iPhone13Pro) is a **descendant class** of forHeeyeon's **static type** (i.e., IOS).
- **L3** will not be executed at runtime, hence no ClassCastException, thanks to the check in **L2**!

69 of 110

Notes on the instanceof Operator (2)



Given a reference variable v and a class C ,

v **instanceof** C checks if the **dynamic type** of v , at the moment of being checked, is a descendant class of C .

```
1 SmartPhone myPhone = new Samsung();
2 /* ST of myPhone is SmartPhone; DT of myPhone is Samsung */
3 if (myPhone instanceof Samsung) {
4     Samsung samsung = (Samsung) myPhone;
5 }
6 if (myPhone instanceof GalaxyS21Plus) {
7     GalaxyS21Plus galaxy = (GalaxyS21Plus) myPhone;
8 }
9 if (myPhone instanceof HuaweiMate40Pro) {
10     Huawei hw = (HuaweiMate40Pro) myPhone;
11 }
```

- **L3** evaluates to **true**. [safe to cast]
 - **L6** and **L9** evaluate to **false**. [unsafe to cast]
- This prevents **L7** and **L10**, causing ClassCastException if executed, from being executed.

71 of 110

Notes on the instanceof Operator (1)



Given a reference variable v and a class C , you write

v **instanceof** C

to check if the **dynamic type** of v , at the moment of being checked, is a **descendant class** of C (so that $(C) v$ is **safe**).

```
SmartPhone myPhone = new Samsung();
println(myPhone instanceof Android);
/* true ∴ Samsung is a descendant of Android */
println(myPhone instanceof Samsung);
/* true ∴ Samsung is a descendant of Samsung */
println(myPhone instanceof GalaxyS21);
/* false ∴ Samsung is not a descendant of GalaxyS21 */
println(myPhone instanceof IOS);
/* false ∴ Samsung is not a descendant of IOS */
println(myPhone instanceof iPhone13Pro);
/* false ∴ Samsung is not a descendant of iPhone13Pro */
```

⇒ **Samsung** is the most specific type which myPhone can be **safely** cast to.

70 of 110

Static Types, Casts, Polymorphism (1.1)



```
class SmartPhone {
    void dial() { ... }
}
class IOS extends SmartPhone {
    void facetime() { ... }
}
class iPhone13Pro extends IOS {
    void quickTake() { ... }
}
```

```
1 SmartPhone sp = new iPhone13Pro(); ✓
2 sp.dial(); ✓
3 sp.facetime(); ✗
4 sp.quickTake(); ✗
```

Static type of sp is SmartPhone

⇒ can only call methods defined in SmartPhone on sp

72 of 110

Static Types, Casts, Polymorphism (1.2)



```
class SmartPhone {  
    void dial() { ... }  
}  
class IOS extends SmartPhone {  
    void facetime() { ... }  
}  
class iPhone13Pro extends IOS {  
    void quickTake() { ... }  
}
```

```
1 IOS ip = new iPhone13Pro(); ✓  
2 ip.dial(); ✓  
3 ip.facetime(); ✓  
4 ip.quickTake(); ✗
```

Static type of *ip* is IOS

⇒ can only call methods defined in IOS on *ip*

73 of 110

Static Types, Casts, Polymorphism (1.4)



```
class SmartPhone {  
    void dial() { ... }  
}  
class IOS extends SmartPhone {  
    void facetime() { ... }  
}  
class iPhone13Pro extends IOS {  
    void quickTake() { ... }  
}
```

```
1 SmartPhone sp = new iPhone13Pro(); ✓  
2 ((iPhone13Pro) sp).dial(); ✓  
3 ((iPhone13Pro) sp).facetime(); ✓  
4 ((iPhone13Pro) sp).quickTake(); ✓
```

L4 is equivalent to the following two lines:

```
iPhone13Pro ip6sp = (iPhone13Pro) sp;  
ip6sp.quickTake();
```

75 of 110

Static Types, Casts, Polymorphism (1.3)



```
class SmartPhone {  
    void dial() { ... }  
}  
class IOS extends SmartPhone {  
    void facetime() { ... }  
}  
class iPhone13Pro extends IOS {  
    void quickTake() { ... }  
}
```

```
1 iPhone13Pro ip6sp = new iPhone13Pro(); ✓  
2 ip6sp.dial(); ✓  
3 ip6sp.facetime(); ✓  
4 ip6sp.quickTake(); ✓
```

Static type of *ip6sp* is iPhone13Pro

⇒ can call all methods defined in iPhone13Pro on *ip6sp*

74 of 110

Static Types, Casts, Polymorphism (2)



Given a reference variable declaration

```
C v;
```

- **Static type** of reference variable *v* is class *C*
- A method call `v.m` is valid if *m* is a method **defined** in class *C*.
- Despite the **dynamic type** of *v*, you are only allowed to call methods that are defined in the **static type** *C* on *v*.
- If you are certain that *v*'s **dynamic type** can be expected **more** than its **static type**, then you may use an instanceof check and a cast.

```
Course eeecs2030 = new Course("EECS2030", 500.0);  
Student s = new ResidentStudent("Jim");  
s.register(eeecs2030);  
if (s instanceof ResidentStudent) {  
    ((ResidentStudent) s).setPremiumRate(1.75);  
    System.out.println(((ResidentStudent) s).getTuition());  
}
```

76 of 110

Polymorphism: Method Parameters (1)



```
1 class StudentManagementSystem {
2     Student[] ss; /* ss[i] has static type Student */ int c;
3     void addRS(ResidentStudent rs) { ss[c] = rs; c++; }
4     void addNRS(NonResidentStudent nrs) { ss[c] = nrs; c++; }
5     void addStudent(Student s) { ss[c] = s; c++; } }
```

- **L3:** `ss[c] = rs` is valid. \therefore RHS's ST `ResidentStudent` is a **descendant class** of LHS's ST `Student`.
- Say we have a `StudentManagementSystem` object `sms`:
 - `sms.addRS(o)` attempts the following assignment (recall call by value), which replaces parameter `rs` by a copy of argument `o`:

```
rs = o;
```
 - Whether this argument passing is valid depends on `o`'s **static type**.
- In the signature of a method `m`, if the type of a parameter is class `C`, then we may call method `m` by passing objects whose **static types** are `C`'s **descendants**.

77 of 110

Polymorphism: Method Parameters (2.2)



In the `StudentManagementSystemTester`:

```
1 Student s = new Student("Stella");
2 /* s' ST: Student; s' DT: Student */
3 StudentManagementSystem sms = new StudentManagementSystem();
4 sms.addRS(s); ✗
```

- **L4 compiles** with a cast: `sms.addRS((ResidentStudent) s)`
 - **Valid cast**: `(ResidentStudent)` is a **descendant** of `s`' **ST**.
 - **Valid call**: `s`' temporary **ST** (`ResidentStudent`) is now a descendant class of `addRS`'s parameter `rs`' **ST** (`ResidentStudent`).
- But, there will be a **ClassCastException** at runtime!
 \therefore `s`' **DT** (`Student`) is **not** a **descendant** of `ResidentStudent`.
- We should have written:

```
if(s instanceof ResidentStudent) {
    sms.addRS((ResidentStudent) s);
}
```

The `instanceof` expression will evaluate to **false**, meaning it is **unsafe** to cast, thus preventing `ClassCastException`.

79 of 110

Polymorphism: Method Parameters (2.1)



In the `StudentManagementSystemTester`:

```
Student s1 = new Student();
Student s2 = new ResidentStudent();
Student s3 = new NonResidentStudent();
ResidentStudent rs = new ResidentStudent();
NonResidentStudent nrs = new NonResidentStudent();
StudentManagementSystem sms = new StudentManagementSystem();
sms.addRS(s1); ✗
sms.addRS(s2); ✗
sms.addRS(s3); ✗
sms.addRS(rs); ✓
sms.addRS(nrs); ✗
sms.addStudent(s1); ✓
sms.addStudent(s2); ✓
sms.addStudent(s3); ✓
sms.addStudent(rs); ✓
sms.addStudent(nrs); ✓
```

78 of 110

Polymorphism: Method Parameters (2.3)



In the `StudentManagementSystemTester`:

```
1 Student s = new NonResidentStudent("Nancy");
2 /* s' ST: Student; s' DT: NonResidentStudent */
3 StudentManagementSystem sms = new StudentManagementSystem();
4 sms.addRS(s); ✗
```

- **L4 compiles** with a cast: `sms.addRS((ResidentStudent) s)`
 - **Valid cast**: `(ResidentStudent)` is a **descendant** of `s`' **ST**.
 - **Valid call**: `s`' temporary **ST** (`ResidentStudent`) is now a descendant class of `addRS`'s parameter `rs`' **ST** (`ResidentStudent`).
- But, there will be a **ClassCastException** at runtime!
 \therefore `s`' **DT** (`NonResidentStudent`) **not descendant** of `ResidentStudent`.
- We should have written:

```
if(s instanceof ResidentStudent) {
    sms.addRS((ResidentStudent) s);
}
```

The `instanceof` expression will evaluate to **false**, meaning it is **unsafe** to cast, thus preventing `ClassCastException`.

80 of 110

Polymorphism: Method Parameters (2.4)



In the StudentManagementSystemTester:

```
1 Student s = new ResidentStudent("Rachael");
2 /* s' ST: Student; s' DT: ResidentStudent */
3 StudentManagementSystem sms = new StudentManagementSystem();
4 sms.addRS(s); ✗
```

- o **L4 compiles** with a cast: `sms.addRS((ResidentStudent) s)`
 - **Valid** cast: (ResidentStudent) is a descendant of s' **ST**.
 - **Valid** call: s' temporary **ST** (ResidentStudent) is now a descendant class of addRS's parameter rs' **ST** (ResidentStudent).
- o And, there will be **no ClassCastException** at runtime!
∴ s' **DT** (ResidentStudent) is descendant of ResidentStudent.
- o We should have written:

```
if(s instanceof ResidentStudent) {
    sms.addRS((ResidentStudent) s);
}
```

The **instanceof** expression will evaluate to **true**, meaning it is **safe** to cast.

81 of 110

Why Inheritance: A Polymorphic Collection of Students



How do you define a class StudentManagementSystem that contains a list of **resident** and **non-resident** students?

```
class StudentManagementSystem {
    Student[] students;
    int numOfStudents;

    void addStudent(Student s) {
        students[numOfStudents] = s;
        numOfStudents++;
    }

    void registerAll (Course c) {
        for(int i = 0; i < numberOfStudents; i++) {
            students[i].register(c)
        }
    }
}
```

83 of 110

a collection of students without inheritance

Polymorphism: Method Parameters (2.5)



In the StudentManagementSystemTester:

```
1 NonResidentStudent nrs = new NonResidentStudent();
2 /* ST: NonResidentStudent; DT: NonResidentStudent */
3 StudentManagementSystem sms = new StudentManagementSystem();
4 sms.addRS(nrs); ✗
```

Will **L4** with a cast compile?

```
sms.addRS((ResidentStudent) nrs)
```

NO ∴ (ResidentStudent) is **not** a descendant of nrs's **ST** (NonResidentStudent).

82 of 110

Polymorphism and Dynamic Binding: A Polymorphic Collection of Students (1)



```
1 ResidentStudent rs = new ResidentStudent("Rachael");
2 rs.setPremiumRate(1.5);
3 NonResidentStudent nrs = new NonResidentStudent("Nancy");
4 nrs.setDiscountRate(0.5);
5 StudentManagementSystem sms = new StudentManagementSystem();
6 sms.addStudent(rs); /* polymorphism */
7 sms.addStudent(nrs); /* polymorphism */
8 Course eeCS2030 = new Course("EECS2030", 500.0);
9 sms.registerAll(eeCS2030);
10 for(int i = 0; i < sms.numberOfStudents; i++) {
11     /* Dynamic Binding:
12      * Right version of getTuition will be called */
13     System.out.println(sms.students[i].getTuition());
14 }
```


84 of 110

Polymorphism and Dynamic Binding: A Polymorphic Collection of Students (2)



At runtime, attribute `sms.ss` is a **polymorphic** array:

- **Static type** of each item is as declared: **Student**
- **Dynamic type** of each item is a descendant of **Student**:
ResidentStudent, **NonResidentStudent**



85 of 110

Polymorphism: Return Types (2)



```

1 Course eecs2030 = new Course("EECS2030", 500);
2 ResidentStudent rs = new ResidentStudent("Rachael");
3 rs.setPremiumRate(1.5); rs.register(eecs2030);
4 NonResidentStudent nrs = new NonResidentStudent("Nancy");
5 nrs.setDiscountRate(0.5); nrs.register(eecs2030);
6 StudentManagementSystem sms = new StudentManagementSystem();
7 sms.addStudent(rs); sms.addStudent(nrs);
8 Student s = sms.getStudent(0); /* dynamic type of s? */

    static return type: Student
9 print(s instanceof Student && s instanceof ResidentStudent); /*true*/
10 print(s instanceof NonResidentStudent); /* false */
11 print(s.getTuition()); /*Version in ResidentStudent called:750*/
12 ResidentStudent rs2 = sms.getStudent(0); x
13 s = sms.getStudent(1); /* dynamic type of s? */

    static return type: Student
14 print(s instanceof Student && s instanceof NonResidentStudent); /*true*/
15 print(s instanceof ResidentStudent); /* false */
16 print(s.getTuition()); /*Version in NonResidentStudent called:250*/
17 NonResidentStudent nrs2 = sms.getStudent(1); x
    
```

87 of 110

Polymorphism: Return Types (1)



```

1 class StudentManagementSystem {
2     Student[] ss; int c;
3     void addStudent(Student s) { ss[c] = s; c++; }
4     Student getStudent(int i) {
5         Student s = null;
6         if(i < 0 || i >= c) {
7             throw new InvalidStudentIndexException("Invalid index.");
8         }
9         else {
10            s = ss[i];
11        }
12        return s;
13    }
14 }
    
```

L4: Student is **static type** of `getStudent`'s return value.

L10: `ss[i]`'s ST (Student) is descendant of `s`' ST (Student).

Question: What can be the **dynamic type** of `s` after L10?

Answer: All descendant classes of Student.


86 of 110

Polymorphism: Return Types (3)



At runtime, attribute `sms.ss` is a **polymorphic** array:

- **Static type** of each item is as declared: **Student**
- **Dynamic type** of each item is a descendant of **Student**:
ResidentStudent, **NonResidentStudent**



88 of 110

Static Type vs. Dynamic Type: When to consider which?

- **Whether or not Java code compiles** depends only on the **static types** of relevant variables.
 ∴ Inferring the **dynamic type** statically is an **undecidable** problem that is inherently impossible to solve.
- **The behaviour of Java code being executed at runtime** (e.g., which version of method is called due to dynamic binding, whether or not a `ClassCastException` will occur, etc.) depends on the **dynamic types** of relevant variables.
 ⇒ Best practice is to visualize how objects are created (by drawing boxes) and variables are re-assigned (by drawing arrows).

89 of 110

Summary: Type Checking Rules

CODE	CONDITION TO BE TYPE CORRECT
<code>x = y</code>	Is y's ST a descendant of x's ST ?
<code>x.m(y)</code>	Is method m defined in x's ST ? Is y's ST a descendant of m's parameter's ST ?
<code>z = x.m(y)</code>	Is method m defined in x's ST ? Is y's ST a descendant of m's parameter's ST ? Is ST of m's return value a descendant of z's ST ?
<code>(C) y</code>	Is C an ancestor or a descendant of y's ST ?
<code>x = (C) y</code>	Is C an ancestor or a descendant of y's ST ? Is C a descendant of x's ST ?
<code>x.m((C) y)</code>	Is C an ancestor or a descendant of y's ST ? Is method m defined in x's ST ? Is C a descendant of m's parameter's ST ?

Even if `(C) y` compiles OK, there will be a runtime `ClassCastException` if C is not an **ancestor** of y's **DT**!

90 of 110

Root of the Java Class Hierarchy

- Implicitly:
 - Every class is a **child/sub** class of the **Object** class.
 - The **Object** class is the **parent/super** class of every class.
- There are two useful **accessor methods** that every class **inherits** from the **Object** class:
 - `boolean equals(Object other)`
 Indicates whether some other object is "equal to" this one.
 - The default definition inherited from `Object`:


```
boolean equals(Object other) {
    return (this == other); }
```
 - `String toString()`
 Returns a string representation of the object.
- Very often when you define new classes, you want to **redefine/override** the inherited definitions of `equals` and `toString`.

91 of 110


Overriding and Dynamic Binding (1)

`Object` is the common parent/super class of every class.

- Every class inherits the **default version** of `equals`
- Say a reference variable `v` has **dynamic type D**:
 - **Case 1 D overrides equals**
 ⇒ `v.equals(...)` invokes the **overridden version** in `D`
 - **Case 2 D does not override equals**
Case 2.1 At least one ancestor classes of `D` **override** `equals`
 ⇒ `v.equals(...)` invokes the **overridden version** in the **closest ancestor class**
Case 2.2 No ancestor classes of `D` **override** `equals`
 ⇒ `v.equals(...)` invokes **default version** inherited from `Object`.
- Same principle applies to the `toString` method, and all overridden methods in general.

92 of 110

Overriding and Dynamic Binding (2.1)



```

class A {
    /*equals not overridden*/
}
class B extends A {
    /*equals not overridden*/
}
class C extends B {
    /*equals not overridden*/
}
  
```


```

1 Object c1 = new C();
2 Object c2 = new C();
3 println(c1.equals(c2));
  
```

L3 calls which version of equals? [Object]

93 of 110

Overriding and Dynamic Binding (2.3)



```

class A {
    /*equals not overridden*/
}
class B extends A {
    boolean equals (Object obj) {
        /* overridden version */
    }
}
class C extends B {
    /*equals not overridden*/
}
  
```


```

1 Object c1 = new C();
2 Object c2 = new C();
3 println(c1.equals(c2));
  
```

L3 calls which version of equals? [B]

95 of 110

Overriding and Dynamic Binding (2.2)



```

class A {
    /*equals not overridden*/
}
class B extends A {
    /*equals not overridden*/
}
class C extends B {
    boolean equals (Object obj) {
        /* overridden version */
    }
}
  
```

```

1 Object c1 = new C();
2 Object c2 = new C();
3 println(c1.equals(c2));
  
```

L3 calls which version of equals? [C]

94 of 110

Behaviour of Inherited toString Method (1)



```

Point p1 = new Point(2, 4);
System.out.println(p1);
  
```

Point@677327b6

- Implicitly, the toString method is called inside the println method.
- By default, the address stored in p1 gets printed.
- We need to **redefine / override** the toString method, inherited from the Object class, in the Point class.

96 of 110

Behaviour of Inherited toString Method (2)



```
class Point {  
    double x;  
    double y;  
    public String toString() {  
        return "(" + this.x + ", " + this.y + ")";  
    }  
}
```

After redefining/overriding the toString method:

```
Point p1 = new Point(2, 4);  
System.out.println(p1);
```

(2, 4)

97 of 110

Behaviour of Inherited toString Method (3)



Exercise: Override the equals and toString methods for the ResidentStudent and NonResidentStudent classes.

98 of 110

Beyond this lecture...



- Implement the **inheritance hierarchy** of **Students** and reproduce all lecture examples.
- Implement the **inheritance hierarchy** of **Smart Phones** and reproduce all lecture examples.
Hints. Pay attention to:
 - **Valid? Compiles?**
 - **ClassCastException?**
- Study the ExampleTypeCasts example: draw the **inheritance hierarchy** and experiment with the various substitutions and casts.

99 of 110

Index (1)



Learning Outcomes

Why Inheritance: A Motivating Example

Why Inheritance: A Motivating Example

No Inheritance: ResidentStudent Class

No Inheritance: NonResidentClass

No Inheritance: Testing Student Classes

No Inheritance:

Issues with the Student Classes

No Inheritance: Maintainability of Code (1)

No Inheritance: Maintainability of Code (2)

100 of 110

Index (2)



No Inheritance:

A Collection of Various Kinds of Students

Visibility: Project, Packages, Classes

Visibility of Classes

Visibility of Classes: Across All Classes

Within the Resident Package (no modifier)

Visibility of Classes: Across All Classes

Within the Resident Package (no modifier)

Visibility of Attributes/Methods:

Using Modifiers to Define Scopes

Visibility of Attr./Meth.: Across All Methods

Within the Resident Class (`private`)

101 of 110

Index (3)



Visibility of Attr./Meth.: Across All Classes

Within the Resident Package (no modifier)

Visibility of Attr./Meth.: Across All Packages

Within the Resident Project (`public`)

Use of the `protected` Modifier

Visibility of Attr./Meth.: Across All Methods

Within the Resident Package and Sub-Classes (`protected`)

Visibility of Attr./Meth.

Inheritance Architecture

Inheritance: The Student Parent/Super Class

Inheritance:

The ResidentStudent Child/Sub Class

102 of 110

Index (4)



Inheritance:

The NonResidentStudent Child/Sub Class

Inheritance Architecture Revisited

Using Inheritance for Code Reuse

Visualizing Parent/Child Objects (1)

Visualizing Parent/Child Objects (2)

Testing the Two Student Sub-Classes

Inheritance Architecture:

Static Types & Expectations

Polymorphism: Intuition (1)

Polymorphism: Intuition (2)

103 of 110

Index (5)



Polymorphism: Intuition (3)

Dynamic Binding: Intuition (1)

Dynamic Binding: Intuition (2)

Multi-Level Inheritance Architecture

Multi-Level Inheritance Hierarchy:

Smart Phones

Inheritance Forms a Type Hierarchy

Inheritance Accumulates Code for Reuse

Static Types Determine Expectations

Substitutions via Assignments

Rules of Substitution

104 of 110

Index (6)



Reference Variable: Dynamic Type

Visualizing Static Type vs. Dynamic Type

Reference Variable:

Changing Dynamic Type (1)

Reference Variable:

Changing Dynamic Type (2)

Polymorphism and Dynamic Binding (1)

Polymorphism and Dynamic Binding (2.1)

Polymorphism and Dynamic Binding (2.2)

Polymorphism and Dynamic Binding (3.1)

Polymorphism and Dynamic Binding (3.2)

105 of 110

Index (7)



Polymorphism and Dynamic Binding (3.3)

Reference Type Casting: Motivation (1.1)

Reference Type Casting: Motivation (1.2)

Reference Type Casting: Motivation (2.1)

Reference Type Casting: Motivation (2.2)

Type Cast: Named or Anonymous

Notes on Type Cast (1)

Reference Type Casting: Danger (1)

Reference Type Casting: Danger (2)

Notes on Type Cast (2.1)

Notes on Type Cast (2.2)

106 of 110

Index (8)



Notes on Type Cast (2.3)

Required Reading:

Static Types, Dynamic Types, Casts

Compilable Cast vs. Exception-Free Cast

Reference Type Casting: Runtime Check (1)

Reference Type Casting: Runtime Check (2)

Notes on the instanceof Operator (1)

Notes on the instanceof Operator (2)

Static Types, Casts, Polymorphism (1.1)

Static Types, Casts, Polymorphism (1.2)

Static Types, Casts, Polymorphism (1.3)

107 of 110

Index (9)



Static Types, Casts, Polymorphism (1.4)

Static Types, Casts, Polymorphism (2)

Polymorphism: Method Parameters (1)

Polymorphism: Method Parameters (2.1)

Polymorphism: Method Parameters (2.2)

Polymorphism: Method Parameters (2.3)

Polymorphism: Method Parameters (2.4)

Polymorphism: Method Parameters (2.5)

Why Inheritance:

A Polymorphic Collection of Students

Polymorphism and Dynamic Binding:

A Polymorphic Collection of Students (1)

108 of 110

Index (10)



Polymorphism and Dynamic Binding:

A Polymorphic Collection of Students (2)

Polymorphism: Return Types (1)

Polymorphism: Return Types (2)

Polymorphism: Return Types (3)

Static Type vs. Dynamic Type:

When to consider which?

Summary: Type Checking Rules

Root of the Java Class Hierarchy

Overriding and Dynamic Binding (1)

Overriding and Dynamic Binding (2.1)

109 of 110

Index (11)



Overriding and Dynamic Binding (2.2)

Overriding and Dynamic Binding (2.3)

Behaviour of Inherited toString Method (1)

Behaviour of Inherited toString Method (2)

Behaviour of Inherited toString Method (3)

Beyond this lecture...

110 of 110