

III. The System

1. Database Management

- schema management (**CREATE, DROP, ALTER**)
- data management (**INSERT, DELETE, UPDATE**)
 - scalable: handle billions or trillions of records
- integrity protection
- security and authorization (DBA)

2. Query Engine (**SQL** queries)

- handle sophisticated (i.e., logically complex) queries

3. Application Program Support

- how to talk with the rest of the world?

4. Transaction Management

- *all-or-nothing*

5. Concurrency Control

- handle thousands of requests concurrently

6. Crash Recovery

- never lose data!

7. Tuning (DBA)

- control over the physical database for efficiency

Database Designer's Waterfall for Integrity

1. Structural and domain constraints (Design)

- normalized schema
- primary key, foreign key, unique, and domain constraints

2. Check Constraints

- row-level
- with single-table sub-queries (aggregation)
- with inter-table sub-queries (joins)

3. Assertions (independent, inter-table constraints)

4. Triggers with rollback / abort

5. Integrity checking at the application level

(Aided by transaction management)

Design Considerations:

- Be as declarative as possible.
Be as high up the waterfall as possible.
- Make good use of *views* (and other tools) for cleaner design.
- Must make trade-offs / concessions for sake of efficiency.

(Sometimes nasty.)

Query Engine

- Process sophisticated (**SQL**) queries efficiently.
- Do so over databases with billions, or trillions, of tuples.

A key component is the *query optimizer*.

Application Program Support

Is **SQL** the only way to talk to the database (system)? *Yes!*

By Codd's dictate, **SQL** is the only way we have access to the data.

On the other hand, we need more than a **SQL** shell / window.

Programs need to be able to “talk” to the database, not just users.

And **SQL** is just a query language, not a programming language. So what about when we need programming?

Transaction Management

Certain sets of actions on the database we want to occur together.

Such a set of actions we call a *transaction*.

Properties:

- Atomicity
- Consistency
- Isolation
- Durability

Goes hand-in-hand with *concurrency control*. The RDBMS should be able to handle 100,000's transactions a minute.

Some of these will be in conflict.

So a transaction may

- commit or
- abort (a.k.a. rollback)

Concurrency Control

Handle 100,000's concurrent transactions. How?

- Locking protocols

A transaction must lock resources so other transactions cannot have them.

- Serializability

No matter how the transactions are processed, it looks like they were processed sequentially.

Crash Recovery

Never lose data. How?

After data is *committed*, it should never be lost (unless deleted).

- physical storage redundancy (e.g., RAID)
- write-ahead logs
- back-ups (DBA)

Physical Database Tuning

Control over the physical database for efficiency. (This is what DBA's do for a living.)

- Adjust parameters dictating resource allocation.
 - buffer pool management / main memory
- Dictate how tables are physically mapped to disk.
- Specify *indexes*
 - and materialized views, etc.
 - **runstats** (statistics used by the query optimizer)